

Class HomeController

Defines routes for user actions in referee docker container.

Inheritance

- ↳ [object](https://learn.microsoft.com/dotnet/api/system.object) (<https://learn.microsoft.com/dotnet/api/system.object>)
 - ↳ [ControllerBase](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase>)
 - ↳ [Controller](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller>)
 - ↳ [HomeController](#)

Implements

- [IActionFilter](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.iactionfilter) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.iactionfilter>)
- [IAsyncActionFilter](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.iasyncactionfilter) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.iasyncactionfilter>)
- [IFilterMetadata](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.ifiltermetadata) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.ifiltermetadata>)
- [IDisposable](https://learn.microsoft.com/dotnet/api/system.idisposable) (<https://learn.microsoft.com/dotnet/api/system.idisposable>)

Inherited Members

- [Controller.View\(\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view>)
- [Controller.View\(string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view(system-string)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view(system-string)))
- [Controller.View\(object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view(system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view(system-object)))
- [Controller.View\(string, object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view(system-string-system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view\(system-string-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.view#microsoft-aspnetcore-mvc-controller-view(system-string-system-object)))
- [Controller.PartialView\(\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview>)
- [Controller.PartialView\(string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview(system-string)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview(system-string)))
- [Controller.PartialView\(object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview(system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview(system-object)))
- [Controller.PartialView\(string, object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview(system-string-system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview\(system-string-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.partialview#microsoft-aspnetcore-mvc-controller-partialview(system-string-system-object)))
- [Controller.ViewComponent\(string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-string)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-string)))
- [Controller.ViewComponent\(Type\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-type)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent\(system-type\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-type)))
- [Controller.ViewComponent\(string, object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-string-system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent\(system-string-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-string-system-object)))
- [Controller.ViewComponent\(Type, object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-type-system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent\(system-type-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewcomponent#microsoft-aspnetcore-mvc-controller-viewcomponent(system-type-system-object)))
- [Controller.Json\(object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.json#microsoft-aspnetcore-mvc-controller-json(system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.json#microsoft-aspnetcore-mvc-controller-json\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.json#microsoft-aspnetcore-mvc-controller-json(system-object)))
- [Controller.Json\(object, object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.json#microsoft-aspnetcore-mvc-controller-json(system-object-system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.json#microsoft-aspnetcore-mvc-controller-json\(system-object-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.json#microsoft-aspnetcore-mvc-controller-json(system-object-system-object)))
- [Controller.OnActionExecuting\(ActionExecutingContext\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.onactionexecuting) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.onactionexecuting>)
- [Controller.OnActionExecuted\(ActionExecutedContext\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.onactionexecuted) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.onactionexecuted>)
- [Controller.OnActionExecutionAsync\(ActionExecutingContext, ActionExecutionDelegate\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.onactionexecutionasync) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.onactionexecutionasync>)
- [Controller.Dispose\(\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.dispose#microsoft-aspnetcore-mvc-controller-dispose) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.dispose#microsoft-aspnetcore-mvc-controller-dispose>)
- [Controller.Dispose\(bool\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.dispose#microsoft-aspnetcore-mvc-controller-dispose(system-boolean)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.dispose#microsoft-aspnetcore-mvc-controller-dispose\(system-boolean\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.dispose#microsoft-aspnetcore-mvc-controller-dispose(system-boolean)))
- [Controller.ViewData](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewdata) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewdata>)
- [Controller.TempData](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.tempdata) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.tempdata>)
- [Controller.ViewBag](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewbag) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controller.viewbag>)
- [ControllerBase.StatusCode\(int\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode(system-int32)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode\(system-int32\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode(system-int32)))
- [ControllerBase.StatusCode\(int, object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode(system-int32-system-object)) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode\(system-int32-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode(system-int32-system-object)))

[illegible]

[illegible]

[illegible]

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.file\(system-string-system-string-system-string-system-nullable\(\(system-datetimeoffset\)\)-microsoft-net-http-headers-entitytagheadervalue\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.file(system-string-system-string-system-string-system-nullable((system-datetimeoffset))-microsoft-net-http-headers-entitytagheadervalue))))

ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.file#microsoft-aspnetcore-mvc-controllerbase-file\(system-string-system-string-system-string-system-nullable\(\(system-datetimeoffset\)\)-microsoft-net-http-headers-entitytagheadervalue-system-boolean\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.file#microsoft-aspnetcore-mvc-controllerbase-file(system-string-system-string-system-string-system-nullable((system-datetimeoffset))-microsoft-net-http-headers-entitytagheadervalue-system-boolean))))

ControllerBase.PhysicalFile(string, string)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string))))

ControllerBase.PhysicalFile(string, string, bool)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string-system-boolean\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string-system-boolean))))

ControllerBase.PhysicalFile(string, string, string)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string-system-string\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string-system-string))))

ControllerBase.PhysicalFile(string, string, string, bool)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string-system-string-system-boolean\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string-system-string-system-boolean))))

ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string-system-nullable\(\(system-datetimeoffset\)\)-microsoft-net-http-headers-entitytagheadervalue\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string-system-nullable((system-datetimeoffset))-microsoft-net-http-headers-entitytagheadervalue))))

ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue, bool)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string-system-nullable\(\(system-datetimeoffset\)\)-microsoft-net-http-headers-entitytagheadervalue-system-boolean\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string-system-nullable((system-datetimeoffset))-microsoft-net-http-headers-entitytagheadervalue-system-boolean))))

ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string-system-string-system-nullable\(\(system-datetimeoffset\)\)-microsoft-net-http-headers-entitytagheadervalue\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string-system-string-system-nullable((system-datetimeoffset))-microsoft-net-http-headers-entitytagheadervalue))))

ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile\(system-string-system-string-system-string-system-nullable\(\(system-datetimeoffset\)\)-microsoft-net-http-headers-entitytagheadervalue-system-boolean\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.physicalfile#microsoft-aspnetcore-mvc-controllerbase-physicalfile(system-string-system-string-system-string-system-nullable((system-datetimeoffset))-microsoft-net-http-headers-entitytagheadervalue-system-boolean))))

ControllerBase.Unauthorized()

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unauthorized#microsoft-aspnetcore-mvc-controllerbase-unauthorized>)

ControllerBase.Unauthorized(object)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unauthorized#microsoft-aspnetcore-mvc-controllerbase-unauthorized\(system-object\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unauthorized#microsoft-aspnetcore-mvc-controllerbase-unauthorized(system-object))))

ControllerBase.NotFound() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.notfound#microsoft-aspnetcore-mvc-controllerbase-notfound>)

ControllerBase.NotFound(object) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.notfound#microsoft-aspnetcore-mvc-controllerbase-notfound\(system-object\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.notfound#microsoft-aspnetcore-mvc-controllerbase-notfound(system-object))))

ControllerBase.BadRequest() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.badrequest#microsoft-aspnetcore-mvc-controllerbase-badrequest>)

ControllerBase.BadRequest(object)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.badrequest#microsoft-aspnetcore-mvc-controllerbase-badrequest\(system-object\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.badrequest#microsoft-aspnetcore-mvc-controllerbase-badrequest(system-object))))

ControllerBase.BadRequest(ModelStateDictionary)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.badrequest#microsoft-aspnetcore-mvc-controllerbase-badrequest\(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.badrequest#microsoft-aspnetcore-mvc-controllerbase-badrequest(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary))))

ControllerBase.UnprocessableEntity()

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessableentity#microsoft-aspnetcore-mvc-controllerbase-unprocessableentity>)

ControllerBase.UnprocessableEntity(object)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessableentity#microsoft-aspnetcore-mvc-controllerbase-unprocessableentity\(system-object\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessableentity#microsoft-aspnetcore-mvc-controllerbase-unprocessableentity(system-object))))

ControllerBase.UnprocessableEntity(ModelStateDictionary)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessableentity#microsoft-aspnetcore-mvc-controllerbase-unprocessableentity\(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessableentity#microsoft-aspnetcore-mvc-controllerbase-unprocessableentity(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary))))

ControllerBase.Conflict() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict>)

ControllerBase.Conflict(object) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict\(system-object\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict(system-object))))

ControllerBase.Conflict(ModelStateDictionary)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict\(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary))))

ControllerBase.Problem(string, string, int?, string, string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.problem>)

[illegible]

ControllerBase.AcceptedAtRoute(object)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute(system-object)))

ControllerBase.AcceptedAtRoute(string)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute(system-string)))

ControllerBase.AcceptedAtRoute(string, object)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute\(system-string-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute(system-string-system-object)))

ControllerBase.AcceptedAtRoute(object, object)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute\(system-object-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute(system-object-system-object)))

ControllerBase.AcceptedAtRoute(string, object, object)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute\(system-string-system-object-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.acceptedatroute#microsoft-aspnetcore-mvc-controllerbase-acceptedatroute(system-string-system-object-system-object)))

ControllerBase.Challenge() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.challenge#microsoft-aspnetcore-mvc-controllerbase-challenge>)

ControllerBase.Challenge(params string[])
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.challenge#microsoft-aspnetcore-mvc-controllerbase-challenge\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.challenge#microsoft-aspnetcore-mvc-controllerbase-challenge(system-string)))

ControllerBase.Challenge(AuthenticationProperties)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.challenge#microsoft-aspnetcore-mvc-controllerbase-challenge\(microsoft-aspnetcore-authentication-authenticationproperties\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.challenge#microsoft-aspnetcore-mvc-controllerbase-challenge(microsoft-aspnetcore-authentication-authenticationproperties)))

ControllerBase.Challenge(AuthenticationProperties, params string[])
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.challenge#microsoft-aspnetcore-mvc-controllerbase-challenge\(microsoft-aspnetcore-authentication-authenticationproperties-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.challenge#microsoft-aspnetcore-mvc-controllerbase-challenge(microsoft-aspnetcore-authentication-authenticationproperties-system-string)))

ControllerBase.Forbid() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.forbid#microsoft-aspnetcore-mvc-controllerbase-forbid>)

ControllerBase.Forbid(params string[])
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.forbid#microsoft-aspnetcore-mvc-controllerbase-forbid\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.forbid#microsoft-aspnetcore-mvc-controllerbase-forbid(system-string)))

ControllerBase.Forbid(AuthenticationProperties)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.forbid#microsoft-aspnetcore-mvc-controllerbase-forbid\(microsoft-aspnetcore-authentication-authenticationproperties\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.forbid#microsoft-aspnetcore-mvc-controllerbase-forbid(microsoft-aspnetcore-authentication-authenticationproperties)))

ControllerBase.Forbid(AuthenticationProperties, params string[])
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.forbid#microsoft-aspnetcore-mvc-controllerbase-forbid\(microsoft-aspnetcore-authentication-authenticationproperties-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.forbid#microsoft-aspnetcore-mvc-controllerbase-forbid(microsoft-aspnetcore-authentication-authenticationproperties-system-string)))

ControllerBase.SignIn(ClaimsPrincipal)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin\(system-security-claims-claimsprincipal\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin(system-security-claims-claimsprincipal)))

ControllerBase.SignIn(ClaimsPrincipal, string)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin\(system-security-claims-claimsprincipal-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin(system-security-claims-claimsprincipal-system-string)))

ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin\(system-security-claims-claimsprincipal-microsoft-aspnetcore-authentication-authenticationproperties\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin(system-security-claims-claimsprincipal-microsoft-aspnetcore-authentication-authenticationproperties)))

ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties, string)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin\(system-security-claims-claimsprincipal-microsoft-aspnetcore-authentication-authenticationproperties-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signin#microsoft-aspnetcore-mvc-controllerbase-signin(system-security-claims-claimsprincipal-microsoft-aspnetcore-authentication-authenticationproperties-system-string)))

ControllerBase.SignOut() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout>)

ControllerBase.SignOut(AuthenticationProperties)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout\(microsoft-aspnetcore-authentication-authenticationproperties\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout(microsoft-aspnetcore-authentication-authenticationproperties)))

ControllerBase.SignOut(params string[])
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout(system-string)))

ControllerBase.SignOut(AuthenticationProperties, params string[])
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout\(microsoft-aspnetcore-authentication-authenticationproperties-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout(microsoft-aspnetcore-authentication-authenticationproperties-system-string)))

ControllerBase.TryUpdateModelAsync<TModel>(TModel)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1\(-0\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0)))

ControllerBase.TryUpdateModelAsync<TModel>(TModel, string)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1\(-0-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string)))

ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider)
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1\(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider)))

ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, params Expression<Func<TModel, object>>[])
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1\(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider)))

controllerbase-tryupdatemodelasync-1(-0-system-string-system-linq-expressions-expression((system-func((-0-system-object))))())

ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, Func<ModelMetadata, bool>)

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-system-func((microsoft-aspnetcore-mvc-modelbinding-modelmetadata-system-boolean))))

ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, params Expression<Func<TModel, object>>[])

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider-system-linq-expressions-expression((system-func((-0-system-object))))())

ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, Func<ModelMetadata, bool>)

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider-system-func((microsoft-aspnetcore-mvc-modelbinding-modelmetadata-system-boolean))))

ControllerBase.TryUpdateModelAsync(object, Type, string)

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync(system-object-system-type-system-string))

ControllerBase.TryUpdateModelAsync(object, Type, string, IValueProvider, Func<ModelMetadata, bool>)

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync(system-object-system-type-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider-system-func((microsoft-aspnetcore-mvc-modelbinding-modelmetadata-system-boolean))))

ControllerBase.TryValidateModel(object)

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryvalidatemodel#microsoft-aspnetcore-mvc-controllerbase-tryvalidatemodel(system-object))

ControllerBase.TryValidateModel(object, string)

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryvalidatemodel#microsoft-aspnetcore-mvc-controllerbase-tryvalidatemodel(system-object-system-string))

ControllerBase.HttpContext (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.httpcontext)

ControllerBase.Request (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.request)

ControllerBase.Response (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.response)

ControllerBase.RouteData (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.routedata)

ControllerBase.ModelState (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.modelstate)

ControllerBase.ControllerContext (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.controllercontext)

ControllerBase.MetadataProvider (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.metadataprovider)

ControllerBase.ModelBinderFactory

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.modelbinderfactory)

ControllerBase.Url (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.url)

ControllerBase.ObjectValidator (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.objectvalidator)

ControllerBase.ProblemDetailsFactory

(https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.problemdetailsfactory)

ControllerBase.User (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.user)

ControllerBase.Empty (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.empty)

object.Equals(object) (https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals(system-object))

object.Equals(object, object) (https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals(system-object-system-object))

object.GetHashCode() (https://learn.microsoft.com/dotnet/api/system.object.gethashcode)

object.GetType() (https://learn.microsoft.com/dotnet/api/system.object.gettype)

object.MemberwiseClone() (https://learn.microsoft.com/dotnet/api/system.object.memberwiseclone)

object.ReferenceEquals(object, object) (https://learn.microsoft.com/dotnet/api/system.object.referenceequals)

object.ToString() (https://learn.microsoft.com/dotnet/api/system.object.tostring)

Namespace: RefereePart (RefereePart.html).Controllers (RefereePart.Controllers.html)

Assembly: RefereePart.dll

Syntax

```
[Route("Referee")]
public class HomeController : Controller, IActionFilter, IAsyncActionFilter, IFilterMetadata, IDisposable
```

Constructors

HomeController(ILogger<HomeController>, RefereeDbContext)

Declaration

```
public HomeController(ILogger<HomeController> logger, RefereeDbContext context)
```

Parameters

Type	Name	Description

ILogger (https://learn.microsoft.com/dotnet/api/microsoft.extensions.logging.ilogger-1)<HomeController (RefereePart.Controllers.HomeController.html)>	<i>logger</i>	
RefereeDbContext (RefereePart.Models.RefereeDbContext.html)	<i>context</i>	

Methods

Error()

Declaration

```
[HttpGet("error")]
[ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore = true)]
public IActionResult Error()
```

Returns

Type	Description
IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult)	

GetExcuses(string)

Retrieves the excuses for a specific referee based on the userId.

Declaration

```
[HttpGet("GetExcuses")]
public Task<IActionResult> GetExcuses(string userId)
```

Parameters

Type	Name	Description
string (https://learn.microsoft.com/dotnet/api/system.string)	<i>userId</i>	The unique identifier of the user (referee)

Returns

Type	Description
Task (https://learn.microsoft.com/dotnet/api/system.threading.tasks.task-1)<IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult)>	Partial view containing the list of excuses for the referee

Remarks

Sample request: GET /api/referee/GetExcuses?userId=someUserId

GetVehicleSlots(string)

Retrieves the vehicle slots for a specific referee based on the userId.

Declaration

```
[HttpGet("GetVehicleSlots")]
public Task<IActionResult> GetVehicleSlots(string userId)
```

Parameters

Type	Name	Description
string (https://learn.microsoft.com/dotnet/api/system.string)	<i>userId</i>	The unique identifier of the user (referee)

Returns

Type	Description
Task (https://learn.microsoft.com/dotnet/api/system.threading.tasks.task-1)<IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult)>	Partial view containing the list of vehicle slots for the referee

Remarks

Sample request: GET /api/referee/GetVehicleSlots?userId=someUserId

Index()

Displays the main view while extracting user-related information from request headers.

Declaration

```
[HttpGet("")]
public IActionResult Index()
```

Returns

Type	Description
IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult)	Returns the main view populated with user details.

Remarks

This method retrieves user-related data from custom request headers:

- X-User-Id : The unique identifier of the user,uses in authorization who submit the vehicle availability or excuse.
- X-User-Name : The name of the user.
- X-User-Role : The role assigned to the user.

Logout()

Logs out the user by deleting the authentication token cookie,redirecting is on the frontend side.

Declaration

```
[HttpPost("Logout")]
public IActionResult Logout()
```

Returns

Type	Description
IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult)	Status message indicating successful logout

Remarks

Sample request: POST /api/auth/Logout

RemoveExcuse(int)

Removes a specific excuse by its unique ID.

Declaration

```
[HttpPost("RemoveExcuse")]
public Task<IActionResult> RemoveExcuse(int excuseId)
```

Parameters

Type	Name	Description
int (https://learn.microsoft.com/dotnet/api/system.int32)	<i>excuseId</i>	The unique identifier of the excuse to be removed

Returns

Type	Description
Task (https://learn.microsoft.com/dotnet/api/system.threading.tasks.task-1)<IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult)>	Status message indicating whether the excuse was successfully removed or if there was an error

Remarks

Sample request: POST /api/referee/RemoveExcuse?excuseId=123

RemoveVehicleSlot(int)

/// Removes a specific vehicle slot by its unique ID. ///

Declaration

```
[HttpPost("RemoveVehicleSlot")]
public Task<IActionResult> RemoveVehicleSlot(int vehicleSlotId)
```

Parameters

Type	Name	Description
int (https://learn.microsoft.com/dotnet/api/system.int32)	<i>vehicleSlotId</i>	The unique identifier of the vehicle slot to be removed

Returns

Type	Description
Task (https://learn.microsoft.com/dotnet/api/system.threading.tasks.task-1) IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult) >	Status message indicating whether the vehicle slot was successfully removed or if there was an error

Remarks

```
/// Sample request: /// POST /api/referee/RemoveVehicleSlot?vehicleSlotId=123 ///
```

SaveExcuse(ExcuseRequest)

Saves a list of excuses for a specific referee.

Declaration

```
[HttpPost("SaveExcuse")]
public Task<IActionResult> SaveExcuse(ExcuseRequest request)
```

Parameters

Type	Name	Description
ExcuseRequest (RefereePart.Models.ExcuseRequest.html)	<i>request</i>	The request object containing the userId and list of excuses to be saved

Returns

Type	Description
Task (https://learn.microsoft.com/dotnet/api/system.threading.tasks.task-1) IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult) >	A status message indicating whether the excuses were successfully saved or if there was an error

SaveVehicleAvailability(VehicleSlotRequest)

Saves the vehicle availability slots for a specific referee.

Declaration

```
[HttpPost("SaveVehicleAvailability")]
public Task<IActionResult> SaveVehicleAvailability(VehicleSlotRequest request)
```

Parameters

Type	Name	Description
VehicleSlotRequest (RefereePart.Models.VehicleSlotRequest.html)	<i>request</i>	The request object containing the userId and a list of vehicle slots to be saved

Returns

Type	Description
Task (https://learn.microsoft.com/dotnet/api/system.threading.tasks.task-1) IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult) >	Status message indicating whether the vehicle availability was successfully saved or if there was an error

Implements

```
IActionFilter (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.iactionfilter)
IAsyncActionFilter (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.iasyncactionfilter)
```

IFilterMetadata (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.filters.ifiltermetadata>)

IDisposable (<https://learn.microsoft.com/dotnet/api/system.idisposable>)