

Collaborative exercise

Christian Werner

(Computational biologist and quantitative geneticist) EiB, CIMMYT, Texcoco (Mexico)

Filippo Biscarini



(Biostatistician, bioinformatician and quantitative geneticist) CNR-IBBA, Milan (Italy)

Oscar González-Recio




(Computational biologist and quantitative geneticist) INIA-UPM, Madrid (Spain)



- Build your own workflow!
 - a. Download the data
 - b. Prepare the data (look at the phenotypes and genotypes!)
 - c. Filter the data
 - d. Impute missing genotypes
 - e. Run the GWAS
- Data on stump tail sperm defect of Swiss Large
 White boars

(https://zenodo.org/record/4081475#.YKPfmnUzZhE)



from: https://petpigworld.com/large-white-pigs-the-essential-guide/



- Build your own workflow!
 - Download the data
 - b. Prepare the data (look at the phenotypes and genotypes!)
 - c. Filter the data
 - d. Impute missing genotypes
 - e. Run the GWAS
- Data on stump tail sperm defect of Swiss Large
 White boars

(https://zenodo.org/record/4081475#.YKPfmnUzZhE)

!! beware !! no missing SNP
genotypes (data already filtered
and imputed)

get data with missing SNP genotypes from here:
http://www.jackdellequerce.com/data
/GWAS cohort.tar.gz





- Build your own workflow!
 - a. Download the data
 - b. Prepare the data (look at the phenotypes and genotypes!)
 - c. Filter the data
 - d. Impute missing genotypes
 - e. Run the GWAS
- Data on stump tail sperm defect of Swiss Large White boars

(https://zenodo.org/record/4081475#.YKPfmnUzZhE)

take a **subset of the SNPs** (to make calculations -and trial/errors- quicker), **e.g. chromosomes 10-14** (the mutation is on chromosome 12)



- Build your own workflow!
 - a. Download the data
 - b. Prepare the data (look at the phenotypes and genotypes!)
 - c. Filter the data
 - d. Impute missing genotypes
 - e. Run the GWAS
- 1. Try on your own (individually, groups)
- 2. Let's do it all together!