Politecnico di Milano Formal Methods for Concurrent and Real-Time Systems

Computer Controller Automatic Transmission (Mandatory Part and Optional Part not complete yet)

Alessandra Bonetto Filippo Sironi Matteo Villa

CONTENTS	•
CONTENTS	4

Contents				
1	CCAT Class	5		
2	Vehicle/EngineSpeedSensor Classes	21		
3	PlanetaryGearSet Class	24		
4	HydraulicSystem Class	30		
5	TransmissionControlUnit Class	33		
6	Annotations	38		
7	Properties	39		

LIST OF FIGURES 3

L	ist	of	Figures
			0

1 /		C , II	A	T						_	7
I Co	mputer	Controller	Automatic	Transmission						- 1	

LISTINGS 4

Listings

1	ComputerControlledAutomaticTransmission.trio	5
2	ComputerControlledAutomaticTransmission.trio	8
3	ComputerControlledAutomaticTransmission.lisp	11
4	VehicleSpeedSensor.trio	21
5	EngineSpeedSensor.trio	22
6	PlanetaryGearSet.trio	24
7	HydraulicSystem.trio	30
8	TransmissionControlUnit.trio	33
9	Property 1	39
10	Property 2	39
11	Property 3	39

1 CCAT Class

The ComputerControlledAutomaticTransmission class is formalized thanks to the code reported in Listing 1 while Figure 1 shows the big picture of our complete designed.

Listing 1: ComputerControlledAutomaticTransmission.trio

```
class ComputerControlledAutomaticTransmission
1
2
3
   import:
4
       HydraulicSystem,
5
       Planetary Gear Set,
       TransmissionControlUnit,
6
7
       VehicleSpeedSensor.
       EngineSpeedSensor;
8
9
10
   signature:
11
12
   visible:
13
       torqueConverterState,
       vehicleSpeed,
14
       engineSpeed;
15
16
17
   temporal domain: real;
18
19
   domains:
20
       TorqueConverterState: { Attached , Detached };
21
22
   items:
23
       TD total torqueConverterState: TorqueConverterState;
24
       TD total vehicleSpeed: integer;
25
       TD total engineSpeed: integer;
26
27
   modules:
       hydraulicSystem: HydraulicSystem;
28
29
       planetaryGearSet: PlanetaryGearSet;
       transmissionControlUnit: TransmissionControlUnit;
30
31
       vehicleSpeedSensor: VehicleSpeedSensor;
       engineSpeedSensor: EngineSpeedSensor;
32
33
34 | connections :
35
       (direct EngineSpeedSensor.actualSpeed, engineSpeed)
       (direct vehicleSpeedSensor.actualSpeed, vehicleSpeed)
36
```

```
37
        (direct planetaryGearSet.transmissionShaftState,
           torqueConverterState)
38
39
        (direct planetary Gear Set. gear Shift,
           hydraulicSystem . gearShift )
        (direct planetary Gear Set. gear Drive,
40
           hydraulicSystem . gearDrive )
        (direct planetary Gear Set. gear Park,
41
           hydraulicSystem.gearPark)
        (direct planetaryGearSet.gearReverse,
42
           hydraulicSystem . gearReverse )
        (direct hydraulicSystem.controlGearShift,
43
           transmissionControlUnit.controlGearShift)
44
        (direct transmissionControlUnit.receiveEngineSpeed,
           engineSpeedSensor.sendSpeed)
        (direct transmissionControlUnit.receiveVehicleSpeed,
45
           vehicleSpeedSensor.sendSpeed)
46
47
   end
```




Figure 1: Computer Controller Automatic Transmission

Due to the fact that a TRIO specification is not decidable we have decided to focus our verification process only on the Hydraulic System, described in Section 4, and on the Planetary Gear Set, described in Section 3 and we have used a decidable subset of the TRIO language.

The specification is reported in Listing 2.

Listing 2: ComputerControlledAutomaticTransmission.trio

```
variables
1
2
        controlGearShift: [0..2],
3
       gearHandle: [0..3],
        gearShift: [0..5],
4
5
        actualGear: [0..3],
        transmissionShaftState: [0..1]
6
7
8
   constants
9
       Nothing = 0,
10
       TCUShiftOneUp = 1, TCUShiftOneDown = 2,
11
        HandleShiftDrive = 1, HandleShiftPark = 2,
           HandleShiftReverse = 3,
        ShiftOneUp = 1, ShiftOneDown = 2, ShiftDrive = 3,
12
           ShiftPark = 4, ShiftReverse = 5,
13
        First = 0, Second = 1, Park = 2, Reverse = 3,
        Detached = 0, Attached = 1,
14
15
        FluidDelay = 1, ShiftDelay = 1
16
17
   axioms
18
        Mechanic:
19
            (actualGear = First ->
                gearShift = Nothing | gearShift = ShiftOneUp |
20
                   gearShift = ShiftPark | gearShift =
                   ShiftReverse
            ) &
21
22
            (actualGear = Second \rightarrow)
23
                gearShift = Nothing | gearShift = ShiftOneDown
            ) &
24
25
            (actualGear = Park ->
                gearShift = Nothing | gearShift = ShiftDrive |
26
                   gearShift = ShiftReverse
            ) &
27
28
            (actualGear = Reverse ->
29
                gearShift = Nothing | gearShift = ShiftDrive |
                   gearShift = ShiftPark
30
            ) &
```

```
31
            (gearShift = ShiftOneUp -> transmissionShaftState
              = Attached) &
32
            (gearShift = ShiftDrive | gearShift = ShiftPark |
               gearShift = ShiftReverse ->
                transmissionShaftState = Detached
33
34
35
            (transmissionShaftState = Attached -> actualGear =
               First | actualGear = Second | actualGear =
               Reverse):
            (actualGear = Park -> transmissionShaftState =
36
               Detached) &
37
       GearShiftCommand:
38
            ( controlGearShift = TCUShiftOneUp ->
39
40
                Lasts_ii (gearHandle = Nothing, FluidDelay) &
                Lasts_ei(controlGearShift = Nothing,
41
                   Fluid Delay) &
                Futr(gearShift = ShiftOneUp, FluidDelay)
42
            ) &
43
44
           (controlGearShift = TCUShiftOneDown ->
                Lasts_ii (gearHandle = Nothing, FluidDelay) &
45
                Lasts_ei (controlGearShift = Nothing,
46
                   FluidDelay) &
                Futr(gearShift = ShiftOneDown, FluidDelay)
47
48
           );
49
       GearHandleCommand:
50
            (gearHandle = HandleShiftDrive ->
51
                Lasts_ii(controlGearShift = Nothing &
52
                   transmissionShaftState = Detached,
                   FluidDelay) &
                Lasts_ei(gearHandle = Nothing, FluidDelay) &
53
54
                Futr(gearShift = ShiftDrive, FluidDelay)
            ) &
55
            (gearHandle = HandleShiftPark ->
56
                Lasts_ii (controlGearShift = Nothing &
57
                   transmissionShaftState = Detached,
                   Fluid Delay) &
                Lasts_ei(gearHandle = Nothing, FluidDelay) &
58
59
                Futr(gearShift = ShiftPark, FluidDelay)
60
            ) &
            (gearHandle = HandleShiftReverse ->
61
```

```
62
                Lasts_ii(controlGearShift = Nothing &
                   transmissionShaftState = Detached,
                   FluidDelay) &
63
                Lasts_ei(gearHandle = Nothing, FluidDelay) &
64
                Futr(gearShift = ShiftReverse, FluidDelay)
65
           );
66
       GearShiftFirst:
67
68
            (actualGear = First & gearShift = ShiftOneUp ->
                Lasts_ei(gearShift = Nothing, ShiftDelay) &
69
                   Futr(actualGear = Second, ShiftDelay)
70
            (actualGear = First & gearShift = ShiftPark ->
71
                Lasts_ii (transmissionShaftState = Detached,
72
                   ShiftDelay) &
                Lasts_ei(gearShift = Nothing, ShiftDelay) &
73
74
                Futr(actualGear = Park, ShiftDelay)
            ) &
75
            (actualGear = First & gearShift = ShiftReverse ->
76
                Lasts_ii (transmissionShaftState = Detached,
77
                   ShiftDelay) &
                Lasts_ei(gearShift = Nothing, ShiftDelay) &
78
                Futr(actualGear = Reverse, ShiftDelay)
79
           );
80
81
82
       GearShiftSecond:
83
            (actualGear = Second & gearShift = ShiftOneDown ->
                Lasts\_ei(gearShift = Nothing, ShiftDelay) \&
84
                   Futr(actualGear = First, ShiftDelay)
85
           );
86
       GearShiftPark:
87
88
            (actualGear = Park & gearShift = ShiftDrive ->
89
                Lasts_ii (transmissionShaftState = Detached,
                   ShiftDelay) &
90
                Lasts_ei(gearShift = Nothing, ShiftDelay) &
91
                Futr(actualGear = First, ShiftDelay)
92
            (actualGear = Park & gearShift = ShiftReverse ->
93
94
                Lasts_ii(transmissionShaftState = Detached,
                   ShiftDelay) &
95
                Lasts_ei(gearShift = Nothing, ShiftDelay) &
96
                Futr(actualGear = Reverse, ShiftDelay)
```

```
97
             );
98
        GearShiftReverse:
99
100
             (actualGear = Reverse & gearShift = ShiftDrive ->
                 Lasts_ii (transmissionShaftState = Detached,
101
                    ShiftDelay) &
                 Lasts_ei(gearShift = Nothing, ShiftDelay) &
102
103
                 Futr(actualGear = First , ShiftDelay)
104
             ) &
             (actualGear = Reverse & gearShift = ShiftPark ->
105
                 Lasts_ii (transmissionShaftState = Detached,
106
                    ShiftDelay) &
                 Lasts_ei(gearShift = Nothing, ShiftDelay) &
107
108
                 Futr(actualGear = Park, ShiftDelay)
109
             );
```

The same specification reported in Listings 2 has been ported also in Zot and is listed in Listings 3.

Listing 3: ComputerControlledAutomaticTransmission.lisp

```
(asdf:operate 'asdf:load-op 'bezot)
2
   (use-package : trio-utils)
3
   ; Constants
4
   (defvar Nothing 0)
5
   (defvar TCUShiftOneUp 1)
7
   (defvar TCUShiftOneDown 2)
8
9
10
   (defvar HandleDrive 1)
11
   (defvar HandlePark 2)
   (defvar HandleReverse 3)
12
13
14
   (defvar ShiftOneUp 1)
   (defvar ShiftOneDown 2)
15
   (defvar ShiftDrive 3)
16
   (defvar ShiftPark 4)
17
18
   (defvar ShiftReverse 5)
19
20
   (defvar First 0)
   (defvar Second 1)
21
   (defvar Park 2)
22
23
   (defvar Reverse 3)
24
```

```
(defvar Detached 0)
   (defvar Attached 1)
26
27
28
   (defvar FluidDelay 1)
29
   (defvar ShiftDelay 1)
30
31
   ; Domains
32
   (defvar ControlGearShiftDomain (loop for i from 0 to 2
      collect i))
   (defvar GearHandleDomain (loop for i from 0 to 3 collect
33
      i ) )
34
   (defvar GearShiftDomain (loop for i from 0 to 5 collect i))
   (defvar ActualGearDomain (loop for i from 0 to 3 collect
35
      i ) )
   (defvar TransmissionShaftStateDomain (loop for i from 0 to
36
      1 collect i))
37
   : Variables
38
39
   (define-variable controlGearShift ControlGearShiftDomain)
   (define-variable gearHandle GearHandleDomain)
40
   (define-variable gearShift GearShiftDomain)
41
   (define-variable actualGear ActualGearDomain)
42
   (define-variable transmissionShaftState
43
      TransmissionShaftStateDomain)
44
   ; Axioms
45
   (defvar ControlGearShiftMutualExclusion
46
47
       (&&
            (-E- x'(0 1 2) (-P- controlGearShift x))
48
49
           (-A- \times '(0 1 2)
                (->
50
                    (-P- controlGearShift x)
51
52
                    (-A-y'(0 1 2) (-> (!! (= x y)) (!! (-P-
                       controlGearShift y))))
53
                )
54
            )
       )
55
56
   )
57
   (defvar GearHandleMutualExclusion
58
59
       (&&
            (-E- \times '(0 1 2 3) (-P- gearHandle x))
60
61
           (-A- \times '(0 1 2 3)
```

```
62
                      (-P- gearHandle x)
63
                      (-A- y '(0 1 2 3) (-> (!! (= x y)) (!!
64
                          (-P- gearHandle y))))
65
                  )
66
             )
67
         )
68
    )
69
70
    (defvar GearShiftMutualExclusion
71
        (&&
72
             (-E- \times '(0 \ 1 \ 2 \ 3 \ 4 \ 5) \ (-P- gearShift \ x))
             (-A- \times '(0 1 2 3 4 5)
73
74
                  (->
                      (-P- gearShift x)
75
                      (-A- y '(0 1 2 3 4 5) (-> (!! (= x y))
76
                          (!! (-P- gearShift y)))
77
                  )
78
             )
79
         )
80
    )
81
    (defvar ActualGearMutualExclusion
82
83
        (&&
             (-E- x '(0 1 2 3) (-P- actualGear x))
84
             (-A- \times '(0 1 2 3)
85
86
                  (->
                      (-P- actualGear x)
87
                      (-A-y'(0 1 2 3) (-> (!! (= x y)) (!!
88
                          (-P- actualGear y))))
89
                  )
90
             )
91
         )
92
    )
93
94
    (defvar TransmissionShaftStateMutualExclusion
95
         (&&
96
             (-E- \times '(0 1) (-P- transmissionShaftState \times))
             (-A- \times '(0 1)
97
98
                 (->
99
                      (-P- transmissionShaftState x)
                      (-A- y '(0 1) (-> (!! (= x y)) (!! (-P-
100
                          transmissionShaftState y))))
```

```
101
102
             )
103
        )
104
    )
105
    (defvar Mechanic
106
107
        (&&
108
             (->
109
                 (actualGear—is First)
110
                 (||
                      (gearShift—is Nothing)
111
112
                      (gearShift—is ShiftOneUp)
                      (gearShift-is ShiftPark)
113
                      (gearShift-is ShiftReverse)
114
115
                 )
116
117
                 (actualGear—is Second)
118
                 (|| (gearShift-is Nothing) (gearShift-is
119
                    ShiftOneDown))
120
121
                 (actualGear—is Park)
122
                 (|| (gearShift-is Nothing) (gearShift-is
123
                     ShiftDrive) (gearShift-is ShiftReverse))
124
125
                 (actualGear—is Reverse)
126
                 (|| (gearShift-is Nothing) (gearShift-is
127
                     ShiftDrive) (gearShift-is ShiftPark))
128
129
             (-> (gearShift-is ShiftOneUp)
                (transmissionShaftState-is Attached))
130
             (->
                 (||
131
                      (gearShift-is ShiftDrive)
132
                      (gearShift-is ShiftPark)
133
134
                      (gearShift-is ShiftReverse)
135
                 (transmissionShaftState-is Detached)
136
137
138
                 (transmissionShaftState-is Attached)
139
```

```
(|| (actualGear-is First) (actualGear-is
140
                     Second) (actualGear-is Reverse))
141
142
             (-> (actualGear-is Park)
                (transmissionShaftState-is Detached))
             (->
143
144
                 (&&
145
                      (controlGearShift—is Nothing)
146
                      (gearHandle-is Nothing)
147
                 (Futr (gearShift—is Nothing) FluidDelay)
148
149
             (-A- \times '(0 1 2 3)
150
151
                      (&& (-P- actualGear x) (gearShift-is
152
                         Nothing))
153
                      (Lasts_ii (-P- actualGear x) ShiftDelay)
154
155
             )
156
         )
157
158
    (defvar GearShiftCommand
159
160
        (&&
161
             (->
                 (controlGearShift—is TCUShiftOneUp)
162
                 (Futr (gearShift-is ShiftOneUp) FluidDelay)
163
164
165
                 (controlGearShift-is TCUShiftOneDown)
166
                 (Futr (gearShift—is ShiftOneDown) FluidDelay)
167
168
             )
169
         )
170
171
    (defvar GearHandleCommand
172
173
        (&&
174
             (->
                 (gearHandle—is HandleDrive)
175
176
                 (&&
                      (Lasts_ii (&& (controlGearShift—is
177
                         Nothing) (transmissionShaftState-is
                         Detached)) FluidDelay)
```

```
178
                      (Lasts_ei (gearHandle—is Nothing)
                         Fluid Delay)
179
                      (Futr (gearShift—is ShiftDrive) FluidDelay)
180
                 )
181
182
                 (gearHandle-is HandlePark)
183
184
                 (&&
185
                      (Lasts_ii (&& (controlGearShift-is
                         Nothing) (transmissionShaftState-is
                         Detached)) FluidDelay)
186
                      (Lasts_ei (gearHandle—is Nothing)
                         Fluid Delay)
187
                      (Futr (gearShift—is ShiftPark) FluidDelay)
188
                 )
189
190
                 (gearHandle-is HandleReverse)
191
192
                 (&&
193
                      (Lasts_ii (&& (controlGearShift—is
                         Nothing) (transmissionShaftState-is
                         Detached)) FluidDelay)
                      (Lasts_ei (gearHandle—is Nothing)
194
                         Fluid Delay)
195
                      (Futr (gearShift-is ShiftReverse)
                         Fluid Delay)
196
                 )
197
             )
         )
198
199
200
201
    (defvar GearShiftFirst
202
        (&&
203
             (->
                 (&& (actualGear-is First) (gearShift-is
204
                     ShiftOneUp))
                 (&&
205
206
                      (Lasts_ei (gearShift-is Nothing)
                         Shift Delay)
207
                      (Futr (actualGear-is Second) ShiftDelay)
208
                 )
209
210
```

```
211
                 (&& (actualGear—is First) (gearShift—is
                     ShiftPark))
212
                 (&&
213
                      (Lasts_ii (transmissionShaftState—is
                         Detached) ShiftDelay)
214
                      (Lasts_ei (gearShift—is Nothing)
                         Shift Delay)
215
                      (Futr (actualGear-is Park) ShiftDelay)
216
                 )
217
218
219
                 (&& (actualGear-is First) (gearShift-is
                     ShiftReverse))
220
                 (&&
221
                      (Lasts_ii (transmissionShaftState—is
                         Detached) ShiftDelay)
222
                      (Lasts_ei (gearShift—is Nothing)
                         Shift Delay)
223
                      (Futr (actualGear—is Reverse) ShiftDelay)
224
                 )
225
             )
226
        )
227
    )
228
229
    (defvar GearShiftSecond
230
        (->
231
             (&& (actualGear-is Second) (gearShift-is
                ShiftOneDown))
232
             (&&
233
                 (Lasts_ei (gearShift—is Nothing) ShiftDelay)
234
                 (Futr (actualGear-is First) ShiftDelay)
235
             )
236
        )
237
    )
238
239
    (defvar GearShiftPark
240
        (&&
241
             (->
                 (&& (actualGear-is Park) (gearShift-is
242
                     Shift Drive))
243
                 (&&
244
                      (Lasts_ii (transmissionShaftState—is
                         Detached) ShiftDelay)
```

```
245
                      (Lasts_ei (gearShift—is Nothing)
                         Shift Delay)
246
                      (Futr (actualGear—is First) ShiftDelay)
247
                 )
248
249
250
                 (&& (actualGear-is Park) (gearShift-is
                     ShiftReverse))
251
                 (&&
                      (Lasts_ii (transmissionShaftState—is
252
                         Detached) ShiftDelay)
253
                      (Lasts_ei (gearShift—is Nothing)
                         Shift Delay)
254
                      (Futr (actualGear-is Reverse) ShiftDelay)
255
                 )
256
             )
257
         )
258
    )
259
    (defvar GearShiftReverse
260
        (&&
261
262
                 (&& (actualGear-is Reverse) (gearShift-is
263
                     Shift Drive))
264
                 (&&
265
                      (Lasts_ii (transmissionShaftState-is
                         Detached) ShiftDelay)
266
                      (Lasts_ei (gearShift—is Nothing)
                         Shift Delay)
267
                      (Futr (actualGear-is First) ShiftDelay)
                 )
268
269
270
271
                 (&& (actualGear-is Reverse) (gearShift-is
                     ShiftPark))
272
                 (&&
273
                      (Lasts_ii (transmissionShaftState—is
                         Detached) ShiftDelay)
274
                      (Lasts_ei (gearShift—is Nothing)
                         Shift Delay)
275
                      (Futr (actualGear—is Park) ShiftDelay)
276
                 )
277
             )
```

```
278
         )
279
    )
280
281
    (defvar ComputerControlledAutomaticTransmission
282
         (Alw
             (&&
283
                 ControlGearShiftMutualExclusion
284
285
                 GearHandleMutualExclusion
286
                 GearShiftMutualExclusion
287
                 ActualGearMutualExclusion
                 TransmissionShaftStateMutualExclusion
288
289
                 Mechanic
                 GearShiftCommand
290
291
                 GearHandleCommand
                 GearShiftFirst
292
                 GearShiftSecond
293
294
                 GearShiftPark
                 GearShiftReverse
295
296
             )
297
         )
298
    )
299
    (defvar PropertyOne
300
301
        (->
302
             (&& (actualGear-is First) (controlGearShift-is
                TCUShiftOneUp))
             (Futr (actualGear-is Second) (+ FluidDelay
303
                Shift Delay))
         )
304
305
306
307
    (defvar PropertyTwo
308
        (->
309
             (&& (actualGear-is First) (gearHandle-is
                HandleReverse))
             (&&
310
311
                 (Futr (actualGear-is Reverse) (+ FluidDelay
                     Shift Delay))
312
                 (Lasts_ii (transmissionShaftState—is Detached)
                    (+ FluidDelay ShiftDelay))
313
             )
314
         )
315 |)
```

```
316
317
    (defvar PropertyThree
318
        (->
319
            (&& (actualGear-is First) (gearHandle-is
                HandlePark))
320
            (&&
321
                 (Futr (actualGear-is Park) (+ FluidDelay
                    Shift Delay))
322
                 (Since (transmissionShaftState—is Detached)
                    (!! (gearHandle—is Nothing)))
323
            )
324
        )
325
    )
326
327
    (bezot:zot 50 ComputerControlledAutomaticTransmission)
328
    (bezot:zot 50 (&& ComputerControlledAutomaticTransmission
       (!! (Alw PropertyOne))))
    (bezot:zot 50 (&& ComputerControlledAutomaticTransmission
329
       (!! (Alw PropertyTwo))))
    (bezot:zot 50 (&& ComputerControlledAutomaticTransmission
330
       (!! (Alw PropertyThree))))
```

2 Vehicle/EngineSpeedSensor Classes

The *VehicleSpeedSensor* is formalized thanks to the code reported in Listing 4 while the *EngineSpeedSensor* is formalized thanks to the code reported in Listing 5.

During the formalization of sensors we decided to simplify the design assuming that every time a sampleSpeed event occurs the state variable actualSpeed - which is time dependent and total - is automatically updated with the actual measured speed. This means we don't provide any axioms formalizing this behavior.

Moreover, we specified the starting point of the constant frequency sample chain saying that sometimes in the past there was a sampleSpeed occurrence. Further more, we guarante that sampleSpeed events will accure at constant frequency. In addition, if the sensor has memory we imposed that the storedValue is equal to 0. These can be consider just like the "initial conditions" of the system.

At the end, we guaranteed a sensor performs the needed action if and only if a sample event occur.

We didn't write any axioms specifying the fact that a sendSpeed event is mutually exclusive with itself due to the total time dependent parameter it accepts.

Listing 4: VehicleSpeedSensor.trio

```
class VehicleSpeedSensor (const sampleInterval, const
1
      sampleDelay)
2
3
   signature:
4
5
   visible:
6
        actualSpeed,
7
       sendSpeed;
8
9
   temporal domain: real;
10
11
   items:
12
       TI sampleInterval: real;
13
       TI sampleDelay: real;
       TD total storedSpeed: integer;
14
15
       TD total actualSpeed: integer;
16
       event sendSpeed (integer, integer);
17
        event sampleSpeed;
18
```

```
19 axioms:
20
   vars:
21
        deltaSpeed: integer;
22
       speed: integer;
23
   formulae:
24
        SpeedValues:
25
            actualSpeed >= 0 and storedSpeed >= 0;
26
27
        BeginSample:
28
            SomP (storedSpeed = 0 & sampleSpeed);
29
30
        Sampling Definition:
31
            sampleSpeed implies Futr (sampleSpeed,
               sampleInterval) and not Lasts (sampleSpeed,
               sampleInterval);
32
33
        SamplingAction:
34
            sampleSpeed implies Futr (deltaSpeed = actualSpeed
               - storedSpeed and speed = actualSpeed and
               sendSpeed (deltaSpeed, speed) and Lasts
               (storedSpeed = actualSpeed, sampleInterval),
               sampleDelay);
35
36
       SendSpeed:
            deltaSpeed = actualSpeed - storedSpeed \  \, \textbf{and} \  \,
37
               actualSpeed = speed and sendSpeed (deltaSpeed,
               speed) implies Past (sampleSpeed, sampleDelay);
38
39
   end
```

Listing 5: EngineSpeedSensor.trio

```
class EngineSpeedSensor (const sampleInterval, const
1
      sampleDelay)
2
3
   signature:
4
   visible: actualSpeed, sendSpeed;
5
6
7
   temporal domain: real;
8
9
   items:
10
       TI sampleInterval: real;
11
       TI sampleDelay: real;
```

```
12
       TD total actualSpeed: integer;
13
       event sendSpeed (integer);
       event sampleSpeed;
14
15
16 axioms:
17
   vars:
18
       speed: integer;
19 formulae:
20
       SpeedValues:
21
            actualSpeed >= 0;
22
23
       BeginSample:
24
           SomP (sampleSpeed);
25
26
       Sampling Definition:
            sampleSpeed implies Futr (sampleSpeed,
27
               sampleInterval) and not Lasts (sampleSpeed,
               sampleInterval);
28
29
       SampleSpeedActions:
30
            sampleSpeed implies Futr (actualSpeed = speed and
               sendSpeed (speed), sampleDelay);
31
32
       SendSpeed:
            actualSpeed = speed and sendSpeed (speed) implies
33
               Past (sampleSpeed, sampleDelay);
34
35
   end
```

3 PlanetaryGearSet Class

The *PlanetaryGearSet* class is formalized thanks to the code reported in Listing 6.

The Planetary Gear Set guarantees that every time a gear shift event occurs the actualGear will be maintained until the shift is finished.

Inside this component are defined all axioms limiting gear shifts to effective ones only (e.g. it is impossibile to shift down a gear if actualGear is First). The Planetary Gear Set permits to shift up to two gear at the same time (as the specification asks), however, the Transmission Control Unit doesn't use this possibility because in a real Planetary Gear Set this is not possibile.

Moreover, through the formalization of the Planetary Gear Set we impose that we can't receive a gear shift event if we are in the middle of a gear shift. Different gear shifting times are defined for different gears and different steps.

The gears Drive, Park, and Reverse can be selected if and only if the transmission shaft is decoupled from the engine.

The state of the Planetary Gear Set changes if and only if an event occurs.

Listing 6: PlanetaryGearSet.trio

```
class PlanetaryGearSet (const singleGearShiftDelay, const
       dualGearShiftDelay, const driveGearShiftDelay, const
       parkGearShiftDelay, const reverseGearShiftDelay)
2
3
   signature:
4
5
   visible:
6
       actualGear.
7
       transmissionShaftState,
8
        gearShift,
9
        gearDrive,
        gearPark,
10
11
        gearReverse,
12
   temporal domain: real;
13
14
15
16
        Gear: {First, Second, Third, Park, Reverse};
        TransmissionShaftState: { Attached, Detached };
17
18
        ShiftWidth: 1..2;
        ShiftDirection: {Up, Down};
19
20
21
   items:
22
       TI singleGearShiftDelay: real;
```

```
23
       TI dualGearShiftDelay: real;
       TI driveGearShiftDelay: real;
24
25
       TI parkGearShiftDelay: real;
26
       TI reverseGearShiftDelay: real;
27
       TD total actualGear: Gear:
       TD total transmissionShaftState:
28
           TransmissionShaftState;
29
       event gearShift (ShiftWidth, ShiftDirection);
30
       event gearDrive;
       event gearPark;
31
32
       event gearReverse;
33
34
  axioms:
35
   vars:
36
       gearShiftWidth: ShiftWidth;
37
       gearShiftWidth2: ShiftWidth;
38
       gearShiftDirection: ShiftDirection;
39
       gearShiftDirection2: ShiftDirection;
40
       gear: Gear;
41
   formulae:
42
       Mechanics:
43
            all gearShiftWidth (gearShiftDirection = Up ->
               transmissionShaftState=Attached);
44
45
       GearShiftDrive:
46
            gearDrive implies transmissionShaftState =
               Detached;
47
       GearShiftFirst:
48
49
            (actualGear = First implies not gearDrive and not
               ex gearShiftWidth (gearShiftDirection = Down
               and gearShift (gearShiftWidth,
               gearShiftDirection))) and
50
            (actualGear = First implies SomF (gearPark or
               gearReverse or ex gearShiftWidth,
               gearShiftDirection (gearShift (gearShiftWidth,
               gearShiftDirection)))) and
51
            (actualGear = First and gearShiftWidth = 1 and 
               gearShiftDirection = Up  and gearShift
               (gearShiftWidth, gearShiftDirection) implies
               Lasts (actualGear = First,
               singleGearShiftDelay) and Futr (actualGear =
               Second, singleGearShiftDelay)) and
```

```
52
           (actualGear = First and gearShiftWidth = 2 and
               gearShiftDirection = Up and gearShift
               (gearShiftWidth, gearShiftDirection) implies
               Lasts (actualGear = First, dualGearShiftDelay)
              and Futr (actualGear = Third,
               dualGearShiftDelay) and
           (actualGear = First and gearPark implies Lasts
53
               (actualGear = First, parkGearShiftDelay) and
               Futr (actualGear = Park, parkGearShiftDelay))
           (actualGear = First and gearReverse implies Lasts
54
              (actualGear = First, reverseGearShiftDelay) and
               Futr (actualGear = Reverse,
               reverseGearShiftDelay));
55
       GearShiftSecond:
56
57
           (actualGear = Second implies not gearDrive and not
               gearPark and not gearReverse and not ex
               gearShiftDirection (gearShiftWidth = 2 and
               gearShift (gearShiftWidth,
               gearShiftDirection))) and
58
           (actualGear = Second implies SomF (ex
               gearShiftDirection (gearShiftWidth = 1 and
               gearShift (gearShiftWidth,
               gearShiftDirection)))) and
           (actual Gear = Second and gear Shift Width = 1 and
59
               gearShiftDirection = Up and gearShift
               (gearShiftWidth, gearShiftDirection) implies
               Lasts (actualGear = Second,
               singleGearShiftDelay) and Futr (actualGear =
              Third, singleGearShiftDelay)) and
           (actual Gear = Second and gear Shift Width = 1 and 
60
               gearShiftDirection = Down and gearShift
               (gearShiftWidth, gearShiftDirection) implies
               Lasts (actualGear = Second,
               singleGearShiftDelay) and Futr (actualGear =
               First , singleGearShiftDelay));
61
       GearShiftThird:
62
63
           (actualGear = Third implies not gearDrive and not
               gearPark and not gearReverse and not ex
               gearShiftWidth (gearShiftDirection = Up and
               gearShift (gearShiftWidth,
```

```
gearShiftDirection))) and
64
           (actualGear = Third implies SomF (ex
               gearShiftWidth (gearShiftDirection = Down and
               gearShift (gearShiftWidth,
               gearShiftDirection)))) and
           (actual Gear = Third and gear Shift Width = 1 and
65
               gearShiftDirection = Down and gearShift
               (gearShiftWidth, gearShiftDirection) implies
               Lasts (actualGear = Third,
               singleGearShiftDelay) and Futr (actualGear =
              Second, singleGearShiftDelay)) and
66
           (actualGear = Third and gearShiftWidth = 2 and
               gearShiftDirection = Down and gearShift
               (gearShiftWidth, gearShiftDirection) implies
               Lasts (actualGear = Third, dualGearShiftDelay)
              and Futr (actualGear = First,
               dualGearShiftDelay));
67
       GearShiftReverse:
68
           (actual Gear = Reverse implies not gear Reverse and
69
               all gearShiftWidth, gearShiftDirection (not
               gearShift (gearShiftWidth,
               gearShiftDirection))) and
70
           (actualGear = Reverse implies SomF (gearDrive or
               gearPark)) and
71
           (actualGear = Reverse and gearDrive implies Lasts
               (actualGear = Reverse, driveGearShiftDelay) and
               Futr (actualGear = First , driveGearShiftDelay))
              and
72
           (actualGear = Reverse and gearPark implies Lasts
               (actualGear = Reverse, parkGearShiftDelay) and
               Futr (actualGear = Park, parkGearShiftDelay))
73
           (gearReverse implies transmissionShaftState =
               Detached);
74
       GearShiftPark:
75
76
           (actualGear = Park implies not gearPark and all
               gearShiftWidth, gearShiftDirection (not
               gearShift (gearShiftWidth,
               gearShiftDirection))) and
77
            (actualGear = Park implies SomF (gearDrive or
               gearReverse)) and
```

```
78
           (actualGear = Park and gearDrive implies Lasts
               (actualGear = Park, reverseGearShiftDelay) and
               Futr (actualGear = First , driveGearShiftDelay))
              and
79
           (actualGear = Park and gearReverse implies Lasts
               (actualGear = Park, reverseGearShiftDelay) and
               Futr (actualGear = Reverse,
               reverseGearShiftDelay)) and
80
           (actualGear = Park implies transmissionShaftState
              = Detached) and
           (gearPark implies transmissionShaftState =
81
              Detached);
82
83
       GearShiftTimings:
84
           all gearShiftDirection ((actualGear = First or
               actualGear = Second or actualGear = Third) and
               gearShiftWidth = 1 and gearShift
               (gearShiftWidth, gearShiftDirection) implies
              not Lasts (gearDrive or gearPark or gearReverse
              or ex gearShiftWidth2, gearShiftDirection2
               (gearShift (gearShiftWidth2,
               gearShiftDirection2)), singleGearShiftDelay))
85
           all gearShiftDirection ((actualGear = First or
               actualGear = Third) and gearShiftWidth = 2 and
               gearShift (gearShiftWidth, gearShiftDirection)
              implies not Lasts (gearDrive or gearPark or
               gearReverse or ex gearShiftWidth2,
               gearShiftDirection2 (gearShift
               (gearShiftWidth2, gearShiftDirection2)),
               dualGearShiftDelay)) and
           ((actualGear = Reverse and gearDrive) implies not
86
               Lasts (gearDrive or gearPark or gearReverse or
              ex gearShiftWidth2, gearShiftDirection2
              (gearShift (gearShiftWidth2,
               gearShiftDirection2)), driveGearShiftDelay)) and
87
           ((actualGear = Reverse and gearPark) implies not
              Lasts (gearDrive or gearPark or gearReverse or
              ex gearShiftWidth2, gearShiftDirection2
              (gearShift (gearShiftWidth2,
               gearShiftDirection2)), parkGearShiftDelay)) and
           ((actualGear = Park and gearDrive) implies not
88
               Lasts (gearDriver or gearPark or gearReverse or
```

```
ex gearShiftWidth2, gearShiftDirection2
              (gearShift (gearShiftWidth2,
              gearShiftDirection2)), driveGearShiftDelay)) and
89
           ((actualGear = Park and gearReverse) implies not
              Lasts (gearDrive or gearPark or gearReverse or
              ex gearShiftWidth2, gearShiftDirection2
              (gearShift (gearShiftWidth2,
              gearShiftDirection2)), reverseGearShiftDelay));
90
91
       Nothing:
92
           all gear (actualGear = gear and not (all
              gearShiftWidth, gearShiftDirection (gearShift
              (gearShiftWidth, gearShiftDirection)) or
              gearDrive or gearPark or gearReverse) implies
              UpToNow (actualGear = gear) and NowOn
              (actualGear = gear));
93
94
  end
```

4 HydraulicSystem Class

The *HydraulicSystem* class is formalized thanks to the code reported in Listing 7.

The first assumption we made before modelling the Hydraulic System was that every valve and electrovalve configuration imposes the same fluid propagation delay; this means that for every command that the Hydraulic System propagates the delay will always be the same. This behavior is formalized with the time independent constant fluidPropagationDelay.

The manual valve, which permit the driver to manually select the gear mode, is modelled thanks to the gearHandle event and the GearHandle axiom. During the time in which the Hydraulic System propagate a command there can be no gearHandle event which somehow means the fluid propagation is faster then the driver reaction time (which is a realistic assumption).

Moreover, thanks to the MutualExclusion axiom, it's impossibile to generate two gearHandle event at the same time which means that the gear handle can't be for example in Park and Drive mode at the same instant.

Listing 7: HydraulicSystem.trio

```
class HydraulicSystem (const fluidPropagationDelay)
 1
 2
 3
   signature:
 4
 5
   visible:
 6
        gearHandle,
 7
        gearShift,
 8
        gearDrive,
 9
        gearPark,
10
        gearReverse,
11
        controlGearShift;
12
   temporal domain: real;
13
14
15
   domains:
16
        GearPosition: {Drive, Park, Reverse};
17
        ShiftWidth: 1..2;
18
        ShiftDirection: {Up, Down};
19
20
   items:
        TI fluidPropagationDelay: real;
21
22
        event gearHandle (GearPosition);
23
        event gearShift (ShiftWidth, ShiftDirection);
24
        event gearDrive;
```

```
25
       event gearPark;
26
       event gearReverse;
27
       event controlGearShift (ShiftWidth, ShiftDirection);
28
29
   axioms:
30
   vars:
31
       gear: GearPosition;
32
       gear2: GearPosition;
33
       gearShiftWidth: ShiftWidth;
       gearShiftWidth2: ShiftWidth;
34
35
        gearShiftDirection: ShiftDirection;
36
       gearShiftDirection2: ShiftDirection;
37
   formulae:
       GearHandleCommand:
38
39
            (gear = Drive and gearHandle (gear) implies not
               Lasts (all gear2 (gear2 \Leftrightarrow gear implies
               gearHandle (gear2) or ex gearShiftWidth,
               gearShiftDirection (controlGearShift
               (gearShiftWidth, gearShiftDirection))),
               fluidPropagationDelay) and Futr (gearDrive,
               fluidPropagationDelay)) and
40
            (gear = Park and gearHandle (gear) implies not
               Lasts (all gear2 (gear2 \Leftrightarrow gear implies
               gearHandle (gear2) or ex gearShiftWidth,
               gearShiftDirection (controlGearShift
               (gearShiftWidth, gearShiftDirection))),
               fluidPropagationDelay) and Futr (gearPark,
               fluidPropagationDelay)) and
41
            (gear = Reverse and gearHandle (gear) implies not
               Lasts (all gear2 (gear2 <> gear implies
               gearHandle (gear2) or ex gearShiftWidth,
               gearShiftDirection (controlGearShift
               (gearShiftWidth, gearShiftDirection))),
               fluidPropagationDelay) and Futr (gearReverse,
               fluidPropagationDelay));
42
       PropagateGearShiftCommand:
43
44
            all gearShiftWidth, gearShiftDirection
               (controlGearShift (gearShiftWidth,
               gearShiftDirection) implies not Lasts
               (gearDrive or gearPark or gearReverse or ex
               gearShiftWidth2, gearShiftDirection2
               (controlGearShift (gearShiftWidth2,
```

```
gearShiftDirection2)), fluidPropagationDelay)
and Futr (gearShift (gearShiftWidth,
gearShiftDirection), fluidPropagationDelay));

45
46
47
MutualExclusions:
all gear (gearHandle (gear) implies all gear2
(gear <> gear2 implies not gearHandle (gear2)));

48
49 end
```

5 TransmissionControlUnit Class

The *TransmissionControlUnit* class is formalized thanks to the code reported in Listing 8.

Our first formalization of the Transmission Control Unit didn't take in account the possibility to have asynchronous sensors; the latest version of the Transmission Control Unit permits to manage asynchronous sensors thanks to internal memory modelled with three time dependent total values.

When handle the necessity to scale gears till the First with the assumption that the human reaction is way slower than sampling frequency and mechanical reactions, so, when the vehicle stops, the axiom which handle the gear scale manage to be "active" the necessary amount of times to scale all the gears.

The Transmission Control Unit guarantees that it doesn't raise more than one gear shift event per instant and it receives at most one event per instant from each sensor (this is described also in Section 2 and so guaranteed in VehicleSpeedSensor and EngineSpeedSensor class).

Listing 8: TransmissionControlUnit.trio

```
class TransmissionControlUnit
1
2
3
   signature:
4
5
   visible:
6
        controlGearShift.
7
        receiveEngineSpeed,
8
        receiveVehicleSpeed;
9
10
   temporal domain: real;
11
12
   domains:
        ShiftWidth: 1..2;
13
14
        ShiftDirection: {Up, Down};
15
16
   items:
17
       TD total storedEngineSpeed: integer;
       TD total storedDeltaVehicleSpeed: integer;
18
19
       TD total storedVehicleSpeed: integer;
20
        event controlGearShift (ShiftWidth, ShiftDirection);
        event receiveEngineSpeed (integer);
21
22
        event receiveVehicleSpeed (integer, integer);
23
24
   axioms:
25
   vars:
```

```
26
       engineSpeed: integer;
27
       engineSpeed1: integer;
28
       engineSpeed2: integer;
29
       deltaVehicleSpeed: integer;
30
       deltaVehicleSpeed1: integer;
       deltaVehicleSpeed2: integer;
31
32
       vehicleSpeed: integer;
33
       vehicleSpeed1: integer;
34
       vehicleSpeed2: integer;
35
       gearShiftWidth1: ShiftWidth;
       gearShiftWidth2: ShiftWidth;
36
37
       gearShiftDirection1: ShiftDirection;
38
       gearShiftDirection2: ShiftDirection;
39
   formulae:
40
       GearShifts:
41
           (receiveEngineSpeed (engineSpeed) and
               receiveVehicleSpeed (deltaVehicleSpeed,
               vehicleSpeed) and engineSpeed >= 3000 and
               vehicleSpeed > 0 implies gearShiftWidth1 = 1
              and gearShiftDirection1 = Up and
               controlGearShift (gearShiftWidth1,
               gearShiftDirection1)) and
42
           (receiveEngineSpeed (engineSpeed) and all
               deltaVehicleSpeed, vehicleSpeed (not
               receiveVehicleSpeed (deltaVehicleSpeed,
               vehicleSpeed)) and engineSpeed >= 3000 and
               storedVehicleSpeed > 0 implies gearShiftWidth1
              = 1 and gearShiftDirection1 = Up and
               controlGearShift (gearShiftWidth1,
               gearShiftDirection1)) and
43
           (all engineSpeed (not receiveEngineSpeed
               (engineSpeed)) and receiveVehicleSpeed
               (deltaVehicleSpeed, vehicleSpeed) and
               storedEngineSpeed >= 3000 and vehicleSpeed > 0
               implies gearShiftWidth1 = 1 and
               gearShiftDirection1 = Up and controlGearShift
               (gearShiftWidth1, gearShiftDirection1)) and
44
           (receiveEngineSpeed (engineSpeed) and
               receiveVehicleSpeed (deltaVehicleSpeed,
               vehicleSpeed) and engineSpeed <= 1500 and
               deltaVehicleSpeed <= 0 implies gearShiftWidth1</pre>
              = 1 and gearShiftDirection1 = Down and
               controlGearShift (gearShiftWidth1,
```

```
gearShiftDirection1)) and
45
           (receiveEngineSpeed (engineSpeed) and all
               deltaVehicleSpeed, vehicleSpeed (not
               receiveVehicleSpeed (deltaVehicleSpeed,
               vehicleSpeed)) and engineSpeed <= 1500 and
               storedDeltaVehicleSpeed <= 0 implies
               gearShiftWidth1 = 1 and gearShiftDirection1 =
              Down and controlGearShift (gearShiftWidth1,
               gearShiftDirection1)) and
46
           (all engineSpeed (not receiveEngineSpeed
               (engineSpeed)) and receiveVehicleSpeed
               (deltaVehicleSpeed, vehicleSpeed) and
               storedEngineSpeed <= 1500 and
               ( deltaVehicleSpeed <= 0 or vehicleSpeed = 0)</pre>
               implies gearShiftWidth1 = 1 and
               gearShiftDirection1 = Down and controlGearShift
              (gearShiftWidth1, gearShiftDirection1)) and
           (receiveEngineSpeed (engineSpeed) and
47
               receiveVehicleSpeed (deltaVehicleSpeed,
               vehicleSpeed) and engineSpeed <= 1500 and
               deltaVehicleSpeed > 0 implies all
               gearShiftWidth1, gearShiftDirection1 (not
               controlGearShift (gearShiftWidth1,
               gearShiftDirection1))) and
48
           (receiveEngineSpeed (engineSpeed) and all
               deltaVehicleSpeed, vehicleSpeed (not
               receiveVehicleSpeed (deltaVehicleSpeed,
               vehicleSpeed)) and engineSpeed <= 1500 and
               storedDeltaVehicleSpeed >= 0 and
               storedVehicleSpeed > 0 implies all
               gearShiftWidth1, gearShiftDirection1 (not
               controlGearShift (gearShiftWidth1,
               gearShiftDirection1))) and
           (all engineSpeed (not receiveEngineSpeed
49
               (engineSpeed)) and receiveVehicleSpeed
               (deltaVehicleSpeed, vehicleSpeed) and
              storedEngineSpeed <= 1500 and deltaVehicleSpeed
              >= 0 and vehicleSpeed > 0 implies all
              gearShiftWidth1, gearShiftDirection1 (not
               controlGearShift (gearShiftWidth1,
               gearShiftDirection1))) and
50
           (receiveEngineSpeed (engineSpeed) and
               receiveVehicleSpeed (deltaVehicleSpeed,
```

```
vehicleSpeed) and engineSpeed >= 1500 and
               engineSpeed < 3000 implies all gearShiftWidth1,
               gearShiftDirection1 (not controlGearShift
              (gearShiftWidth1, gearShiftDirection1))) and
51
           (receiveEngineSpeed (engineSpeed) and all
               deltaVehicleSpeed, vehicleSpeed (not
               receiveVehicleSpeed (deltaVehicleSpeed,
               vehicleSpeed)) and engineSpeed >= 1500 and
               engineSpeed < 3000 implies all gearShiftWidth1,
               gearShiftDirection1 (not controlGearShift
               (gearShiftWidth1, gearShiftDirection1))) and
52
           (all engineSpeed (not receiveEngineSpeed
               (engineSpeed)) and receiveVehicleSpeed
               (deltaVehicleSpeed, vehicleSpeed) and
              storedEngineSpeed >= 1500 and storedEngineSpeed
              < 3000 implies all gearShiftWidth1,</p>
              gearShiftDirection1 (not controlGearShift
              (gearShiftWidth1, gearShiftDirection1))) and
53
           (all engineSpeed (not receiveEngineSpeed
               (engineSpeed)) and all deltaVehicleSpeed,
               vehicleSpeed (not receiveVehicleSpeed
              (deltaVehicleSpeed, vehicleSpeed)) implies all
               gearShiftWidth1 , gearShiftDirection1 (not
               controlGearShift (gearShiftWidth1,
               gearShiftDirection1));
54
55
       Receiving Event Action:
           all deltaVehicleSpeed1, vehicleSpeed1
56
               (receiveVehicleSpeed (deltaVehicleSpeed1,
               vehicleSpeed1) implies Until
              (storedDeltaVehicleSpeed = deltaVehicleSpeed1
              and storedVehicleSpeed = vehicleSpeed1, ex
               deltaVehicleSpeed2, vehicleSpeed2
               (receiveVehicleSpeed (deltaVehicleSpeed2,
               vehicleSpeed2)))) and
57
           all engineSpeed1 (receiveEngineSpeed
              (engineSpeed1) implies Until (storedEngineSpeed
              = engineSpeed1, ex engineSpeed2
              (receiveEngineSpeed (engineSpeed2))));
58
59
       MutualExclusions:
           all gearShiftWidth1, gearShiftDirection1
60
              (controlGearShift (gearShiftWidth1,
```

```
gearShiftDirection1) implies all
               gearShiftWidth2 , gearShiftDirection2
               (gearShiftWidth1 \Leftrightarrow gearShiftWidth2 and
               gearShiftDirection1 <> gearShiftDirection2
               implies not controlGearShift (gearShiftWidth2,
               gearShiftDirection2))) and
61
            all engineSpeed1 (receiveEngineSpeed
               (engineSpeed1) implies all engineSpeed2
               (engineSpeed2 \Leftrightarrow engineSpeed1 implies not
               receiveEngineSpeed (engineSpeed2))) and
62
            all deltaVehicleSpeed1 , vehicleSpeed1
               (receiveVehicleSpeed (deltaVehicleSpeed1,
               vehicleSpeed1) implies all deltaVehicleSpeed2,
               vehicleSpeed2 (deltaVehicleSpeed2 <>
               deltaVehicleSpeed1 and vehicleSpeed2 <>
               vehicleSpeed1 implies not receiveVehicleSpeed
               (deltaVehicleSpeed2, vehicleSpeed2)));
63
64
   end
```

6 Annotations

During the last phase of our modelling we decided not to formalize the *Torque Converter* and this decision depends on the way the Torque Converter works.

The Torque Converter is a mechanical component that works coupling and decoupling the *Transmission Shaft* and the *Engine Shaft*. It solves is duty without the necessity to receive commands from any component of the system and this is the cause we have decided to remove it from our model.

Anyway, the state of the Torque Converter is really important for the system since it gives information that permits to insert or not to insert some gears and other details that aren't taken into account in this project.

7 PROPERTIES 39

7 Properties

In this Section 7 are reported the three properties we have proved in their decidable TRIO form.

Listing 9: Property 1

```
actualGear = First & controlGearShift = TCUShiftOneUp ->
Futr(actualGear = Second, FluidDelay + ShiftDelay);
```

Listing 10: Property 2

Listing 11: Property 3

```
actualGear = First & gearHandle = HandleShiftPark ->
   Futr(actualGear = Park, FluidDelay + ShiftDelay) &
   Until(transmissionShaftState = Detached, gearHandle <>
   Nothing));
```