

URL:

<https://www.saucedemo.com/>

↓ Accepted usernames
standard_user
locked_out_user
problem_user
performance_glitch_user
error_user
visual_user

↓ Password for all Users
standard_user

C586068: 'Sign-in' Page is accessible

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Guest User.

I am on any Page within the Store, f.e. on 404 Page.

The Page Content is displayed.

Steps

1	I go to the 'Sign-in' Page.	I am redirected to the 'Sign-in' Page. The Page Content is displayed. I am still a Guest User.
---	-----------------------------	--

C586096: 'Sign-in' Page is not accessible

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the Store, f.e. on POP.
The Page Content is displayed.

Steps

1	I go to the 'Sign-in' Page.	I am not redirected to the 'Sign-in' Page. I am redirected to the POP instead. The Page Content is displayed. I am still a Signed-in User.
---	-----------------------------	---

C586067: URL is proper

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.

Steps

1

The URL contains:

https://	domain	/
https://www.saucedemo.com/		

C586070: Page Title is proper

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.

Steps

1

I open the Source Code of the Page.

The Source Code is opened.

There are some elements contained within the Source Code.

2

The Source Code contains:

↓ element	↓ string
Page Title	Swag Labs

C586071: 'Sign-in' Page has a proper template

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.

Steps

1

The Page contains:

'Header'
'Sign-in' Form
'Sign-in' Info-Box

C588684: 'Sign-in' Form is contained on the 'Sign-in' Page

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.

Steps

1

The Page contains:

↓ element

'Sign-in' Form

C588685: 'Sign-in' Form is not contained on the POP

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on the POP.
The Page Content is displayed.

Steps

1

The Page does not contain:

↓ element

'Sign-in' Form

C588686: 'Sign-in' Form is not contained on any PDP

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any *PDP*.
The Page Content is displayed.

Steps

1

The Page does not contain:

↓ element

'Sign-in' Form

C588687: 'Sign-in' Form is not contained in the 'Cart'

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am in the 'Cart'.
The Page Content is displayed.

It does not matter if my 'Cart' is empty or not.

Steps

1

The Page does not contain:

↓ element

'Sign-in' Form

C588688: 'Sign-in' Form is not contained in the 'Checkout Step-1'

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am in the 'Checkout Step-1'.
The Page Content is displayed.

It does not matter if my 'Cart' is empty or not.

Steps

1

The Page does not contain:

↓ element

'Sign-in' Form

C588689: 'Sign-in' Form is not contained in the 'Checkout Step-2'

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am in the 'Checkout Step-2'.
The Page Content is displayed.

It does not matter if my 'Cart' is empty or not.

Steps

1

The Page does not contain:

↓ element

'Sign-in' Form

C588690: 'Sign-in' Form is not contained on the 'Success' Page

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on the 'Success' Page.
The Page Content is displayed.

Steps

1

The Page does not contain:

↓ element

'Sign-in' Form

C588691: 'Sign-in' Form is not contained on the '404' Page

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on the 404 Page.
The Page Content is displayed.

Steps

1

The Page does not contain:

↓ element

'Sign-in' Form

C588692: 'Sign-in' Form contains proper elements

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

Steps

1

The 'Sign-in' Form contains:

↓ element
'Username' Input with a Placeholder in it
'Password' Input with a Placeholder in it
'Submit' Button

C588693: 'Sign-in' Form is displayed properly

Type	Priority	References	Configuration
Functional	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

Steps

1

The 'Sign-in' Form is displayed properly.

2

desktop:

Username

Password

Login

3

tablet:

Username

Password

Login

4

mobile:

Username

Password

Login

C588699: 'Sign-in' Form's elements have proper values

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.
There are some elements contained within the 'Sign-in' Form.

Steps

1

The 'Sign-in' Form contains:

↓ element	↓ value
'Username' Input's Placeholder	'Username' Text
'Password' Input's Placeholder	'Password' Text
'Submit' Button's Label	'Login' Text

C588694: 'Sign-in' Form is not sticky

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.
I am scrolled to the very bottom of the Page.
The 'Sign-in' Form is displayed under the 'Header'.

Steps

1	I scroll the Page down.	The 'Sign-in' Form is still displayed under the 'Header'. The 'Sign-in' Form is not following the Viewport.
2	I scroll the Page up.	The 'Sign-in' Form is still displayed under the 'Header'. The 'Sign-in' Form is not following the Viewport.

C588695: 'Hover Effect' is available & n/a for proper elements

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

Steps

1

I mousetrack over (or tap and hold) the elements.

Some of the elements have changed.

2

↓ element	↓ 'Hover Effect'
'Username' Input	n/a
'Password' Input	n/a
'Submit' Button	n/a

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

Steps

1

I open the Source Code of the Page.

The Source Code is opened.

There are some elements contained within the Source Code.

2

↓ element	↓ 'Title'
'Username' Input	n/a
'Password' Input	n/a
'Submit' Button	n/a

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

Steps

1

I open the Source Code of the Page.

The Source Code is opened.

There are some elements contained within the Source Code.

2

↓ element	↓ 'Alt'
'Username' Input	n/a
'Password' Input	n/a
'Submit' Button	n/a

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

Steps

1

I click (or tap) the elements.

2

Some of the elements are clickable.

↓ element	↓ Clickable
'Username' Input	available
'Password' Input	available
'Submit' Button	available

C588674: 'Username' Input is working properly

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.
There is an 'Username' Input contained within the 'Sign-in' Form.

Steps

1	I click the 'Username' Input Input.	The Input is active. I am able to provide data into it now.
---	-------------------------------------	--

C588676: 'Password' Input is working properly

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.
There is an 'Password' Input contained within the 'Sign-in' Form.

Steps

1	I click the 'Password' Input.	The Input is active. I am able to provide data into it now.
---	-------------------------------	--

C588678: 'Submit' Button is working properly

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.
There is an 'Submit' Button contained within the 'Sign-in' Form.

Steps

1	(I does not matter if I filled out the Form or not) I click the 'Submit' Button.	The Form has been validated.
---	---	------------------------------

C588700: 'Sign-in' Form does not contain any Errors by default

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.
The 'Sign-in' Form is displayed in its default state - like I visited the Page for the 1st time.

Steps

1

The 'Sign-in' Form does not contain:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Data is (not) provided.

2

I submit the Form.

The Form has been validated.

The Form is not submitted.

I am still a Guest User.

I am still on the 'Sign-in' Page.

C588947: Errors appeared within the 'Sign-in' Form if I tried to submit the empty Form

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

The 'Sign-in' Form does not contain:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

2

I fill out the Form with:

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

3

I submit the Form.

The Form has been validated.

Some Errors appeared within the 'Sign-in' Form.

4

The 'Sign-in' Form contains:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

C588955: 'Sign-in' Form with Errors is displayed properly if I tried to submit the empty Form

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

The 'Sign-in' Form does not contain:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

2

**I fill out the Form with: **

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Data is (not) provided.

3

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

4

The 'Sign-in' Form contains:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

5

The 'Sign-in' Form with Errors is displayed properly.

6	desktop:
7	tablet:
8	mobile:

C588948: 'Error' Box contains proper value if I tried to submit the empty Form

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

Data is (not) provided.

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

2

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element	↓ value
'Error' Box	'Epic sadface' emoji & 'Username is required' Text

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

**I fill out the Form with: **

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Data is (not) provided.

2

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

4

I mousetrack over (or tap and hold) the elements.

Some of the elements have changed.

5

↓ element	↓ 'Hover Effect'
'Error' Icon for the 'Username'	n/a
'Error' Icon for the 'Password'	n/a
'Error' Box	n/a

'Error' Icon in 'Error' Box	n/a
-----------------------------	-----

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Data is (not) provided.

2

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

4

I open the Source Code of the Page.

The Source Code is opened.
There are some elements contained within the Source Code.

5

↓ element	↓ 'Title'
'Error' Icon for the 'Username'	n/a
'Error' Icon for the 'Password'	n/a
'Error' Box	n/a

'Error' Icon in 'Error' Box	n/a
-----------------------------	-----

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Data is (not) provided.

2

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

4

I open the Source Code of the Page.

The Source Code is opened.
There are some elements contained within the Source Code.

5

↓ element	↓ 'Alt'
'Error' Icon for the 'Username'	n/a
'Error' Icon for the 'Password'	n/a
'Error' Box	n/a

'Error' Icon in 'Error' Box	n/a
-----------------------------	-----

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

**I fill out the Form with: **

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Data is (not) provided.

2

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

4

I click (or tap) the elements.

Some of the elements are clickable.

5

↓ element	↓ Clickable
'Error' Icon for the 'Username'	n/a
'Error' Icon for the 'Password'	n/a
'Error' Box	n/a

'Error' Icon in 'Error' Box

available

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

The 'Sign-in' Form does not contain:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

2

I fill out the Form with:

'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Data is (not) provided.

3

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

4

The 'Sign-in' Form contains:

↓ element
'Error' Icon for the 'Username'
'Error' Icon for the 'Password'
'Error' Box with 'Error' Icon in it

5

I click the 'Error' Icon within the 'Error' Box.

The Errors disappeared from the 'Sign-in' Form.

The 'Sign-in' Form does not contain:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	test
'Passoword' Input	- (nothing)

Data is provided.

2

I submit the Form.

The Form has been validated.

The Form is not submitted.

I am still a Guest User.

I am still on the 'Sign-in' Page.

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

The 'Sign-in' Form does not contain:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

2

I fill out the Form with:

'Username' Input	test
'Passoword' Input	- (nothing)

Data is provided.

3

I submit the Form.

The Form has been validated.

Some Errors appeared within the 'Sign-in' Form.

4

The 'Sign-in' Form contains:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

Data is provided.

'Username' Input	test
'Passoword' Input	- (nothing)

2

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element	↓ value
'Error' Box	'Epic sadface' emoji & 'Password is required' Text

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	- (nothing)
'Passoword' Input	test

Data is provided.

2

I submit the Form.

The Form has been validated.

The Form is not submitted.

I am still a Guest User.

I am still on the 'Sign-in' Page.

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

The 'Sign-in' Form does not contain:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

2

I fill out the Form with:

'Username' Input	- (nothing)
'Passoword' Input	test

3

I submit the Form.

The Form has been validated.

Some Errors appeared within the 'Sign-in' Form.

4

The 'Sign-in' Form contains:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

Data is provided.

'Username' Input	- (nothing)
'Passoword' Input	test

2

I submit the Form.

The Form has been validated.
Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element	↓ value
'Error' Box	'Epic sadface' emoji & 'Username is required' Text

C588961: Submit the complete Form with wrong credentials (failed result)

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	test
'Passoword' Input	test

Data is provided.

2

I submit the Form.

The Form has been validated.

The Form is not submitted.

I am still a Guest User.

I am still on the 'Sign-in' Page.

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

The 'Sign-in' Form does not contain:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

2

I fill out the Form with:

'Username' Input	test
'Passoword' Input	test

3

I submit the Form.

The Form has been validated.

Some Errors appeared within the 'Sign-in' Form.

4

The 'Sign-in' Form contains:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	test
'Passoword' Input	test

Data is provided.

2

I submit the Form.

The Form has been validated.

Some Errors appeared within the 'Sign-in' Form.

3

The 'Sign-in' Form contains:

↓ element	↓ value
'Error' Box	'Epic sadface' emoji & 'Username and password do not match any user in this service' Text

C588964: Submit the complete Form with proper credentials

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

I fill out the Form with:

'Username' Input	standard_user
'Passoword' Input	secret_sauce

Data is provided.

2

I submit the Form.

The Form has been validated.

The Form is submitted.

I am a Signed-in User from this point.

I am redirected to the 'POP'.

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Sign-in' Form contained.

There is an 'Usermane' Input contained within the 'Sign-in' Form.
There is a 'Password' Input contained within the 'Sign-in' Form.
There is a 'Submit' Button contained within the 'Sign-in' Form.

The 'Sign In' Form contains:

↓ element	↓ data
'Username' Input	- (nothing)
'Passoword' Input	- (nothing)

Steps

1

The 'Sign-in' Form does not contain:

↓ element

'Error' Icon for the 'Username'

'Error' Icon for the 'Password'

'Error' Box with 'Error' Icon in it

2

I fill out the Form with:

'Username' Input	standard_user
'Passoword' Input	secret_sauce

Data is provided.

3

I submit the Form.

The Form has been validated.

The Form is submitted.

I am a Signed-in User from this point.

I am redirected to the 'POP'.

4

There is no 'Sign-in' Form contained anymore as I am signed-in, so there are no Errors as well.