

C586565: 'Header' is contained on the 'Sign-in' Page

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.

Steps

1

The Page contains:

↓ element

'Header'

C586566: 'Header' is contained on the POP

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on the POP.
The Page Content is displayed.

Steps

1

The Page contains:

↓ element

'Header'

C586567: 'Header' is contained on any PDP

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any *PDP*.
The Page Content is displayed.

Steps

1

The Page contains:

↓ element

'Header'

C586568: 'Header' is contained in the 'Cart'

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am in the 'Cart'.
The Page Content is displayed.

It does not matter if my 'Cart' is empty or not.

Steps

1

The Page contains:

↓ element

'Header'

C586569: 'Header' is contained in the 'Checkout Step-1'

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am in the 'Checkout Step-1'.
The Page Content is displayed.

It does not matter if my 'Cart' is empty or not.

Steps

1

The Page contains:

↓ element

'Header'

C586570: 'Header' is contained in the 'Checkout Step-2'

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am in the 'Checkout Step-2'.
The Page Content is displayed.

It does not matter if my 'Cart' is empty or not.

Steps

1

The Page contains:

↓ element

'Header'

C586571: 'Header' is contained on the 'Success' Page

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on the 'Success' Page.
The Page Content is displayed.

Steps

1

The Page contains:

↓ element

'Header'

C586572: 'Header' is contained on the '404' Page

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on the 404 Page.
The Page Content is displayed.

Steps

1

The Page contains:

↓ element

'Header'

C586663: (regular) 'Header' contains proper elements

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed, except the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1

The 'Header' contains:

↓ element
'Burger-Menu' Icon
Logo
'Cart' Icon




C586664: (regular) 'Header' is displayed properly

Type	Priority	References	Configuration
Functional	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed, except the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1	The 'Header' is displayed properly.
2	desktop: 
3	tablet: 
4	mobile: 

C586107: 'Header' on the 'Sign-in' Page differs from the regular 'Header'

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1	<div>The 'Header' contains:</div> <div><div>↓ element</div><div>Logo</div></div>
2	<div>The 'Header' does not contain:</div> <div><div>↓ element</div><div>'Burger-Menu' Icon</div><div>'Cart' Icon</div></div>

C586098: 'Header' from the 'Sign-in' Page is displayed properly

Type	Priority	References	Configuration
Functional	High	None	No
Automation Type			
None			

Preconditions

I am a Guest User.
I am on the 'Sign-in' Page.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1	The 'Header' is displayed properly.
2	desktop: <div>Swag Labs</div>
3	tablet: <div>Swag Labs</div>
4	mobile: <div>Swag Labs</div>

C586101: 'Header' Logo has proper value

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Guest or/and Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There are some elements contained within the 'Header'.

Steps

1

The 'Header' contains:

↓ element	↓ value
Logo	'Swag Labs' Text

C586102: 'Header' is not sticky

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest or/and Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
I am scrolled to the very top of the Page.
The 'Header' is displayed on the top of the Page.

Steps

1	I scroll the Page down.	The 'Header' is still displayed on the top of the Page. The 'Header' is not following the Viewport.
2	I scroll the Page up.	The 'Header' is still displayed on the top of the Page. The 'Header' is not following the Viewport.

C586103: 'Hover Effect' is available & n/a for proper elements

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest or/and Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1

I mousetrack over (or tap and hold) the elements.

Some of the elements have changed.

2

↓ element	↓ 'Hover Effect'
'Burger-Menu' Icon	n/a
Logo	n/a
'Cart' Icon	n/a

C586108: 'Title' is available & n/a for proper elements

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest or/and Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1

I open the Source Code of the Page.

2

The Source Code is opened.

There are some elements contained within the Source Code.

↓ element	↓ 'Title'
'Burger-Menu' Icon	n/a
Logo	n/a
'Cart' Icon	n/a

C586111: 'Alt' is available & n/a for proper elements

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest or/and Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1

I open the Source Code of the Page.

2

The Source Code is opened.

There are some elements contained within the Source Code.

↓ element	↓ 'Alt'
'Burger-Menu' Icon	available
Logo	n/a
'Cart' Icon	n/a

C586666: 'Alt' elements have proper values

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest or/and Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1

I open the Source Code of the Page.

The Source Code is opened.
There are some elements contained within the Source Code.

2

↓ element	↓ 'Alt' value
'Burger-Menu' Icon	Open Menu

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Guest or/and Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.

Steps

1

I click (or tap) the elements.

Some of the elements are clickable.

2

↓ element	↓ Clickable
'Burger-Menu' Icon	available
Logo	n/a
'Cart' Icon	available

C586667: 'Burger-Menu' Icon is working properly

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Burger-Menu' Icon contained within the 'Header'.

Steps

1	I click the 'Burger-Menu' Icon.	The 'Burger-Menu' Modal appeared.
---	---------------------------------	-----------------------------------

C586668: 'Cart' Icon is working properly

Type	Priority	References	Configuration
Automated	Critical	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Cart' Icon contained within the 'Header'.

It does not matter if my 'Cart' is empty or not.

Steps

1	I click the 'Cart' Icon.	I am redirected to the 'Cart'.
---	--------------------------	--------------------------------

C586669: 'Cart' Icon does not contain the 'Qty' Badge if my 'Cart' is empty

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Cart' Icon contained within the 'Header'.

My 'Cart' is empty.

Steps

1

The 'Cart' Icon does not contain:

↓ element

'Qty' Badge

C586670: 'Cart' Icon gets the 'Qty' Badge if I added anything to the 'Cart'

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Cart' Icon contained within the 'Header'.

My 'Cart' is empty.

Steps

1

The 'Cart' Icon does not contain:

↓ element
'Qty' Badge

2

I add any Product to the 'Cart', f.e. 'Sauce Labs Backpack'.

The Product is added to the 'Cart'.
My 'Cart' contains:

↓ Item	↓ Qty
'Sauce Labs Backpack'	1

3

The 'Cart' Icon contains:

↓ element
'Qty' Badge

C586674: 'Cart' Icon with the 'Qty' Badge is displayed properly

Type	Priority	References	Configuration
Functional	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Cart' Icon contained within the 'Header'.

My 'Cart' contains:

↓ Item	↓ Qty
'Sauce Labs Backpack'	1

There is a 'Qty' Badge contained within the 'Cart' Icon.

Steps

1	The 'Cart' Icon with the 'Qty' Badge is displayed properly.
2	<div>desktop:</div>

C586671: 'Qty' Badge Counter increases properly

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Cart' Icon contained within the 'Header'.

My 'Cart' contains:

↓ Item	↓ Qty
'Sauce Labs Backpack'	1

There is a 'Qty' Badge contained within the 'Cart' Icon.

Steps

1	<p>The 'Qty' Badge contains:</p> <table><tr><th>↓ element</th><th>↓ value</th></tr><tr><td>'Qty' Badge Counter</td><td>1</td></tr></table>	↓ element	↓ value	'Qty' Badge Counter	1		
↓ element	↓ value						
'Qty' Badge Counter	1						
2	<p>I add another Product to the 'Cart', f.e. 'Sauce Labs Bike Light'.</p> <p>The Product is added to the 'Cart'. My 'Cart' contains:</p> <table><tr><th>↓ Item</th><th>↓ Qty</th></tr><tr><td>'Sauce Labs Backpack'</td><td>1</td></tr><tr><td>'Sauce Labs Bike Light'</td><td>1</td></tr></table> <p>The 'Qty' Badge has changed.</p>	↓ Item	↓ Qty	'Sauce Labs Backpack'	1	'Sauce Labs Bike Light'	1
↓ Item	↓ Qty						
'Sauce Labs Backpack'	1						
'Sauce Labs Bike Light'	1						
3	<p>The 'Qty' Badge contains:</p> <table><tr><th>↓ element</th><th>↓ value</th></tr><tr><td>'Qty' Badge Counter</td><td>2</td></tr></table>	↓ element	↓ value	'Qty' Badge Counter	2		
↓ element	↓ value						
'Qty' Badge Counter	2						

C586672: 'Qty' Badge Counter decreases properly

Type	Priority	References	Configuration
Automated	High	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Cart' Icon contained within the 'Header'.

My 'Cart' contains:

↓ Item	↓ Qty
'Sauce Labs Backpack'	1
'Sauce Labs Bike Light'	1

There is a 'Qty' Badge contained within the 'Cart' Icon.

Steps

1	<p>The 'Qty' Badge contains:</p> <table><tr><th>↓ element</th><th>↓ value</th></tr><tr><td>'Qty' Badge Counter</td><td>2</td></tr></table>	↓ element	↓ value	'Qty' Badge Counter	2
↓ element	↓ value				
'Qty' Badge Counter	2				
2	<p>I remove any Product from the 'Cart', f.e. 'Sauce Labs Bike Light'.</p> <p>The Product is removed from the 'Cart'. My 'Cart' contains:</p> <table><tr><th>↓ Item</th><th>↓ Qty</th></tr><tr><td>'Sauce Labs Backpack'</td><td>1</td></tr></table> <p>The 'Qty' Badge has changed.</p>	↓ Item	↓ Qty	'Sauce Labs Backpack'	1
↓ Item	↓ Qty				
'Sauce Labs Backpack'	1				
3	<p>The 'Qty' Badge contains:</p> <table><tr><th>↓ element</th><th>↓ value</th></tr><tr><td>'Qty' Badge Counter</td><td>1</td></tr></table>	↓ element	↓ value	'Qty' Badge Counter	1
↓ element	↓ value				
'Qty' Badge Counter	1				

C586673: 'Cart' Icon loses the 'Qty' Badge if I removed all the Product from the 'Cart'

Type	Priority	References	Configuration
Automated	Low	None	No
Automation Type			
None			

Preconditions

I am a Signed-in User.
I am on any Page within the System where the 'Header' can be noticed.
The Page Content is displayed.
There is a 'Header' contained.
There is a 'Cart' Icon contained within the 'Header'.

My 'Cart' contains:

↓ Item	↓ Qty
'Sauce Labs Backpack'	1

Steps

1	The 'Cart' Icon contains: <div>↓ element 'Qty' Badge</div>
2	I remove all the Products from the 'Cart'. <div>The Products are removed from the 'Cart'. My 'Cart' is empty.</div>
3	The 'Cart' Icon does not contain: <div>↓ element 'Qty' Badge</div>