

a
n 13 42 57 115 122 255 280 393 553 646 580 538 675
Share of plex-stating isobaric datasets
100%
80%
60%
40%
20%
0%
2013
2015
2017
2019
2021
2023
2025
TMTpro, plex not stated 17%
TMTpro 18+ 12%
TMTpro 16 30%
TMT 10/11 30%
TMT 2/6 8%
iTRAQ 8 2%
iTRAQ 4 1%
TMT 10/11
TMT 2/6
iTRAQ 8
iTRAQ 4
b
Mean channels
18
16
14
12
10
8
6
4
2
0
2014
2019
2025
13
stated in text
counted in headers
6
c
Isobaric share
25%
20%
15%
10%
5%
0%
2013
2019
2025
20%
15%
9%
d
Share of 6,113 datasets
Phosphorylation 18%
Ubiquitin remnant (GlyGly) 3.1%
Lysine acetylation 2.9%
Other lysine acylations 2.0%
Methylation 1.3%
Glycosylation 0.4%
ADP-ribosylation 0.3%
SUMO remnant 0.2%
Citrullination 0.1%
0%
10%
20%
e
Metadata names it
Phosphorylation n = 1,075
PTM field 81%
Text 71%
Enrichment 51%
GlyGly n = 188
60%
27%
27%
Lysine acetylation n = 178
1%
generic "acetyl" 83%
57%
20%
0%
50%
100%
Open circle: the field's generic "acetylated residue" term, also present in 27% of datasets without a lysine-acetyl table
f
Phospho site table present
Text + enrichment n = 546
96%
PTM field only n = 202
77%
Text, no enrichment n = 579
41%
Enrichment, no text n = 71
38%
None of the three n = 4,715
2.8%
0%
50%
100%
Text = title, description or keywords; enrichment = named in sample protocol