// SYSTEM_BOOT: SCENE_INDEXER_V2

0xday!

[where all your dreams come true]

Classic RARBG-style tracker clone engineered with vanilla HTML, CRT scanlines, and native ES6 modules.

01 // RAPID EXECUTION

Zero Frameworks. Pure Speed.

< 3 HRS

Complete concept-to-deployment engineering cycle on GitHub Pages.

02 // DESIGN PHILOSOPHY

Old-School Scene vs Generic Web

Generic Web Templates

Blue Gradients: Overused SaaS color palettes.

Rounded Cards: Soft 16px border radii everywhere.

Low Density: Excessive padding hides key data.

Oxday! RARBG Matrix

Pitch Charcoal: Crisp 1px borders on dark cells.

CRT Scanlines: Fixed 4px linear-gradient overlay.

High Density: Instant swarm & codec scanning.

SECTION_01 // SYSTEM ARCHITECTURE

ES6 Modules: The Web's CMake

03 // REPOSITORY MAP

Modular File Architecture

File Path	Layer	Core Responsibility
index.html	Entry View	Tracker grid, IRC chat UI, ES6 module loader
nfo.html	NFO Reader	Standalone ASCII viewer with CRT color themes
css/main.css	Visual Skin	RARBG dark tables, 1px borders, CRT overlay
js/main.js	Controller	Table filtering, sorting, IRC bots, Easter eggs
js/data.js	Data Store	Release objects, VIP lore, LocalStorage sync
js/cursor.js	HUD Engine	60FPS LERP crosshair and hex coordinates

04 // VISUAL ENGINEERING

CRT Scanline & Hex Cursor Engine

```
.crt-overlay {
  inset: 0;
  background: linear-gradient(
    rgba(18, 16, 16, 0) 50%,
    rgba(0, 0, 0, 0.22) 50%
  );
  background-size: 100% 4px;
  pointer-events: none;
}
```

Zero-Overhead Retro Immersion

4px Scanline Loop: Pure CSS repeating gradient mimics CRT phosphor lines.

Pass-Through Clicks: Pointer-events none keeps every button clickable.

LERP Crosshair: Smooth 60FPS ring tracking with live 0xHEX coordinates.

05 // CORE JAVASCRIPT FUNCTIONS

Three-Module Engine Breakdown

js/data.js

Persistent LocalStorage state synchronization.

js/cursor.js

Hexadecimal coordinate HUD tracking.

js/main.js

Dynamic DOM table rendering.

06 // STANDALONE NFO PIPELINE

How nfo.html & .NFO Downloads Work

STEP 01

URL Query Dispatch

Passes release ID via nfo.html?id=404.

STEP 02

URLSearchParams

Extracts ID or VIP username from URL.

STEP 03

Phosphor Render

Switches Green, Amber, or DOS themes.

STEP 04

Blob File Export

Generates real .nfo file in browser RAM.

07 // HALL OF LEGENDS

Underground Uploader Lore & Bots

@danklovic [SYSOP]

Seeds Half-Life 3 from an Adriatic submarine.

+merp7719 [NO-CMAKE]

Bans CMake queries in favor of ES6 modules.

@sabrina_bangladesh [0DAY]

10Gbps Dhaka fiber 2160p x265 encoder.

%greenday [VINYL-GOD]

Wakes up every October to seed 24-bit FLACs.

08 // SWARM TELEMETRY

Active Seeder Distribution by Release



09 // PRODUCTION ROADMAP

Future Full-Stack Upgrades

Vite Bundler (npx): Minify and bundle ES6 modules like CMake for production.

PostgreSQL / Supabase: Replace LocalStorage with global real-time torrent indexing.

Socket.io IRC Server: Upgrade #0xday-scene into a live multiplayer chatroom.

WebTorrent P2P Engine: Stream and seed Linux ISOs inside browser tabs over WebRTC.

Bencode Parser: Drag-and-drop binary .torrent files to auto-extract infohashes.

// TRANSMISSION_COMPLETE // SEED_FOREVER

0xday! is Live on GitHub

fillintheblanks1.github.io/torrent-clone-project/

```
python -m http.server 8000  |  npx serve
```