

Get a Quote Route Documentation

Route: /get-a-quote/ | Local URL: http://localhost:3000/get-a-quote/

Get a Quote Route Documentation

Route: /get-a-quote/

Local URL: http://localhost:3000/get-a-quote/

Primary file: src/app/(site)/get-a-quote/page.tsx

Purpose

The Get a Quote page lets visitors build an instant service estimate by selecting packages and add-ons. After entering contact details, the system generates a PDF estimate, attempts to email it to the visitor, downloads a copy in the browser, and stores the submission as both a quote and a lead.

Page Structure

The route renders a server component page with these sections:

1. Hero section
 - Communicates the "instant price estimate" value proposition.
 - Shows a three-step process: pick services, add extras, get the PDF emailed.
 2. What We Do section
 - Uses WhatsIncluded.
 - Builds cards from SERVICE_CATEGORIES in src/data/pricing.ts.
 - Keeps the visible service cards synced with the calculator data.
 3. Quote calculator section
 - Uses QuoteCalculator from src/components/quote/QuoteCalculator.tsx.
 - This is the main interactive client component.
 4. Guidance section
 - Uses HowToChoose.
 - Content comes from HOW_TO_CHOOSE in src/data/quote/detail.ts.
 5. Trust section
 - Uses WhyChooseFillip.
 - Stats and points come from WHY_CHOOSE_STATS and WHY_CHOOSE_POINTS.
-

Main Files

File	Responsibility
src/app/(site)/get-a-quote/page.tsx	Main route page and layout composition
src/components/quote/QuoteCalculator.tsx	Client-side quote builder, form, submit handling, PDF download
src/components/quote/QuoteDetailSections.tsx	Shared presentational sections used on quote pages
src/data/pricing.ts	Service categories, packages, add-ons, GST, company details
src/lib/quote.ts	Shared quote calculation logic used by client and server
src/app/api/quote/route.ts	Public API endpoint for quote submissions
src/server/quote/schema.ts	Zod validation schema for quote requests
src/server/quote/pdf.ts	PDF estimate generation using pdf-lib
src/server/quote/email.ts	Quote email sending using nodemailer
src/server/quote/queries.ts	Quote persistence in MongoDB
src/server/db/models.ts	Mongoose QuoteModel and LeadModel definitions

User Flow

1. User visits /get-a-quote/.
2. User selects one or more service packages.
3. If a selected category has add-ons, add-ons become available.
4. User can toggle flat add-ons or adjust quantity-based add-ons.
5. The calculator updates the itemized estimate live.
6. User enters:
 - Name
 - Email
 - Phone
 - Company, optional
7. User submits the form.
8. Client captures location best-effort via captureClientLocation.
9. Client sends a POST request to /api/quote.
10. Server validates the request, recalculates pricing, generates the PDF, attempts email delivery, stores the quote, stores a lead, and returns the PDF as base64.
11. Browser downloads Phillip-Technologies-Estimate.pdf.
12. User sees a success or error message.

Service Categories

The calculator currently uses these categories from src/data/pricing.ts:

Category ID	Name	Billing Types
website	Website Development	One-time and monthly add-ons
seo	Search Engine Optimization (SEO)	Monthly

smm	Social Media Management	Monthly
performance	Performance Marketing (Paid Ads)	Monthly
software	Software & App Solutions	One-time and monthly add-ons

Pricing Logic

Pricing is handled in `src/lib/quote.ts`.

Key rules:

- The client calculates a live preview for user experience.
- The server recalculates the final quote, so client-submitted prices are never trusted.
- Unknown category, package, or add-on IDs are ignored.
- GST is read from `GST_RATE` in `src/data/pricing.ts`.
- Current GST rate is 0.18.
- Package discounts use tier-based rates:
 - First tier: 10%
 - Second tier: 15%
 - Third and above: 25%
- Add-ons use the flat launch discount: 25%.
- One-time and monthly totals are calculated separately.

Returned quote totals include:

- subtotal
- discount
- discounted
- gst
- total

API Contract

Endpoint: `POST /api/quote`

Runtime: `Node.js`

Request body:

{
"name": "Client Name",
"email": "client@example.com",
"phone": "9876543210",
"company": "Company Name",
"selections": [
{

```

"categoryId": "website",

"packageId": "website-standard",

"addOns": [

{

"id": "website-extra-pages",

"quantity": 3

}

]

},

"location": {

"source": "gps",

"label": "Optional resolved location"

}

}

```

Successful response:

```

{

"ok": true,

"emailed": true,

"message": "Your estimate is on its way to your inbox.",

"filename": "Fillip-Technologies-Estimate.pdf",

"pdfBase64": "...",

"totals": {

"oneTime": 42480,

"monthly": 0

}

}

```

Validation error response:

```

{

```

```
"ok": false,  
  
"message": "Please fix the highlighted fields.",  
  
"errors": {  
  
  "email": ["Enter a valid email"]  
  
}  
  
}
```

Validation Rules

Defined in `src/server/quote/schema.ts`.

Required fields:

- name: minimum 2 characters, maximum 120
- email: valid email, maximum 200
- phone: minimum 7 characters, maximum 40
- selections: minimum 1 item, maximum 20

Optional fields:

- company: maximum 160 characters

Selection rules:

- categoryId: required string, maximum 60
 - packageId: required string, maximum 60
 - addOns: maximum 40
 - Add-on quantity: integer between 1 and 100
-

PDF Generation

PDF generation happens in `src/server/quote/pdf.ts`.

The PDF includes:

- Fillip Technologies header
 - Date
 - Customer name, company, email, and phone
 - Selected service packages
 - Package feature groups and items
 - Commercial table
 - One-time totals
 - Monthly totals
 - GST lines when GST is enabled
 - Estimate note from `QUOTE_NOTE`
 - Fillip Technologies trust highlights
-

The PDF uses pdf-lib and standard Helvetica fonts. Because the standard font does not support the rupee glyph, PDF prices use Rs. instead of the INR symbol.

Email Behavior

Email sending happens in `src/server/quote/email.ts`.

The system:

- Uses nodemailer.
- Sends the estimate PDF to the visitor email.
- BCCs the company email from `COMPANY.email`.
- Caches the mail transporter on `globalThis` during development.

Required SMTP environment variables:

SMTP_HOST=

SMTP_PORT=

SMTP_USER=

SMTP_PASS=

SMTP_FROM=

If SMTP is not configured or email delivery fails:

- PDF generation still works.
 - Quote and lead storage are still attempted.
 - The response returns `emailed: false`.
 - The user receives a message saying the estimate is ready to download but email delivery is not configured.
-

Database Storage

Quote submissions are stored in MongoDB using `QuoteModel`.

Collection: `quotes`

Stored quote fields:

- `name`
- `email`
- `phone`
- `company`
- `selections`
- `line_items`
- `one_time_total`
- `monthly_total`
- `emailed`
- `created_at`

The same submission is also recorded as a lead using `insertLead`.

Lead source:

get-a-quote-calculator

Lead package category is built from the selected quote item category names.

Error Handling

Client-side errors:

- Empty quote selection shows: Please select at least one package.
- Network failures show: Network error. Please try again.
- API validation errors are displayed beside related contact fields when available.

Server-side errors:

- Invalid JSON returns HTTP 400.
- Invalid form data returns HTTP 400 with field errors.
- Empty final quote returns HTTP 400.
- PDF generation failure returns HTTP 500.
- Email, quote insert, and lead insert failures are logged but do not block the final PDF response.

SEO Metadata

Defined in src/app/(site)/get-a-quote/page.tsx.

Title:

Get a Quote | Fillip Technologies

Description:

Build a custom estimate for websites, SEO, social media, performance marketing, and software. Get the PDF emailed to you instantly.

Related Quote Routes

These are separate pages in the same feature area:

Route	Purpose
/get-a-quote/	Main package calculator
/get-a-quote/custom/	Industry quote overview
/get-a-quote/custom/[industry]/	Industry-specific packages
/get-a-quote/requirement/	Requirement form for custom quote requests

Notes for Maintenance

- Update package prices, names, feature groups, and add-ons in `src/data/pricing.ts`.
- Keep category IDs and package IDs stable because they are submitted to the API.
- If changing pricing logic, update `src/lib/quote.ts`; both client and server use it.
- If changing required form fields, update both `QuoteCalculator.tsx` and `quoteRequestSchema`.
- If changing PDF content, update `src/server/quote/pdf.ts`.
- If changing email content, update `src/server/quote/email.ts`.
- If quote submissions are not emailing, check SMTP environment variables first.