

Experiment 'p_5_2_b_all_different' Results

June 5, 2026

Experiment outcome: SUCCESS

Bad responses: 0

Responses containing assume : 0

Responses containing expect : 0

Resolution attempts: 1

Hard fails (resolution): 0

Soft fails (resolution): 0

Verification attempts: 1

Problem Specification

Problem name: p_5_2_b_all_different

Natural language statement: null

Method signature: p_5_2_b_all_different(x: real, y: real, z: real) returns (all_diff: bool)

Ensures

- `all_diff == (x != y && y != z && x != z)`

GenAI interactions

Below you will find all interactions between the ‘user’ (program) and the ‘assistant’ (OpenAI).

Program → GenAI

You are given the following task to perform in Dafny:

Write a method to satisfy the below requirements.

The signature should be:

`p_5_2_b_all_different(x: real, y: real, z: real) returns (all_diff: bool)`

The method should respect the following contract:

`ensures all_diff == (x != y && y != z && x != z)`

Produce and show only the Dafny body of this method, including the curly braces that
→ surround it. Do not show the signature nor contract. You must not use 'assume' nor
→ 'expect' anywhere in your code.

GenAI → Program

System fingerprint: null

ID: chatcmpl-DnQt3ZGMLJJ4qFaizMvTKaS3X7piB

Model: gpt-5.5-2026-04-23

Created at: 1780673797

Finish reason: stop

Usage: 286 tokens in, and 94 tokens out

```
{  
  all_diff := x != y && y != z && x != z;  
}
```

Final Program

```
method p_5_2_b_all_different(x: real, y: real, z: real) returns (all_diff: bool)  
  ensures all_diff == (x != y && y != z && x != z)  
{  
  all_diff := x != y && y != z && x != z;  
}
```

Total Token Usage

Input tokens: 286

Output tokens: 94

Reasoning tokens: 57

Sum of ‘total tokens’: 380

Experiment Timings

Overall Experiment started at 1780673796434, ended at 1780673817214, lasting 20780ms (20.78 seconds)

Iteration #1 started at 1780673796436, ended at 1780673817214, lasting 20778ms (20.78 seconds)