

Experiment ‘p_6_1_a_process_array_even_indexed_array’ Results

June 5, 2026

Experiment outcome: SUCCESS
Bad responses: 0
Responses containing assume : 0
Responses containing expect : 0
Resolution attempts: 1
Hard fails (resolution): 0
Soft fails (resolution): 0
Verification attempts: 1

Problem Specification

Problem name: p_6_1_a_process_array_even_indexed_array
Natural language statement: null
Method signature: p_6_1_a_process_array_even_indexed_array(inputs: array<int>) returns (even_indexed: array<int>)

Ensures

- even_indexed[..] == [inputs[0], inputs[2], inputs[4], inputs[6], inputs[8]]

Requires

- inputs.Length == 10

GenAI interactions

Below you will find all interactions between the ‘user’ (program) and the ‘assistant’ (OpenAI).

Program → GenAI

You are given the following task to perform in Dafny:

Write a method to satisfy the below requirements.

The signature should be:

p_6_1_a_process_array_even_indexed_array(inputs: array<int>) returns (even_indexed: array
↪ <int>)

The method should respect the following contract:

requires inputs.Length == 10, ensures even_indexed[..] == [inputs[0], inputs[2], inputs
↪ [4], inputs[6], inputs[8]]

Produce and show only the Dafny body of this method, including the curly braces that
↪ surround it. Do not show the signature nor contract. You must not use 'assume' nor
↪ 'expect' anywhere in your code.

GenAI → Program

System fingerprint: null

ID: chatcmpl-DnNSnqesNUFb2toDKHIIQ5t1lbnWw

Model: gpt-5.5-2026-04-23

Created at: 1780660637

Finish reason: stop

Usage: 318 tokens in, and 614 tokens out

```
{
  even_indexed := new int[5];
  even_indexed[0] := inputs[0];
  even_indexed[1] := inputs[2];
  even_indexed[2] := inputs[4];
  even_indexed[3] := inputs[6];
  even_indexed[4] := inputs[8];
}
```

Final Program

```
method p_6_1_a_process_array_even_indexed_array(inputs: array<int>) returns (even_indexed
↪ : array<int>)
  requires inputs.Length == 10
  ensures even_indexed[..] == [inputs[0], inputs[2], inputs[4], inputs[6], inputs
↪ [8]]
{
```

```
even_indexed := new int[5];  
even_indexed[0] := inputs[0];  
even_indexed[1] := inputs[2];  
even_indexed[2] := inputs[4];  
even_indexed[3] := inputs[6];  
even_indexed[4] := inputs[8];  
}
```

Total Token Usage

Input tokens: 318

Output tokens: 614

Reasoning tokens: 512

Sum of ‘total tokens’: 932

Experiment Timings

Overall Experiment started at 1780660636153, ended at 1780660688331, lasting 52178ms (52.18 seconds)

Iteration #1 started at 1780660636154, ended at 1780660688331, lasting 52177ms (52.18 seconds)