

Experiment 'p_2_4_d_avarage' Results

June 3, 2026

Experiment outcome: SUCCESS

Bad responses: 0

Responses containing assume : 0

Responses containing expect : 0

Resolution attempts: 1

Hard fails (resolution): 0

Soft fails (resolution): 0

Verification attempts: 1

Problem Specification

Problem name: p_2_4_d_avarage

Natural language statement: Write a method that takes two integers and then returns the average.

Method signature: p_2_4_d_avarage(x: int, y: int) returns (result: real)

Ensures

- `result == (x + y) as real / 2.0`

GenAI interactions

Below you will find all interactions between the ‘user’ (program) and the ‘assistant’ (OpenAI).

Program → GenAI

You are given the following task to perform in Dafny:

Write a method that takes two integers and then returns the average.

The signature should be:

`p_2_4_d_avarage(x: int, y: int) returns (result: real)`

The method should respect the following contract:

`ensures result == (x + y) as real / 2.0`

Produce and show only the Dafny body of this method, including the curly braces that
→ surround it. Do not show the signature nor contract. You must not use 'assume' nor
→ 'expect' anywhere in your code.

GenAI → Program

System fingerprint: null

ID: chatcmpl-DmdXGWtc5XMIPipHaBzpVQIFNAYFI

Model: gpt-5.5-2026-04-23

Created at: 1780484090

Finish reason: stop

Usage: 282 tokens in, and 269 tokens out

```
{  
  result := ((x + y) as real) / 2.0;  
}
```

Final Program

```
method p_2_4_d_avarage(x: int, y: int) returns (result: real)  
  ensures result == (x + y) as real / 2.0  
{  
  result := ((x + y) as real) / 2.0;  
}
```

Total Token Usage

Input tokens: 282

Output tokens: 269

Reasoning tokens: 231

Sum of ‘total tokens’: 551

Experiment Timings

Overall Experiment started at 1780484089885, ended at 1780484099892, lasting 10007ms (10.01 seconds)

Iteration #1 started at 1780484089885, ended at 1780484099892, lasting 10007ms (10.01 seconds)