

Experiment ‘p_6_1_a_process_array_even_indexed_seq’ Results

June 4, 2026

Experiment outcome: SUCCESS

Bad responses: 0

Responses containing assume : 0

Responses containing expect : 0

Resolution attempts: 1

Hard fails (resolution): 0

Soft fails (resolution): 0

Verification attempts: 1

Problem Specification

Problem name: p_6_1_a_process_array_even_indexed_seq

Natural language statement: Write a method that takes an array of ten integers and then returns every element at an even index.

Method signature: p_6_1_a_process_array_even_indexed_seq(inputs: seq<int>) returns (even_indexed: seq<int>)

Ensures

- `even_indexed == [inputs[0], inputs[2], inputs[4], inputs[6], inputs[8]]`

Requires

- `|inputs| == 10`

GenAI interactions

Below you will find all interactions between the ‘user’ (program) and the ‘assistant’ (OpenAI).

Program → GenAI

You are given the following task to perform in Dafny:

Write a method that takes an array of ten integers and then returns every element at an
→ even index.

The signature should be:

p_6_1_a_process_array_even_indexed_seq(inputs: seq<int>) returns (even_indexed: seq<int>)

The method should respect the following contract:

requires |inputs| == 10, ensures even_indexed == [inputs[0], inputs[2], inputs[4], inputs
→ [6], inputs[8]]

Produce and show only the Dafny body of this method, including the curly braces that
→ surround it. Do not show the signature nor contract. You must not use 'assume' nor
→ 'expect' anywhere in your code.

GenAI → Program

System fingerprint: null

ID: chatcmpl-Dn0ob97llKKlmC8wgdDZ9xJPtPNqe

Model: gpt-5.5-2026-04-23

Created at: 1780573577

Finish reason: stop

Usage: 338 tokens in, and 122 tokens out

```
{  
  even_indexed := [inputs[0], inputs[2], inputs[4], inputs[6], inputs[8]];  
}
```

Final Program

```
method p_6_1_a_process_array_even_indexed_seq(inputs: seq<int>) returns (even_indexed:  
  → seq<int>)  
  requires |inputs| == 10  
  ensures even_indexed == [inputs[0], inputs[2], inputs[4], inputs[6], inputs[8]]  
{  
  even_indexed := [inputs[0], inputs[2], inputs[4], inputs[6], inputs[8]];  
}
```

Total Token Usage

Input tokens: 338

Output tokens: 122

Reasoning tokens: 74

Sum of ‘total tokens’: 460

Experiment Timings

Overall Experiment started at 1780573560103, ended at 1780573598068, lasting 37965ms (37.97 seconds)

Iteration #1 started at 1780573560114, ended at 1780573598068, lasting 37954ms (37.95 seconds)