

# Annex D: ICD-PM groups and ICD-10 codes for maternal conditions in perinatal death

In order to group and tabulate a perinatal death, the user needs information on the timing of the perinatal death (ante partum/intra partum/neonatal) as well as the ICD-10 cause of death code. The information provided about the cause of death and the maternal condition should meet the ICD-10 coding rules for assigning a specific code before any tabulation can be undertaken. The codes included below are indicative for tabulation of data; for coding deaths, ICD-10 version:2016 and ICD-10 volume 2: instruction manual (2010) should be utilized.<sup>8</sup>

## M1 Complications of placenta, cord and membranes

### P02 Fetus and newborn affected by complications of placenta, cord and membranes

#### **P02.0 Fetus and newborn affected by placenta praevia**

#### **P02.1 Fetus and newborn affected by other forms of placental separation and haemorrhage**

Abruptio placentae

Accidental haemorrhage

Ante partum haemorrhage

Damage to placenta from amniocentesis, caesarean section or surgical induction

Maternal blood loss

Premature separation of placenta

#### **P02.2 Fetus and newborn affected by other and unspecified morphological and functional abnormalities of placenta**

Placental:

- dysfunction
- infarction
- insufficiency

---

<sup>8</sup> Available at: <http://www.who.int/classifications/icd/icdonlineversions/en/>

**P02.3 Fetus and newborn affected by placental transfusion syndromes**

Placental and cord abnormalities resulting in twin-to-twin or other transplacental transfusion

Use additional code, if desired, to indicate resultant condition in the fetus or newborn.

**P02.4 Fetus and newborn affected by prolapsed cord**

**P02.5 Fetus and newborn affected by other compression of umbilical cord**

Cord (tightly) around neck

Entanglement of cord

Knot in cord

**P02.6 Fetus and newborn affected by other and unspecified conditions of umbilical cord**

Short cord

Vasa praevia

**P02.7 Fetus and newborn affected by chorioamnionitis**

Amnionitis

Membranitis

Placentitis

**P02.8 Fetus and newborn affected by other abnormalities of membranes**

**P02.9 Fetus and newborn affected by abnormality of membranes, unspecified**

## M2 Maternal complications of pregnancy

### P01 Fetus and newborn affected by maternal complications of pregnancy

**P01.0 Fetus and newborn affected by incompetent cervix**

**P01.1 Fetus and newborn affected by premature rupture of membranes**

**P01.2 Fetus and newborn affected by oligohydramnios**

**P01.3 Fetus and newborn affected by polyhydramnios**

Hydramnios

**P01.4 Fetus and newborn affected by ectopic pregnancy**

Abdominal pregnancy

**P01.5 Fetus and newborn affected by multiple pregnancy**

Triplet (pregnancy)

Twin (pregnancy)

**P01.6 Fetus and newborn affected by maternal death**

**P01.7 Fetus and newborn affected by malpresentation before labour**

**P01.8 Fetus and newborn affected by other maternal complications of pregnancy**

Spontaneous abortion, fetus

**P01.9 Fetus and newborn affected by maternal complication of pregnancy, unspecified**

## M3 Other complications of labour and delivery

### P03 Fetus and newborn affected by other complications of labour and delivery

**P03.0 Fetus and newborn affected by breech delivery and extraction**

**P03.1 Fetus and newborn affected by other malpresentation, malposition and disproportion during labour and delivery**

Contracted pelvis

Fetus or newborn affected by conditions classifiable to O64–O66

Persistent occipitoposterior

Transverse lie

**P03.2 Fetus and newborn affected by forceps delivery**

**P03.3 Fetus and newborn affected by delivery by vacuum extractor [ventouse]**

**P03.4 Fetus and newborn affected by caesarean delivery**

**P03.5 Fetus and newborn affected by precipitate delivery**

Rapid second stage

**P03.6 Fetus and newborn affected by abnormal uterine contractions**

Fetus or newborn affected by conditions classifiable to O62.-, except O62.3

Hypertonic labour

Uterine inertia

### **P03.8 Fetus and newborn affected by other specified complications of labour and delivery**

Abnormality of maternal soft tissues

Destructive operation to facilitate delivery

Fetus or newborn affected by conditions classifiable to O60–O75 and by procedures used in labour and delivery not included in P02.– and P03.0–P03.6

Induction of labour

### **P03.9 Fetus and newborn affected by complication of labour and delivery, unspecified**

## **M4 Maternal medical and surgical conditions**

### **P00 Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy**

#### **P00.0 Fetus and newborn affected by maternal hypertensive disorders**

Fetus or newborn affected by maternal conditions classifiable to O10–O11, O13–O16

#### **P00.1 Fetus and newborn affected by maternal renal and urinary tract diseases**

Fetus or newborn affected by maternal conditions classifiable to N00–N39

#### **P00.2 Fetus and newborn affected by maternal infectious and parasitic diseases**

Fetus or newborn affected by maternal infectious disease classifiable to A00–B99 and J09–J11, but not itself manifesting that disease

#### **P00.3 Fetus and newborn affected by other maternal circulatory and respiratory diseases**

Fetus or newborn affected by maternal conditions classifiable to I00–I99, J00–J99, Q20–Q34 and not included in P00.0, P00.2

#### **P00.4 Fetus and newborn affected by maternal nutritional disorders**

Fetus or newborn affected by maternal disorders classifiable to E40–E64

Maternal malnutrition NOS

#### **P00.5 Fetus and newborn affected by maternal injury**

Fetus or newborn affected by maternal conditions classifiable to S00–T79

#### **P00.6 Fetus and newborn affected by surgical procedure on mother**

#### **P00.7 Fetus and newborn affected by other medical procedures on mother, not elsewhere classified**

Fetus or newborn affected by radiology on mother

#### **P00.8 Fetus and newborn affected by other maternal conditions**

Fetus or newborn affected by:

- conditions classifiable to T80–T88
- maternal genital tract and other localized infections
- maternal systemic lupus erythematosus

#### **P00.9 Fetus and newborn affected by unspecified maternal condition**

### **P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast-milk**

Incl.: nonteratogenic effects of substances transmitted via placenta

#### **P04.0 Fetus and newborn affected by maternal anaesthesia and analgesia in pregnancy, labour and delivery**

Reactions and intoxications from maternal opiates and tranquillizers administered during labour and delivery

#### **P04.1 Fetus and newborn affected by other maternal medication**

Cancer chemotherapy

Cytotoxic drugs

#### **P04.2 Fetus and newborn affected by maternal use of tobacco**

#### **P04.3 Fetus and newborn affected by maternal use of alcohol**

#### **P04.4 Fetus and newborn affected by maternal use of drugs of addiction**

#### **P04.5 Fetus and newborn affected by maternal use of nutritional chemical substances**

#### **P04.6 Fetus and newborn affected by maternal exposure to environmental chemical substances**

#### **P04.8 Fetus and newborn affected by other maternal noxious influences**

#### **P04.9 Fetus and newborn affected by maternal noxious influence, unspecified**

### **M5 No maternal condition**