# (03) PHC HMIS Dataset New

Organization unit identifier
Period

M1 Ante Natal Care (ANC)	<b>M1</b>	Ante	<b>Natal</b>	Care	(ANC)
--------------------------	-----------	------	--------------	------	-------

M1 Ante Natal Care (ANC)	
ANC registration	
ANC registration within 1st trimester	
ANC TT1 dose	
ANC TT2	
Number of PW given TT Booster	
Pregnant women given 180 IFA tablets	
Pregnant women given 360 Calcium carbonate with D3 tablet	
Number of PW given one Albendazole tablet after 1st trimester	
4 ANC checkups	
Of which received corticosteroid before 34 week of delivery	
New Cases of pregnant women with hypertension	
Out of the new cases of PW with hypertension detected, cases managed at institution	
Eclampsia cases managed during delivery	
Number of PW tested for Haemoglobin (Hb ) 4 or more than 4 times for respective ANCs	
Pregnant women having Hb level<11 (tested cases)	
Hb < 7 mg	
Pregnant women having severe anaemia (Hb<7) treated	
Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	
Number of PW tested positive for GDM	
Number of PW given insulin out of total tested positive for GDM	
Number of pregnant women tested for Syphilis	
Out of above, number of PW found sero positive for syphilis	
Number of syphilis positive pregnant women treated for Syphilis	
Number of babies diagnosed with Congenital Syphilis	
Number of babies treated for congenital Syphilis	

#### **M2 Deliveries**

Number of PW given Tablet Misoprostol during home delivery	
Number of newborns received 7 Home Based Newborn Care (HBNC) visits in case of Home delivery	
Institutional delivery(including c-section)	
Women discharged under 48 hours of delivery	
Number of newborns received 6 HBNC visits after Institutional Delivery	

#### **M2.1 Deliveries**

Home Deliveries Attended by SBA trained (Doctor/Nurse/ANM)	
Home Deliveries Attended by Non SBA (Trained TBA/Relatives/etc)	

# M3 Number of Caesarean (C-Section) deliveries

Cesarean deliveries	
C-sections, performed at night (8 PM- 8 AM)	
M4 Pregnancy outcome & details of new-born(4.1.1)	
Live births Male	
Live births Female	
M4 Pregnancy outcome & details of new-born	
Number of Pre term newborns ( < 37 weeks of pregnancy)	
Still birth (HMIS)	
Abortions (spontaneous/induced)	
MTPs conducted (<12 weeks of pregnancy)	
MTPs conducted (>12 weeks of pregnancy	
Post Abortion/ MTP Complications Identified	
Post Abortion/ MTP Complications Treated	
Number of women provided with post abortion/ MTP contraception	
Newborns weighed at birth	
Newborns having weight less than 2.5 kg	
Newborns breast fed within 1 hour of birth	
M5 Complicated Pregnancies	
Pregnant women with obstetric complications attended	
Women receiving post partum checkup within 48 hours after delivery Women getting a post partum check up between 48 hours and 14 days Number of mothers provided full course of 180 IFA tablets after delivery Number of mothers provided 360 Calcium tablets after delivery	
M7.1 Number of New RTI/STI cases identified	
New RTI/STI cases identified - Male Male	
New RTI/STI cases identified - Male Female	
New RTI/STI cases identified - Male	
M7 Reproductive Tract Infections/Sexually Transmit Cases(7.2)	ted Infections (RTI/STI)
· · · · · · · · · · · · · · · · · · ·	
RTI/STI treatment initiated Male	
RTI/STI treatment initiated Male RTI/STI treatment initiated Female	
RTI/STI treatment initiated Female  W8 Acceptors (8.8-8.11)	
RTI/STI treatment initiated Female  W8 Acceptors (8.8-8.11)  DMPA Acceptors	
RTI/STI treatment initiated Female  W8 Acceptors (8.8-8.11)  DMPA Acceptors  DMPA Acceptors Dose 1	
RTI/STI treatment initiated Female  W8 Acceptors (8.8-8.11)  DMPA Acceptors Dose 1  DMPA Acceptors Dose 2	
RTI/STI treatment initiated Female  W8 Acceptors (8.8-8.11)  DMPA Acceptors  DMPA Acceptors Dose 1	

DMPA Acceptors Dose 5 DMPA Acceptors Dose 6

# **M8 Family Planning**

NSV/Conventional Vasectomy conducted
Laparoscopic sterilizations conducted
Minilap (other than post-partum) sterlisations conducted
Minilap post partum (within 7 days of delivery) sterlizations conducted
Number of Post Abortion sterilizations (within 7 days of spontaneous or surgical abortion) conducted
Number of Interval IUCD Insertions (excluding PPIUCD and PAIUCD)
Post partum IUCD insertions (within 48 hours of delivery)
Number of Post Abortion (within 12 days of spontaneous or surgical abortion) IUCD insertions
IUCD removals
Cases with complications due to IUCD
Oral Pills cycles distributed
Condom pieces distributed
Centchroman (weekly) pills given
Emergency contraceptive pills distributed
Number of Pregnancy Test Kits (PTK) used

#### **M8 Family Planning(8.17)**

mo ranny rianning (orr)	
Complications following sterilization Male	
Complications following sterilization Female	
Failures following sterilization Male	
Failures following sterilization Female	
Deaths following sterilization Male	
Deaths following sterilization Female	

### **M9 CHILD IMMUNISATION**

Newborn received vitamin K1 after delivery	
Child immunisation - OPV 0 (birth dose)	
Hepatitis birth dose	
Infants 0 to 11 months old who received f-IPV-1	
Infants 0 to 11 months old who received f-IPV-2	
Child immunisation - Rotavirus 1	
Child immunisation - Rotavirus 2	
Child immunisation - Rotavirus 3	
ld immunisation (9-11months) - Measles & Rubella (MR)- 1st Dose	
JE 1st dose (9-12 months)	
Measles +rubella 1st dose(after 12 months)	
Child immunisation - Measles-1st dose	
Child immunisation - JE 1st dose	
mmunisation - Measles & Rubella (MR)- 2nd Dose (16-24 months)	
Measles 2 dose (>16 months)	
DPT Booster dose	
OPV Booster dose	
Measles, Mumps, Rubella (MMR) Vaccine	
Japanese Encephalitis (JE) vaccine (>16 months)	
Child immunisation - Typhoid	
DPT5/DT5 dose given (> 5 yrs)	
TT10 dose given (>10 yrs)	
TT16 dose given (>16 yrs)	
AEFI Abscess	
AEFI Deaths	
AEFI Others	
Immunisation sessions planned	
Immunisation sessions held	
Sessions where ASHAs were present	
Vitamin A 1 dose	
Vitamin A 5 dose	
Vitamin A 9 dose	
of children given weekly IFA supplementation (small IFA tab/syrup)	
Albendazole(12-59 months)	
f severely underweight children provided Health Checkup (0-5 yrs)	

# **M9 CHILD IMMUNISATION(9.1.3 - 9.1.16)**

M9 CHILD IMMONISATION(9.1.3 - 9.1.16)	
Child immunisation-BCG <1year	
Child immunisation - DPT1 dose <1year	
DPT2 dose <1year	
DPT3 dose <1year	
Pentavalent 1 dose <1year	
Pentavalent 2 dose <1year	
Pentavalent 3 dose <1 year	
OPV1 dose <1year	
OPV2 dose <1year	
OPV3 dose <1year	
Hepatitis B1 dose <1year	
Hepatitis B2 dose <1year	
Hepatitis B3 dose <1 year	
Measles 1 dose <1year	

#### **M9 CHILD IMMUNISATION(9.2.4)**

27 111 011 (01=11)	
Fully immunised children (9-11 months) Male	
Fully immunised children (9-11 months) Female	

#### M10.13 Number of cases of Childhood Diseases (0-5 years)

in to the training of the decoration of the deco
Children admitted with respiratory infections (1 month-5 yrs)
Diphtheria cases (0-5 yrs)
Pertussis cases (0-5 yrs)
Tetanus Neonatorum cases (0-5 yrs)
Diarrhoea and dehydration cases (0-5 yrs)

### M10 Number of cases of Childhood Disease(0-5years)

Childhood Diseases - Pneumonia
Childhood Diseases - Pneumonia Pneumonia
Childhood Diseases - Pneumonia Asthma
Childhood Diseases - Pneumonia Tuberculosis
Childhood Diseases - Pneumonia Sepsis
Childhood Diseases - Pneumonia Diarrhoea treated inpatients
Childhood Diseases - Pneumonia SAM
Childhood Diseases - Pneumonia Malaria
Childhood Diseases - Pneumonia Measles
Childhood Diseases - Pneumonia Acute Flaccid Paralysis(AFP)

#### M11 NVBDCP

M11 NVBDCP		
	Malaria blood smears examined	
	Malaria plasmodium vivax positive tests	
	Malaria plasmodium falciparum positive tests	
	RDT conducted for Malaria	
	Malaria (RDT) - Plasmodium Vivax test positive	
	Malaria (RDT) - Plamodium Falciparum test positive	
	Kala Azar (RDT) - Tests Conducted	
	Kala Azar Positive Cases	
	Post-kala-azar dermal leishmaniasis (PKDL) cases	
	Dengue - RDT Test Positive	

#### M12 Adolscent Health

# M13 Directly Observed Treatment, Short-course (DOTS)

Number of on-going DOTS patients registered	·
Number of DOTS cases completed successfully	

# M14 Patient Services(14.3/14.6)

Inpatient admissions (children) Male	
Inpatient admissions (children) Female	
Inpatient admissions (Adults) Male	
Inpatient admissions (Adults) Female	
Inpatient deaths Male	
Inpatient deaths Female	

#### M14 Patient Services

W14 Patient Services	
Allopathic- Outpatient attendance	
Ayush OPD All	
Number of Left Against Medical Advice (LAMA) cases	
Major operations (with general or spinal anaesthesia)	
Out of Operation major, Gynecology- Hysterectomy surgeries	
Minor operations (without anaesthesia or with local anaesthesia)	
Number of blood units issued	
Pregnant women receiving JSSK Services Blood Transfusion	
Inpatient head count at midnight	
Number of Admission in NBSU (New Born Stabilisation Unit)	
Number of children admitted in NRC	
Number of children discharged with target weight gain from the NRCs	
RKS meetings held	
Number of Anganwadi centres/ UPHCs reported to have conducted Village Health & Nutrition Day (VHNDs)/ Urban Health & Nutrition Day (UHNDs)/ Outreach / Special Outreach	

in 14.1 Outpatient Department by disease/nearth cor	iaition
Outpatient Diabetics	
Outpatient Hypertension	
Outpatient Stroke	
Outpatient Acute heart disease	
Outpatient Mental illness	
Outpatient Epilepsy	
Outpatient Opthalamic	
Outpatient Oncology	
Outpatient Denta	
Outpatient	

M14.4 Inpatient by Disease/ nealth condition	
Inpatient - Malaria Malaria	
Inpatient - Malaria Dengue	
Inpatient - Malaria Typhoid	
Inpatient - Malaria Asthma	
Inpatient - Malaria Tuberculosis	
Inpatient - Malaria Pyrexia of unknown region	
Inpatient - Malaria Hepatitis	
Inpatient - Malaria Diarrhoea with dehydration	
Inpatient - Malaria	

# **M15 Laboratory Testing**

Number of Lab Tests done
Hb tests conducted
Hb < 7 (lab test)
Out of the above number screened positive, number confirmed with HIV infection at Integrated Counselling and Testing Centre (ICTC)
Widal tests - Number Testet
Widal tests - Number Positive

M15 Laboratory test (15.3)

with Laboratory test (15.3)	
Male HIV - Number Tested	
Male HIV - Number Positive	
Female Non ANC HIV - Number Tested	
Female Non ANC HIV - Number Positive	
Number of pregnant women screened for HIV	
Out of the above, number screened positive	

#### M15.3.4 Laboratory testing

WITO.5.4 Laboratory testing
Number of Male STI/RTI attendees tested for syphilis Male
Number of Male STI/RTI attendees tested for syphilis Female
Number of Male STI/RTI attendees tested for syphilis
Number of Male STI/RTI attendees found sero Positive for syphilis Male
Number of Male STI/RTI attendees found sero Positive for syphilis Female
Number of Male STI/RTI attendees found sero Positive for syphilis

### **M16 Stock Related Data**

Last Date of Supply of essential drugs(DD/MM/YYYY)	
IFA Tab - Stocks	
IFA - Blue ( Adolescent 10-19 yrs)	
Syrup bi-weekly IFA supplimentation	
ORS	
Tablet Zinc DT (20mg)	
Inj. Magnesium Sulfate	
Inj. Oxytocin	
Tab Misoprostol	
Mifepristone tablets	
Antibiotics	
Labelled emergency tray	
for hypertension, Diabetes, common ailments e.g PCM, anti-allergic drugs etc.	
Tablet Albendazole	
Last Date of Supply of essential vaccines (DD/MM/YYYY)	
Inj. Tetanus Toxoid	
BCG	
Hepatitis B	
OPV	
DPT	
Measles	
Syrup Vit. A-Stock	
Last Date of Supply of essential contraceptives(DD/MM/YYYY)	
IUCD 375,380A	
OCP	
Condoms	
Injectable Contraceptive MPA (vials)	

# M17 Details of deaths reported with probable causes:

mili Botano di dicambi i opci todi mini probabilo cadicoci
Infant deaths within 24 hrs(1 to 23 Hrs) of birth
Number of Deaths due to Malaria- Plasmodium Vivax
Number of Deaths due to Malaria- Plasmodium Falciparum
Number of Deaths due to Kala Azar
Dengue deaths
Deaths due to AES
Deaths due to JE

### M 17.2 Infants Death upto 4 weeks (1 to 28 days) due to

in 17.2 illiants Death upto 4 weeks (1 to 20 days) due to
Infant Deaths up to 4 weeks Sepsis
Infant Deaths up to 4 weeks Asphyxia
Infant Deaths up to 4 weeks Infant deaths(other causes)
Infant Deaths up to 4 weeks

#### M 17.3 Infant Deaths between 1 month and less than 12 months due to

Number of Infant Deaths (1 -12 months) due to Pneumonia Pneumonia	
Number of Infant Deaths (1 -12 months) due to Pneumonia Fever related	
Number of Infant Deaths (1 -12 months) due to Pneumonia Diarrhoea	
Number of Infant Deaths (1 -12 months) due to Pneumonia Measles	
Number of Infant Deaths (1 -12 months) due to Pneumonia Others	
Number of Infant Deaths (1 -12 months) due to Pneumonia	

# M 17.4 Child deaths between 1 year and less than 5 years due to Number of Child Deaths (1 -5 years) due to Pneumonia Number of Child Deaths (1 -5 years) due to Pneumonia Pneumonia Number of Child Deaths (1 -5 years) due to Pneumonia Diarrhoea Number of Child Deaths (1 -5 years) due to Pneumonia Fever related

Number of Child Deaths (1 -5 years) due to Pneumonia Measles Number of Child Deaths (1 -5 years) due to Pneumonia Others

#### M 17.5 Maternal Deaths (15 to 49 years) due to

in 17.0 maternal beating (10 to 40 years) due to	
Maternal Deaths due to Bleeding	
Maternal Deaths due to High fever	
Maternal Deaths due to Abortion	
Maternal Deaths due to Obstructed labour	
Maternal Deaths due to Other	
Maternal Deaths due to HTN-fits	
Maternal Deaths due to	

# M 17.6 Other Deaths (except infant, child and maternal) 5 years and above due to

due to	
Number of Adolscent / Adult deaths due to Cancer Cancer	
Number of Adolscent / Adult deaths due to Cancer Accidents-burn cases	
Number of Adolscent / Adult deaths due to Cancer Suicide	
Number of Adolscent / Adult deaths due to Cancer Animal bites-stings	
Number of Adolscent / Adult deaths due to Cancer Acute disease	
Number of Adolscent / Adult deaths due to Cancer Chronic disease	
Number of Adolscent / Adult deaths due to Cancer Cause not known	
Number of Adolscent / Adult deaths due to Cancer Diarrhoea	
Number of Adolscent / Adult deaths due to Cancer Tuberculosis	
Number of Adolscent / Adult deaths due to Cancer Respiratory	
Number of Adolscent / Adult deaths due to Cancer Other fever related	
Number of Adolscent / Adult deaths due to Cancer HIV-AIDS	
Number of Adolscent / Adult deaths due to Cancer HTN-Heart disease	
Number of Adolscent / Adult deaths due to Cancer Neurological-strokes	
Number of Adolscent / Adult deaths due to Cancer	