Report on EarthCube CDF Registry Working Group

Work to Date

created with remark

Group Members

1. Doug Fils
2. Bob Arko
3. Adam Shephard
4. Shelley Stall
5. Danie Kinkade
6. Michael Witt
7. Lynne

Acknowledgement: This work is support by NSF EarthCube and the ESSO office which provides the infrastructure to support group interaction.

Agenda

1. Introduction
2. Vocabulary
3. External connections and broader impacts
4. FAIR
5. Prototype supporting infrastructure
6. Future

Intro and Functional goals

1. Goal or working group
2. Functional goals of the group
3. Structure of process (terms -> voc -> deployed arch -> search)



Vocabulary elements

Connections (re3data)

Connections (COPDESS)

Connections (Other: Google, Bing, Yandex, etc.)

It's an experiment, that still has benefits right now by increasing SEO

FAIR

Current Providers

1. Open Core Data
2. BCO-DMO
3. R2R
4. UNAVCO
5. IRIS
6. Open Topology

Current Providers

1. Open Core Data
2. BCO-DMO
3. R2R
4. UNAVCO
5. IRIS
6. Open Topology
7. IEDA (future)
8. WHOI (future)

Effort required by Providers

At the current scope effort is relatively small. However, it will grow as we expend exposed content. Such expansion though can be controlled by the repository.

```
<html lang="en">
<head>
    ...

    <script type="application/ld+json">
        {
            "@context": "http://schema.org/",
            "@type": "Organization",
            "name": "Open Core Data",
            "contactPoint": {
                "@type": "ContactPoint",
                ...
```

However, the JSON-LD has to be generated. We have been working from templates, but that is unlikely to scale.

Some thought needs to go into how to assist groups in generating this content if it is seen as a way forward.

Harvesting

1. Build and install aha:

```
josh@brick ~/repos $ git clone https://github.com/theZiz/aha; cd aha
josh@brick ~/repos/aha $ make && cp aha /usr/local/bin
```

2. Capture output with `aha` (for dark background highlight.js styles such as solarized_dark, use `aha -b`):

```
josh@brick ~/repos/aha $ git log -2 --color | aha -b -n | pbcopy
```

   To capture directly to clipboard, use:
   - `pbcopy` for OS X
   - `xsel --clipboard` for Linux
   - `getclip` for Cygwin

Harvesting



name	pred	obj
BCO-DMO	schema:contactType	technical support
BCO-DMO	schema:email	ashepherd@whoi.edu
BCO-DMO	schema:name	Adam Shepherd
BCO-DMO	schema:url	<http://orcid.org/0000-0003-4486-9448>
BCO-DMO	rdf:type	schema:ContactPoint
Open Core Data	schema:contactType	technical support
Open Core Data	schema:email	dfilsAToceanleadershipDOTorg
Open Core Data	schema:name	Douglas Fils
Open Core Data	schema:url	<http://orcid.org/0000-0002-2257-9127>
Open Core Data	rdf:type	schema:ContactPoint
UNAVCO	schema:contactType	technical support
UNAVCO	schema:email	jrileyATunavcoDOTorg
UNAVCO	schema:name	Jim Riley
UNAVCO	schema:url	<http://orcid.org/0000-0001-8163-5662>
UNAVCO	rdf:type	schema:ContactPoint

Search and visualize

Future

1. Extend to DataCatalog -> DataSet -> Measurements -> Variables
2. Employ emelments of Hydra?
3. How to best address blank nodes in the JSON-LD to RDF process?
4. Vocabulary gap issues identified?

Thanks

1. Contact Us
2. Repo URL
3. Test site URL