

Uniform Convergence of a Sequence of Functions

Note 1

1bf1a79b9eba47cf852e1a9c7468c5f7

Let (f_n) be a sequence of function on a set A . We say (f_n) converges pointwise on A to a function f if for all $x \in A$

$$(f_n(x)) \xrightarrow{n \rightarrow \infty} f(x).$$

}

Note 2

f11dc20a5619424cafc97ab1b4d64b5f

Let (f_n) be a sequence of function on a set A . If (f_n) converges pointwise on A to f , we write

$$(f_n \rightarrow f) \quad \text{or} \quad \lim_{n \rightarrow \infty} f_n = f.$$

Note 3

6f3f051b9e0741debd85037d47c4fd19

Let $f_n(x) = \frac{x^2 + nx}{n}$.

$$\lim_{n \rightarrow \infty} f_n(x) = x.$$

Note 4

3c7731c6b70a4c28972a5ea2e88a1e5f

Let $f_n(x) = x^n$, $f_n : [0, 1] \rightarrow \mathbb{R}$.

$$\lim_{n \rightarrow \infty} f_n(x) = \begin{cases} 0 & \text{for } 0 \leq x < 1, \\ 1 & \text{for } x = 1. \end{cases}$$

Note 5

7218c9c8b0f04d4887dc2345da75c6c6

Let (f_n) be a sequence of function on a set A . We say (f_n) converges uniformly on A to a function f if

$$\forall \epsilon > 0 \quad \exists N \in \mathbb{N} \quad \forall n \geq N \\ |f_n - f| < \epsilon.$$

}

Note 6

c80f9e6c9feb486fb69c66c740b4fa7b

Let (f_n) be a sequence of function on a set A . If (f_n) converges uniformly on A to f , we write

$$f_n \rightrightarrows f.$$

}}

Note 7

77ef924775b2453cb303b726f3081917

What is the key distinction between the definitions of pointwise and uniform convergences of a sequence of functions?

■ The dependence of N on x .

Note 8

42d2e1017eac4382878c195aa5a4c54d

What is the visual behind the uniform convergence of a sequence of functions?

■ Eventually every f_n is completely contained in the ϵ -strip.

Note 9

0c853e2f4ed04acf9dae0b00c1a751f3

Which is stronger, uniform or pointwise convergence?

■ Uniform convergence is stronger.

Note 10

ed7804cf8d4d48d5b0efb426d130fb52

Uniform convergence implies pointwise convergence.

Note 11

c9b4c187b4d54a78a9500289aa5899d0

Let (f_n) be a sequence of function on a set A .

$$(f_n \rightrightarrows f) \iff \sup_{n \rightarrow \infty} |f_n - f| \rightarrow 0.$$

(in terms of sup)

Note 12

1b59f18d7ccb47829cf7b7ea7576318c

Let (f_n) be a sequence of function on a set A . Then (f_n) converges uniformly on A if and only if

$$\forall \varepsilon > 0 \quad \exists N \in \mathbf{N} \quad \forall m, n \geq N \\ |f_n - f_m| < \varepsilon.$$

Note 13

2b9e4671775a43e9aa4a6b4d581b1658

Let (f_n) be a sequence of function on a set A . Then $f_n \Rightarrow f$ if and only if

$$\forall \varepsilon > 0 \quad \exists N \in \mathbf{N} \quad \forall m, n \geq N \\ |f_n - f_m| < \varepsilon.$$

«[Cauchy Criterion]»

Note 14

3fa98b94397f4cc2b2d766dd41934f67

What is the key idea in the proof of necessity of the Cauchy Criterion for uniform convergence?

■ Follows immediately from the definition.

Note 15

f2d15c9af98f4b82956e48ed7df71fc9

What is the key idea in the proof of sufficiency of the Cauchy Criterion for uniform convergence?

■ Define a candidate for the limit and prove by definition.

Note 16

1525b27207e74da186a95d7656e895da

In the proof of sufficiency of the Cauchy Criterion for uniform convergence, how do you define a candidate for the limit?

■ Use the pointwise limit.

Note 17

0177dd65112f46c799884e104b39ef76

In the proof of sufficiency of the Cauchy Criterion for uniform convergence, how do we know the pointwise limit exists?

■ Due to the Cauchy Criterion for sequences.

Note 18

a1ccae80d31b4f38a4fc876e1ffe4ae7

In the proof of sufficiency of the Cauchy Criterion for uniform convergence, we have $f_n \rightarrow f$. How do you show that $f_n \rightrightarrows f$?

■ Take the limit of the inequality from the Cauchy Criterion.

Note 19

baab958475694fc08316e2031a57fa58

Let $f_n \rightarrow f$ on a set A and $c \in A$. If $\{\{c\}:: \text{the convergence is uniform}\}$ and $\{\{c\}:: \text{all } f_n \text{ are continuous at } c,\}$ then $\{\{c\}:: f \text{ is continuous at } c,\}$

Note 20

a026cf3ddb2f4d5b9a94b36b2bc20ef9

Let $f_n \rightarrow f$ on a set A and $c \in A$. If the convergence is uniform and all f_n are continuous at c , then f is continuous at c .

« $\{\{c\}:: \text{Continuous Limit Theorem}\}$ »

Note 21

5fd08fca82504ff0af82d320da351ff7

What is the key idea in the proof of the Continuous Limit Theorem for a sequence of functions?

■ Triple triangle inequality after adding and subtracting f_N .

Note 22

06425162bee447479d3a4f5c71c9cf2a

Let $f_n \rightarrow f$ on a set A and $c \in A$. If $\{\{c\}:: \text{the convergence is uniform}\}$ and all f_n are continuous at c , then

$$\lim_{x \rightarrow c} \lim_{n \rightarrow \infty} f_n(x) = \{\{c\}:: \lim_{n \rightarrow \infty} \lim_{x \rightarrow c} f_n(x).\}$$

Note 23

05371b5a401f4756bc04fc154476e2c4

Let $f_n \rightarrow f$ on a set A . If each f_n is continuous, but f is discontinuous, then $\{\{c1:: \text{the convergence is not uniform.}\}$

Note 24

a5ee2f3836bd4545afde8c2d7ecda40e

Give an example of a sequence of functions $f_n \rightarrow f$ such that

- each f_n is continuous almost everywhere; and
- f is nowhere continuous.

■ Step-by-step construction of the Dirichlet's function.

Note 25

81c5e1a2081241d1973bb2cacde92627

Assume $f_n \rightarrow f$ on a set A and each f_n is uniformly continuous. If $\{\{c2:: f_n \rightrightarrows f,\}\}$ then $\{\{c1:: f \text{ is uniformly continuous.}\}\}$

Note 26

f819f1c60074468ba1e718298059ade4

Assume $f_n \rightarrow f$ on a set A and each f_n is bounded. If $\{\{c2:: f_n \rightrightarrows f,\}\}$ then $\{\{c1:: f \text{ is bounded.}\}\}$

Note 27

b1fded6e729d40ba99a9d087781866dd

Assume $f_n \rightarrow f$ on a set A and each f_n has a finite number of discontinuities. If $f_n \rightrightarrows f$, then $\{\{c1:: f \text{ has at most a countable number of discontinuities.}\}\}$

Note 28

a010908ba95d473ea734442288757314

Assume $f_n \rightrightarrows f$ on a set A and $c \in A$. If $\{\{c2:: f \text{ is discontinuous at } c,\}\}$ then $\{\{c1:: \text{all } f_n \text{ are eventually discontinuous at } c.\}\}$

Note 29

5ea0ebc56cc947d1bc6a5ed00cd1617b

Assume $f_n \rightrightarrows f$ on a set A and $c \in A$. If f is discontinuous at c , then all f_n are eventually discontinuous at c . What is the key idea in the proof?

■ By contradiction + choose a subsequence continuous at c .

Note 30

4c8d50b955be4fa0a3ba792c5699174f

Let f be $\{\{c2: \text{continuous}\}\}$ on all of \mathbf{R} . Then $f(x + \frac{1}{n})$ $\{\{c1: \text{converges to } f.\}\}$

Note 31

59f59d25a40a4e72afdd62a2dd24bd13

Let f be $\{\{c2: \text{uniformly continuous}\}\}$ on all of \mathbf{R} . Then $f(x + \frac{1}{n})$ $\{\{c1: \text{converges uniformly to } f.\}\}$