Uniform Convergence of a Sequence of Functions

Note 1

1bf1a79b9eba47cf852e1a9c7468c5f7

Let (f_n) be well a sequence of function on a set A. We say we say we converges pointwise on A to a function f if we for all $x \in A$

$$\left(f_n(x)\right) \underset{n \to \infty}{\longrightarrow} f(x).$$

Note 2

11dc20a5619424cafc97ah1h4d64h5f

Let (f_n) be a sequence of function on a set A. If (f_n) converges pointwise on A to f, we write

$$\text{ (cl::} f_n \to f \text{)} \quad \text{or} \quad \text{ (cl::} \lim_{n \to \infty} f_n = f. \text{)}$$

Note 3

6f3f051b9e0741dcbd85037d47c4fd19

Let
$$f_n(x) = \frac{x^2 + nx}{n}$$
.

$$\lim_{n\to\infty}f_n(x)=\text{\{c1::}x.\text{\}}$$

Note 4

3c7731c6b70a4c28972a5ea2e88a1e5f

Let
$$f_n(x) = x^n$$
, $f_n : [0,1] \to \mathbb{R}$.

$$\lim_{n o \infty} f_n(x) = \sup \left\{ egin{aligned} 0 & ext{for } 0 \leq x < 1, \ 1 & ext{for } x = 1. \end{aligned}
ight.$$

Note 5

7218c9c8b0f04d4887dc2345da75c6c6

Let (f_n) be a sequence of function on a set A. We say $\{(c^2)^n (f_n)\}$ converges uniformly on A to a function f_n if $\{(c^2)^n (f_n)\}$

$$\forall \epsilon > 0 \quad \exists N \in \mathbf{N} \quad \forall n \ge N$$

 $|f_n - f| < \epsilon.$

}}

Let (f_n) be a sequence of function on a set A. If (f_n) converges uniformly on A to f, we write (f_n)

$$f_n \rightrightarrows f$$
.

}}

Note 7

77ef924775b2453cb303b726f3081917

What is the key distinction between the definitions of pointwise and uniform convergences of a sequence of functions?

The dependence of N on x.

Note 8

42d2e1017eac4382878c195aa5a4c54d

What is the visual behind the uniform convergence of a sequence of functions?

Eventually every f_n is completely contained in the ϵ -strip.

Note 9

0c853e2f4ed04acf9dae0b00c1a751f3

Which is stronger, uniform or pointwise convergence?

Uniform convergence is stronger.

Note 10

ed7804cf8d4d48d5b0efb426d130fb52

Uniform convergence implies (convergence.)

Note 11

c9h4c187h4d54a78a9500289aa5899d

Let (f_n) be a sequence of function on a set A.

$$\text{((c2::} f_n \Longrightarrow f \text{))} \quad \text{((c3::} \Longleftrightarrow \text{))} \quad \text{((c1::} \sup \left| f_n - f \right| \underset{n \to \infty}{\longrightarrow} 0.\text{))}$$

(in terms of sup)

Let (f_n) be a sequence of function on a set A. Reserving Then (f_n) converges uniformly on $A_{||}$ Reserving and only if

$$\{\{\text{c1::} \forall \varepsilon > 0 \quad \exists N \in \mathbf{N} \quad \forall m, n \geq N\}\}$$

Note 13

b9e4671775a43e9aa4a6b4d581b1658

Let (f_n) be a sequence of function on a set A. Then $f_n \rightrightarrows f$ if and only if

$$\forall \varepsilon > 0 \quad \exists N \in \mathbf{N} \quad \forall m, n \ge N$$

$$|f_n - f_m| < \varepsilon.$$

«{{c1::Cauchy Criterion}}»

Note 14

3fa98b94397f4cc2b2d766dd41934f67

What is the key idea in the proof of necessity of the Cauchy Criterion for uniform convergence?

Follows immediately from the definition.

Note 15

f2d15c9af98f4b82956e48ed7df71fc9

What is the key idea in the proof of sufficiency of the Cauchy Criterion for uniform convergence?

Define a candidate for the limit and prove by definition.

Note 16

1525b27207e74da186a95d7656e895da

In the proof of sufficiency of the Cauchy Criterion for uniform convergence, how do you define a candidate for the limit?

Use the pointwise limit.

In the proof of sufficiency of the Cauchy Criterion for uniform convergence, how do we know the pointwise limit exists?

Due to the Cauchy Criterion for sequences.

Note 18

1ccae80d31b4f38a4fc876e1ffe4ae7

In the proof of sufficiency of the Cauchy Criterion for uniform convergence, we have $f_n \to f$. How do you show that $f_n \rightrightarrows f$?

Take the limit of the inequality from the Cauchy Criterion.

Note 19

baab958475694fc08316e2031a57fa58

Let $f_n \to f$ on a set A and $c \in A$. If (can the convergence is uniform)) and (can all f_n are continuous at c.)) then (can f is continuous at c.))

Note 20

026cf3ddb2f4d5b9a94b36b2bc20ef9

Let $f_n \to f$ on a set A and $c \in A$. If the convergence is uniform and all f_n are continuous at c, then f is continuous at c.

«{{c1::Continuous Limit Theorem}}»

Note 21

5fd08fca82504ff0af82d320da351ff7

What is the key idea in the proof of the Continuous Limit Theorem for a sequence of functions?

Triple triangle inequality after adding and subtracting f_N .

Note 22

06425162bee447479d3a4f5c71c9cf2a

Let $f_n \to f$ on a set A and $c \in A$. If we the convergence is uniform and all f_n are continuous at c, then

$$\lim_{x \to c} \lim_{n \to \infty} f_n(x) = \lim_{x \to c} \lim_{n \to \infty} \lim_{x \to c} f_n(x).$$

Note 23

05371b5a401f4756bc04fc154476e2c4

Let $f_n \to f$ on a set A. If each f_n is continuous, but f is discontinuous, then (set: the convergence is not uniform.)