




# PANACHE ALUMINIUM EXTRUSIONS PVT. LTD.

Quality you can rely on

## C - WINDOW PROFILES




📍 Survey No. 187, Plot No.1, Shivaji Nagar  
Road, Village Ahire, Tal. Khandala,  
Satara 412802, Maharashtra, India.


✉ admin@panachealuminium.com

🌐 www.panachealuminium.com

## SLIDING WINDOWS- 18 mm




SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
310901	40.00	18.00	0.60	0.216	2.100-2.200
310902	40.00	18.00	0.80	0.287	1.650-1.700
310903	40.00	18.00	0.92	0.328	1.450-1.550
310904	40.00	18.00	1.10	0.388	1.150-1.250
310905	40.00	18.00	1.25	0.437	1.000-1.100
310906	40.00	18.00	1.57	0.547	
310907	40.00	18.00	1.00	0.355	




SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
311001	40.00	18.00	0.73	0.314	1.300-1.400
311002	40.00	18.00	0.91	0.383	1.350- 1.450
311003	40.00	18.00	1.03	0.437	1.650-1.750
311004	40.00	18.00	1.34	0.547	1.900-2.000
311005	40.00	18.00	0.64	0.273	1.100-1.200
311006	40.00	18.00	0.80	0.342	1.200-1.300


## SLIDING WINDOWS- 18 mm



SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
311201	40.00	18.00	0.60	0.219	1.000-1.200
311202	40.00	18.00	0.76	0.273	1.200-1.400
311203	40.00	18.00	1.06	0.383	1.400-1.600
311204	40.00	18.00	0.90	0.331	1.600-1.750
0	0	0	0	0	0




SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
311101	52.00	18.00	0.82	0.355	1.300-1.400
311102	52.00	18.00	0.97	0.410	1.400-1.600
311103	52.00	18.00	1.30	0.447	1.800-2.000
311104	52.00	18.00	1.10	0.465	1.800-2.000




SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
311301	42.00	18.00	1.02	0.391	1.950-2.050
311302	42.00	18.00	0.83	0.323	1.400-1.500

## SLIDING WINDOWS- 18 mm


Sec. No.-311401  
Wt: 1.60 Kgs./12'




Sec. No.-311501  
Wt: 1.80 Kgs./12'




Sec. No.-312001  
Wt: 2.40 Kgs./12'




Sec. No.-311503  
Wt: 1.75 Kgs./12'



Sec. No.-311801  
Wt: 1.80 Kgs./12'




Sec. No.-311901  
Wt: 2.30 Kgs./12'




## SLIDING WINDOWS- 18 mm


Sec. No.-311802  
Wt: 1.70 Kgs./12'




Sec. No.-462101  
Wt: 4.80 Kgs./12'




Sec. No.-311902  
Wt: 1.80 Kgs./12'




Sec. No.-462201  
Wt: 5.80 Kgs./12'




Sec. No.-312002  
Wt: 1.70 Kgs./12'




## SLIDING WINDOWS- 18 mm




SL. NO.	SEC.No.	A	B	C	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	311601	31.50	31.75	20.00	0.75	0.276	1.000-1.100
2							
3							



SL. NO.	SEC.No.	A	B	C	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	311701	31.50	31.75	20.00	0.75	0.328	1.200-1.300
2							
3							




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310101	61.85	31.75	0.60	0.342	1.200-1.400
2	310102	61.85	31.75	0.73	0.410	1.600-1.800
3	310103	61.85	31.75	0.94	0.492	1.800-2.200
4	310104	61.85	31.75	1.25	0.662	2.700-3.000




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310201	61.85	31.75	0.66	0.448	1.200-1.400
2	310202	61.85	31.75	0.82	0.536	1.600-1.800
3	310203	61.85	31.75	1.12	0.700	1.800-2.200
4	310204	61.85	31.75	1.40	0.813	2.800-3.000

## SLIDING WINDOWS- 18 mm




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310301	92.00	31.75	0.60	0.492	1.800-2.050
2	310302	92.00	31.75	0.85	0.632	2.300-2.500
3	310303	92.00	31.75	1.01	0.684	2.500-2.800
4	310304	92.00	31.75	1.23	0.874	3.200-3.500
5	310305	92.00	31.75	1.50	1.038	3.500-3.800
6						




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310401	92.00	31.75	0.70	0.637	2.800-3.000
2	310402	92.00	31.75	0.85	0.749	3.000-3.300
3	310403	92.00	31.75	1.27	1.044	4.000-4.300
4	310405	92.00	31.75	0.97	0.875	3.400-3.600
5						

## SLIDING WINDOWS- 18 mm




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310501	122.00	31.75	0.92	0.920	3.300-3.500
2	310502	122.00	31.75	1.13	1.130	4.800-5.200
3	310503	122.00	31.75	1.60	1.60	4.800-5.200
4						
5						




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310601	122.00	31.75	0.86	0.930	4.300-4.500
2	310602	122.00	31.75	1.01	1.094	4.800-5.200
3	310603	122.00	31.75	1.60	1.509	6.000-6.200
4						
5						

## SLIDING WINDOWS- 18 mm




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310701	152.90	31.75	1.04	1.317	4.400-4.800
2						
3						




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	310801	152.90	31.75	1.04	1.625	5.600-6.000
2						
3						

**SLIDING WINDOWS- 18 mm**

Sec. No.-310204  
Wt: 3.600 Kgs./12'




Sec. No.-310404  
Wt: 4.550 Kgs./12'




**SLIDING WINDOWS- 20 mm**


Sec. No.- 391904  
Wt: 1.850 Kgs./12'




Sec. No.- 390903  
Wt: 1.350 Kgs./12'



Sec. No.- 391901  
Wt: 1.050 Kgs./12'




Sec. No.- 391902  
Wt: 1.250 Kgs./12'




### SLIDING WINDOWS- 20 mm


Sec. No.- 391905  
Wt: 2.200 Kgs./12'



Sec. No.- 391906  
Wt: 2.400 Kgs./12'




Sec. No.- 391907  
Wt: 3.00 Kgs./12'




## SLIDING WINDOWS- 25 mm


Sec. No.-330101  
Wt: 1.450 Kgs./12'




Sec. No.-330201  
Wt: 2.40 Kgs./12'




Sec. No.-330102  
Wt: 1.600 Kgs./12'




Sec. No.-330202  
Wt: 2.80 Kgs./12'



Sec. No.-330103  
Wt: 1.900 Kgs./12'




Sec. No.-330104  
Wt: 2.40 Kgs./12'




## SLIDING WINDOWS- 25 mm


Sec. No.-330212  
Wt: 2.10 Kgs./12'




Sec. No.-330211  
Wt: 2.650 Kgs./12'




Sec. No.-330401  
Wt: 2.40 Kgs./12'




Sec. No.-330402  
Wt: 2.80 Kgs./12'



Sec. No.-330301  
Wt: 1.700 Kgs./12'




Sec. No.-330302  
Wt: 2.20 Kgs./12'




## SLIDING WINDOWS- 25 mm


Sec. No.-331601  
Wt: 3.20 Kgs./12'




Sec. No.-331501  
Wt: 3.00 Kgs./12'




Sec. No.-331701  
Wt: 3.80 Kgs./12'




Sec. No.-331301  
Wt: 3.40 Kgs./12'




Sec. No.-331401  
Wt: 3.50 Kgs./12'



## SLIDING WINDOWS- 25 mm




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	330501	75.00	25.40	1.40	0.628	2.000-2.100
2						
3						
4						
5						




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	330601	75.00	25.40	1.25	0.655	2.200-2.300
2	330603	75.00	25.40	1.50	0.700	2.400-2.600
3						
4						
5						

## SLIDING WINDOWS- 25 mm




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	330701	116.00	25.00	1.20	0.900	3.000-3.200
2	330702	116.00	25.00	1.45	1.038	3.800-4.000
3						
4						
5						




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	330801	116.00	25.00	1.20	1.055	3.900-4.500
2	330802	116.00	25.00	1.10	0.980	3.500-3.600
3						
4						
5						

**SLIDING WINDOWS- 25 mm**


Sec. No.-330901  
Wt: 4.90 Kgs./12'




Sec. No.-331001  
Wt: 6.20 Kgs./12'



Sec. No.-331101  
Wt: 6.80 Kgs./12'




Sec. No.-331201  
Wt: 7.70 Kgs./12'




## SLIDING WINDOWS- 25 mm

Sec. No.-330602  
Wt: 4.00 Kgs./12'




Sec. No.-330803  
Wt: 5.200 Kgs./12'



## SLIDING WINDOWS- 30 mm


Sec. No.-341301  
Wt: 2.70 Kgs./12'

Sec. No.-340801  
Wt: 5.800 Kgs./12'




Sec. No.-341401  
Wt: 3.00 Kgs./12'

Sec. No.-341501  
Wt: 2.750 Kgs./12'




Sec. No.-341201  
Wt: 5.75 Kgs./12'




## SLIDING WINDOWS- 30 mm


Sec. No.-340901  
Wt: 3.250 Kgs./12'



Sec. No.-341001  
Wt: 2.750 Kgs./12'




Sec. No.-341101  
Wt: 3.900 Kgs./12'



## SLIDING WINDOWS- 30 mm

Sec. No.-341001  
Wt: 5.100 Kgs./12'



Sec. No.-341201  
Wt: 6.800 Kgs./12'

