



PANACHE ALUMINIUM EXTRUSIONS PVT. LTD.

Quality you can rely on


G - PARTITION




📍 Survey No. 187, Plot No.1, Shivaji Nagar
Road, Village Ahire, Tal. Khandala,
Satara 412802, Maharashtra, India.

✉ admin@panachealuminium.com

🌐 www.panachealuminium.com





SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
490101	18.40	17.00	0.72	0.079	0.320-0.360
490102	18.40	17.00	0.82	0.092	0.360-0.420
490103	18.40	17.00	0.90	0.114	0.420-0.480



SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
490501	44.40	3.00	0.80	0.163	0.500-0.600
490502	44.40	3.00	1.20	0.210	0.800-0.900



Sec. No.-490202
Wt: 4.00 Kgs./12'


Sec. No.-490301
Wt: 1.200 Kgs/12'




Sec. No.-490111
Wt: 0.650 Kgs./12'

Sec. No.-490401
Wt: 1.600 Kgs/12'







SEC.No.	A	B	C	T	Wt.(kg/Mtr.)	Wt.(kg/12')
410101	47.60	44.45	10.15	1.30	0.683	2.500-2.700
410102	47.60	44.45	10.15	1.40	0.874	2.700-2.900
440401	85.00	44.45	10.00	1.75	1.229	4.500-4.800
440102	114.30	44.45	25.40	1.36	1.201	4.400-4.800




SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
450101	47.60	44.45	1.29	0.710	2.600-2.800
450102	47.60	44.45	1.41	0.765	2.800-3.000
450111	85.00	44.45	1.40	1.038	3.800-4.200




SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
420101	47.60	44.45	1.30	0.683	2.500-2.800
420102	83.50	44.45	1.45	1.010	3.700-4.000



SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
430101	47.60	44.45	1.17	0.655	2.400-2.600
430102	83.50	44.45	1.37	1.010	3.700-4.000




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	460101	50.80	25.40	0.90	0.355	1.300-1.500
2	460102	63.50	38.10	0.90	0.550	2.000-2.200
3	460103	63.50	38.10	1.00	0.601	2.200-2.500
4	460104	63.50	38.10	0.80	0.491	1.800-2.000
5	460105	63.50	38.10	1.30	0.765	2.800-3.200
6	460501	63.50	38.10	1.65	0.983	3.600-4.000
7	460502	101.60	44.45	1.15	1.092	4.000-4.400
8	460801	101.60	44.45	1.30	1.223	4.500-4.800
9	460801	101.60	44.45	1.30	1.223	4.500-4.800
10	460801	101.60	44.45	1.30	1.223	4.500-4.800




SL. NO.	SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1	460201	50.80	25.40	1.00	0.410	1.500-1.700
2	460401	63.50	38.10	0.80	0.550	2.000-2.200
3	460402	63.50	38.10	0.90	0.601	2.200-2.500
4	460403	63.50	38.10	0.70	0.491	1.800-2.000
5	460404	63.50	38.10	1.05	0.765	2.800-3.200
6	460405	63.50	38.10	1.40	0.983	3.600-4.000
7	460601	101.60	44.45	1.25	1.092	4.000-4.400
8	460602	101.60	44.45	1.25	1.223	4.500-4.800
9	461101	116.00	25.00	1.20	1.020	3.600-3.800
10						


Sec. No.- 490602
Wt: 1.400 Kgs./12'




Sec. No.-490601
Wt: 1.200 Kgs./12'




Sec. No.- 470301
Wt: 3.20 Kgs./12'




Sec. No.-460701
Wt: 3.20 Kgs./12'




Sec. No.- 680906
Wt: 3.300 Kgs./12'




Sec. No.- 680905
Wt: 3.400 Kgs./12'




Sec. No.- 680911
Wt: 3.600 Kgs./12'




Sec. No.- 680912
Wt: 3.00 Kgs./12'




Sec. No.- 680907
Wt: 3.00 Kgs./12'




Sec. No.- 680904
Wt: 3.00 Kgs./12'




Sec. No.- 680909
Wt: 2.800 Kgs./12'




Sec. No.- 680908
Wt: 2.500 Kgs./12'







Sec. No.- 680918
Wt: 3.400 Kgs./12'




Sec. No.- 680917
Wt: 4.100 Kgs./12'




Sec. No.- 680916
Wt: 4.400 Kgs./12'







Sec. No.-660402
Wt: 2.50 Kgs./12'




Sec. No.-660411
Wt: 2.60 Kgs./12'



Sec. No.-660401
Wt: 3.60 Kgs./12'




Wt: 1.650 Kgs./12'




Sec. No.- 411004
Wt: 2.100 Kgs./12'


Sec. No.- 411004
Wt: 2.100 Kgs./12'




Sec. No.- 411005
Wt: 1.700 Kgs./12'




Sec. No.- 411006
Wt: 0.750 Kgs./12'




Sec. No.- 411007
Wt: 0.650 Kgs./12'




Sec. No.- 411008
Wt: 0.650 Kgs./12'




Sec. No.- 411011
Wt: 1.400 Kgs./12'




Sec. No.- 411012
Wt: 1.050 Kgs./12'




Sec. No.- 411013
Wt: 1.00 Kgs./12'



Sec. No.- 411001
Wt: 3.600 Kgs./12'



Sec. No.- 411002
Wt: 3.100 Kgs./12'



Sec. No.- 480201 (Ex)
Wt: 0.850 Kgs./12'

Sec. No.- 480211 (Ex)
Wt: 0.700 Kgs./12'

Sec. No.- 480212 (Ex)
Wt: 0.250 Kgs./12'

