

INTERNAL EMPLOYEE KNOWLEDGE-TRANSFER GUIDE

Findoly CRM Employee Guide

A practical guide to daily lead operations, provider management, communication, billing, reporting and administration.

Production UI reference

Screenshot set: 7 August 2026

Version 1.1

Internal use only. Screenshots have been cropped and masked to protect customer, provider, employee and financial information. Do not forward this guide outside authorised Findoly teams.

Start here

Use this guide during onboarding, refresher training and day-to-day operations. Your role may show fewer menus or actions than the administrator screenshots. Always follow the permissions and approval process assigned to you.

1. Locate the module

Use the sidebar or the contents menu in this guide.

2. Follow the standard workflow

Complete the steps in order and verify the final record state.

3. Escalate safely

Share record IDs, timestamps and safe error codes - never OTPs, passwords or API credentials.

Recommended daily routine

1. Log in and confirm your displayed role.
2. Review Dashboard totals and recent requirements.
3. Process assigned requirements and provider requests.
4. Review open Follow-ups.
5. Check WhatsApp Inbox unread conversations.
6. Review failed communication logs when part of your role.
7. Before ending the shift, update statuses and leave clear follow-up ownership.

Core operating principles

- Search before creating a new record.
- Verify identity before changing contact or payment data.
- Use the least privilege required for the task.
- Never share OTPs, tokens or credentials.
- Do not make financial commitments without authority.
- Keep customer communication factual and professional.
- Use record IDs and timestamps for technical escalation.
- Do not export or download data without a work need.

Status language used in the CRM


Status	Operational meaning
Active / Deactivated	Whether the record or access is currently enabled. Always check the underlying record before advising a user.
Pending	An action or outcome still requires processing or confirmation.
Approved / Rejected	A review decision has been recorded. Check who acted and why before changing it.

Open / Closed	The work item or conversation still requires attention, or has been completed for now.
Accepted / Sent / Delivered / Read	Communication delivery stages. Accepted does not necessarily mean delivered.
Failed	The action did not complete. Review the safe error details and avoid repeated attempts without diagnosis.

Scope: The screenshots primarily show overview and list pages. Create/edit forms and exact permissions may vary by role and later releases. This guide explains what the supplied production screenshots support and does not invent hidden fields.


1. Login and OTP verification

Use the login flow to access the CRM with the mobile number registered against your employee account. The second screen verifies the one-time password (OTP).



1. Login and OTP verification

Production data has been masked.



1. Login and OTP verification

Production data has been masked.

Use this feature when

- At the start of a work session
- After the session expires or you sign out
- When an administrator asks you to verify access after a role or status change

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Mobile number	Enter the mobile number assigned to your CRM employee profile.
Send / Request OTP	Requests a one-time password through the configured authentication channel.
OTP fields	Enter the received code exactly as delivered.
Verify / Sign in	Completes authentication and opens the CRM if the account is active and authorised.

Standard workflow

1. Open the official CRM address supplied by Findoly.
2. Enter only your registered employee mobile number.
3. Request the OTP and wait for the current code.
4. Enter the OTP once; do not repeatedly request codes unless the first request has clearly expired.
5. After login, confirm that your name and role shown in the top-right account area are correct.


Quality and safety checks

- Never share an OTP in chat, email, screenshots or support tickets.
- Do not use another employee's account, even temporarily.
- If your role, name or available menu items look incorrect, stop and contact an administrator before changing records.

Guide note: The screenshots have been masked so the registered mobile number and OTP are not visible.


2. Dashboard

The Dashboard provides a quick operational view of requirements, providers, marketplace activity and follow-ups. It is the recommended first page after login.



2. Dashboard

Production data has been masked.



2. Dashboard

Production data has been masked.

Use this feature when

- At the beginning of each shift
- Before assigning work or following up
- When management needs a quick view of current operational volume

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Summary cards	Show headline totals such as all requirements, active providers, available offers and open follow-ups.
Recent requirements	Shows the latest customer requirements and their current status.
Open	Opens a requirement for detailed review.
Quick actions	Provides shortcuts to create a requirement, add a provider, review provider unlocks or open reports.
Global search	Searches leads, customers or mobile numbers from the header.

Standard workflow

1. Review the summary cards for unexpected changes or backlogs.
2. Check Recent requirements for new or pending work.
3. Open records that need verification, pricing or status updates.
4. Review Open follow-ups so customer or provider commitments are not missed.
5. Use Quick actions only when you are ready to complete the corresponding workflow.


Quality and safety checks

- Dashboard totals are indicators; open the underlying list before making a decision.
- Do not treat “available offers” as confirmed customer outcomes.
- Escalate unusual spikes, missing counts or records that cannot be opened.

Guide note: The recent-requirements rows are blurred in this guide to protect production customer information.

3. Requirements

Requirements are customer service needs recorded in the CRM. This page is used to find, verify, price and distribute customer requirements according to the approved operating process.



3. Requirements

Production data has been masked.

Use this feature when

- A new customer requirement must be created
- An existing lead must be verified or updated
- You need to find a requirement by customer, mobile, title, lead ID or referral ID
- You need to review requirements by status, category, source or date

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Create lead	Starts a new requirement record.
Search	Finds records by customer, mobile, title or lead ID.
Filters	Expands status, record state, category, source, referral ID, validation state and date controls.
Date field / range	Filters using the selected date type and from/to dates.
Sort by date	Changes the order of results.
Rows	Controls how many records appear on the current page.
Clear	Resets applied search and filter values.

Standard workflow

1. Search for the customer first to avoid creating a duplicate requirement.
2. Open the relevant record and verify customer, category, location and requirement details.
3. Use the validation and status fields according to your role and operating policy.
4. Confirm pricing and marketplace details before approval or distribution.
5. Add or update follow-up information when the customer or provider requires a later action.
6. Re-check the record after saving to confirm the intended status is visible.


Quality and safety checks

- Do not create duplicate leads for the same request merely because a search filter is active.
- Do not approve or publish incomplete, test or unverified customer data in production.
- Do not enter emojis, HTML or unsupported special content in fields that require plain text.
- Use referral IDs carefully; they may be used for partner attribution and reporting.

Guide note: The visible page supports broad filtering. Apply only the filters needed, then clear them before concluding that a record is missing.

4. Providers

The Providers directory is used to manage service partners, their eligibility, categories, service area, portal access and credit visibility.



4. Providers

Production data has been masked.

Use this feature when

- Onboarding a new service provider
- Reviewing provider access or status
- Checking provider categories, area or credit balance
- Finding a provider by name, business, mobile or identifier

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

New provider	Starts provider creation.
Search provider	Finds a provider by provider name, business, mobile or other visible identifier.
Status	Filters all, active or other provider states available to your role.
Date / From / To	Filters the directory by the selected date field and date range.
Sort	Orders provider records.
View	Opens provider details.
Edit	Opens permitted provider fields for update.

Standard workflow

1. Search existing providers before adding a new account.
2. Open the provider and verify contact, category and service area information.
3. Confirm portal access and active status before advising the provider to log in.
4. Review credits only for operational support; financial adjustments must follow authorised procedures.
5. After edits, confirm the directory reflects the correct status and access state.


Quality and safety checks

- A CRM employee, agent or provider may legitimately share an identity where the approved system allows it; do not create duplicate records to bypass validation.
- Do not change category or service area without verifying the provider's actual capability.
- Do not manually promise credits or subscription benefits without authorisation.

Guide note: Production provider names, contact details and balances are blurred.

5. Provider requests

Provider requests contain applications or onboarding requests that require review before becoming fully usable provider accounts.



5. Provider requests

Production data has been masked.

Use this feature when

- A new provider application arrives
- A rejected request needs a later status review
- You need to filter requests by status, category, date or other available criteria

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

View provider requests	Opens or refreshes the request list.
Search and filters	Narrow the list using the visible request criteria.
Status tabs / filters	Separate pending, approved, rejected or other request states available in the page.
View / action controls	Open the request and perform only actions permitted by your role.

Standard workflow

1. Open the oldest relevant pending request first unless management has set another priority.
2. Verify contact details, service category, service area and submitted information.
3. Check whether the same contact already exists as an employee, agent, provider or earlier request.
4. Approve, reject or retain the request in its current state based on evidence and policy.
5. Record a clear reason when a decision or status change requires explanation.


Quality and safety checks

- Do not reject only because the same mobile number belongs to an employee or agent when the approved CRM rules permit multiple roles.
- Do not approve incomplete or unverifiable provider information.
- Use status changes rather than deleting history unless an authorised deletion process specifically applies.

Guide note: Request rows are masked; headings and controls remain visible.

6. Agents

The Agents page manages referral or sales partners and the information needed to attribute work and process eligible payouts.



6. Agents

Production data has been masked.

Use this feature when

- Creating or reviewing an agent
- Checking an agent's activity or status
- Finding an agent by name, mobile, email or identifier
- Reviewing payout-related setup

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

New agent	Starts agent creation.
Search and filters	Finds agents and limits the directory by visible status/date criteria.
Apply	Runs the selected filters.
View / Edit	Opens agent details or permitted changes.

Standard workflow

1. Search for the person before creating an agent record.
2. Verify contact identity and payout information using the approved process.
3. Confirm active status and referral details.
4. Use agent attribution consistently when handling associated requirements.
5. Escalate payout or identity conflicts instead of creating duplicate accounts.


Quality and safety checks

- Payout modes and bank/UPI details must match the options accepted by the CRM.
- Never copy payout information into free-text notes or external documents.
- Only finance-authorised employees should approve or process money movement.

Guide note: Agent identity and payout details are sensitive and are blurred in the screenshot.

7. Partner payouts / withdrawals

This page tracks partner withdrawal or payout requests and their processing status.



7. Partner payouts / withdrawals

Production data has been masked.

Use this feature when

- A partner has submitted a withdrawal request
- Finance needs to review pending or completed requests
- You need to locate a transaction by partner, status or date

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Search and filters	Narrows requests using the criteria available on the page.
Status	Separates pending, approved, rejected, paid or other configured states.
Date range / sort	Locates requests for a specific accounting period.
Rows	Changes page size.

Standard workflow

1. Verify the partner identity and the exact request being processed.
2. Check amount, payout method and current status.
3. Confirm the request has not already been paid or rejected.
4. Perform only the action authorised for your finance role.
5. Record the transaction reference or rejection reason where the workflow provides it.
6. Re-open the list and confirm the final status.


Quality and safety checks

- Never process a payout from a screenshot or verbal request alone.
- Do not change bank or UPI details during payout processing without an authorised identity-verification process.
- Escalate duplicate, suspicious or mismatched requests immediately.

Guide note: Financial records are masked. This guide does not replace finance approval policy.

8. Categories

Categories define the top-level service catalog used by customer requirements and provider eligibility.



8. Categories

Production data has been masked.

Use this feature when

- A new service category is approved
- An existing category needs a controlled update
- You need to review category coverage or status

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Manage categories	Opens category management.
Create category	Adds a new top-level service category.
Search / filters	Finds category records.
Edit / status actions	Change supported category information when permitted.

Standard workflow

1. Search for the proposed category name and slug before creating it.
2. Use a clear customer-facing name that matches the approved service taxonomy.
3. Set status and any required display or operational fields carefully.
4. Save and verify how the category appears in the list.
5. Coordinate with subcategory management so providers and requirement forms remain consistent.


Quality and safety checks

- Do not create near-duplicate categories with different spelling.
- Do not rename a live category without understanding effects on provider matching, forms, reporting and automation rules.
- Do not deactivate a category that still has active operational use without management approval.

Guide note: Catalog changes can affect multiple workflows. Treat them as controlled configuration, not routine text edits.

9. Subcategories / service types

Subcategories or service types provide the more specific services available under a top-level category.



9. Subcategories / service types

Production data has been masked.

Use this feature when

- Adding a service under an existing category
- Correcting category-to-service mapping
- Reviewing which service types are active

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Manage categories	Returns to the top-level category page.
Add subcategory	Creates a service type under a selected parent category.
Category selector	Limits the list or determines the parent category.
Search / status filters	Finds existing service types.
Edit actions	Updates permitted fields.

Standard workflow

1. Select the correct parent category.
2. Search for an existing equivalent service type.
3. Enter the approved name and operational values.
4. Save and confirm it appears under the intended category.
5. Verify that provider and requirement workflows use the expected service type.


Quality and safety checks

- Do not place the same service type under multiple categories without an intentional catalog decision.
- Avoid spelling variants that fragment search and reporting.
- Confirm downstream forms before deactivating a service type.

Guide note: The page separates category and subcategory management so each can be maintained without mixing the two levels.

10. Provider unlocks

Provider unlocks show provider-specific lead access records. Marketplace visibility by itself does not create a provider unlock row.



10. Provider unlocks

Production data has been masked.

Use this feature when

- Confirming that a provider accessed a requirement
- Reviewing the access method, credit cost or outcome
- Investigating a provider’s lead-access complaint

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Lead reference ID	Filters by the requirement/lead identifier.
Provider ID	Filters by the provider identifier.
Method	Filters by access method, such as credits or another configured method.
Outcome	Filters by pending, confirmed or other recorded results.
Date range / sort	Finds unlocks within a period.
Apply / Clear	Runs or resets filters.

Standard workflow

1. Search with the lead reference ID or provider ID when investigating a specific case.
2. Verify the provider, category, method, credits and unlock time.
3. Review the outcome and any related follow-up before giving a provider an answer.
4. Use the underlying requirement and provider records for additional context.
5. Escalate credit or payment inconsistencies with both record IDs and timestamps.


Quality and safety checks

- Do not interpret marketplace visibility as proof that a provider accessed customer details.
- Do not manually recreate unlock records to fix a complaint.
- Do not alter credits without the authorised wallet/finance workflow.

Guide note: Lead and provider rows are blurred; filter labels and record structure remain visible.

11. Follow-ups

Follow-ups track actions that must happen later, helping employees avoid missed customer, provider or operational commitments.



11. Follow-ups

Production data has been masked.

Use this feature when

- A customer asks to be contacted later
- A provider or partner requires a scheduled response
- An enquiry, payout or onboarding item needs another review

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

New follow-up	Creates a scheduled follow-up.
Search and filters	Finds follow-ups by visible status, owner, date or related record criteria.
Open / completed status	Separates outstanding work from completed items.
Rows / sort	Controls list size and ordering.

Standard workflow

1. Create the follow-up from the relevant record when possible so the relationship is preserved.
2. Set a realistic due date and clear purpose.
3. Review open follow-ups at the start and end of the shift.
4. Complete the action, add the outcome if supported, then mark it complete.
5. Re-schedule only with a genuine reason; do not keep overdue items open without explanation.

Quality and safety checks

- A follow-up is not a substitute for updating the underlying requirement or provider status.
- Do not store sensitive customer details in unnecessary free text.
- Escalate overdue high-priority items to the responsible manager.

Guide note: The screenshot shows the empty/list state and filtering area.

12. Communication Center

The Communication Center separates WhatsApp and email management into focused pages. It also provides internal Amazon SES email alerts, OTP activity, templates, automations and delivery logs.

COMMUNICATION CENTER

Choose the channel you need

WhatsApp

Templates, automations and WhatsApp delivery logs.

Email

Internal alerts, SES templates, automations and email logs.

OTP Activity

Review OTP delivery and verification activity.

12. Simplified Communication Center

WhatsApp and Email are managed separately.

Use this feature when

- Sending an approved manual message
- Managing reusable templates
- Connecting events to communication rules
- Checking whether a message was accepted, delivered or failed
- Reviewing channel configuration health

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

WhatsApp	Manages approved Gupshup templates, WhatsApp automations and WhatsApp delivery logs.
Email	Manages Amazon SES templates, email automations, internal alerts and email delivery logs.
Internal alerts	Controls operational emails sent to alert@findoly.com for new leads, Partners and Providers.
OTP activity	Reviews recent OTP activity and delivery outcomes.
Search logs	Finds recent WhatsApp or email communication by identifier, event and status.

Standard workflow

1. Choose the correct channel and approved template.
2. Confirm the recipient and related record before sending.
3. Use automation rules only when the event, audience and template are fully understood.
4. After sending, check Message logs for provider acceptance and later delivery status.
5. Investigate failed messages using the communication ID, channel and safe error details.


Quality and safety checks

- Communication and OTP activity logs shown here are automatically deleted after 7 days, as stated on the page.
- Do not expose API keys, webhook tokens or complete customer data in support logs.
- Template changes may require external WhatsApp approval; a CRM save does not guarantee immediate availability.
- Do not use bulk or automated messaging without approved audience and content.

Guide note: Use the Communication Center for templates, rules and delivery history. Use WhatsApp Inbox for ongoing two-way customer conversations.


13. WhatsApp Inbox

The WhatsApp Inbox is the shared workspace for customers who directly message the Findoly WhatsApp number. Conversations are grouped by customer number and can be managed by authorised CRM employees.



13. WhatsApp Inbox

Production data has been masked.



13. WhatsApp Inbox

Production data has been masked.

Use this feature when

- A customer sends a WhatsApp message
- A customer provides more information or media
- An employee needs to reply during the available service window
- A conversation must be marked unread, closed or reopened

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Conversation list	Shows customer conversations and unread activity.
Search name or mobile	Finds a conversation.
Open / closed filter	Limits the conversation state.
Unread only	Shows conversations still requiring review.
Refresh	Requests the latest conversation list.
Message pane	Displays the selected conversation history.
Reply composer	Sends a session reply through the configured WhatsApp provider.
View message logs	Opens delivery history and technical status.

Standard workflow

1. Open Communication Center → WhatsApp Inbox.
2. Prioritise unread and open conversations.
3. Select a customer and read the entire recent thread before replying.
4. Check linked requirement information where available.
5. For a shared location, review the displayed name, address and coordinates, then use Open in Google Maps when operationally required.
6. Write a clear, short and professional response.
7. Send once, then confirm the message appears in the thread and progresses through the available delivery statuses.
8. Close the conversation only when no further operational action is pending.

Quality and safety checks

- A customer message opens or refreshes the WhatsApp customer-service window; outside the permitted window, an approved template may be required.
- Do not promise price, refund, provider availability or resolution without verified authority.
- Customer images, documents, audio, video and shared locations are operational data; open or download them only for legitimate work.
- Confirm the exact service location with the customer when access, building entry or site conditions matter.
- Do not copy or share customer coordinates outside the approved operational process.
- Do not move customer files to personal storage.
- Provider "View Enquiry" action messages are not normal customer conversations.

Guide note: The screenshot shows the empty state. In an active conversation, the left side contains conversations and the right side contains message history, media previews, location cards and reply controls.

14. Message logs

Message logs provide channel-specific delivery and processing history for WhatsApp and email; OTP activity remains separate.

DELIVERY HISTORY

Open the log page for the correct channel

WhatsApp logs

Accepted, sent, delivered, read and failed
Gupshup messages.

Email logs

Queued, accepted, delivered, bounced,
complained and failed SES email.

14. Channel-specific message logs

OTP activity remains on its own page.

Use this feature when

- A customer says a message was not received
- A sent message shows failed or pending
- You need to confirm template, channel, recipient type or provider status
- Technical support requests a communication ID or timestamp

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Search	Finds logs using the available identifiers or text.
Channel	Use the dedicated WhatsApp or Email log page; OTP activity remains a separate page.
Status	Filters accepted, sent, delivered, read, failed or other states.
Date / related filters	Narrows the audit history.
View details	Opens the safe metadata available for the communication.

Standard workflow

- Search using the communication ID, related record or a narrow date window.
- Confirm the channel and direction.
- Read the chronological status: queued/accepted, sent, delivered, read or failed.
- For failure, capture the safe error code and request/communication ID.
- Retry only through the supported workflow; do not resend repeatedly without checking the first attempt.


Quality and safety checks

- Accepted means the provider accepted the request, not necessarily that the customer received it.
- Delivered and read depend on provider callbacks and recipient/device behaviour.
- Do not paste full mobile numbers, message content, tokens or personal data into technical tickets.

Guide note: Communication history is masked in the guide.

15. Provider subscriptions

Provider subscriptions show subscription records, plan state and related billing information for provider accounts.



15. Provider subscriptions Production data has been masked.

Use this feature when

- Checking whether a provider has an active plan
- Reviewing subscription dates or status
- Investigating a provider billing question

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Search and filters	Finds subscriptions by provider, status, date or other available criteria.
Status tabs / filter	Separates active, expired, cancelled or other configured states.
View	Opens the subscription record.
Rows / sort	Controls page size and ordering.

Standard workflow

1. Find the provider using a reliable identifier.
2. Confirm the exact subscription record and current state.
3. Review dates, plan and payment references before answering the provider.
4. Use invoice or payment records for financial confirmation.
5. Escalate mismatches instead of manually changing status without supporting payment evidence.


Quality and safety checks

- Do not treat a payment attempt as a successful subscription.
- Do not extend or activate service manually unless the role and procedure explicitly permit it.
- Never expose payment references or provider financial information outside authorised teams.

Guide note: Provider and subscription data are blurred.

16. Invoices

The Invoices page is used to locate and review invoices created by supported billing workflows.



16. Invoices

Production data has been masked.

Use this feature when

- A provider or internal team requests an invoice
- Reconciling a subscription or payment
- Checking invoice status or date

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

New invoice	Creates an invoice only where the approved process permits manual creation.
Search and filters	Finds invoices using visible status, date and record criteria.
Invoice list	Shows invoice identifiers, related party, amount/status and dates when records exist.
Rows / sort	Controls page size and ordering.

Standard workflow

1. Search for an existing invoice before creating another.
2. Match the invoice to the correct provider, subscription or transaction.
3. Verify amount, tax details, status and dates.
4. Use the approved download/share process.
5. Escalate cancellations, corrections or tax changes to authorised finance staff.


Quality and safety checks

- Do not create duplicate invoices to correct a display issue.
- Do not edit statutory or payment data without finance approval.
- Do not send an invoice to an unverified recipient.

Guide note: The screenshot shows an empty/list state; available fields may depend on the invoice record and your role.

17. Reports

Reports summarise operational totals for requirements, providers, unlocks, follow-ups and other supported metrics.



17. Reports

Production data has been masked.

Use this feature when

- Reviewing performance for a period
- Preparing an internal operations update
- Checking high-level totals before investigating individual records

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Date/filter controls	Limit the reporting period where available.
Metric cards	Show aggregate counts.
Status summary	Breaks totals into visible operational states.
Export controls	Use only if visible and authorised for your role.

Standard workflow

1. Confirm the reporting period and filters.
2. Read metric definitions before comparing values.
3. Use the relevant list page to validate surprising totals.
4. Document the date/time and filters when sharing a figure.
5. Escalate discrepancies with examples, not only screenshots of totals.


Quality and safety checks

- Reports may reflect asynchronous processing or the current filter state.
- A count is not proof of quality or successful outcome.
- Do not export or share customer-level data unless authorised.

Guide note: The screenshot displays summary cards and a status summary area.

18. File Manager

The File Manager provides controlled access to files stored through the CRM’s configured storage integration, including public and private areas where supported.



18. File Manager

Production data has been masked.

Use this feature when

- Uploading an approved operational file
- Locating a file associated with CRM work
- Downloading a private file for authorised processing

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

Upload / file controls	Add a file using the permitted storage area and file rules.
Search / prefix selection	Finds files within the selected area.
File list	Shows available object names and metadata.
Download / action controls	Accesses a file according to permission and privacy rules.

Standard workflow

1. Choose the correct public or private location.
2. Use a clear, non-sensitive filename that follows team conventions.
3. Confirm the file type and size are allowed.
4. Upload and verify the resulting record.
5. For customer WhatsApp media, use the inbox preview/download flow rather than moving files manually.


Quality and safety checks

- Private files must remain private; never replace a signed/private link with a public URL.
- Do not upload credentials, OTPs, API keys or unnecessary identity documents.
- Delete or replace files only through an authorised retention process.

Guide note: File names and storage details are blurred in the guide.

19. Employees

The Employees page manages CRM staff accounts, role assignments and account status.



19. Employees

Production data has been masked.

Use this feature when

- Creating an approved employee account
- Changing a role after management approval
- Deactivating access when employment or responsibilities change
- Investigating why an employee cannot access a feature

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

New employee	Creates an employee account.
Search and filters	Finds staff by name, contact, role, status or date.
Status	Shows active/inactive state.
View / Edit	Opens employee details and permitted changes.

Standard workflow

1. Confirm written approval for the account or role change.
2. Search for the person to avoid a duplicate identity.
3. Assign the least-privileged role that covers the job.
4. Verify registered mobile and other required details.
5. After saving, have the employee log in and confirm only the expected menus are visible.
6. Deactivate access promptly when it is no longer required.


Quality and safety checks

- Do not share employee accounts.
- Do not grant Super Admin as a convenience.
- A person may also be an agent or provider where system policy permits; use the supported identity model rather than duplicate contact data.
- Review privileged users regularly.

Guide note: Employee names and contact details are blurred.

20. Roles and permissions

Roles and permissions control which CRM pages and actions an employee can access.



20. Roles and permissions

Production data has been masked.

Use this feature when

- Creating a job-specific role
- Reviewing access after a responsibility change
- Diagnosing a permission-denied error
- Performing a periodic access review

Employee objective

Complete the required action accurately, leave the record in a clear state, and preserve enough context for the next employee or manager.

Main controls

New role	Creates a role definition.
Role list	Shows role name, description, permission count and status.
View / Edit	Opens the permission assignment for authorised administrators.
Active status	Controls whether the role is available or effective as configured.

Standard workflow

1. Start from the employee's actual job responsibilities.
2. Grant only the pages and actions required.
3. Separate view, send, edit, approve, delete and finance permissions where the CRM provides them.
4. Save and test with a non-production or controlled employee account.
5. Document management approval for privileged access.
6. Review and remove access when responsibilities change.

Quality and safety checks

- Avoid broad catch-all roles.
- Do not give billing, payout, employee or role-management permission to general operational users.
- Test both allowed and denied actions; seeing a menu is not the only access check.

Guide note: Role names are visible because they describe internal access design; permission changes should remain restricted to authorised administrators.

SUPPORT AND ESCALATION

When to stop and ask for help

Issue	Escalate to	Include
Wrong or missing menu/permission	CRM administrator or manager	Employee name, role, page and expected task
Message failed or missing	Communication administrator / technical team	Communication ID, channel, timestamp, status and safe error code
Duplicate mobile, WhatsApp or email identity	Authorised CRM administrator	Record types and IDs; do not create another record to bypass the conflict
Payout, invoice, credit or subscription mismatch	Finance-authorised manager	Provider/agent ID, transaction reference, amount and timestamps
Customer safety, abuse, legal threat or serious complaint	Operations manager immediately	Conversation/requirement ID and factual summary
System error	Technical team	Request ID, exact page/action, timestamp, browser, and steps to reproduce

Do not include: OTPs, passwords, API keys, webhook tokens, full payment credentials or unnecessary customer message content.