

EXCERPTUM AGG.
[ALIIQUE NOTAE]



SOVEREIGN QUANT

//// OFFLINE DESK / SIGNED KEY



SOVEREIGN QUANT

Volume II

Architecture

SOVEREIGN QUANT

Black & Gold Sovereign Edition

VOLUME II · ARCHITECTURE

The machines, agents, gates and keys as they ship — and as they must not drift.

SOVEREIGN QUANT PRESS · 2026

How to read this volume

Volume I stated the doctrine. Volume II states the map. Where the two disagree, the running file wins and the brochure loses.

This edition is drawn from the public community pack (Streamlit on port 8501), the FastAPI storefront, and the GitHub tree `findunclaimedmoney/SovereignQuant` as inspected in August 2026. It is not a Format-C prompt dump. Boxes that do not exist in the zip are labelled as storefront-only or destination.

Software licensing only. Not investment advice. No performance plate.

Contents

- I. Two machines
- II. The orchestrator — not a second binary
- III. The society as shipped
- IV. Site-only agents
- V. Data without surrendering the books
- VI. The strategy engine
- VII. Risk as a gate, specified
- VIII. Kill switch states
- IX. Messages and the licence cap
- X. Destination versus downloads
- Appendix. Agent table

I. Two machines

Sovereign Quant is not one cloud app with a pretty local skin. It is a storefront that sells keys and a workstation that uses them. Confusing the two produces the worst kind of architecture diagram: Concierge drawn inside the zip, Licence missing, “no packets ever leave the machine” printed over a Binance fallback.




Plate 1. Storefront and workstation. Do not mix the maps.

They meet at a signed key. That is the only required bridge. A future broker adapter is the operator’s glass to break, not a node on the homepage.

II. The orchestrator — not a second binary

Drafts like to say Super Agent. The public chrome says Multi-Agent Orchestrator inside one Streamlit process. There is no separate governor executable in the community zip. Orchestration is in-process: a goal string is accepted, work is routed, a correlation id is kept, a veto can stop the rest of the turn.

Call it Super Agent in a subtitle if you must. In Volume II the box is labelled Orchestrator so that a reader who opens localhost:8501 can find the same word.

Responsibilities that are real: accept a natural-language goal; call Data, Strategy, Risk, Reporting in order; refuse to skip Risk; honour Licence caps; expose a desk-level STOP. Responsibilities that are not real in the zip: forking child processes per agent; terminating OS processes on kill; talking to Concierge as a peer thread.

III. The society as shipped

Five specialists sit under the orchestrator in the public pack. They are functions in app.py, not a Python package tree. That fact is architecture, not an insult.



Plate 2. Agents in the zip, and the three that are not.

Agent	May veto?	Job
Orchestrator	Yes — desk STOP	Route work, keep the id
Data	No	Cache, optional fetch, window
Strategy	No	Pairs, momentum, mean-reversion
Risk	Yes	Daily loss, drawdown, heat, leverage
Reporting	No	Tearsheet when the tier allows
Licence	Yes — feature cap	Key, expiry, capital, strategy count

Table 1. Veto is not evenly distributed. Strategy cannot bless itself.

IV. Site-only agents

Concierge and Coach are real products. They are not workstation agents. They live in the React storefront and call `/api`. They may draft a video brief or a caption. They may not decide what goes live, may not place risk, and may not be drawn inside the community pack.

If a later build embeds a local coach in Streamlit, reprint this chapter. Until then, keep them on the left-hand plate.

V. Data without surrendering the books

The honest sentence is longer than “no cloud.” Data is validated and cached on the operator’s disk. The vendor does not keep the operator’s book as a condition of the licence. The Data Agent may still call a public market endpoint when the cache is cold. BTC/USDT and ETH/USDT are the mapped pairs in the public pack.




Plate 3. Source → validate → cache → window → strategy.

Validation that belongs here: timestamp order, duplicate stamps, obvious gaps, a hash of the window that Reporting can print. An out-of-order candle is a Data veto of the window, not a Risk veto of a trade. Do not conflate them.

VI. The strategy engine

Strategies are specifications that freeze a family, a window, and a costs assumption. They are not homepage toggles and they are not a secret RSI-2 cult. The shipped playground families are pairs (cointegration / residual), momentum / trend, and mean-reversion. If a draft lists Donchian, ATR regime, or RSI 2/7, those names wait until the zip contains them.

Pipeline: family → frozen specification → simulation on the Data window → Risk → report or veto. Walk-forward and Monte Carlo are paid-tier language on the site. Treat them as tier gates until a build exposes the controls.

Community: one concurrent specification. Professional: three. Institutional: ten. The cap is Licence plus attention. It is not a suggestion.

VII. Risk as a gate, specified

Volume I gave the four definitions. Volume II only sequences them. A position-shaped request meets Licence caps first, then daily loss, drawdown, heat, leverage. Any fail is a veto. There is no blessed import path around Risk.




Plate 4. Goal → data → strategy → risk → report or veto.

Illustrative fail: request 2.5 percent while the cap is 2 percent. Result: VETO — exposure. Illustrative pass: one Community strategy, notional inside \$50,000, unused daily budget. Result: admit to Reporting. Nothing is sent to a broker.

If a launch video cannot show the fail, show the sidebar limits. Do not voice-over a block you did not film.

VIII. Kill switch states

SYS ACTIVE — research may proceed inside gates. SYS UNSAFE — Risk has raised a desk warning; new risk should already be refused. SYS STOPPED — the operator threw the switch. New research actions stop. The public product does not hold broker keys, so STOP is not “flatten at the prime broker.”

A draft that draws KillSwitch → SuperAgent → Terminate Processes is describing a different machine. Do not ship that diagram next to localhost:8501.

IX. Messages and the licence cap

Every turn should carry a correlation id from goal to report or veto. Reporting without the id is a diary, not a desk. Licence sits across the society: it does not price a bar, it opens or closes features and ceilings after HMAC verification.

HMAC-SHA256 is the public contract on the fulfilment terminal. Repository notes that still say Ed25519 are debt. Volume II will not pretend they have already converged.




Plate 5. Reminder from Volume I: two machines, one key.

X. Destination versus downloads

Destination notes describe `src/sovereign_quant/agents/`, typed messages, an owner-only signing tool, and a CCXT adapter with sandbox default. Those files are not the 15 KB community zip. Say community workstation for the zip. Say v1.3 architecture for the destination. Customers can live with a roadmap. They cannot live with a file listing that does not match Plate 2.

Volume II ends where Volume I ended. Own the machine that judges the trade. Do not outsource the veto. Do not draw agents you have not shipped.

Your machine. Your models. Your edge. Your veto.

Appendix. Agent table for reprints

When the zip grows, update Table 1 and Plate 2 in the same commit as the code. Do not update the Play Books blurb first. Architecture books that lead the repository are fiction.

Series: Sovereign Quant. Book 2. Companion to Volume I: Sovereignty.

www.sovereignquant.com.au