BOOSTING TEST COVERAGE FOR MICROSERVICES

GopherCon UK

London

18.8.2023

Laura Vuorenoja Technology Strategist OP Lab





AGENDA

INTRODUCTION

AUTOMATED TESTING

TEST COVERAGE

OUR SOLUTION

Q&A



JANE OF ALL TRADES





Laura Vuorenoja Technology Strategist OP Lab

























2005 2010 2015 2020
















VERIFIABLE DATA EXCHANGE

CRYPTOGRAPHY AS AN ENABLER FOR DECENTRALIZED IDENTITY







DECENTRALIZED DOMAIN

increases complexity

FINDY AGENCY

Findy-agent Public





Findy-wallet-pwa Public

microservice architecture

multiple repositories

AUTOMATED TESTING = TESTS RUN IN CI

programmatic tests are just another form of manual testing if **NOT** run in CI

AUTOMATED TESTING


TIRELESS KNIGHT AGAINST REGRESSION

regression = previously working functionality or feature in an application starts malfunctioning or breaks after making changes or updates to the software

UNIT TESTS: IDEAL WORLD


```
package abs
import "testing"
func TestAbs(t *testing.T) {
   got := Abs(-1)
    if got != 1 {
        t.Errorf("Abs(-1) = %d; want 1", got)
```

UNIT TESTS: REALITY





FINDY AGENCY APPLICATION TESTS




TEST COVERAGE

```
findy-agent / protocol / connection / connection_protocol.go
                                                            Uncovered 🗥
                                                                          Partial !
                                                                                      Covered
         func startConnectionProtocol(ca comm.Receiver, task comm.Task) {
   102
   103
                 defer err2.Catch(func(err error) {
                          glog.Error("ERROR in starting connection protocol:", err)
   104
   105
   106
                 deTask, ok := task.(*taskDIDExchange)
   107
   108
                 assert.That(ok)
   109
                 invMsg := aries.MsgCreator.Create(didcomm.MsgInit{
   110
   111
                          Type: deTask.Invitation.Type(),
                                deTask.Invitation.ID()}).(didexchange.PwMsg)
   112
```



AUTOMATED MONITORING




codecov bot commented 9 hours ago

Codecov Report

Patch and project coverage have no change.

Comparison is base (b91f7d3) 87.30% compared to head (5d4fe0c) 87.30%

▼ Additional details and impacted files



View full report in Codecov by Sentry.

▶ Do you have feedback about the report comment? Let us know in this issue.



ADD SOME FLAGS TO UNIT TESTS AND ENJOY THE RIDE

but what about the application tests?

SOLUTION: GO 1.20

Cover

Go 1.20 supports collecting code coverage profiles for programs (applications and integration tests), as opposed to just unit tests.

HOW

```
# build with -cover flag
go build -cover -o ./program
# define folder for result files
export GOCOVERDIR="./coverage"
# run binary
./program
# convert and analyze result files
go tool covdata textfmt -i=\$GOCOVERDIR -o coverage.txt
```

SERVICE DOCKERFILE

```
◆ Dockerfile > ...

      FROM golang:1.20-alpine3.17 ← build stage
      ARG GOBUILD_ARGS=""
      WORKDIR /work
      COPY go.* ./
      RUN go mod download
      COPY . ./
11
12
      RUN VERSION=$(cat ./VERSION) && \
        go build ${GOBUILD_ARGS} \
 13
        -ldflags "-X 'github.com/findy-network/findy-agent-vault/utils.Version=$VERSION'"\
 14
15
        -o /go/bin/findy-agent-vault
16
17
      FROM <u>alpine</u>:3.17 ← run stage
18
      LABEL org.opencontainers.image.source https://github.com/findy-network/findy-agent-vault
19
20
 21
      EXPOSE 8085
22
 23
      # used when running instrumented binary
24
      ENV GOCOVERDIR /coverage
 25
 26
      COPY --from=0 /work/db/migrations /db/migrations
      COPY -- from=0 /go/bin/findy-agent-vault /findy-agent-vault
27
 28
 29
      ENTRYPOINT ["/findy-agent-vault"]
```

APPLICATION TESTING STEPS

Build service image with instrumented binary

Launch test environment with dockercompose

Run test set

Convert and send coverage files


CONFIG FOR SERVICE UNDER TEST

docker-compose.yml


AFTER TEST RUN: CONVERT AND STORE DATA

```
e2e:
  runs-on: ubuntu-latest
  steps:
    - name: test e2e flow
      uses: findy-network/e2e-test-action@master
     with:
        service: "vault"
    - uses: actions/setup-go@v3
     with:
        go-version-file: "./go.mod"
    - name: convert coverage to txt
      run: go tool covdata textfmt -i=coverage -o coverage-e2e.txt
    - name: store coverage file
      uses: actions/upload-artifact@v3
     with:
        name: ${{ github.sha }}-coverage-e2e.txt
        path: ./coverage-e2e.txt
        retention-days: 1
```






GREAT SUCCESS



PROJECT OVERVIEW



REMEMBER! SHUTDOWN GRACEFULLY

COVERAGE DATA IS LOST IF PROGRAM DOES NOT EXIT "NORMALLY"

servers need to handle the SIGTERM signal
-> ensure that Docker container passes
 the signal to the server process

TAKEAWAYS

USE KNIGHTS TO FIGHT REGRESSION

COMPLEMENT UNIT TESTS WITH APPLICATION TESTS

WRITE OPEN SOURCE



THANK YOU!

QUESTIONS?





Laura Vuorenoja Technology Strategist OP Lab <u>findy-network.github.io</u>