


Name :	Swati Kundu
Section :	A4-B3
Roll No :	51

CC - TA 1

To Create and implement docker file of any web application (self created) and host it on aws.

Make A file and submit it.(Softcopy)

1. A VPC was created



The screenshot displays the AWS Management Console interface for the 'VPC' service. A green notification banner at the top states: 'You successfully created vpc-031eef1858e8b74bf.' The left sidebar shows the navigation menu with categories like 'Virtual private cloud', 'Security', and 'PrivateLink and Lattice'. The main content area is titled 'Your VPCs' and shows a table with one VPC entry:

Name	VPC ID	State	Encryption C...	Encryption control ...	Block Public...	IPv4 CIDR	IP
-	vpc-031eef1858e8b74bf	Available	-	-	Off	172.31.0.0/16	-

Below the table, there is a prompt: 'Select a VPC above'.

2. EC2 Instance created

aws

Search

[Option+S]

Asia Pacific (Mumbai)

Swati_Kundu (73477893521)

Swati_Kundu

EC2 > Instances > Launch an instance

Success

Successfully initiated launch of instance (i-0101915504a2b4045)

Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Learn more

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

Manage detailed monitoring

Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.

Manage detailed monitoring

Create Load Balancer

Create a application, network gateway or classic Elastic Load Balancer

Create Load Balancer

Create AWS budget

AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.

Create AWS budget

Manage CloudWatch alarms

Create or update Amazon CloudWatch alarms for the instance.

Manage CloudWatch alarms

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

View all instances

aws

Search

[Option+S]

Ask Amazon Q

Asia Pacific (Mumbai)

Swati_Kundu (73477893521)

Swati_Kundu

```
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023

[ec2-user@ip-172-31-1-59 ~]$ sudo dnf install docker -y
Amazon Linux 2023 Kernel Livepatch repository
Dependencies resolved.
```

Package	Architecture	Version	Repository	Size
docker	x86_64	25.0.16-1.amzn2023.0.4	amazonlinux	46 M
Installing dependencies:				
container-selinux	noarch	4.2.245.0-1.amzn2023	amazonlinux	58 k
containerd	x86_64	2.2.5-1.amzn2023.0.2	amazonlinux	24 M
iptables-libs	x86_64	1.8.8-3.amzn2023.0.2	amazonlinux	401 k
iptables-nft	x86_64	1.8.8-3.amzn2023.0.2	amazonlinux	183 k
libcgroupp	x86_64	3.0-1.amzn2023.0.1	amazonlinux	75 k
libnetfilter_conntrack	x86_64	1.0.8-2.amzn2023.0.2	amazonlinux	58 k
libnftnl	x86_64	1.0.1-19.amzn2023.0.2	amazonlinux	30 k
libnftnl	x86_64	1.2.2-2.amzn2023.0.2	amazonlinux	84 k
pigz	x86_64	2.5-1.amzn2023.0.4	amazonlinux	83 k
runc	x86_64	1.3.5-1.amzn2023.0.2	amazonlinux	3.9 M

Transaction Summary

Install 11 Packages

Total download size: 76 M

Installed size: 284 M

Downloading Packages:

(1/11): container-selinux-2.245.0-1.amzn2023.noarch.rpm	1.4 MB/s	58 kB	00:00
(2/11): iptables-libs-1.8.8-3.amzn2023.0.2.x86_64.rpm	12 MB/s	401 kB	00:00
(3/11): iptables-nft-1.8.8-3.amzn2023.0.2.x86_64.rpm	5.7 MB/s	183 kB	00:00
(4/11): libcgroupp-3.0-1.amzn2023.0.1.x86_64.rpm	2.5 MB/s	75 kB	00:00
(5/11): libnetfilter_conntrack-1.0.8-2.amzn2023.0.2.x86_64.rpm	1.9 MB/s	58 kB	00:00
(6/11): libnftnl-1.0.1-19.amzn2023.0.2.x86_64.rpm	1.1 MB/s	30 kB	00:00
(7/11): libnftnl-1.2.2-2.amzn2023.0.2.x86_64.rpm	3.9 MB/s	84 kB	00:00
(8/11): pigz-2.5-1.amzn2023.0.4.x86_64.rpm	2.7 MB/s	83 kB	00:00
(9/11): containerd-2.2.5-1.amzn2023.0.2.x86_64.rpm	68 MB/s	24 MB	00:00

i-0101915504a2b4045 (Docker-web-app)

PublicIPs: 13.126.20.219 PrivateIPs: 172.31.1.59

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

```
aws Search [Option+S] Ask Amazon Q Asia Pacific (Mumbai) Swati_Kundu (73477893521) Swati_Kundu
105 MB/s | 76 MB 00:00

Fatal
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing
Installing : runc-1.3.5-1.amzn2023.0.2.x86_64 1/1
Installing : containerd-2.2.5-1.amzn2023.0.2.x86_64 2/11
Running scriptlet: containerd-2.2.5-1.amzn2023.0.2.x86_64 2/11
Installing : pigz-2.5-1.amzn2023.0.4.x86_64 3/11
Installing : libnftnl-1.2.2-2.amzn2023.0.2.x86_64 4/11
Installing : libnftnl-1.0.1-19.amzn2023.0.2.x86_64 5/11
Installing : libnetfilter_conntrack-1.0.8-2.amzn2023.0.2.x86_64 6/11
Installing : iptables-nft-1.8.8-3.amzn2023.0.2.x86_64 8/11
Installing : iptables-nft-1.8.8-3.amzn2023.0.2.x86_64 8/11
Running scriptlet: iptables-nft-1.8.8-3.amzn2023.0.2.x86_64 9/11
Installing : libcgrou-3.0-1.amzn2023.0.1.x86_64 10/11
Running scriptlet: container-selinux-4.12.245-0-1.amzn2023.noarch 10/11
Installing : container-selinux-4.12.245-0-1.amzn2023.noarch 10/11
Running scriptlet: container-selinux-4.12.245-0-1.amzn2023.noarch 11/11
Installing : docker-25.0.16-1.amzn2023.0.4.x86_64 11/11
Running scriptlet: docker-25.0.16-1.amzn2023.0.4.x86_64 11/11
Running scriptlet: docker-25.0.16-1.amzn2023.0.4.x86_64 11/11
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket -> /usr/lib/systemd/system/docker.socket.

Running scriptlet: container-selinux-4.12.245-0-1.amzn2023.noarch 11/11
Running scriptlet: docker-25.0.16-1.amzn2023.0.4.x86_64 11/11
Verifying : container-selinux-4.12.245-0-1.amzn2023.noarch 1/11
Verifying : containerd-2.2.5-1.amzn2023.0.2.x86_64 2/11
Verifying : docker-25.0.16-1.amzn2023.0.4.x86_64 3/11
Verifying : iptables-libs-1.8.8-3.amzn2023.0.2.x86_64 4/11
Verifying : iptables-nft-1.8.8-3.amzn2023.0.2.x86_64 5/11
Verifying : libcgrou-3.0-1.amzn2023.0.1.x86_64 6/11
Verifying : libnetfilter_conntrack-1.0.8-2.amzn2023.0.2.x86_64 7/11
Verifying : libnftnl-1.0.1-19.amzn2023.0.2.x86_64 8/11
Verifying : libnftnl-1.2.2-2.amzn2023.0.2.x86_64 9/11
Verifying : pigz-2.5-1.amzn2023.0.4.x86_64 10/11
Verifying : runc-1.3.5-1.amzn2023.0.2.x86_64 11/11

Installed:
container-selinux-4.12.245-0-1.amzn2023.noarch containerd-2.2.5-1.amzn2023.0.2.x86_64 docker-25.0.16-1.amzn2023.0.4.x86_64 iptables-libs-1.8.8-3.amzn2023.0.2.x86_64
iptables-nft-1.8.8-3.amzn2023.0.2.x86_64 libcgrou-3.0-1.amzn2023.0.1.x86_64 libnetfilter_conntrack-1.0.8-2.amzn2023.0.2.x86_64 libnftnl-1.0.1-19.amzn2023.0.2.x86_64
libnftnl-1.2.2-2.amzn2023.0.2.x86_64 pigz-2.5-1.amzn2023.0.4.x86_64 runc-1.3.5-1.amzn2023.0.2.x86_64
```

```
aws Search [Option+S] Ask Amazon Q Asia Pacific (Mumbai) Swati_Kundu (73477893521) Swati_Kundu

=> => extracting sha256:746b934a89606425f8375d36c89bf2ed6f83fb4fc03e69cf30e96873e86397 1.0s
=> => extracting sha256:550f4341e4749c2dbb0749ad50e68193d717e54396d05d1a17b587cf 0.0s
=> => extracting sha256:5d480233f51dc4a1034a4c6acd3a4e9075aae812b6be93159b0db4e397b1ab 0.0s
=> => extracting sha256:f530c3e421fca98fcd8708cc47151916056adc55548deeb5dcd04af38e4b57cf 0.0s
=> => extracting sha256:128fcc7b23b0790468195111c98e3300a0d57267108085d886be27b6f48f32a8 0.0s
=> => extracting sha256:7eb53399d6dea18b22c5a592fdd03daf75a95cb4a229acdca95c54fd8 0.0s
=> [2/2] COPY index.html /usr/share/nginx/html/index.html 0.2s
=> exporting to image 0.0s
=> => exporting layers 0.0s
=> => writing image sha256:4c6a02cad0fe019af12bdc2e6a550c0c0187d0febb08da63fe92be9365ca 0.0s
=> => naming docker.io/library/flower-website 0.0s
[ec2-user@ip-172-31-1-59 ~]$ sudo docker run -d -p 80:80 --name flower-container flower-website
aa58552e9a3887a8da4eb70337cd7c8e6506541988e53b7e60565def1a27c7e
[ec2-user@ip-172-31-1-59 ~]$ sudo docker ps
CONTAINER ID        IMAGE               COMMAND             CREATED             STATUS              PORTS               NAMES
aa58552e9a38      flower-website     "/docker-entrypoint..." 11 seconds ago      Up 11 seconds       0.0.0.0:80->80/tcp, :::80->80/tcp   flower-container
[ec2-user@ip-172-31-1-59 ~]$ sudo docker run -d -p 80:80 --name flower-container flower-website
docker: Error response from daemon: Conflict. The container name "/flower-container" is already in use by container "aa58552e9a3887a8da4eb70337cd7c8e6506541988e53b7e60565def1a27c7e". You have to remove (or rename) that container to be able to reuse that name.
See 'docker run --help'.
[ec2-user@ip-172-31-1-59 ~]$ nano index.html
[ec2-user@ip-172-31-1-59 ~]$ sudo docker stop flower-container
flower-container
[ec2-user@ip-172-31-1-59 ~]$ sudo docker rm flower-container
flower-container
[ec2-user@ip-172-31-1-59 ~]$ sudo docker build -t flower-website .
[+] Building 1.2s (7/7) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile                                0.0s
=> => transferring dockerfile: 175B                                              0.0s
=> [internal] load metadata for docker.io/library/nginx:latest                  1.0s
=> [internal] load .dockerignore                                                  0.0s
=> => transferring context: 2B                                                    0.0s
=> [internal] load build context                                                  0.0s
=> => transferring context: 2.91kB                                                0.0s
=> CACHED [1/2] FROM docker.io/library/nginx:latest@sha256:8f029c543423e3eac6b08254718bc31eb75633b1e448026b6616927baa7d4bfe 0.0s
=> [2/2] COPY index.html /usr/share/nginx/html/index.html                      0.0s
=> exporting to image                                                            0.0s
=> => exporting layers                                                            0.0s
=> => writing image sha256:e0835b51c50e516bbf8f8e1304cad5b2f9be7699f75888e8d53c8a304a05f68 0.0s
=> => naming to docker.io/library/flower-website                               0.0s
[ec2-user@ip-172-31-1-59 ~]$ sudo docker run -d -p 80:80 --name flower-container flower-website
docker: invalid reference format.
[ec2-user@ip-172-31-1-59 ~]$ sudo docker run -d -p 80:80 --name flower-container flower-website
01ac56d86609082176188b57eded254dc9ce568c81b848f1792dd0325facedb
[ec2-user@ip-172-31-1-59 ~]$
```

Website:

