

LABORATORY REPORT

599/5 Moo 4 Bangkruai-Chong Thanom Rd. Mahasawat, Bangkruai Nonthaburi, Thailand 11130



Client Information	Specimen Information
Name : LONG QIANG	Collection date: 27/01/2023 16:00
Sex: Male _Date of birth: 22/01/1996 _Age: 27Year	s Receive date : 27/01/2023 18:00
H.N. :	Order Number: 0R230127M8X0341
VN : 269	Specimen type: Nasopharyngeal swab & Throat swab
Nationality : CHINESE	Company : MedConsult Clinic
Hospital:	
Physician:	SAT CODE : Y568
Genetic Analysis of CC	VID-19 (SARS-CoV-2) Report
CODE METHOD	RESULT
# COVID-19 (SARS-CoV-2) RT- PCR	Not detected
Commen	t / Suggestion
TEST DESCRIPTION: The SARS-CoV-2 in this test targets 3 genes of virus reverse transcription RT-PCR (Real-Time PCR). Limit of detection: 200 Co	
reverse transcription RT-PCR (Real-Time PCR). Limit of detection : 200 Co	pies/mL, Cut off : 40 Cycle Threshold (CT)
reverse transcription RT-PCR (Real-Time PCR). Limit of detection : 200 Co	pies/mL, Cut off : 40 Cycle Threshold (CT)
reverse transcription RT-PCR (Real-Time PCR). Limit of detection : 200 Co	oies/mL, Cut off : 40 Cycle Threshold (CT) APPROVED BY Saul k.
REPORTED BY Wuttichai Mangchantuek (MT.9869) Reported date: 27/01/2023 22:00	APPROVED BY Sarawut Khitthuk (MT.11514)
REPORTED BY Wuttichai Mangchantuek (MT.9869) Reported date: 27/01/2023 22:00	APPROVED BY Saul k. Sarawut Khitthuk (MT.11514) Approved date: 27/01/2023 22:00

☑ The test results confirm this sample only. Does not include samples sent before or after this sample.

☑ In the event that the results is **Not detected** of COVID-19 (SARS-CoV-2) infection from this examination does not guarantee that the client is not infected Or will not detect the infection in the future. This could be caused by many reasons such as the quantity of virus at the time of sampling was less than the reagents were able to detect or due to the ineffective sampling process.

lacktriangledown The first examination was not detected. Can give a different result next time. Due to the increased number of virus or having been exposed to the infection after the previous examination

Contact Newgen Diagnostics

Line ID: @ngd168 Hot Line: +6686-820-9908 www.ngd.co.th

☑ In the case of COVID-19 (SARS-CoV-2) Test results is **Detected**, the service recipient see a doctor for urgent treatment.

☑ In the case of a COVID-19 test (SARS-CoV-2) test is **Not detected** but still had fever, cough, shortness of breath. Should remain in the residence for at least 14 days, but if symptoms worsen able to be tested again to confirm.

☑ In case of unsure whether there is an infection avoid being unnecessarily in public or crowded places. Refrain from sharing things with others. Wear a surgical mask to prevent accidental transmission

☑ When going to public places, use personal protective equipment such as a mask and wash your hands frequently to prevent accidental infection.

NEWGEN DIAGNOSTICS CO.,LTD.

599/5 Moo 4 Bangkruai-Chongthanom rd., Mahasawat, Bangkruai, Nonthaburi, Thailand 11130 Phone: +662-102-5428-9, Fax: +662-409-5899, E-mail: newgenlaboratory@gmail.com