Holiday Notice: JLCPCB factories will be closed on Sep. 25, Sep. 27 & Oct. 1–4. Please order 3–5 days early to prevent delays. Learn more>

24-hour PCB production. Fast Delivery to United States.

Coupons Download APP USD

JLCPCB Products Capabilities Support About Us Order Now Sign In


# PCB Thickness


The thickness of PCBs impacts the performance, stability, and reliability of the final electronic products. Now, JLCPCB offers a variety of PCB thickness options to help you make the best and affordable choice. Thickness from 0.8mm to 1.6mm starts at only $2.

$6 PCB Coupon

Valid for 30 days

Get It Now







## Characteristics of PCB Thickness

- **Ultra-thin PCB (below 0.6 mm):** Ultra-thin PCBs are lightweight, soft, and easy to bend, making them suitable for products that require a high level of space efficiency, such as smartphones, wearable devices and drones.
- **Mid-Range Thin PCBs (0.6-1.6 mm):** The mid-range PCB has a good balance between thickness and load-bearing capacity, making it suitable for a wide range of electronic products, including computer motherboards and home appliance control boards.
- **Thicker PCBs (above 1.6 mm):** Thick boards have a high load-bearing capacity and stiffness, making them suitable for harsh environments and electronic products that require the carrying of high-power and heavy components.

## Key factors affecting PCB Thickness

Circuit board thickness is influenced by PCB layer count, signal type, material selection, operating environment, copper thickness, and special requirements. More copper layers increase thickness. High-power signals demand thicker copper layers and wider traces; low-power environments can use thinner boards. Material choice and operating conditions impact thickness. Copper thickness, such as 2 or 3 ounces, significantly affects overall thickness. Special applications, like high-density boards, may require customized thickness for unique environments.





## How to Choose the Appropriate PCB Thickness

- **Application Focus:** Before deciding on PCB thickness, understanding application needs, scenarios, and component loads is crucial.This ensures the chosen thickness aligns with product requirements.
- **Safety Concerns:** If the circuit board needs to withstand high voltage or current, it is important to select a thicker circuit board to ensure its safe operation.
- **Mechanical Strength:** If the circuit board needs to withstand high mechanical influence, it is advisable to choose a thicker PCB to ensure its mechanical strength

## Why Choose JLCPCB

### Easy Ordering Process

Upload your Gerber file and then get an instant quote! Easy as online shopping.

### Affordable Manufacturing

Get 1-8 layer PCBs for just $2! Efficient large-scale production offers unbeatable prices.

### Reliable Services

In-house production with strict quality control. Fast PCB production in just 24 hours!

## Frequently Asked Questions

- What PCB thicknesses does JLCPCB offer?
- What is the thickness tolerance of your PCBs?
- Anything I should know when selecting 0.4mm thickness boards?
- Anything I should know when selecting 0.6mm thickness boards?
- Anything I should know when selecting 0.8-1.0mm thickness boards?

Choose Your PCB Thickness Now

Get Instant Quote

Online Chat >

Chat with our live agent for fast reply.

Mon-Fri: 24 hours, Sat: 9am-6pm, GMT+8

Email Us >

Contact us at support@jlcpcb.com

Typically reply within hours.

Help Center >

Get instant answers.

24/7 Available.

**Products**

- FR-4 PCBs
- Flexible PCBs
- Metal Core PCBs
- High-Frequency PCBs
- PCBA Service
- PCB Layout
- SMT Stencil
- Flex Heater

**Support**

- Help Center
- Contact Us
- Community
- Shipping & Delivery
- Payment Methods
- How to Order
- How to Track
- After-Sales Service
- Blog

**Company**

- About Us
- Quality Assurance
- How We Work
- Certifications
- Security
- Environment
- JLCAPI
- News
- Cooperation

**Electronics**

- EasyEDA
- JLCPCB
- JLCDFM
- LCSC
- OSHWLAB

**Mechanical**

- JLC3DP
- JLCCNC
- JLCMC

JLCPCB

O
Sa

Co

👋 Welcome back, may I help you?

Chat Now

Write a message

JLCPCB

© 2026 JLCPCB.COM All Rights Reserved.