REVIEW DRAFT — NOT CONFIRMED

Records request package 1 of 1 · Chart captured 2026-10-11T15:00:00Z (ISO 8601 instant)

Manifest fingerprint: ccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc

Patient: SYNTHETIC Juniper <script>alert(1)</script> · Dog · Mixed

Birth date: Not recorded (unknown) · Microchip: Not recorded

Selected household recipient: Owner & Family · EMAIL · owner@example.test

Review the complete contents and selected recipient before confirming. Nothing has been sent.

Allergy and legacy profile summary

Existing patient profile; verification and legacy measurement date unknown

Allergy information — review required

Penicillin reaction

Legacy weight: 25 lb. Measurement date unknown.

Patient version 2

REVIEW DRAFT

Problem / diagnosis history

IMPORTANT — Vaccine reaction

Status
resolved

Importance
IMPORTANT — high priority

Onset date
2026-01-01

Revision
2

Updated by
clinician

Updated at
2026-09-12T18:00:00Z

Clinical diagnosis notes <script>alert(1)</script>

Authored 2026-01-01T18:00:00Z by clinician. Historical revisions below are retained clinical audit evidence; no missing past revision is reconstructed.

Recorded revision · 2026-09-12T18:00:00Z · clinician

Before

IMPORTANT — Vaccine reaction

Status
active

Importance
IMPORTANT — high priority

Onset date
2026-01-01

Revision
1

Updated by
clinician

Updated at
2026-09-12T18:00:00Z

Original reaction history

After

IMPORTANT — Vaccine reaction

Status
resolved

Importance
IMPORTANT — high priority

Onset date
2026-01-01

Revision
2

Updated by
clinician

Updated at
2026-09-12T18:00:00Z

Clinical diagnosis notes <script>alert(1)</script>

REVIEW DRAFT

Dated weight measurements

2026-09-01 · 11.34 kg

Recorded 2026-09-01T18:00:00Z by clinician

Reviewed ezyVet history · source record 123

Local measurement created from reviewed historical import. Source clinician unknown; the reviewer is not necessarily the source clinician.

Original source: 25 lb; original timestamp: 1788267600.

Reviewed local measurement: 11.34 kg on 2026-09-01.

Reviewed by reviewer at 2026-09-12T18:00:00Z: Historical review <script>attack</script>

Approved source version 1; latest observed source version 3. Latest external source change has not been reviewed.

Source review history

Source reviews do not automatically correct the local measurement.

2026-09-12T19:00:00Z · reviewer second reviewer: Retain local measurement

Reviewed source version 2: 26 lb; timestamp 1788267600; source active value true.

medication history · Prior medication

CORRECTED HISTORICAL RECORD — do not treat this entry as a current administration or due date.

Administration date/time
2026-01-01T18:00:00Z

Record origin
Historical/imported

Source / provenance
External record provenance

Manufacturer
External maker

Lot number
Unknown

Lot expiry
Not recorded

Quantity
1

Dose
As transcribed

Route
Oral

Site

Veterinarian
External veterinarian

License as recorded
Unknown

Due date as recorded (not recalculated)
Not recorded

Recorded by
clinician

Recorded at
2026-09-01T18:00:00Z

REVIEW DRAFT

Correction

Dose uncertain, original retained

2026-09-02T18:00:00Z · clinician

Replacement record ID: Not recorded

Signed clinical encounter

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 1. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

---

Signed clinical encounter

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 2. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

REVIEW DRAFT

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

---

Signed clinical encounter

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 3. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

REVIEW DRAFT

Signed clinical encounter

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 4. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

---

Signed clinical encounter

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 5. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

REVIEW DRAFT

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

---

Signed clinical encounter

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 6. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

---

Signed clinical encounter

REVIEW DRAFT

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 7. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

Signed clinical encounter

Visit 2026-09-12T18:00:00Z (ISO 8601 instant) · clinic · Version 2

Subjective

SYNTHETIC SOAP 8. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text. Caregiver-provided history retained as documentary text.

Objective

SYNTHETIC numeric zero = 0; qualitative finding = not detected; units: µmol/L and °C. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis. Recorded observations, not an automatic diagnosis.

Assessment

Synthetic clinician-authored assessment; no diagnostic inference by software.

Plan

Synthetic documentary plan for PDF layout verification.

Signed 2026-09-12T19:00:00Z (ISO 8601 instant) · Signer record staff

REVIEW DRAFT

Signed-record addendum

Correction: <img src=x onerror=alert(1)>

Recorded 2026-09-12T20:00:00Z (ISO 8601 instant) · Author record staff

Included issued certificate

Synthetic practice

2619 Spruce Street · 3035550199

Rabies Vaccination Certificate

Certificate test-certificate

Patient and owner

Patient
<script>alert(1)</script>

Species / breed
Dog / Mixed

Birth date
2020-01-01

Birth-date precision
estimated

Color / markings
Brown

Sex / sterilization
female / neutered

Microchip number
Not recorded

Owner
Owner & Family

Owner address
123 Test St

Owner home / primary phone
3035550100

REVIEW DRAFT

Rabies administration details

Actual vaccine administrator
Actual administrator

Rabies tag number
TAG-1

USDA licensed product duration (not the due-date calculation)
1 year

Vaccine type
Killed virus

Initial vaccination / booster
initial

Size / weight as reviewed
20–50 lb

Owner business phone
Unavailable — confirmed at review

Test vaccine

Administered on (America/Denver)
2026-09-12

Reviewed recorded next due date
2027-09-12

Manufacturer
Frozen manufacturer

Lot / serial number
LOT-1

Lot expiration date
2027-01-01

Dose
1 mL

Route
SC

Site
Recorded site

Administering / supervising veterinarian
Dr Test

Treatment veterinarian license
TEST-ONLY

Age at administration
6 years 8 mons 11 days

Record origin
Practice administration

Treatment identifier
dose

I reviewed this complete certificate and its due date, confirm this was a rabies vaccine administered by me or under my supervision by the named administrator trained in vaccine storage, handling, administration and adverse-event management, and explicitly sign this certificate.

Electronically signed by Dr Test, CO license TEST-ONLY
Issued 2026-09-12T19:00:00+00:00 (ISO 8601 instant)

Dates were reviewed by the issuing veterinarian. No automatic due-date rules are applied. Retain this certificate identifier when requesting verification or a corrected copy.

REVIEW DRAFT

Selected laboratory report provenance

Antech (synthetic) · report-1

Account Synthetic practice account · Environment Synthetic manual intake · Patient reference patient-synthetic · Order reference order-synthetic

Staff-entered laboratory source

Original source identity review b5000000-0000-4000-8000-000000000502 · Latest source identity review b5000000-0000-4000-8000-000000000502

Version 1 · original · Historical version · Record b5000000-0000-4000-8000-000000000001

Previous version: Not recorded · Latest version: b5000000-0000-4000-8000-000000000002

Received 2026-09-12T10:00:00Z · Locally reviewed 2026-09-12T11:00:00Z · Local reviewer b5000000-0000-4000-8000-000000000900

Original attachment 1: synthetic-b5000000-0000-4000-8000-000000000001.pdf

Original document b5000000-0000-4000-8000-000000000101 · Version 1 · SHA-256 d4366fac8eb4728fde46947f325ffb3b2fa6fc2bcb158f113c9c20b1cc2b0c88

Exact-version acknowledgment by b5000000-0000-4000-8000-000000000901 · 2026-09-12T12:00:00Z · Document version 1

Antech (synthetic) · report-2

Account Synthetic practice account · Environment Synthetic manual intake · Patient reference patient-synthetic · Order reference order-synthetic

Staff-entered laboratory source

Original source identity review b5000000-0000-4000-8000-000000000502 · Latest source identity review b5000000-0000-4000-8000-000000000502

Version 2 · corrected · Current version · Record b5000000-0000-4000-8000-000000000002

Previous version: b5000000-0000-4000-8000-000000000001 · Latest version: b5000000-0000-4000-8000-000000000002

Received 2026-09-12T10:00:00Z · Locally reviewed 2026-09-12T11:00:00Z · Local reviewer b5000000-0000-4000-8000-000000000900

Original attachment 2: synthetic-b5000000-0000-4000-8000-000000000002.pdf

Original document b5000000-0000-4000-8000-000000000102 · Version 1 · SHA-256 d4366fac8eb4728fde46947f325ffb3b2fa6fc2bcb158f113c9c20b1cc2b0c88

No exact-version acknowledgment recorded.

Selected external medical originals

ezyVet · Export synthetic-export-3

Source origin https://api.trial.ezyvet.com · Site synthetic-site · Animal reference synthetic-animal

Staff-reviewed manual export

Version 1 · original · Historical version · Record b5000000-0000-4000-8000-000000000003

Previous version: Not recorded · Latest version: b5000000-0000-4000-8000-000000000004

Received 2026-09-12T10:00:00Z · Locally reviewed 2026-09-12T11:00:00Z · Local reviewer b5000000-0000-4000-8000-000000000900

Original attachment 3: synthetic-b5000000-0000-4000-8000-000000000003.pdf

Original document b5000000-0000-4000-8000-000000000103 · Version 1 · SHA-256 d4366fac8eb4728fde46947f325ffb3b2fa6fc2bcb158f113c9c20b1cc2b0c88

No exact-version acknowledgment recorded.

PREVIEW DRAFT

ezyVet · Export synthetic-export-4

Source origin https://api.trial.ezyvet.com · Site synthetic-site · Animal reference synthetic-animal

Staff-reviewed manual export

Version 2 · replacement · Current version · Record b5000000-0000-4000-8000-000000000004

Previous version: b5000000-0000-4000-8000-000000000003 · Latest version: b5000000-0000-4000-8000-000000000004

Received 2026-09-12T10:00:00Z · Locally reviewed 2026-09-12T11:00:00Z · Local reviewer b5000000-0000-4000-8000-000000000900

Original attachment 4: synthetic-b5000000-0000-4000-8000-000000000004.pdf

Original document b5000000-0000-4000-8000-000000000104 · Version 1 · SHA-256 d4366fac8eb4728fde46947f325ffb3b2fa6fc2bcb158f113c9c20b1cc2b0c88

Exact-version acknowledgment by b5000000-0000-4000-8000-000000000901 · 2026-09-12T12:00:00Z · Document version 1

These are local source reviews and byte-verification records. The outside author is unknown unless recorded in the original document; the local reviewer is not the outside author. A captured digest does not establish provider authenticity. An exact-version acknowledgment is not the outside clinician's signature or an endorsement of every finding.

REVIEW DRAFT

Selected ezyVet API originals

Reviewed API source

Staff-reviewed API attachment 701 · Approval version 1

Source site synthetic-site · Animal 77 · Observed revision 1

Reviewed exact patient and original

Staff reviewer d9000000-0000-4000-8000-000000000006 · 2026-09-13T12:00:00Z · Approval d9000000-0000-4000-8000-000000000005

Previous approval Not recorded · Original attachment 5 · SHA-256 d4366fac8eb4728fde46947f325ffb3b2fa6fc2bcb158f113c9c20b1cc2b0c88

API source files retain their outside content. Staff source review is not an outside author's signature or a clinical interpretation. Selected observations do not establish complete migration coverage.

Signed dental chart

2026-09-12T18:00:00Z · dog · adult

Dental notes

Tooth 101

Presence
present

Findings
Recorded finding

Planned
Recorded plan

Performed
Recorded procedure

Manual measurement: 2 mm

Source version 2 · Signed 2026-09-12T20:00:00Z · Signer record staff

Signed-record addendum

Complete chart addendum <script>bad()</script>

2026-09-12T21:00:00Z · Author record staff

Signed qualitative QOL observation

2026-09-12T18:00:00Z · Observer Caregiver · Template draft-2026-09-12

Qualitative observations only; no validated score or prognosis is calculated.

REVIEW DRAFT

Appetite
Eating normally

Drinking
Drinking

Mobility
Walking

Comfort
Comfort observed

Social engagement
Interacting

Good days
Caregiver report

Qualitative notes

Source version 2 · Signed 2026-09-12T20:00:00Z · Signer record staff

Signed-record addendum

Complete chart addendum <script>bad()</script>

2026-09-12T21:00:00Z · Author record staff

Signed anesthesia record: Synthetic procedure

Started
2026-09-12T18:00:00Z

Ended
2026-09-12T19:00:00Z

Team
Recorded team

Record origin
manual

Selected original
Not included in this package

Assessment

Recorded assessment

Plan

Recorded plan

Documented observations

Time	Observation	Value / unit	Notes
2026-09-12T18:00:00Z	SYNTHETIC observation 01	0 bpm	Documentary measurement retained with original unit
2026-09-12T18:01:00Z	SYNTHETIC observation 02	81 bpm	Documentary measurement retained with original unit
2026-09-12T18:02:00Z	SYNTHETIC observation 03	82 bpm	Documentary measurement retained with original unit
2026-09-12T18:03:00Z	SYNTHETIC observation 04	83 bpm	Documentary measurement retained with original unit
2026-09-12T18:04:00Z	SYNTHETIC observation 05	84 bpm	Documentary measurement retained with original unit
2026-09-12T18:05:00Z	SYNTHETIC observation 06	85 bpm	Documentary measurement retained with original unit
2026-09-12T18:06:00Z	SYNTHETIC observation 07	86 bpm	Documentary measurement retained with original unit
2026-09-12T18:07:00Z	SYNTHETIC observation 08	87 bpm	Documentary measurement retained with original unit
2026-09-12T18:08:00Z	SYNTHETIC observation 09	88 bpm	Documentary measurement retained with original unit
2026-09-12T18:09:00Z	SYNTHETIC observation 10	89 bpm	Documentary measurement retained with original unit
2026-09-12T18:10:00Z	SYNTHETIC observation 11	90 bpm	Documentary measurement retained with original unit
2026-09-12T18:11:00Z	SYNTHETIC observation 12	91 bpm	Documentary measurement retained with original unit
2026-09-12T18:12:00Z	SYNTHETIC observation 13	92 bpm	Documentary measurement retained with original unit
2026-09-12T18:13:00Z	SYNTHETIC observation 14	93 bpm	Documentary measurement retained with original unit
2026-09-12T18:14:00Z	SYNTHETIC observation 15	94 bpm	Documentary measurement retained with original unit
2026-09-12T18:15:00Z	SYNTHETIC observation 16	95 bpm	Documentary measurement retained with original unit
2026-09-12T18:16:00Z	SYNTHETIC observation 17	96 bpm	Documentary measurement retained with original unit
2026-09-12T18:17:00Z	SYNTHETIC observation 18	97 bpm	Documentary measurement retained with original unit
2026-09-12T18:18:00Z	SYNTHETIC observation 19	98 bpm	Documentary measurement retained with original unit
2026-09-12T18:19:00Z	SYNTHETIC observation 20	99 bpm	Documentary measurement retained with original unit
2026-09-12T18:20:00Z	SYNTHETIC observation 21	100 bpm	Documentary measurement retained with original unit
2026-09-12T18:21:00Z	SYNTHETIC observation 22	101 bpm	Documentary measurement retained with original unit
2026-09-12T18:22:00Z	SYNTHETIC observation 23	102 bpm	Documentary measurement retained with original unit
2026-09-12T18:23:00Z	SYNTHETIC observation 24	103 bpm	Documentary measurement retained with original unit
2026-09-12T18:24:00Z	SYNTHETIC observation 25	104 bpm	Documentary measurement retained with original unit
2026-09-12T18:25:00Z	SYNTHETIC observation 26	105 bpm	Documentary measurement retained with original unit
2026-09-12T18:26:00Z	SYNTHETIC observation 27	106 bpm	Documentary measurement retained with original unit

REVIEW DRAFT

Time	Observation	Value / unit	Notes
2026-09-12T18:27:00Z	SYNTHETIC observation 28	107 bpm	Documentary measurement retained with original unit
2026-09-12T18:28:00Z	SYNTHETIC observation 29	108 bpm	Documentary measurement retained with original unit
2026-09-12T18:29:00Z	SYNTHETIC observation 30	109 bpm	Documentary measurement retained with original unit
2026-09-12T18:30:00Z	SYNTHETIC observation 31	110 bpm	Documentary measurement retained with original unit
2026-09-12T18:31:00Z	SYNTHETIC observation 32	111 bpm	Documentary measurement retained with original unit
2026-09-12T18:32:00Z	SYNTHETIC observation 33	112 bpm	Documentary measurement retained with original unit
2026-09-12T18:33:00Z	SYNTHETIC observation 34	113 bpm	Documentary measurement retained with original unit
2026-09-12T18:34:00Z	SYNTHETIC observation 35	114 bpm	Documentary measurement retained with original unit
2026-09-12T18:35:00Z	SYNTHETIC observation 36	115 bpm	Documentary measurement retained with original unit
2026-09-12T18:36:00Z	SYNTHETIC observation 37	116 bpm	Documentary measurement retained with original unit
2026-09-12T18:37:00Z	SYNTHETIC observation 38	117 bpm	Documentary measurement retained with original unit
2026-09-12T18:38:00Z	SYNTHETIC observation 39	118 bpm	Documentary measurement retained with original unit
2026-09-12T18:39:00Z	SYNTHETIC observation 40	119 bpm	Documentary measurement retained with original unit
2026-09-12T18:40:00Z	SYNTHETIC observation 41	120 bpm	Documentary measurement retained with original unit
2026-09-12T18:41:00Z	SYNTHETIC observation 42	121 bpm	Documentary measurement retained with original unit
2026-09-12T18:42:00Z	SYNTHETIC observation 43	122 bpm	Documentary measurement retained with original unit
2026-09-12T18:43:00Z	SYNTHETIC observation 44	123 bpm	Documentary measurement retained with original unit
2026-09-12T18:44:00Z	SYNTHETIC observation 45	124 bpm	Documentary measurement retained with original unit

REVIEW DRAFT

Documented events

2026-09-12T18:10:00Z · procedure: Documentary event

Recovery

Recovery notes

Source version 2 · Signed 2026-09-12T20:00:00Z · Signer record staff

Signed-record addendum

Complete chart addendum <script>bad()</script>


2026-09-12T21:00:00Z · Author record staff

Body-map history: Mass A

Stable lesion lesion · Version 2. Dated staff observations, not a signed diagnostic chart. All observations and corrections are retained.

2026-09-12T18:00:00Z · Mass A

Corrected observation — historical measurement



Species-neutral location schematic, left view. Not an anatomical diagnosis.

Normalized X / Y
0.2 / 0.4

Length (mm)
12

Width (mm)
10

Depth (mm)
Not recorded

Selected photo
Not included in this package

Dated measurement

Recorded 2026-09-12T18:00:00Z · Author record staff

Correction 2026-09-12T19:00:00Z: Original measurement corrected · Author record staff

REVIEW DRAFT

Original attachment manifest

These separately stored originals were selected for this package. This HTML lists them; it does not contain their file bytes.

Original filename	Type	Size (bytes)	Document date	Version
synthetic-b5000000-0000-4000-8000-000000000001.pdf	application/pdf	30	Not recorded	1
synthetic-b5000000-0000-4000-8000-000000000002.pdf	application/pdf	30	Not recorded	1
synthetic-b5000000-0000-4000-8000-000000000003.pdf	application/pdf	30	Not recorded	1
synthetic-b5000000-0000-4000-8000-000000000004.pdf	application/pdf	30	Not recorded	1
ezyvet-attachment-701.pdf	application/pdf	30	Not recorded	1

Review fingerprint: aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

Only explicitly selected clinical histories, signed records, issued certificates and shareable originals appear here. Clinical notes and provenance are included as authored and are not automatically redacted. Unsigned chart drafts are excluded. This artifact does not send records or include the bytes of separately stored attachments.