



Start: 13/07/2026 End: 19/07/2026 Aggregation: Daily Load Data

DAM RFIT SOL ALL GROUPS TRADER PERFORMANCE MARKET ANALYTICS

Portfolio Performance Summary

2026-07-13 to 2026-07-19

ACTUAL TRADED BALANCING COST

€-4.22/MWh

100% DA Forecast: €-5.09/MWh

vs Forecast: ▲ €0.87/MWh (Underperforming)

PRODUCTION

31,037 MWh

True Generation: 38,258 MWh

NET INCOME

€4,671,432

ExA: € ImbA: €

Client Payment: €

CAPACITY FACTOR

17.6%

DISPATCH DOWN

18.1%

Curt: 6.5% Const: 11.6%

TOTAL BALANCING COST

€ (€-4.22/MWh)

Total DA Position Cost: € (€-5.09/MWh)

DISPATCH DOWN

6,911 MWh

Curt: 2,490 MWh Const: 4,420 MWh

Group Breakdown

Group	Net Income	Production	Cost/MWh	Cap Factor	Dispatch Down
DAM		5,473 MWh	€-4.08	14.2%	22.0%
RFIT		5,753 MWh	€-2.54	11.7%	9.8%
SOL		19,810 MWh	€-4.74	20.2%	19.1%

Balancing Cost Scenarios


Balancing Cost Scenarios

Compares actual balancing costs against forecast scenarios (100%, 90%, 110% DA)



Portfolio Performance vs 100% DA Forecast

2026-07-13 to 2026-07-19 | Positive = Actual MORE than forecast (underperformed) | Negative = Actual LESS than forecast (outperformed)



**Portfolio Balancing Cost Summary (2026-07-13 to 2026-07-19)**

Scenario	Total (€)	vs Actual (€)
100% DA Forecast	€-158,099.72	€27,195.39
90% DA Forecast	€-137,567.29	€6,662.96
110% DA Forecast	€-178,632.15	€47,727.83
DA Position Cost	€-100,986.03	€-29,918.30
Actual Balancing Cost	€-130,904.33	—

Negative vs Actual = Actual cost less than scenario (outperformed) | Positive vs Actual = Actual cost more than scenario (underperformed)

Balancing Cost Scenarios (€/MWh)

Compares actual balancing costs per MWh against forecast scenarios (100%, 90%, 110% DA)





Portfolio Balancing Cost per MWh Summary (2026-07-13 to 2026-07-19)


Total Production: 31,036.93 MWh

Scenario	Cost (€/MWh)	vs Actual (€/MWh)
100% DA Forecast	€-5.09	€0.88
90% DA Forecast	€-4.43	€0.21
110% DA Forecast	€-5.76	€1.54
DA Position Cost	€-3.25	€-0.96
Actual Balancing Cost	€-4.22	—

Negative vs Actual = Actual cost per MWh less than scenario (outperformed) | Positive vs Actual = Actual cost per MWh more than scenario (underperformed)

Cumulative Long vs Short Balancing Costs


Compares cumulative balancing costs when long (generated > sold) vs short (generated < sold)




Curtailement

Dispatch Down Analysis

Volume and percentage analysis of curtailment and constraints on generation



Percentage of Portfolio Volume Dispatched Down
2026-07-13 to 2026-07-19 | Avg Curtailed: 3.67% | Avg Constrained: 10.32% | Generation Threshold: 1.0 MW



Portfolio Dispatch Down Summary (2026-07-13 to 2026-07-19)

Metric	Curtailment	Constraints	Total
Volume (MWh)	2,490.2	4,420.3	6,910.5
% of Available Generation	6.51%	11.55%	18.06%
Avg % (when generating)	3.67%	10.32%	13.98%
Periods Affected	40 30-min intervals	250 30-min intervals	-
% of Periods Affected	13.9%	86.8%	-
Metered Generation	31,347.2 MWh		
Available Generation	38,257.7 MWh		
Periods with Generation (> 1.0 MW)	288 / 288 (100.0%)		


Note: Percentage calculations exclude periods where generation is below 1.0 MW threshold (filters meter noise/standby).

Forecasts & Accuracy


Forecast vs Actual Generation



Compares DA, IDA1, IDA2, IDA3 forecasts from [redacted] and [redacted] against metered generation (QMLF) and absolute generation (QM + QAB). Statistics compared against absolute generation only.

Portfolio [redacted] Forecast vs Actual (2026-07-13 to 2026-07-19)
QMLF = Loss Factored Metered Generation | QM + QAB = Absolute Generation



Portfolio [redacted] Forecast Error vs Absolute Generation (2026-07-13 to 2026-07-19)
+ = Over-forecast | - = Under-forecast | DA MAE: 20.7 MW





Portfolio █████ Forecast Accuracy (2026-07-13 to 2026-07-19)

Forecast	MAE (MW)	RMSE (MW)	Bias (MW)	MAPE (%)
DA	20.67	27.50	-4.12	10.9%
IDA1	21.15	27.61	-4.54	11.5%
IDA2	16.12	21.11	+3.43	6.6%
IDA3	19.56	26.74	-9.57	10.8%

All metrics calculated vs Absolute Generation (QM + QAB) | MAE: Mean Absolute Error | RMSE: Root Mean Square Error | Bias: Mean Error (+ = over-forecast, - = under-forecast) | MAPE: Mean Absolute Percentage Error

Portfolio █████ Forecast Accuracy (2026-07-13 to 2026-07-19)


Forecast	MAE (MW)	RMSE (MW)	Bias (MW)	MAPE (%)
DA	29.41	36.96	-7.78	15.5%
IDA1	29.99	37.32	-9.62	15.8%
IDA2	27.85	34.39	-1.28	9.5%
IDA3	33.65	43.83	-32.22	15.7%


All metrics calculated vs Absolute Generation (QM + QAB) | MAE: Mean Absolute Error | RMSE: Root Mean Square Error | Bias: Mean Error (+ = over-forecast, - = under-forecast) | MAPE: Mean Absolute Percentage Error

IDA Trading Performance

IDA Net Gain vs. Imbalance

Compares cumulative gain/loss from IDA trading versus leaving positions to imbalance





Overview

Summary Statistics (Exportable)

Detailed summary tables for data export. Use the Plotly toolbar to download as image or data.

Portfolio Summary (2026-07-13 to 2026-07-19)


Metric	Portfolio Total
Ex-Ante Income (€)	€
Imbalance Income (€)	€
Net Income (€)	€4,671,432.14
Client Payment (€)	€
Production (MWh)	31,036.93
Capacity Factor (% ,weighted avg)	17.57
Dispatch Down Rate (%)	18.06
- Curtailment Rate (%)	6.51
- Constraint Rate (%)	11.55
DA Position Cost (€/MWh)	€-3.25
100% DA Forecast Bal Cost (€/MWh)	€-5.09
90% DA Forecast Bal Cost (€/MWh)	€-4.43
110% DA Forecast Bal Cost (€/MWh)	€-5.76
Actual Balancing Cost (€/MWh)	€-4.22
Total Balancing Cost (€)	€

Group Breakdown (2026-07-13 to 2026-07-19)

Group	Net Income	Production (MWh)	Cost (€/MWh)	Cap Factor (%)	Dispatch Down (%)	Total Cost
DAM	€853,608.22	5,473.41	€-4.08	14.21	22.02	€
RFTT	€848,822.84	5,753.31	€-2.54	11.74	9.81	€
SOL	€2,969,001.09	19,810.21	€-4.74	20.19	19.09	€

Trading Positions

Shows trading positions across DA, IDA1, IDA2, IDA3 with forecast and market clearing volume comparison



Portfolio Position Summary (2026-07-13 to 2026-07-19)


Position	Mean (MWh)	Min (MWh)	Max (MWh)	Std Dev
Net_Position	239.20	21.40	568.00	164.79
DA	246.89	25.20	563.50	167.92
IDA1	239.69	21.40	565.60	165.42
IDA2	239.17	21.40	568.00	164.84
IDA3	239.20	21.40	568.00	164.79
DA_Forecast	261.56	29.79	568.38	181.76
IDA3_Forecast	195.17	35.98	439.11	115.91

Traded Volume as % of MCV

Auction	Mean (% MCV)	Min (% MCV)	Max (% MCV)
Portfolio	4.31%	0.50%	9.53%
DA	4.74%	0.59%	10.31%
IDA1	1.31%	0.00%	10.32%
IDA2	1.49%	0.00%	16.51%
IDA3	0.32%	0.00%	21.79%


Portfolio Positions

Shows combined portfolio positions across all groups



Mean Long/Short Position

Shows average position direction over time. Positive = Short (sold > generated), Negative = Long (generated > sold). Identifies systematic trading biases.




Portfolio Position Summary (2026-07-13 to 2026-07-19)

Metric	Value	Percentage
Short Periods (QEX > QMLF)	152 periods	52.8%
Long Periods (QMLF > QEX)	136 periods	47.2%
Total Periods	288 periods	100%
Average Position	+11.83 MWh	Short Bias

Trading Bias: Tendency to sell more than generated

Portfolio Position vs System NIV

Compares portfolio net position against system imbalance



Start: 13/07/2026

End: 19/07/2026

Aggregation: Daily

Load Data

DAM

RFIT

SOL

ALL GROUPS


TRADER PERFORMANCE

MARKET ANALYTICS

Market Overview

Demand Overview

Shows actual demand alongside EirGrid and demand forecasts



Demand Statistics (2026-07-13 to 2026-07-19)

Series	Mean (MW)	Min (MW)	Max (MW)	Std Dev (MW)
Actual Demand	4365	3620	5124	397
EirGrid Forecast	4435	3565	5142	410
Forecast	4365	3633	5114	394

Forecast Error vs Actual

EirGrid Forecast

MAE 99 MW

RMSE 123 MW


Forecast

MAE 53 MW


RMSE 65 MW

IE-GB Interconnector Flows

Looks at the flows between IE and GB across the Greenlink, EWIC, and Moyle interconnectors



Import Coverage of Irish Demand (2026-07-13 to 2026-07-19)



Interconnector Flow Statistics (2026-07-13 to 2026-07-19)

Interconnector	Mean (MW)	Min (MW)	Max (MW)	Std Dev (MW)
EWIC	222.6	-14.0	532.0	199.1
Moyle	344.0	-58.0	452.0	137.7
Greenlink	465.0	-78.0	514.0	102.1

Import Coverage Summary

Average Import Coverage

23.7%

Peak Import Coverage

40.3%

% of Time Imports > 25% Demand


44.4%

IE-GB Price Spread

Shows IE DA price vs GB IMRP (£→€ converted) and the spread between them

IE-GB Price Spread Analysis (2026-07-13 to 2026-07-19)

IE DA Price vs GB IMRP (£→€) | Average FX: £1 = €1.1748



IE-GB Price Spread Statistics (2026-07-13 to 2026-07-19)


Metric	IE DA (€/MWh)	GB IMRP (€/MWh)	Spread (€/MWh)
Mean	€161.01	€136.60	€24.41
Min	€79.31	€56.14	€-29.54
Max	€294.50	€230.85	€160.66
Std Dev	€42.31	€29.84	€30.81
IE > GB (periods)	238 of 288 (82.6%)		
GB > IE (periods)	50 of 288 (17.4%)		
FX Rate Used	£1 = €1.1748 (avg over period)		

ISEM Market Prices

ISEM Auction Prices

Shows ISEM DA, IDA1, IDA2, IDA3 and Imbalance prices over time


ISEM Auction & Imbalance Prices (2026-07-13 to 2026-07-19)



Price	Mean (€/MWh)	Min (€/MWh)	Max (€/MWh)	Std Dev (€/MWh)
DA Price	€161.01	€79.31	€294.50	€42.31
IDA1 Price	€147.07	€40.00	€319.38	€38.40
IDA2 Price	€143.20	€33.96	€246.08	€46.23
IDA3 Price	€205.31	€110.00	€338.65	€44.20
Imbalance Price	€155.43	€0.00	€488.32	€91.72

ISEM Imbalance Price Volatility

Shows ISEM imbalance price spread and volatility analysis




Imbalance Volatility Statistics (2026-07-13 to 2026-07-19)


Metric	Value
Average Volatility	42.48%
Maximum Volatility	160.88%
Minimum Volatility	0.50%
Standard Deviation	28.75%
Excluded Periods	4 of 288 (price < €0.5/MWh)

GB Market Prices

GB Auction Prices

Shows GB DA, HH, IDA1, IDA2, Imbalance and IMRP prices over time






GB Price Statistics (2026-07-13 to 2026-07-19)

Price	Mean (£/MWh)	Min (£/MWh)	Max (£/MWh)	Std Dev (£/MWh)
DA EPEX	£109.93	£4.43	£194.34	£33.01
DA N2EX	£109.60	£2.49	£197.17	£33.67
HH EPEX	£110.12	£5.06	£197.64	£34.19
IDA1 EPEX	£109.96	£3.53	£192.00	£35.47
IDA2 EPEX	£107.52	£3.99	£190.20	£42.10
Imbalance	£109.65	£-30.84	£220.00	£45.92
IMRP	£109.74	£3.14	£196.51	£33.38

GB Imbalance Price Volatility

Shows GB imbalance price spread vs IMRP (Weighted DA reference price)



GB Imbalance Volatility Statistics (2026-07-13 to 2026-07-19)

Metric	Value
Average Volatility	32.40%
Maximum Volatility	273.95%
Minimum Volatility	0.01%
Standard Deviation	47.06%

Start: 13/07/2026

End: 19/07/2026

Aggregation: Daily

Load Data

DAM

RFIT

SOL

ALL GROUPS

TRADER PERFORMANCE

MARKET ANALYTICS

Trader Performance Summary

2026-07-13 to 2026-07-19

TEAM TOTAL PROFIT

€4,776

IDA: €4,776 IDC: €0

Efficiency: €8.37/MWh

TOP PERFORMER

€7,020 profit

TOTAL VOLUME TRADED

571 MWh

IDA1 PNL

€3,640

IDA2 PNL

€1,320

IDA3 PNL

€-184

IDC PROFIT

€0


Trader Breakdown

Trader	IDA1 €	IDA2 €	IDA3 €	IDC €	Total €	MWh	€/MWh
	5,270	1,935	-184	0	7,020	406	17.31
	0	0	0	0	0	0	0.00
	0	0	0	0	0	0	0.00
	0	0	0	0	0	0	0.00
	0	0	0	0	0	0	0.00
	0	0	0	0	0	0	0.00
	0	0	0	0	0	0	0.00
	0	0	0	0	0	0	0.00
	-706	0	0	0	-706	40	-17.81
	-923	-615	0	0	-1,538	125	-12.27

Trading Decisions Analysis


Cumulative IDC Profit

Cumulative IDC trading profit over time by trader




Trade Stack by Trader

Individual trade PnL stacked by trader across all auctions (IDA1, IDA2, IDA3, IDC)




IDA PnL by Trader

Breakdown of IDA1, IDA2, and IDA3 profit/loss by trader



IDA Trading Efficiency (€/MWh)

Trading efficiency measured as profit per MWh traded for each auction



IDC Profit by Trader

Intraday Continuous (IDC) trading profit by trader



Performance Over Time

Daily IDC Profit

Daily IDC trading profit showing wins and losses over time

