```
bandit10@bandit:~$
bandit10@bandit:~$ cd ~
bandit10@bandit:~$ base64 -d data.txt
The password is 6zPeziLdR2RKNdNYFNb6nVCKzphlXHBM
```

```
bandit9@bandit:~$ cd ~
bandit9@bandit:~$ strings data.txt

4SA&l"
FR^+
3+2)`
^gjb
zVC&
=2""L(
Qu:
2$A(
HI\}7 H
```

bandit8@bandit:~\$ cd ~
bandit8@bandit:~\$ sort data.txt | uniq -u
EN632PlfYiZbn3PhVK3XOGSlNInNE00t
bandit8@bandit.c\$

```
bandit5@bandit:~$ cd inhere
bandit5@bandit:~/inhere$ find . -type f -readable ! -executable -size 1033c
./maybehere07/.file2
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2

P4L4vucdmLnm8I7Vl7jG1ApGSfjYKqJU
```

```
bandit4@bandit:~/inhere$ file -s -- -file00
file -s -- -file01
-file00: data
-file01: data
bandit4@bandit:~/inhere$ file -s -- -file02
file -s -- -file03
file -s -- -file04
file -s -- -file05
file -s -- -file06
file -s -- -file07
file -s -- -file08
file -s -- -file09
-file02: data
-file03: data
-file04: data
-file05: data
-file06: data
-file07: ASCII text
-file08: data
-file09: data
bandit4@bandit:~/inhere$ cat -file07
cat: invalid option -- 'f'
Try 'cat --help' for more information.
bandit4@bandit:~/inhere$ cat -- -file07
lrIWWI6bB37kxfiCQZqUd0IYfr6eEeqR
```

```
bandit3@bandit:~/inhere$ cd inhere
-bash: cd: inhere: No such file or dir
bandit3@bandit:~/inhere$ ls -a
. . . .hidden
bandit3@bandit:~/inhere$ cat .hidden
2EW7BBsr6aMMoJ2HjW067dm8EgX26xNe
```

## bandit2@bandit:~\$ cd ls cat "spaces in this filename" spaces in this filename aBZ0W5EmUfAf7kHTQeOwd8bauFJ2lAiG

```
bandit1@bandit:~$ cd
ls
cat ./-
-
rRGizSaX8Mk1RTb1CNQoXTcYZWU6lgzi
```