




MENÚ DE SELECCIÓN

Esquema y funcionalidad



- ▶ Pantalla de inicio que muestra los distintos elementos para su selección



- ▶ The product consists of 11 elements that will function independently.
 - ▶ The user interface must be completely intuitive.
 - ▶ The first screen will display all the elements in their locations. The numbering from 1 to 11 is for programming purposes only. It is not visible to the user.
 - ▶ Element number 11 will only allow turning on or off and will be activated or deactivated by tapping on it.
 - ▶ The remaining elements will share the same menu but will be organized into three blocks.
 - ▶ Each element can be selected or deselected by tapping on it.
 - ▶ Elements numbered 2 to 9 can also be selected together using a button (ALL) or a long press on any of them.
 - ▶ Elements 1 and 10 will be selected individually, but their selection will not be incompatible with the other elements.
 - ▶ Only element 11 will function independently as an on/off switch.
- 

Menú para los elementos 1 al 10

- ▶ It will allow three options:


Programar
Producto

Repetir
Selección

Programar
Tiempo

- ▶ Program Time allows you to set the run time by specifying a number of minutes and seconds and then start it immediately.
- ▶ Program Product allows you to select various parameters that will determine the appropriate run time.
- ▶ Repeat Selection allows you to repeat the last product setting. Only available for one hour.


- ▶ Programar tiempo:



ATRÁS

INICIAR

Menú para los elementos 1 al 10

- ▶ In the product programming menu, a total of 5 parameters will be selected:
 - ▶ Beverage type
 - ▶ Volume
 - ▶ Container type
 - ▶ Starting temperature
 - ▶ Final temperature
 - ▶ Each parameter will be selected on a separate screen and will be a single selection. Beverage type may require two levels for a sub-selection.
- 

► Select drink type:

Vino

Licor

Cava

Zumo

Cerveza

Agua

Refresco



► Select volume:

2L

75cl

1,5L

50cl

1,25L

33cl

1L

25cl



► Seleccione tipo de envase:

Plástico

Vidrio

Metal



► Temperatura inicial:

By default, it indicates the ambient temperature supplied by a probe.
The user can modify it using the + and – buttons.

Units are in degrees Celsius with one decimal place.

+
23,5 °C
–



► Temperatura final:

By default, it indicates the recommended serving temperature for the selected beverage.


The user can change it using the + and – buttons.

Units are in degrees Celsius with one decimal place.

+
4,5 °C
–



Datos a nivel de programación

- ▶ Reading of a temperature probe value that will appear as the default value for the initial temperature.
 - ▶ List of all input parameter combinations:
 - ▶ Beverage Type + Volume + Container Type
 - ▶ Each combination will have a consumption temperature value that will appear as the default value for the final temperature. It will also establish a selectable minimum temperature and will be linked to three tables with temperature and time values.
- 

Ejemplo de tabla de datos de entrada


Tipo Bebida	Subnivel Bebida	Volumen	Tipo de envase	Temp Consumo °C	Temp Congelación	Tabla 1	Tabla 2	Tabla 3
Cerveza	Rubia	1L	Cristal	3	-2	1001	2001	3001
Cerveza	Rubia	33cl	Cristal	3	-2	1002	2002	3002
Cerveza	Rubia	25cl	Cristal	3	-2	1003	2003	3003
Cerveza	Rubia	50cl	Metal	3	-2	1004	2004	3004
Cerveza	Rubia	33cl	Metal	3	-2	1005	2005	3005
Cerveza	Negra	1L	Cristal	3	-6	1006	2006	3006
Cerveza	Negra	33cl	Cristal	3	-6	1007	2007	3007
Cerveza	Negra	25cl	Cristal	3	-6	1008	2008	3008
Cerveza	Negra	50cl	Metal	3	-6	1009	2009	3009
Cerveza	Negra	33cl	Metal	3	-6	1010	2010	3010

Ejemplo de los valores de las tablas de temperatura – tiempo

	Tabla 1001	Tabla 2001	Tabla 3001
Temperatura	Tiempo	Tiempo	Tiempo
30	0	0	0
29	3	2	2,3
28	5	4	4,7
27	7	5,5	6,2
26	9	7,4	8,1
25	11	8	9,6

Tables 1XXX will be associated with element 1, tables 2XXX will be associated with elements 2 to 9 and tables 3XXX will be associated with element 10

- ▶ Suppose we select elements 1, 4, 6, and 10.
 - ▶ Drink type: light beer
 - ▶ Volume: 50cl
 - ▶ Container type: metal
 - ▶ "This would take us to the temperature-time tables 1004, 2004, and 3004."
 - ▶ The initial temperature is the temperature indicated by the ambient temperature probe, for example, 24.2 degrees.
 - ▶ The final temperature is -1 degrees.

 - ▶ For element 1, the time value from table 1004 for the temperature of -1 degrees will be taken and the time value for the initial temperature set to an integer value, in this case 24 degrees, will be subtracted. The difference will give the operating time.
 - ▶ For elements 4 and 6, the same time values will be taken, but from table 2004.
 - ▶ For element 10, the time values will be taken from table 3004.
- 

- ▶ Selecting a parameter will restrict the following options to the combinations existing in the programmed tables.
 - ▶ Once the cycle has started, the system will supply 12 or 24V power to the selected elements for the programmed time. The cycle cannot be interrupted.
 - ▶ The elements screen will be displayed with the selected elements in green to indicate they are in use.
 - ▶ A counter will indicate the remaining cycle time.
 - ▶ Elements that are not in use can be selected and programmed.
 - ▶ Once the cycle is complete, power to the element will be cut off and an alarm will sound.
- 

- ▶ Home screen showing the items in use and the remaining run time. Other items can be scheduled.

