


konspekt · a project, as a typed graph

One goal, worked in the open

A retrieval-quality project. Every box is a typed atom; every line is one edge in a single table.



The type system

Every atom in a konspekt graph is one of a small, closed set of types. This sheet gives the one question that selects each type, so the right one gets reached for and none goes unused.

● Data model

spec/data-model

Apache-2.0 · FINOS Labs

■ **Work nodes** `GraphNode.type` — what kind of work is this?

goal An outcome you are driving toward, with a condition that says when it is reached. feeds goal tree · child of decomposes	investigation Open-ended inquiry. You do not yet know the answer, or what would settle it. vs experiment: no stated expectation	experiment A designed test with the expected result stated before you run it. The outcome confirms or refutes. the discriminator: expectation up front
topic A standing area of attention that never completes. Things attach to it over time. vs goal: no completion condition	task A concrete, bounded unit of work with a clear done state. vs goal: bounded, not decomposed	note A lightweight marker on the work tree. Not a Noteworthy atom, and not the NOTES.md scratchpad. a node, not a finding

`status` open · active · resolved · abandoned — a node can sit under more than one parent; hierarchy lives in edges

■ **Noteworthy** `Noteworthy.kind` — what kind of finding is this? · arrives on a notes edge

fact Established. Holds independent of who said it.	statement Asserted by a source, not yet established.	decision A choice made. See the decision rule below.	assumption Taken as true, unvalidated. validate / refute moves it. <code>status</code> unvalidated · validated · refuted	constraint A limit that holds until lifted. <code>status</code> active · lifted
---	--	--	---	--

■ **Waypoints** the timeline axis — not part of the goal tree · arrives on marks

decision An inflection choice worth seeing on the timeline.	milestone A point reached.	pivot A change of direction.
---	--------------------------------------	--

The decision rule one decision, up to three representations — one rule for each	
<code>always</code>	a Noteworthy (kind: decision) — the atomic, always-true record
+ <code>if</code>	a Waypoint , when it is an inflection worth seeing on the timeline
+ <code>if</code>	a Node , only when it opens a branch of work to track

■ ■ **Concept & Artifact**

concept An idea with a label, definition, and aliases for dedup. Referenced through mentions, never copied — so cross-linking is automatic and the project inventory is free. referenced by mentions · associates via relates
--

artifact A produced output: name, kind, location, version. arrives on produces

One edge table from / to are entity refs · kind distinguishes them

<code>decomposes</code>	node → node · the goal tree
<code>mentions</code>	node → concept
<code>notes</code>	node → noteworthy
<code>produces</code>	node → artifact
<code>marks</code>	waypoint → node · the branch it sits on
<code>relates</code>	concept → concept · untyped, weighted
<code>links</code>	node → node · untyped, weighted
<code>supersedes</code>	entity → entity · the one truth-changing edge. proposed = flagged contradiction; accepted = confirmed replacement. Both stay — append over rewrite.

Derived views queries over edges, never stored

<code>project concepts</code>	concepts with any inbound mentions
<code>goal tree</code>	edges where kind = decomposes
<code>timeline</code>	waypoints ordered by timestamp
<code>open assumptions</code>	kind = assumption, status = unvalidated
<code>current items</code>	no inbound supersedes edge