

On Page Load Initially there are no saved versions The undo and redo buttons are disabled. The initial state of the theme is named State History Undo Redo my-design.1.0 my-design.1.0 ∇ My Design SAVE None ATOMS MOLECULES COMPONENTS ORGANISMS TEMPLATES CODE INTRODUCTION Atoms Add Colors to Palette ATOMIC SETTINGS Color Palette Build your extended color palette. Add as many colors as you want. Color Theme Next, you will create themes under the Color Theme settings. Sub Color Themes Typography Shadow Atoms Example Other Atoms Show Details **Light Mode Colors** 400 Dark Mode Colors Settings

The user clicks on save and/or after a predetermined duration of time (5 or 30 minutes if there is a difference in the theme), the history dropdown changes text from "my-design.1.0" to "my-design.1.1" (or something similar) Indicating the selected state of the theme.


The undo and redo buttons get enabled




When the user clicks on the dropdown the user will see the list of states saved. The user then selects the state the theme from that state is loaded.




When the user clicks on undo, the state goes back to the previous one in the history



If the user changes something going back to the old state, all the states after that will be removed and the redo button disables since the history changed



There will only be 20 (or a predetermined number) of saved states in the history to save memory



"Named" will only be created on click of the Save button. The popup will ask for a name and then permanently add it to the history dropdown

