



TDCS- Tax Data Communication Standard

Documentation

Table of Content

Introduction.....	4
Method.....	4
API Rate Limiting	4
Troubleshooting	4
API environment and access	4
API test environment	4
API production environment.....	4
User's access & keys.....	4
Updates/Changes	5
API environment and access	8
List of fields	10
Table's legend	24
Calculated fields definition.....	25
1. Calculation of TBCDOC when it's empty based on VATDOC.....	25
2. VATLOC - amount of VAT in the currency of the country of compliance	25
a. For sales or purchases of GOODS.....	25
b. For sales or purchases of SERVICES.....	25
3. TBCURL - Taxable amount in the currency of the country of compliance (local currency)	26
4. XCGRAT & XCGRAT2 - Exchange Rates.....	26
a. Source of data	26
b. Rule to apply for France as country of compliance	26
c. List of Exchange rates to display in admin as historical	26
d. Exchange rates for other country of compliance (different from France)	27
e. Cases.....	27
5. STAVAL & STADOC.....	28
Solde paiement Service	28
Les différentes déclarations	28
Déclaration TVA Nulle	28
Déclaration TVA à Néant	28

Introduction

Our API REST approach is instrumental in Eurotax's goal to establish a European standard for data communication, facilitating seamless integration between tax liable entities and Authorities. This standard is crafted to handle complex data structures, enabling a single payload to include comprehensive elements such as headers, footers, and detailed body data. Once received, this data is processed by Eurotax for compliance and then communicated to the relevant authorities.

Method

Interact with our API using HTTP method POST to create or update data, with request bodies formatted as per our detailed documentation.

Data submissions should align with our specified field list descriptions and formats, ensuring accuracy and efficiency in processing.

API Rate Limiting

Our API employs rate limiting to ensure consistent performance and availability for all users. In scenarios where rate limits are exceeded, resulting in HTTP 429 responses (Too Many Requests), clients are advised to implement a retry strategy with exponential backoff intervals. This ensures a balanced and responsible utilization of our API resources.

Troubleshooting

For any assistance regarding errors, queries, or test support, please contact our support team at extranet.support@eurotax.fr. We provide comprehensive support to ensure your effective and hassle-free integration with our API.

API environment and access

API test environment

- API endpoint => test-api.eurotax.fr
- Developer portal=> developer-test-api.eurotax.fr

API production environment

- API endpoint => api.eurotax.fr
- Developer portal=> developer-api.eurotax.fr

User's access & keys

A private key is assigned to each user and for each environment (one user key for production and one user key for test)

Updates/Changes

Date	Who	Details/explanations	Jira Ticket Number	Finreg progress done ?	TDCS Versioning
2024/04/10	BQ	Updated fields ITEM.EDCATE to allow value "O"	ETXADM-493		1.2
2024/04/10	BQ	Update ITEM.EDVOLU to allow value "KG"	ETXADM-522		1.2
2023/02/21	SM	ITEMS : New field OVRMAT → material of over packaging, as a list of values for "glass", "PET", "Aluminum", etc.	ETXADM-414		1.2
2023/02/21	SM	Items : new field OVRWHT → weight of over-packaging material, in kg	ETXADM-414		1.2
2023/02/21	SM	SUB-ITEMS : NEw field PKGMAT → material of primary packaging, as a list of values for "glass", "PET", "Aluminum", etc	ETXADM-414		1.2
2023/02/21	SM	SUB-ITEMS : new field PKGWHT → weight of primary packaging material, in kg	ETXADM-414		1.2
2023/02/16	SM	Ajout valeur MENTRA 9 pour own propulsion			
2023/01/24	SM	Changement calcul VATLOC en fonction de PAYMNT pour les services : Then $VATLOC = \frac{PAYAMT}{(1+VATRAT+1)} * XCGRAT2$ VATLOC = $(PAYAMT / (1 + VATRAT / 100)) * (VATRAT / 100) / XCGRAT2$	ETXADM-383		
2023/01/24	SM	Changement STAVAL = STADOC * XCGRAT STAVAL = STADOC / XCGRAT	ETXADM-382		
2023/01/24	SM	Changement calcul avec taux de change Then VATLOC =	ETXADM-382		

		TBCDOC * VATRAT / 100 * XCGRAT Then VATLOC = TBCDOC * (VATRAT / 100) / XCGRAT			
2023/01/24	SM	Changement calcul TBCURL avec taux de change : TBCURL = TBCDOC * XCGRAT TBCURL = TBCDOC / XCGRAT	ETXADM-382		
2023/01/03	SM	Ajout champ STADOC subitem value for statistical purpose in the currency of the document. Ajout calculated field STAVAL = STADOC * XCGRAT			
2023/01/02	SM	Ajout “_” pour définition des champs adresses _3RDNAM _3RDAD1 _3RDAD2 _3RDAD3 _3RDZIP _3RDCIT _3RDREG _3RDCTY _3RDTIN			
2022/12/16	SM	Ajout explications taux de changes et affichage taux de changes			
2022/12/07	SM	Add explanation for Tax ID values For EDA : either the OSS number plus 2 letters ISO code of country of compliance or VAT number of the country of compliance. For VAT : VAT number of the country of compliance			
2022/11/30	SM	Change format XCGRAT and XCGRAT2 : 5 decimals 11 digits and change the value of example :	ETXADM-262	To do	

		134567.00456 for xcgrat and 234567.00457 For XCGRAT2			
2022/11/2	SM	Calculation of TBCDOC when it's empty based on VATDOC			
2022/11/25	SM	Exchange rate case 5	ETXADM-246	To do	
2022/11/25	SM	Exchange rates case 3	ETXADM-245	To do	
2022/11/25	SM	Exchange rate case 4	ETXADM-244	TO do	
2022/11/25	SM	Déclaration à Néant	ETXADM-250	Progress	
2022/11/25	SM	Déclaration Nulle : Détection automatique de Déclaration Nulle et affichage du statut 'déclaration Nulle' dans SAVIP FOLDER INTRANET	ETXADM-247	Progress	
2022/11/23	BQ+NO M	Modification formule calcul VATLOC : $TBCDOC * VATRAT / 100 * XCGRAT$ Au lieu de : $TBCDOC * VATRAT * XCGRAT$	ETXADM-224	Done	
2022/10/27	SM	Ajout colone suivi 'Finreg progress done'	ETXADM-203	ok	
2022/10/25	SM	Mise à jour https://developer-test-api.eurotax.fr/ sur toutes les adresses non sécurisées pour API	No need		
2022/10/2	SM	CHange example value data EDCATE V instead of Wine still	ETXADM-204	Done	
2022/10/14	SM	Addiition of data example for EDA	No need		
2022/10/14	SM	Change of format for ORDEN: Alphanumerical, up to 40car. Nullable intead of numeric 11 digits, 2 decimals	ETXADM-199	Done	1.2

2022/10/12	SM	Addition of paragraph : API environment and access	No need		
2022/10/12	SM	New field XCGRAT2 : exchange rate for payment of services	ETXADM-191	Done	1.2
2022/10/11	SM	PAYCUR : new field	ETXADM-191	Done	1.2
2022/10/10	SM	Addition of a specific case of calculation for VATLOC in case of services.	ETXADM-197	Done	1.2
2022/10/10	SM	Addition of a new field 'paid amount' used only for services : PAYAMT	ETXADM-191	Done	1.2
2022/10/07	SM	Update API doc and sets of data with fields changes and notify EDA customers	ETXADM-191		1.2
2022/10/07	SM	Addition of new field CARIER , Text field, no condition, Nullable and used only for EDA	ETXADM-191	Done	1.2
2022/10/07	SM	Change YOUREF by SADREF Text field, no condition, Nullable and used only for EDA	ETXADM-191	Done	1.2
2022/10/06	BQ	Changes to field DOCTYP - > Modified "import" with new value "import_pay" -> Added new value "import_rc" value	ETXADM-191	Done	1.2
2022/10/04	SM	Addition of Column ECSL Services In the page of list of fields. This column is only used for the declaration of Service in France called DES.	No need		
2022/10/04	SM	signification of letters and color of the list of fields for the columns on the right	No need		
2022/10/03	BQ	Addition of a new field PAYDAT	ETXADM-184	Done	1.2

List of fields

Field name	Label	Data	description	Example of data(EDA)	VAT	STAT	EDA	ECSL	ECSLServices
TIDNUM	Tax ID	Alphanumerical, up to 20 car. Symbols and Spaces NOT are replaced ***MANDATORY*** If no data record rejected.	Tax Identification Number of the company in the country of compliance to be accounted, European format. For EDA : either the OSS number plus 2 letters ISO code of country of compliance or VAT number of the country of compliance. For VAT : VAT number of the country of compliance	FR66332089218	CLT	CLT	CLT	CLT	CLT
TIDAGG	Tax ID of Aggregator (Excise or other)	Alphanumerical, up to 20 car. Symbols and Spaces NOT are replaced	Tax Identification Number of the company in the country of compliance to be accounted, European format.	FR66332089218	CLT	CLT	CLT	CLT	CLT
TIDEST	Tax ID of Destinatary (Excise)	Alphanumerical, up to 20 car.	Excise Identification Number of the	FR66332089218	CLT	CLT	CLT	CLT	CLT

		Symbols and Spaces NOT are replaced	Destinatory, European format.						
CMPAUT	Compet_Auth.	Alphanumeric, up to 250 car. Symbols authorized Spaces authorized	Competent Authority in Member State of delivery	Eurotax will give you this value			ERTX		
OPERAT	Oper_direction	Available values for field OPERAT « receivable » « release »	Operation : → All documents received from suppliers or Authorities, such as purchase invoices, import documents, etc. → All documents release by the company to be accounted : sales invoices, export document, etc.	release	CLT	CLT	CLT		CLT
DOCTYP	Doc_type	Available values for field DOCTYP « invoice » « crenote » « Import_pay» « Import_rc» « export » « proforma »	Type of Document : → Invoice → Credit note → Import document with payment → Deffered Import document → Export document → Proforma invoice	crenote	CLT	CLT	CLT		CLT

DOCNUM	Doc_num	Alphanumeric, up to 100car. Symbols and spaces authorized ***MANDATORY*** If no data record rejected.	Identification number of the document	20220503-21	CLT	CLT	CLT	CLT
DOCDAT	Doc_date	YYYYMMDD, not null. ***MANDATORY*** If no data record rejected.	Exact date of the document	20220503	CLT	CLT	CLT	CLT
SUPDAT	Supply date	Nullable ; YYYYMMDD	Supply date, optional		CLT			
ETADAT	Estim _deliv_date	Nullable; YYYYMMDD	Estimated date of delivery, if required	20220513			CLT	
PAYDAT	Payment_date	Nullable; YYYYMMDD	Date of Payment		CLT			CLT xcgrat
PAYAMT	Paid_amount	Numerical, 11 digits, 2 decimals Nullable;	For sales or purchases of services only : amount paid by customer		CLT			
PAYCUR	Payment_currency	Currency code (ISO 4217)	Currency of payment		CLT			
XCGRAT2	Exch_rate_payment	Nullable; Numerical, 11 digits with 5 decimals	Exchange rate applied payment of services currency towards COMPLIANCE currency	234567.00457	CLT or Intra			CLT or Intra
DELDAT	Real deliv_date	Nullable; YYYYMMDD	Date of delivery	20220514			CLT	
ORIREF	Orig_inv_note	Alphanumeric, up to 100car. Nullable;	Identification number of original invoice (for credit notes)	20220402-001	CLT	CLT	CLT	CLT

ORIDAT	Orig_inv_note date	Nullable; YYYYMMDD	Date of original invoice (for credit notes)					
GDSSRC	Good/service	Available values for field GDSSRC « good » « service » Nullable;	Type of transaction : ➔ Related to goods ➔ Related to services	good	CLT	CLT	CLT	
STARTC	Disp/render from	Country code (ISO 3166) Nullable;	For goods, Territory from which goods are starting the dispatched For services, where the supplier is located. For goods starting dispatch outside EU, the Member State of entry in EU is deemed as the starting point of dispatch	FR	CLT	CLT		
DESTIN	Disp/render to	Country code (ISO 3166) Nullable;	For goods, Territory where goods are being dispatched For services, where the service is rendered (destinatory or place of supply)	FR	CLT	CLT		
STAZIP	Zip code disp./arrival	Nullable; numeric, integer (2digits) Nullable;	Area geographical code for customs purposes : area of arrival or dispatch (usually, the 2 first digits of the ZIP code)		CLT			
STREGI	Statistic regime	Numeric, integer (2digits) Nullable;	Customs Regime for statistical use only		ERTX			

NATRAN	Nature of transact.	Available values for field NATRAN « definitive » « temporary » Nullable;	Nature of Transaction		ERTX			
_3RDNAM	3rd party name	Alphanumerical, up to 100car. Nullable;	Customer or supplier name	CUSTOMERNAME	CLT	CLT	CLT	
_3RDAD1	3rd party adrs1	Alphanumerical, up to 100car. Nullable;	Customer or supplier address line 1	ADRESS1		CLT		
_3RDAD2	3rd party adrs2	Nullable; Alphanumerical, up to 100car. Nullable;	Customer or supplier address line 2	ADRESS2		CLT		
_3RDAD3	3rd party adrs3	Nullable; Alphanumerical, up to 100car. Nullable;	Customer or supplier address line 3	ADRESS3		CLT		
_3RDZIP	3rd party zip code	Alphanumerical, up to 100car. Nullable;	Customer or supplier zip code	75008		CLT		
_3RDCIT	3rd party city	Alphanumerical, up to 100car. Nullable;	Customer or supplier city	PARIS		CLT		
_3RDREG	3rd party region	Alphanumerical, up to 100 car. Nullable;	Customer or supplier province/region	ILE DE FRANCE		CLT		
_3RDCTY	3rd party country	Country code (ISO 3166) Nullable;	Country of Customer or supplier	FR		CLT		
_3RDTIN	3rd party Tax ID	Alphanumerical, up to 40car.	Customer or supplier TAX identification number.	FR68562070722	CLT	CLT	CLT	

Nullable;

This is the VAT number of your customer in the EU Member State of the transaction. The number is identical to the one which you state in your VIES declaration for the VAT administration. You should always enter the full VAT number with country code but without spaces, full stops or other punctuation marks.

Usually the country code of your customer's VAT number will match the country code of the Partner Country. Except where triangular trade transaction.

ISREGI	3rd party registered?	Available values for field ISREGI « N » « Y » Nullable;	Customer or supplier is registered for VAT purpose → No → Yes	Y	CLT	CLT	
TBCURL	Taxbl amnt (compl.)	Numerical, 11 digits, 2 decimals Nullable;	Taxable amount (local currency : where compliance is due)		CALC	CALC	CALC
CURRLC	Currency code (compl.)	Currency code (ISO 4217)	Local currency, default « EUR » : where compliance is due		SET	SET	SET

VATLOC	VAT amount (comp.l)	Nullable; Numerical, 11 digits, 2 decimals	VAT amount (local currency : where compliance is due)		CALC	CALC	CALC	CALC	
VATRAT	VAT rate	Nullable; Numerical, 4 digits, 2 decimals	VAT rate, expressed in	20.00	CLT	CLT	CLT	CLT	
AMNTLC	Total amount	Nullable; Numerical, 11 digits, 2 decimals	Total amount (local currency)		CALC		CALC		
XCGRAT	Exch_rate	Nullable; Numerical, 11 digits with 5 decimals	Exchange rate applied towards COMPLIANCE currency	134567.00456	CLT or Intra	CLT or Intra	CLT or Intra	CLT or Intra	CLT or Intra
TBCDOC	Taxbl amnt (doc.)	Numerical, 11 digits, 2 decimals Nullable;	Taxable amount (value on document)	53.96	CLT	CLT	CLT	CLT	CLT
VATDOC	VAT amnt (doc.)	Numerical, 11 digits, 2 decimals Nullable;	VAT amount (value on document)			calc			
AMTDOC	Total amount (doc.)	Numerical, 11 digits, 2 decimals Nullable;	Total amount (value on document)						
CURDOC	Currency code (doc.)	Nullable; Currency code (ISO 4217)	Currency on document	USD		CLT	CLT		CLT
EXEMPT	Exempted ?	Available values for field EXEMPT « N » « Y » « S » « F » Nullable;	If exempted transaction	S		ERTX	CLT		
INCOTM	incoterm	Default « NULL » Available values for field INCOTM EXW	Incoterm ** 2020 **, if existing → Ex Works			CLT			

FAS	→ Free Alongside Ship
FCA	
FOB	→ Free Carrier
CFR	→ Free On Board
CIF	→ Cost and Freight
CIP	→ Cost, Insurance and Freight
CPT	→ Carriage and Insurance Paid To (a named destination)
DAP	
DPU	
DDP	→ Carriage Paid To (a named destination)
	→ Delivered At Place
	→ Delivered At Place Unloaded
	→ Delivered Duty Paid
Nullable;	

TRNCLA

Stat_class

Default « NULL »

Available values for field TRNCLA

« T »

« S »

« R »

« F »

Nullable;

Statistical info, transaction classification :

→ Transfer of ownership

→ No transfer of ownership

→ Return or replacement

→ Free of charge

CLT

TRNSUB	Stat_subclass	Default « NULL » Available values for field TRNSUB « B » « A » « V » « M » Nullable;	Statistical info, transaction sub classification : ➔ Sent or returned before processing ➔ Received or returned after processing ➔ No movement of good (credit not reducing value, etc.) ➔ Movements of goods	
CARRIER	carrier	String Up to 100 car Nullable;	name of the carrier	FEDEX EXP
SADREF	references	String 20 ; Nullable;	Option : Your SAD references	DSA-BZ2388289
ORDERN	order number	Alphanumerical, up to 40car. Nullable;	Option : Your order number	ORD-1123987
CMMNTS	comments	String 1000 ; Nullable;	Option : comments	
TBLOC2	Opt_taxbl_amount2 (compl.)	Numerical, 11 digits, 2 decimals; Nullable;	Option : Taxable base 2 (compl.)	
VAT2LC	Opt_vat_amount2 (compl.)	Numerical, 11 digits, 2 decimals; Nullable;	Option : VAT amount 2 (compl.)	

CLT	
?	CLT
	CLT
	CLT

VATRT2	Opt_vat_rate2	Default « NULL »; Numerical, 4 digits, 2 decimals	Option : VAT rate 2	
TBDOC2	Opt_taxbl_amount2 (doc.)	Numerical, 11 digits, 2 decimals; Nullable;	Option : Taxable base 2 (doc.)	
VAT2DC	Opt_vat_amount2 (doc.)	Numerical, 11 digits, 2 decimals; Nullable;	Option : VAT amount 2 (doc.)	
OVRMAT	Over_pkg_material	Default « NULL » Available values for field OVRMAT « glass » « pet » « aluminium » Nullable;	material of over packaging → Glass → PET → Aluminium	glass
OVRWHT	Over_pkg_weight	Default « NULL » Numerical, 4 digits, 2 decimals; Nullable;	Weight in Kilograms of over packaging material	2.58
Subitems	include following fields within one single bracket { " *nested data here* " } Please note that the Sub Items are compulsory only for companies pulling data relative to statistical declarations, excise duties, or payment management.			
QUNTTY	Quantity	integer 3 digits, no decimal	Number of subitems	130

CLT CLT

NOMENC	Nomenclature	Nullable; integer 10 digits	Customs code of the goods	22042178	CLT	CLT
QTYTYP	Type of QTY.	Text value; alphanumeric 3 car.	Type of units (liters, units, Kg, m)	Liters = LIT; Units= UNS; (to be used when no Intrastat is due) Kilogram = KGR; Meters = MTR; aluminium	CLT	
PKGMAT	Prim_material_type	Default « NULL » Available values for field : “glass” “PET” “aluminium” Nullable	material of primary packaging, ➔ Glass ➔ PET ➔ Aluminum			
PKGWHT	Prim_material_weight_Kg	Default « NULL » Nullable; Numerical, 7 digits, 2 decimals	Weight in Kilograms of material of primary packaging.	20.54		
DESCPT	Description	Nullable; alphanumeric 140 car.	Description of the goods	Amarone della Valpolicella Classico DOCG 2012	CLT	CLT
EDCATE	Excise D category	Nullable; Available values for field EDCATE « B » « V » « W » « F »	Excise duties : category of product ➔ Beer ➔ Wine (still) ➔ Wine (sparkling) ➔ Other fermented products	V		CLT

		« I »	→ Intermediary products	
		« A »	→ Alkopops and premix	
		« S »	→ Spirits (Ethyl)	
		« C »	→ Coffee	
		« O »	→ Other products	
EDVOLU	Excise D liters	Nullable; Numerical, 7 digits, 2 decimals	Excise duties : volume of finished product (in LITER or KG)	0,75
EXDABV	Excise D Alcohol by vol.	Nullable; Numerical, 4 digits, 2 decimals	Alcohol By Volume (in %)	15,00
EXDRAT	Excise D rate	Nullable; Numerical, 4 digits, 2 decimals	Excise duties : Rate to be applied in local currency	
EXDRUL	Excise D calculation	Nullable; Available values for field EXDRUL « F » « A » Nullable;	Excise duties : calculation method → By ltr. of finished product → By liter of pure alcohol	
EDPLAT		Nullable; Numerical, 4 digits, 2 decimals	For beer only : Degree PLATO	8,6
NETWGH		Nullable; Numerical, 7 digits, 2 decimals	Net weight (in Kg)	
GROWGH		Nullable; Numerical, 7 digits, 2 decimals		
EDAMNT		Nullable; Numerical, 7 digits, 2 decimals	Excise duties : amount of subitem in local currency	
SUBINC		Nullable; Alphanumeric 3 car.	Incoterm of item if different from main document.	

	CLT
	CLT
	ERTX
	CLT
CLT	
CLT	
	ERTX
CLT	

	See « INCOTM » for possible values	See « INCOTM » for possible values	
SREGIO	Nullable; Alphanumerical 2 car.	Statistical : Region of delivery	CLT
SORIGI	Country code (ISO 3166) Nullable;	Statistical : Origin (if distinct from main document) This is the country where the goods were harvested or manufactured or where they were processed in such a way that a new product with a different commodity code emerged. The country of origin may be either an EU Member State, Belgium included, or a country outside the EU.	CLT
SDESTI	Country code (ISO 3166) Nullable;	Statistical : Destination (if distinct from main document)	CLT
MENTRA	Nullable; Integer 1 digit. Available values for field MENTRA 1 2	Means of Transport : ➔ Sea transport (including wagons, motor vehicles, trailers, semitrailers or lighters on board a ship)	CLT

- | | |
|---|-------------------|
| 3 | → Railway |
| 4 | transport |
| 5 | (including trucks |
| 7 | on railway |
| | wagons) |
| 8 | → Road transport |
| | → Air transport |
| | → Postal |
| | consignments |
| | → Fixed transport |
| | devices (e.g. |
| | pipeline, high- |
| | tension cables) |
| 9 | → Inland waterway |
| | transport |
| | → Own propulsion |
| | (for goods that, |
| | when imported |
| | or |
| | exported, cross |
| | the border under |
| | their own power, |
| | such as |
| | airplanes, trucks |
| | and ships) |

STAVAL

Numerical, 11 digits, 2
decimals;
Nullable;

Option : Statistical value.
Compulsory for statistical
declarations. **Value in
EUR.**
If transport and
insurance costs are
included in the price of
the goods, you do not

CLT or
CALC

		have to make any additional calculation or estimate in order to deduct them. However, if they are separately known (e.g. stated on a separate line on the invoice), transport and insurance costs may not be included in the value of the goods.	
STADOC	Numerical, 11 digits, 2 decimals; Nullable;	Option : Statistical value. Compulsory for statistical declarations. Value currency of the document	
FISVAL	Numerical, 11 digits, 2 decimals; Nullable;	Option : Fiscal value. Compulsory for statistical declarations. EUR. Total value.	CLT or CALC

Table's legend

The **green color** indicates if the field is useful for the declaration.

Letters Signification in the list of fields in the green colors :

- CLT means that the data is filled by the CLIENT.
- ERTX means , that the data is filled by EUROTAX.
- Calc means that the data is calculated by the intranet system.
- Set means that the value of the data is set by user in the Intranet system.

Calculated fields definition

1. Calculation of TBCDOC when it's empty based on VATDOC

If GDSSRC = "good" and TBCDOC is empty and VATDOC $\neq$ 0

Then $TBCDOC = VATDOC / VATRAT * 100$

2. VATLOC - amount of VAT in the currency of the country of compliance

a. For sales or purchases of GOODS

If GDSSRC = "good" and TBCDOC $\neq$ 0

~~Then $VATLOC = TBCDOC * VATRAT / 100 * XCGRAT$~~

Then $VATLOC = TBCDOC * VATRAT / 100 / XCGRAT$

b. For sales or purchases of SERVICES

New condition for services only : for sales or purchases of services, the VATLOC calculation has to be based on the PAYAMT field and there is a condition on the date of payment : PAYDAT.

If PAYDAT is different of Nulla and is older or included in the period of declaration, then we take into consideration de VAT amount paid by the customer as the basis to calculate the VATLOC.

If PAYDAT is over the period of declaration then the imported item cannot be used for the declaration. This item will be used for the period of declaration that includes the PAYDAT.

PAYAMT is the amount paid by customer including the VAT amount paid by customer.

The PAYAMT is paid in the currency indicated in the field PAYCUR. And the exchange rate to apply to convert from PAYCUR to currency of compliance is XCGRAT2.

If GDSSRC = "service" and VATRAT $\neq$ 00.00 % and XCGRAT2 $\neq$ 00.00%

~~Then $VATLOC = PAYAMT / (1 / VATRAT + 1) * XCGRAT2$~~

$VATLOC = (PAYAMT / (1 + VATRAT / 100) * (VATRAT / 100)) / XCGRAT2$ corrigé le 20/01/2023

Pay attention to apply the right XCGRAT2 cause the currency of the paid amount PAYCUR can be different from CURDOC.

3. TBCURL - Taxable amount in the currency of the country of compliance (local currency)

~~TBCURL = TBCDOC * XCGRAT~~

TBCURL = TBCDOC / XCGRAT

4. XCGRAT & XCGRAT2 - Exchange Rates

a. Source of data

Use exchange rates data of BCE API Banque centrale Européenne.

b. Rule to apply for France as country of compliance

If XCGRAT/XCGRAT2 are not supplied by customer in the data we receive and different from 1, then we have to autofill them with data of BCE database.

The Exchange rates of each currency are taken from the before last wednesday of month before DOCDAT month.

- *Example exchange rate value for VAT declaration of October 2022.*

3 documents dated from 13, 14 and 20 September 2022.

The corresponding XCGRAT for these 3 documents is the XCGRAT of the last wednesday of August 2022.

1 document dated from 02 May 2022

The corresponding XCGRAT for this document is the XCGRAT of the last wednesday of April 2022.

c. List of Exchange rates to display in admin as historical

The user will add a list of currencies he wants to use to convert to EUR for France as country of compliance.

The system will automatically look for the exchange rates corresponding to convert each listed currency into France compliance currency (EUR) and will use the rule of the before last wednesday of each month for the value of the exchange rates.

In the future it will be possible to manage different countries of compliance and maybe another rules different from the before last wednesday of the month.

d. Exchange rates for other country of compliance (different from France)

--> vérifier avec Benoit et Nabila quels sont les taux de changes à prendre en compte pour chaque pays de déclaration.

e. Cases

Case1 : the XCGRAT > 0

In this Case we use the value of XCGRAT available in the data sent by the customer

Case 2 : the XCGRAT2 > 0

In this Case we use the value of XCGRAT2 available in the data sent by the customer

Case 3 : If XCGRAT < 0 or XCGRAT2 < 0

Control the value of the XCGRAT, negative values are not allowed. Data validation has to indicate that the negative value is not allowed.

Case 4 : the XCGRAT = 0 or empty and GDSSRC = "good" or GDSSRC = "service"

- If CURDOC = CURRLC

Then autofill XCGRAT = 1

- If CURDOC <> CURRLC

Then autofill XCGRAT with the value of data of the before last wednesday of the before month of DOCDAT.

Example : country of compliance = FRANCE

DOCDAT = 16/11/2022 and XCGRAT = 0 or empty and GDSSRC = "good" and CURDOC<> CURRLC

Then look for the XCGRAT in BCE data base of the before last wednesday of October 2022 (it is the 19/10/2022) for conversion from CURDOC to CURRLC.

Case 5 : the XCGRAT2 = 0 or empty and GDSSRC = "service" : XCGRAT2 autofill

- If PAYCUR = CURRLC

Then autofill XCGRAT2 = 1

- If PAYCUR <> CURRLC

Choose the corresponding exchange rate XCGRAT2 for the service country of compliance based on the PAYDAT and PAYCUR and apply rule of the country.

Example : for VAT COMPLIANCE in COUNTRY = FRANCE

SAVIP country = FRANCE and DOCDAT = 16/06/2022 and PAYDAT = 16/09/2022 and XCGRAT = 0 or empty and GDSSRC = "service" and CURRLC <> PAYCUR

Rule for Country of compliance = FRANCE : Then look for the XCGRAT2 in BCE data base of the before last wednesday of August 2022 (it is the 24/08/2022) for conversion of PAYCUR to CURRLC.

5. STAVAL & STADOC

STADOC is the statistical value of a subitem in the currency of the document.

STAVAL is the staitiscal value of a subitem in the currency of compliance.

~~STAVAL = STADOC * XCGRAT~~

STAVAL = STADOC / XCGRAT

Solde paiement Service

--> définir les soldes paiement service ici

Les différentes déclarations

Déclaration TVA Nulle

If Montant de TVA collectee – Montant de TVA deductible = 0 et que crédit reporté = 0 alors la déclaration est considérée comme étant une déclaration NULLE.

Déclaration TVA à Néant

Déclaration sans data et sans crédit reporté

Déclaration avec une case néant cochée en première page de CA3

