

rf
gh
portafolio

ROXANA FIORELLA GUILLEN HURTADO

Urban Designer and Geospatial Data Scientist with three years of experience in large-scale urban and landscape projects. Skilled in **concept design, masterplanning, and visualisation**, integrating **GIS, spatial analysis, machine learning, and urban simulation** into design workflows to support clear, data-driven urban and environmental decision-making.

contact

LONDON, UK

✉ guillen.fiorella@outlook.com

☎ +44 7448054155

🌐 [linkedin.com/in/fiorellaguillenh/](https://www.linkedin.com/in/fiorellaguillenh/)

🐙 github.com/fiorellaguillen

You can access an interactive version
of my portfolio at:

fiorellaguillen.github.io/portfolio/

education

MSc Urban Spatial Science

Class of 2025 | UCL - The Bartlett Centre for Advanced Spatial Analysis

Bachelor in Architecture

Class of 2021 | PUCP - Faculty of Architecture and Urbanism

Movetia Workshop

2022 | PUCP & Bern University of Applied Sciences (BFH)

Study-Abroad Semester | MSc. ITECH

2018-19 | University of Stuttgart

Adaptive Transport Machine Workshop

2017 | Architectural Association Visiting School

awards & accreditations

Registered Architect

Peruvian Association of Architects

Bicentennial Generation Scholarship

Peruvian Government

International Grand Prize for Sustainable Urban Design

V Edition of the Architectural and Urban Sustainable Design Award - ADUS 2021

Circular economy and sustainability

International Biennial of Architecture and Urbanism - CAP, Peru

2022 & 2018 Excellence award

Faculty of Architecture and Urbanism PUCP

skills

Programming

Python

R

SQL

Netlogo

Google Earth Engine

Design Software

Autocad

Archicad

Sketchup

Rhinoceros

Grasshopper

Illustrator

Photoshop

InDesign

Lumion

Premiere

Languages

Spanish - native

English - C1

German - B1

A Computer Vision Framework for Urban Façade Analysis

LIMA, PERU


This project, developed as my MSc dissertation, in a partnership between CASA-UCL and ERAco, explores how **computer vision and open geospatial data can be used to measure façade porosity**: the degree to which buildings visually and physically engage with the street, in data-scarce urban contexts.

In many cities, especially in the Global South, blank walls and closed façades are known to affect walkability and street life, yet these spatial qualities are difficult to quantify systematically. My dissertation addressed this challenge by developing a computer vision pipeline capable of analysing façade openness at scale using open-source street-level imagery.


Façade porosity in Lima's streets



Segmentation results of the Computer Vision model developed




Proposed reproducible pipeline



The workflow combined crowdsourced street imagery (Mapillary) with semantic segmentation models (DeepLab-V3+) to classify façade elements and compute a “porosity index” representing the proportion of open versus closed surfaces along the street edge. To adapt the model to Lima’s urban morphology, a new annotated dataset of 100 street-view images was created and used to fine-tune the segmentation model, a first of its kind for the city, and a key milestone considering that most existing models are trained on Global North data.

The resulting model was applied to Breña, Lima, **enabling the analysis of thousands of street-view images in seconds**. The porosity index revealed clear spatial patterns that correlate with different urban typologies and levels of street activity. **The project demonstrated the feasibility of low-cost, replicable computational approaches for urban analysis in contexts where traditional data collection is limited.**

Proposed pipeline, step by step



Cycling Accident Severity in London




LONDON, UK

This study examines the **spatial distribution of cycling accidents in London, categorized by severity**. Using Kernel Density Estimation (KDE), it visualizes **high-risk zones** and introduces a **ranking tool to identify the most dangerous intersections for cyclists**, supporting evidence-based traffic safety prioritization.

To explore the key factors influencing accident severity, a regression analysis was conducted. The results reveal an inverse correlation between severe accidents and rush hour periods, indicating that time of day significantly shapes accident severity patterns.

An interactive version of the analysis can be found at:

https://fiorellaguillen.github.io/portfolio/projects/urban-data-science/cycling_accidents.html



London Bikesharing System

Agent-Based Model

CITY OF LONDON, LONDON, UK

This agent-based model, developed in NetLogo, simulates bikesharing dynamics in the City of London to assess how **access to real-time information via a mobile app affects user behavior and system performance**. The model uses spatially explicit data to compare informed and uninformed users in terms of trip success, time efficiency, and rerouting behavior.

Through this project, I integrated urban mobility data, behavioral modeling, and simulation techniques to support data-driven transport planning.

A simulation of the model can be found at:

<https://fiorellaguillen.github.io/portfolio/projects/urban-data-science/bikesharing.html>



White-crane Habitat Monitoring App

EAST ASIA

This interactive tool was developed to **identify and map key habitat hotspots for the migratory White-naped Crane across East Asia**, with a particular focus on **areas outside formal nature reserves**.

By integrating GPS tracking data with environmental indicators extracted from satellite imagery - such as vegetation cover, temperature, pollution levels, and water availability - it **assesses the ecological condition of these habitats and provides strong, data-driven support for off-reserve conservation efforts**.

Built on Google Earth Engine, the application features an intuitive interface that allows users to define custom regions along the migration corridor and explore seasonal and spatial trends in crane density and habitat quality.

More information on the app and how it was built is available at:
https://lzq407.github.io/CASA0025_Project_Template/


The app is available at the following link:
<https://casa25gw.projects.earthengine.app/view/cranes-in-transit>



Legend

- Hotspots Outside Reserves
- Hotspots Inside or Partially Inside
- Migration Corridor
- Nature Reserves

Layers

- ☒ Filtered Hotspots Intersecting Reserves
- ☒ Filtered Hotspots Outside Reserves
- ☒ Migration Corridor
- ☒ Country Borders
- ☒ Nature Reserves





Master Plan for the Rímac River

LIMA, PERU

The **Rímac River Landscape Project** (PEPRR) is one of Lima's most ambitious urban initiatives, including 66 key interventions, from local parks and plazas to major avenues and emblematic public spaces. To guide the project, a comprehensive master plan was developed, integrating urban, social, transport, and heritage considerations to identify strategic opportunities for sustainable transformation.

The core objective was to **restore the Rímac River as a vital ecological and urban axis** through a connected system of inclusive, sustainable public spaces and a mobility network focused on pedestrians and public transport. The project includes 28 safe and resilient public spaces that address service access gaps, while also preserving Lima's rich natural and cultural heritage, spanning pre-Hispanic to contemporary periods, and boosting tourism and local economic activity.

My contribution involved direct participation in **stakeholder and community engagement, shaping design guidelines, identifying strategic intervention opportunities, developing graphics and renders, designing sustainable mobility guidelines, and managing the project's visual communication.**



Perú
country

Lima
region


Lima
province



Master Plan





Project indicators





Potential interventions identified

66 Interventions



Bike lane network proposal



General renders of the Rimac River Masterplan

1. View of the Rimac River redesign, including the new Chabuca Granda Promenade and the Estancos de Sal park.

2. View of the project's impact on the Rimac district, including the revegetation of its streets and San Cristobal hill.



Connecting the master plan to the city's networks



Participatory design and stakeholder meetings





Hydrogeo-morphological Manual for the Rímac River

LIMA, PERU

Developed as part of the **Rímac River Landscape Project**, this study serves as a foundational tool for proposing interventions along the riverbed and banks of the Rímac River. It offers an initial approach to formulating strategies and general guidelines that strengthen the relationship between the Rímac River and the Historic Center of Lima (CHL).

The study includes a comprehensive analysis from historical, hydrological, hydraulic, geomorphological, and landscape perspectives.


Based on this diagnosis, a set of **guidelines** was proposed **for the management and planning of urban-riverine spaces**. These aim to mitigate risks related to erosion and flooding, while restoring the Rímac River's role as a vital hydrological, environmental, and landscape resource.



*Hydrological maps of the Rímac River
(from top to bottom)*

1. Hydraulic variable diagnostics by study segments
2. Maximum flow velocities of the Rímac River
3. Flow depth during flood season of the Rímac River

Summary of the suggested interventions



Ayabaca Street

Urban Mobility and Public Space Improvement


LIMA, PERU

This project focused on **enhancing sustainable urban mobility and revitalizing public space along Ayabaca street**, within the district of Rimac in Lima. The intervention redefines the street as a space for people rather than cars, connecting it with nearby landmarks such as the Barraganes square and the adjacent church, while reinforcing local heritage elements like old tram lines and religious routes.

The proposal promotes walkability, expands green areas, and introduces new public uses such as playgrounds, sports zones, and community gardens. Sidewalks and streets are reconfigured to respond to current mobility needs, and the public realm is upgraded with urban furniture, lighting, and vegetation.

Integrated into the broader urban and heritage projects of the PEPRR, this intervention **aims to reactivate neighborhood life, enhance cultural value, and improve the overall quality of the urban environment.**

14 units



New trees

204 m²

Green areas

9 units



Communal gardens

79 m²

Kids playgrounds

24 m²



Sports zone

315 m²

Rest & stay areas



Renders of the project and participatory process photos




Project's plan and main strategies



CONNECT

Safe pedestrian-priority circulation, with a green axis of planters and trees




REACTIVATE

Through seating areas, recreational spaces, playgrounds and sport zones



REVALUE

Historic tram lines and the urban grids of Cercado de Lima and Rímac



Alternative urban model for Bajo Belen


IQUITOS, PERU

This research, developed as my bachelor degree's thesis, proposes a **sustainable and adaptive urban model to address the challenges faced by the flood-prone neighborhood of Bajo Belen**, a cultural and economic hub in the Peruvian Amazon.


Amid threats of relocation and the loss of territorial identity, the model aims to preserve the essence of Bajo Belen while avoiding current issues such as disconnection, overcrowding, and vulnerability to flooding.

The proposal consists of a **two-scale intervention**: first, a master plan with three key intervention areas: connector area, residential area, and a mitigation & landscape border, and transversal axes to integrate them; second, an urban and architectural design framework for elements like commerce, roads, housing, communal spaces, docks, and pools, tailored to local techniques, climate, and culture.


This intervention demonstrates the potential for **a new way of inhabiting the river**, preserving social, economic, and environmental connections while ensuring a safe and dignified future for the community.




Plan and isometric views of the three key intervention areas




Connector area



Residential area




Mitigation & Landscape border




Proposed housing typologies


level 1




level 2




level 3




level 4




level 5




level 6




level 1




level 2




level 3




level 4



level 5



level 6



Illustrations of the project's main areas





Santa Rosa Park Urban Revitalization

LIMA, PERU

This project reimagines Santa Rosa Park and its surrounding streets - an area of historical, urban, and social significance in Lima's Historic Center, where the current car-centric design has diminished its heritage value and limited pedestrian and cyclist access.

The proposal prioritizes **sustainable and active mobility as a strategy for revitalization**. Key interventions include diverting vehicular traffic away from Jr. Conde de Superunda, creating a shared street with widened sidewalks, and improving pedestrian connectivity between the park and the Basilica.

A new bikeway will link the area to the Rímac River, while adjacent blocks will be upgraded with greenery and street furniture to foster local community life. The redesign of the park includes a unified layout that enhances the central plaza, integrates the Basilica's presence with landscaped buffers, and highlights the historic Monserrate canal through special paving.

By integrating urban design with heritage conservation and mobility strategies, the project aims to **strengthen the identity of this emblematic space and improve quality of life for its residents**.




General plan of the project



Project indicators


Santa Rosa Park indicators

6023 m2



Redesigned public space

50 units



New trees

2600 m2



New green areas

Santa Rosa streets indicators

2280 m2



Redesigned public space

14 units



New trees

29 units




New street furniture

Current situation of the intervention area



Environmental benefits of the project



Renders of the park's redesign



Park redesign strategies

CONECTIVITY

Single platform connects the square with the street and basilica

GREEN AREAS

Integrate green space across three planters and expand vegetation

TREES


Include native species with environmental benefits

PAVING

Paving rhythm that relates to the church and materials according to master plan

FURNITURE

Benches along the sides of the square and floor details to guide flows




Park sections



Strategies for the streets project


CONNECTIVITY

Single platform will give priority to pedestrians and connect with the square




VEGETATION

Add new trees of native species that will improve shade in urban spaces




PAVING

Paving materials according to master plan and related to contiguous projects




FURNITURE

Add street furniture to improve lighting and provide resting spaces



Changes on the streets sections



Renders of the streets redesign




Tacna Avenue Redesign

LIMA, PERU

This ongoing project, developed as part of the Rímac River Special Landscape Project (PEPRR), reimagines **Tacna and Prolongacion Tacna Avenues** as one of the main gateways to Lima's Historic Center and the Rímac district. Building on the central segregated bus corridor proposed by ATU, the intervention enhances the plan by **introducing key urban design strategies to elevate the spatial quality, comfort, and experience of pedestrians and transit users** alike.

The new street section includes wide sidewalks, dedicated bus lanes with optimized stop locations based on pedestrian flow studies, and a fully segregated bikeway to encourage sustainable mobility. The layout also incorporates superblocks that restrict left turns and reduce vehicular conflict, allowing the creation of pedestrian-priority streets in adjacent blocks.

In addition to its mobility function, the **project envisions Tacna as a green corridor**. Vegetation, urban furniture, and resting areas are introduced along the avenue. Three adjacent parks within the Rímac district are also being redesigned and integrated into the corridor through participatory processes.

732 units

Trees

24180 m²

Pedestrian area

3 units

Parks integrated

8.2 ha

Total area redesigned

4380 ml

Cycle lane

1872 m²


Bus stops infrastructure






Redesign proposal for Tacna Avenue

Current section of Tacna Avenue



Proposed section for the Tacna Avenue



1. Render of Prolongacion Tacna Avenue: park integrated to the design

2. Render of Tacna Avenue: Bike lane and bus stop

3. Current situation of Prolongacion Tacna Avenue

4. Current situation of Tacna Avenue




Design competitions

Visualisations


PERU, BOGOTA, MEXICO

As part of my freelance projects, I have developed **graphic proposals for various international competitions**, demonstrating **proficiency in a wide range of visual styles**, from realistic to technical, using rendering software and photomontage techniques with Adobe Creative Suite.


Before and after isometric view of proposal for "Manglares de Tumbes" competition



Landscape detail drawings for "Laderas in San Juan de Lurigancho" competition



Photomontage of proposed viewpoint for "Alternativas de Uso Publico - Cerros orientales" competition



Urban masterplan for "Mextropoli 2023" competition

