




routes > console.php
<?php
use Illuminate\Foundation\Inspiring;
use Illuminate\Support\Facades\Artisan;
Artisan::command('inspire', function () {
$this->comment(Inspiring::quote());
})->purpose('Display an inspiring quote');
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.


routes > web.php
<?php
use App\Http\Controllers\PenghuniController;
Route::resource('penghuni', PenghuniController::class);
Route::get('/', function () {
return view('welcome');
});
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.


File Edit Selection View Go Run Terminal Help
tubes-dbkost
Sign In
Explorer
PenghuniController.php
Penghuni.php
127.0.0.1:8000
index.blade.php
Manajemen Kos - Daftar Penghun...
create.blade.php
edit.blade.php
Chat
resources > views > penghuni > index.blade.php
<!DOCTYPE html>
<html lang="id">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Manajemen Kos - Daftar Penghuni</title>
<style>
body { font-family: Arial, sans-serif; margin: 40px; background-color: #f4f6f9; }
h2 { color: #333; }
.btn { padding: 8px 12px; background: #007bff; color: white; text-decoration: none; border-radius: 4px; display: inline-block; m
.btn-warning { background: #ffc107; color: #000; }
.btn-danger { background: #dc3545; }
table { width: 100%; border-collapse: collapse; background: white; box-shadow: 0 2px 4px rgba(0,0,0,0.1); }
th, td { padding: 12px; border: 1px solid #ddd; text-align: left; }
th { background-color: #007bff; color: white; }
.alert { padding: 10px; background: #d4edda; color: #155724; margin-bottom: 15px; border-radius: 4px; }
</style>
</head>
<body>
<h2>Data Penghuni Kos</h2>
+ Tambah Penghuni Baru
@if(session('success'))
{{ session('success') }}
@endif
<table>
<thead>
<tr>
<th>No</th>
<th>Nama</th>
<th>Identitas (KTP/KTM)</th>
<th>Pekerjaan</th>
<th>No. Telepon</th>
<th style="text-align: center;">Aksi</th>
</tr>
</thead>
<tbody>
@forelse ($penghuni as $index => $p)
<tr>
<td>{{ $index + 1 }}</td>
<td>{{ $p->nama }}</td>
<td>{{ $p->identitas }}</td>
<td>{{ $p->pekerjaan }}</td>
<td>{{ $p->telp }}</td>
<td style="text-align: center;">
id) }}" class="btn btn-warning">Edit
<form action="{{ route('penghuni.destroy', $p->id) }}" method="POST" style="display:inline;">
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Ln 63, Col 8
Spaces: 4
UTF-8
CRLF
PHP
Go Live
26°C
Berawan
Search
15:36
28/10/2026


File Edit Selection View Go Run Terminal Help
tubes-dbkost
Sign In
Explorer
PenghuniController.php
Penghuni.php
127.0.0.1:8000
index.blade.php
Manajemen Kos - Daftar Penghun...
create.blade.php
edit.blade.php
Chat
resources > views > penghuni > edit.blade.php
<!DOCTYPE html>
<html lang="id">
<head>
<meta charset="UTF-8">
<title>Edit Penghuni Kos</title>
<style>
body { font-family: Arial, sans-serif; margin: 40px; background-color: #f4f6f9; }
form { background: white; padding: 20px; border-radius: 8px; width: 500px; box-shadow: 0 2px 4px rgba(0,0,0,0.1); }
.form-group { margin-bottom: 15px; }
label { display: block; margin-bottom: 5px; font-weight: bold; }
input { width: 100%; padding: 8px; box-sizing: border-box; border: 1px solid #ccc; border-radius: 4px; }
.btn { padding: 10px 15px; background: #ffc107; color: #000; border: none; border-radius: 4px; cursor: pointer; font-weight: b
.btn-back { background: #6c757d; text-decoration: none; display: inline-block; padding: 8px 12px; color: white; border-radius: 4
</style>
</head>
<body>
<h2>Form Edit Penghuni Kos</h2>
← Kembali
<form action="{{ route('penghuni.update', $penghuni->id) }}" method="POST">
@csrf
@method('PUT')


<label>Nama Lengkap:</label>
<input type="text" name="nama" value="{{ $penghuni->nama }}" required>

<label>No. Identitas (KTP/KTM):</label>
<input type="text" name="identitas" value="{{ $penghuni->identitas }}" required>

<label>Pekerjaan:</label>
<input type="text" name="pekerjaan" value="{{ $penghuni->pekerjaan }}" required>

<label>No. Telepon:</label>
<input type="text" name="telp" value="{{ $penghuni->telp }}" required>

<button type="submit" class="btn">Perbarui Data</button>
</form>
</body>
</html>
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Ln 42, Col 8
Spaces: 4
UTF-8
CRLF
PHP
Go Live
26°C
Berawan
Search
15:36
28/10/2026


create.blade.php
<!DOCTYPE html>
<html lang="id">
<head>
<meta charset="UTF-8">
<title>Tambah Penghuni Kos</title>
<style>
body { font-family: Arial, sans-serif; margin: 40px; background-color: #f4f6f9; }
form { background: white; padding: 20px; border-radius: 8px; width: 500px; box-shadow: 0 2px 4px rgba(0,0,0,0.1); }
.form-group { margin-bottom: 15px; }
label { display: block; margin-bottom: 5px; font-weight: bold; }
input { width: 100%; padding: 8px; box-sizing: border-box; border: 1px solid #ccc; border-radius: 4px; }
.btn { padding: 10px 15px; background: #28a745; color: white; border: none; border-radius: 4px; cursor: pointer; }
.btn-back { background: #6c757d; text-decoration: none; display: inline-block; padding: 8px 12px; color: white; border-radius: 4
</style>
</head>
<body>
<h2>Form Tambah Penghuni Kos</h2>
← Kembali
<form action="{{ route('penghuni.store') }}" method="POST">
@csrf


<label>Nama Lengkap:</label>
<input type="text" name="nama" required>


<label>No. Identitas (KTP/KTM):</label>
<input type="text" name="identitas" required>

<label>Pekerjaan:</label>
<input type="text" name="pekerjaan" required>

<label>No. Telepon:</label>
<input type="text" name="telp" required>

<button type="submit" class="btn">Simpan Data</button>
</form>
</body>
</html>
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.


Penghuni.php
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Penghuni extends Model
{
use HasFactory;
protected $table = 'penghuni';
public $timestamps = false;
protected $fillable = [
'nama',
'identitas',
'pekerjaan',
'telp',
];
}
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.



```
    }

    // Menampilkan form edit data penghuni
    public function edit(Penghuni $penghuni)
    {
        return view('penghuni.edit', compact('penghuni'));
    }


    // Memperbarui data penghuni di database
    public function update(Request $request, Penghuni $penghuni)
    {
        $request->validate([
            'nama' => 'required',
            'identitas' => 'required',
            'pekerjaan' => 'required',
            'telp' => 'required',
        ]);

        $penghuni->update($request->all());

        return redirect()->route('penghuni.index')
                         ->with('success', 'Data penghuni berhasil diperbarui!');
    }

    // Menghapus data penghuni
    public function destroy(Penghuni $penghuni)
    {
        $penghuni->delete();

        return redirect()->route('penghuni.index')
                         ->with('success', 'Data penghuni berhasil dihapus!');
    }
}
```



```
<?php

namespace App\Http\Controllers;

use App\Models\Penghuni;
use Illuminate\Http\Request;

class PenghuniController extends Controller
{
    // Menampilkan daftar seluruh penghuni
    public function index()
    {
        $penghuni = Penghuni::all();
        return view('penghuni.index', compact('penghuni'));
    }

    // Menampilkan form tambah penghuni baru
    public function create()
    {
        return view('penghuni.create');
    }

    // Menyimpan data penghuni baru ke database
    public function store(Request $request)
    {
        $request->validate([
            'nama' => 'required',
            'identitas' => 'required',
            'pekerjaan' => 'required',
            'telp' => 'required',
        ]);

        Penghuni::create($request->all());

        return redirect()->route('penghuni.index')
                         ->with('success', 'Data penghuni berhasil ditambahkan!');
    }

    public function show(Penghuni $penghuni)
    {
        return view('penghuni.show', compact('penghuni'));
    }

    // Menampilkan form edit data penghuni
    public function edit(Penghuni $penghuni)
    {
        return view('penghuni.edit', compact('penghuni'));
    }
}
```