Percona Toolkit Recipes

Marcos Albe, Fernando Ipar, Ryan Lowe

Percona Inc., Square Inc.

August 24, 2012

Outline

About us

- Marcus Albe - Support Engineer @Percona
- Fernando Ipar - Senior Consultant @Percona
- Ryan Lowe - Production Engineer @Square

Presentation Overview

- What is Percona Toolkit & Why should you be here?
- Classes of problems solved by Percona Toolkit
- Targeted recipes for specific problems
- Further resources & Recommended reading
- Q&A

What is Percona Toolkit?

Percona Toolkit is a collection of advanced command-line tools to perform a variety of MySQL and system tasks that are too tedious and/or complex to perform manually.

Why should you be here?

Don't re-invent the wheel

- Replication

- Performance

- Upgrading

- Troubleshooting

- Schema Changes

Replication

Problem 1: Master and Slave MAY have different data

- Statements unsafe for replication (CURRENT_USER(), etc)
- Incorrect failover procedures
- Developers writing directly to the slave
- Rolling upgrades
- Storage Engines
- Temporary Tables
- Replication Filters

Solution 1: pt-table-checksum

```
pt-table-checksum --tables dbname.tbname \
  h=master-host,u=user,p=password
```

Problem 2: Master and Slave DO have different data

Same reasons as Problem 1, but validated via Solution 1

Solution 2: pt-table-sync

Recipe demo: resyncing

Problem 3: SQL Injection + Long Restore Times

Solution 3: pt-slave-delay

Problem 4: Slow Queries

Amdahl's Law

Solution 4: pt-query-digest

Recipe: Analyzing a query log looking for candidates for performance optimization

Problem 5: Rapid Development & Constantly Changing Workload

Solution 5: pt-query-digest

```
# Profile
# Rank Query ID            Response time   Calls  R/Call Apdx V/M   Item
# ==== =================== =============== ====== ====== ==== ===== ========
#    1 0xEC05647D4CB27595  166.7007 76.1% 150000 0.0011 1.00  0.00 SELECT s
#    2 0xC69B6ED2C47380A4   30.4519 13.9%  50000 0.0006 1.00  0.00 SHOW VARIABLES
#    3 0xA2750AF24EA2AEE6   16.4794  7.5%  50000 0.0003 1.00  0.00 SHOW COLLATION
#    4 0x3AEAAD0E15D725B5    1.7959  0.8% 100000 0.0000 1.00  0.00 SET
#    5 0x3607184B9D9C3A96    1.5672  0.7%  50000 0.0000 1.00  0.00 SELECT
#    6 0xE4CF7146873CCC28    1.0553  0.5%  50000 0.0000 1.00  0.00 SET
#    7 0x38B3D80280BBFA2A    1.0019  0.5%  50000 0.0000 1.00  0.00 SET
#    8 0xAA353644DE4C4CB4    0.0585  0.0%  44477 0.0000 1.00  0.00 ADMIN QUIT
```

Figure: Sample query ranking from a pt-query-digest report

Solution 5: pt-query-digest

```
# Query 2: 135.87 QPS, 0.08x concurrency, ID 0xC69B6ED2C47380A4 at byte 125086566
# Scores: Apdex = 1.00 [1.0], V/M = 0.00
# Query_time sparkline: |   ^_   |
# Time range: 2012-04-06 22:24:12 to 22:30:20
# Attribute      pct   total    min    max    avg    95% stddev median
# ============ ===== ======= ======= ======= ======= ======= ======= =======
# Count           9   50000
# Exec time      13     30s  565us    4ms  609us  626us   75us  568us
# Lock time      45      4s   62us  405us   71us   84us   10us   66us
# Rows sent       0 830.08k     17     17     17     17      0     17
# Rows examine    0 830.08k     17     17     17     17      0     17
# Query size     74  43.34M    909    909    909    909      0    909
# String:
# Hosts          localhost
# Users          msandbox
# Query_time distribution
#   1us
#  10us
# 100us  ################################################################
#   1ms  #
#  10ms
# 100ms
#    1s
#  10s+
/* mysql-connector-java-5.1.18 ( Revision: tonci.grgin@oracle.com-20110930151701-j:
S WHERE Variable_name ='language' OR Variable_name = 'net_write_timeout' OR Variab:
R Variable_name = 'wait_timeout' OR Variable_name = 'character_set_client' OR Vari:
tion' OR Variable_name = 'character_set' OR Variable_name = 'character_set_server'
' OR Variable_name = 'transaction_isolation' OR Variable_name = 'character_set_res:
e' OR Variable_name = 'time_zone' OR Variable_name = 'system_time_zone' OR Variabl:
 OR Variable_name = 'max_allowed_packet' OR Variable_name = 'net_buffer_length' OR
riable_name = 'query_cache_type' OR Variable_name = 'query_cache_size' OR Variable
```

Figure: Sample query detail from a pt-query-digest report

Upgrading

Problem 6: Upgrading MySQL can break my app

Solution 6: pt-upgrade

2 ways to upgrade MySQL:

- Reckless
- Safe
- http://bit.ly/upgrading-mysql

Troubleshooting

Problem 7: Root Cause Analysis

Solution 7: pt-stalk & pt-sift

Problem 8: Intermittent non-repeatable problems

Why?
"Everything freezes at random times"

pt-stalk : triggered captures

Triggers based on
- show global status
- show full processlist
- user defined function

pt-stalk : trigger examples

pt-stalk –function processlist –variable Command –match Sleep
–threshold 155 –cycles 0

pt-stalk : trigger examples

pt-stalk –threshold 40 –cycles 6

pt-stalk : trigger examples

pt-stalk –function check_loadavg.sh –threshold 12

pt-stalk : function trigger example

```
function trg_plugin()
{
uptime |sed 's/.*load average: //g;s/:*//g'
}
```

pt-stalk : making sense of a capture

Now . . . Where do we start?
pt-sift!

pt-sift

```
--diskstats--
  #ts device     rd_s rd_avkb rd_mb_s rd_mrg rd_cnc   rd_rt   wr_s wr_avkb wr_mb_s wr_mrg wr_cnc   wr_rt busy in_prg   io_s qtime stime
  (29) sdd1       0.0    0.0     0.0     0%    0.0     0.0    39.6    4.1     0.2    0%    0.1     3.3  13%     0    39.6  0.0   3.2
  sdd1  0% 25% . . 15% 0% . . . . . . . . . . . . . . . . . .
--vmstat--
  r b swpd    free    buff   cache si so bi  bo    in    cs us sy  id wa st
100 1 5216 177085184 346908 6741672  0  0 28 162    0     0  0  0 100  0  0
  0 0 5216 177490208 346956 6750640  0  0  0 642 1143 10521  1  2  96  1  0
wa 0% . . . . . . . . . . . . . . . . . . . . . . . . . .
--innodb--
  txns: 96xACTIVE (3s)
  18 queries inside InnoDB, 0 queries in queue
  Main thread: sleeping, pending reads 0, writes 0, flush 0
  Log: lsn = 737633286, chkp = 737388727, chkp age = 245059
  Threads are waiting at:
  216 trx/trx0trx.c line 1711
    3 trx/trx0trx.c line 807             mutex_enter(&kernel_mutex);
    1 trx/trx0trx.c line 432
  Threads are waiting on:
--processlist--
  State
  556  update
   84  Sending data
   29  freeing items
    2
    1  NULL
  Command
  671  Query
    2  Sleep
--stack traces--
  No stack trace file exists
--oprofile--
  No opreport file exists
```

Figure: Sample pt-sift summary

Problem 9: Blocking ALTER Statements

Solution 9: pt-online-alter-table

Resources

http://bit.ly/pt-recipes