



API Specification Doc

(Shipping Eyes)

VERSION 2
02/12/2022

Created By: SHIPPING EYES

Contact Information:

Email : info@shippingeyes.com

Web Site : www.shippingeyes.com





Index

Contents

Contact Information:	1
Delivery States	3
Request	3
Delivery Places	4
Request	4
Create Order	5
Request	5
INPUT Parameters.....	5
Order Info.....	7
Request	7
Order Tracking	9
Mutable Order Tracking.....	10
Request	10
INPUT Parameters.....	10
Order Followup	12
Request	12
Shipping Price Calculator	13
Request	13
INPUT Parameters.....	13
Shipping Price Calculator	14
Orders List	15
Request	15
Values Of URL Parameters	15
Conventions	18
Response Codes	18



Delivery States

use this API to show delivery states list

Headers

Content-Type: application/json

Authorization: Your Authorization Key

Request

Method	URL	Values	Description
GET	delivery-states		

Success Response

```
{
  "code": 4000,
  "message": "success",
  "data": [
    {
      "state_id": 6,
      "state_name": "مصراتة",
      "num_places": 2
    },
    {
      "state_id": 62,
      "state_name": "طرابلس",
      "num_places": 90
    }
  ]
}
```

Error Response

```
{
  "code": 3009,
  "message": "Empty Delivery States List"
}
```



Delivery Places

use this API to show delivery places of some states

Headers

Content-Type: application/json

Authorization: Your Authorization Key

Request

Method	URL	Values	Description
GET	delivery-places/{state_id}	INTEGER	Delivery State ID or Number

Success Response

```
{
  "code": 4000,
  "message": "success",
  "data": [
    {
      "place_id": 35,
      "place_name": "السياحية"
    },
    {
      "place_id": 4,
      "place_name": "الحشنان"
    },
    {
      "place_id": 6,
      "place_name": "السبعة"
    }
  ]
}
```

Error Response

```
{
  "code": 3009,
  "message": "Empty Delivery Places List"
}
```



Create Order

Use this API to create-order or add orders

Headers

Authorization: Your Authorization Key

Content-Type: application/x-www-form-urlencoded

Request

Method	URL
POST	create-order

INPUT Parameters

Parameters	Type	Size or Values	mandatory	Description
state_id	Integer		Required	
place_id	Integer		Optional	
name	String	Min 3 / Max 55	Optional	
address	Alphanumeric	Max Length 255		
phone	Number	10-10	Required	
whatsapp	Number	10-10	Optional	
phone_2	Number	10-10	Optional	
info	Alphanumeric	Max Length 255	Optional	Order content information
notes	Alphanumeric	Max Length 255	Optional	If there additional notes
women_delivery	Integer	0 Or 1	Required	Use 0 for normal / 1 for women
qty	Integer		Required	Number of pieces in order
order_total	Numeric		Required	
amount_type	String	with_delivery_cost	Required	Use if total include delivery cost
cost_type	Integer	0-1	Required	
source_creation	String	Like = api – adam-store	Optional	The creation source of order

Success Response

```
{
  "code": 4000,
  "message": "success",
  "tracking_code": 2451
}
```



Create Order Error Response

Error Response Case 1

```
{  
  "code": 4011,  
  "message": "Invalid Delivery State"  
}
```

Error Response Case 2

```
{  
  "code": 4012,  
  "message": "Invalid Delivery Place"  
}
```

INPUT Parameters Validation Errors

```
{  
  "code": 4010,  
  "errors": {  
    "state_id": ["You must enter the state id"],  
    "phone": ["You must enter the phone number"]  
  },  
}
```



Order Info

You can use this to show order info

Headers

Content-Type: application/json

Authorization: Your Authorization Key

Request

Method	URL	Values	Description
GET	order-info/{sum}	INTEGER	Order Number or Reference Number

Success Response

```
{
  "code": 4000,
  "message": "success",
  "data": [
    {
      "order_id": 4070,
      "order_num": 4055,
      "current_status": "جارى التوصيل",
      "merchant_name": "shippingeyes",
      "delivery_date": "2022-03-06",
      "route_name": "",
      "from_state_name": "طرابلس",
      "from_place_name": "",
      "to_state_id": 7,
      "to_state_name": "زليتن",
      "to_place_id": 0,
      "to_place_name": "",
      "delivery_type": "normal_delivery",
      "customer_name": null,
      "customer_address": null,
      "customer_phone": "0920000004",
      "customer_whatsapp": null,
      "customer_phone_2": null,
      "accepted": "yes",
      "cod_type": "by_customer",
      "breakable": "no",
      "packing": "no",
    }
  ]
}
```



```
"order_qty": 1,
"order_total": 210,
"delivery_cost": 20,
"total_amount": 230,
"order_info": "مكملات غذائية",
"order_notes": null,
"input_method": "web",
"dimensions": {
  "weight": null, "length": null, "width": null, "height": null
},
"creation_date": "2022-03-05",
"creation_time": "م 12-23-36",
"followups": [
  {
    "name": "لم يتم الرد بعد التواصل",
    "date": "2022-12-02",
    "time": "ص 05-11-46"
  }
],
"tracking": [
  {
    "status": "جارى التوصيل",
    "date": "2022-03-05",
    "time": "م 05-00-53"
  },
  {
    "status": "فى الشركة",
    "date": "2022-03-05",
    "time": "م 12-23-36"
  }
]
}
]
```

Error Response

```
{
  "code": 4004,
  "message": "Invalid Order Number or Reference Number"
}
```




Order Tracking

You can use this to display order tracking

Headers

Content-Type: application/json

Authorization: Your Authorization Key

Request

Method	URL	Values	Description
GET	order-tracking/{sum}	INTEGER	Order Number

Success Response

```
{
  "code": 4000,
  "message": "success",
  "data": [
    {
      "status": "تم التسليم",
      "date": "2022-03-06",
      "time": "10-13-00 م"
    },
    {
      "status": "جارى التوصيل",
      "date": "2022-03-05",
      "time": "05-00-53 م"
    },
    {
      "status": "فى الشركة",
      "date": "2022-03-05",
      "time": "12-23-36 م"
    }
  ]
}
```

Error Response

```
{
  "code": 4002,
  "message": "Invalid Tracking Number"
}
```



Mutable Order Tracking

You can use this to display mutable order tracking

Headers

Authorization: Your Authorization Key

Content-Type: application/x-www-form-urlencoded

Request

Method	URL
POST	mutable-order-tracking

INPUT Parameters

Parameters	mandatory	Description
orders_codes	Required	List of orders numbers

Success Response

```
{
  "code": 4000,
  "message": "success",
  "data": [
    {
      "order_snum": 1032,
      "status_key": 10,
      "status_name": "تم التسليم",
      "date": "2023-10-17",
      "time": "04-32-21 م"
    },
    {
      "order_snum": 1232,
      "status_key": 1,
      "status_name": "عند العميل",
      "date": "2023-10-18",
      "time": "12-57-36 م"
    }
  ]
}
```



Mutable Order Tracking Error Response

INPUT Parameters Validation Errors

```
{
  "errors": {
    "orders_codes": [
      "You must enter the list of orders numbers"
    ]
  },
  "status": 4010
}
```

Invalid Tracking Numbers

```
{
  "code": 4002,
  "message": "Invalid Tracking Numbers"
}
```



Order Followup

You can use this to display the follow-ups of order

Headers

Content-Type: application/json

Authorization: Your Authorization Key

Request

Method	URL	Values	Description
GET	order-followup/{sum}	INTEGER	Order Number

Success Response

```
{
  "code": 4000,
  "message": "success",
  "data": [
    {
      "name": "خطا في المقياس",
      "date": "2022-12-02",
      "time": "ص 05-12-09"
    },
    {
      "name": "لم يتم الرد بعد التواصل",
      "date": "2022-12-02",
      "time": "ص 05-11-46"
    }
  ]
}
```

Error Response

```
{
  "code": 4002,
  "message": "Invalid Tracking Number"
}
```



Shipping Price Calculator

You can calculate shipping rates

Headers

Content-Type: application/json

Authorization: Your Authorization Key

Authorization: application/x-www-form-urlencoded

Request

Method	URL
POST	price-calculator

INPUT Parameters

Parameters	Type	Size or Values	Description
state_id	Integer		Required
place_id	Integer		Required
women_delivery	Integer	0-1	0 = means normal delivery / 1 = means women_delivery
weight	Numeric		Optional

Success Response Case 1

```
{
  "code": 4000,
  "message": "success",
  "shipping_cost": "15"
}
```



Shipping Price Calculator

Success Response Case 2

```
{
  "code": 4000,
  "message": "success",
  "basic_cost": 15,
  "extra_kilo_cost": 5,
  "extra_weight": 1,
  "extra_shipping_cost": 5,
  "shipping_cost": 20
}
```

Success Response Case 3

If the inputs are incorrect or not defined in the price list

```
{
  "code": 4004,
  "message": "not_found",
  "shipping_cost": "undefined"
}
```

Error Response like this

```
{
  "errors": {
    "state_id": ["The state id field is required."],
    "women_delivery": ["The selected women delivery is invalid."]
  },
  "code": 4010
}
```



Orders List

use this API to show orders list

Headers

Content-Type: application/json

Authorization: Your Authorization Key

Request

Method	URL	Description
GET	orders-list/{source_creation}/{page_number}/{sort_data}	Return list of orders

Values Of URL Parameters

Parameters	Type	Size or Values	Description
source_creation	string		Required
page_number	Integer		Required
sort_data	string	asc-desc	Required

Success Response

```
{
  "code": 4000,
  "message": "success",
  "total": 517,
  "page_number": 5,
  "last_page": 259,
  "data": [
    {
      "order_id": 10,
      "order_num": 7,
      "current_status": "تم التسوية",
      "merchant_name": "المتجر الصحي",
      "delivery_date": null,
      "route_name": "",
      "from_state_name": "طرابلس",
      "from_place_name": "",
      "to_state_id": 110,
      "to_state_name": "حي الاندلس",
      "to_place_id": 0,
    }
  ]
}
```



```
"to_place_name": "",
"delivery_type": "normal_delivery",
"customer_name": null,
"customer_address": null,
"customer_phone": "0910000000",
"customer_whatsapp": null,
"customer_phone_2": null,
"accepted": "yes",
"cod_type": "by_customer",
"breakable": "no",
"packing": "no",
"order_qty": 1,
"order_total": 110,
"delivery_cost": 10,
"total_amount": 120,
"order_info": "مواد صحية",
"order_notes": null,
"input_method": "web",
"dimensions": {
  "weight": null,
  "length": null,
  "width": null,
  "height": null
},
"creation_date": "2021-12-13",
"creation_time": "01-31-01 م",
},
{
  "order_id": 11,
  "order_num": 8,
  "current_status": "تم التسوية",
  "merchant_name": "المتجر الصحي",
  "delivery_date": null,
  "route_name": "",
  "from_state_name": "طرابلس",
  "from_place_name": "",
  "to_state_id": 109,
  "to_state_name": "جنزور",
  "to_place_id": 0,
  "to_place_name": "",
  "delivery_type": "normal_delivery",
  "customer_name": null,
  "customer_address": null,
  "customer_phone": "0910000000",
  "customer_whatsapp": null,
```




```
"customer_phone_2": null,
"accepted": "yes",
"cod_type": "by_customer",
"breakable": "no",
"packing": "no",
"order_qty": 1,
"order_total": 170,
"delivery_cost": 15,
"total_amount": 185,
"order_info": "مواد صحيه",
"order_notes": null,
"input_method": "web",
"dimensions": {
  "weight": null,
  "length": null,
  "width": null,
  "height": null
},
"creation_date": "2021-12-13",
"creation_time": "01-31-48 م"
}
]
```

Empty List Response

```
{
  "code": 3009,
  "message": "there are no orders"
}
```



Glossary

Conventions

- All response is in JSON format.
- All request parameters are **optional** unless explicitly marked as **[mandatory]**

Response Codes

All response codes are standard API codes. The below ones are used in this API.

Status Code	Description
4000	Success
3009	No data or empty list
4001	No Tracking Data for This Order
4002	Invalid Tracking Number
4003	No follow-up Data for This Order
4004	Invalid Order Number or Reference Number
4010	Input Validation Errors
4011	Invalid Delivery State Code
4012	Invalid Delivery Place Code