



System Status

✓ Groq API key loaded successfully.

Model: DenseNet121 + CBAM
Framework: TensorFlow / Keras 3
Application: Breast Ultrasound Classification
Purpose: Academic research and interpretability analysis.

✓ Model loaded successfully with CBAM, Mean, Amax custom layers.



DeepScan: AI-Powered Breast Ultrasound Diagnostic Assistant

A clinical-grade research prototype demonstrating automated classification of breast ultrasound scans using **DenseNet121 + CBAM**.

This assistant provides prediction confidence and AI-generated clinical insights.



Patient Information

Patient Name

Exam Date

Maria

2025/12/25

Age

45

-

+

 Upload Ultrasound Scan

Upload a Breast Ultrasound Image




Drag and drop file here

Limit 200MB per file • JPG, JPEG, PNG

Browse files



malignant (1).png 300.3KB



 **Analyze Scan**

 AI Clinical Discussion

Automated Interpretation Report

Patient: Maria | **Age:** 45 | **Exam Date:** 2025-12-25 **Modality:** Ultrasound | **Anatomical Region:** Breast

Imaging-based preliminary assessment: The ultrasound examination reveals a hypoechoic mass with irregular margins and non-circumscribed borders, suggestive of a potentially malignant lesion. The mass exhibits heterogeneous echotexture and posterior acoustic shadowing, which may indicate the presence of a solid tumor. Additionally, the mass appears to have a greater-than-anticipated anterior-posterior diameter, which could be indicative of a more aggressive lesion. These morphological and echogenic features may contribute to the

 Clinical Assistant Chat

Ask a question about this diagnosis:

Explain the results to

 **Explain the results to me in simple terms**

classification as a potentially malignant lesion. Probabilistic interpretation using BI-RADS terminology: Based on the classification and confidence score of 64.22%, a likely BI-RADS category of 4B can be estimated. This category indicates a moderate suspicion of malignancy, with a probability of cancer ranging from 10% to 49%. Clinically, this suggests that while the lesion has suspicious features, further evaluation is necessary to determine the presence or absence of malignancy. Differential interpretation (optional): Alternative possibilities, such as a complex cyst or a benign solid mass (e.g., fibroadenoma), could potentially present with similar ultrasound features. However, the presence of irregular margins and posterior acoustic shadowing in this case makes these benign entities less likely. Recommended clinical next step: Given the moderate suspicion of malignancy, it is recommended that a targeted ultrasound-guided biopsy be performed to obtain a tissue diagnosis. Alternatively, a contrast-enhanced magnetic resonance imaging (MRI) study could be considered for further characterization of the lesion. Close follow-up with repeat

⊕ The ultrasound examination of the breast revealed a mass with several features that raise concern for a potential malignancy. Specifically, the mass appears hypoechoic, meaning it is darker than the surrounding tissue, and has irregular margins and non-circumscribed borders, which can be indicative of a tumor. The echotexture of the mass is heterogeneous, suggesting a mixture of different tissue types, and there is posterior acoustic shadowing, which can occur when sound waves are blocked by a dense object, such as a tumor. In terms of classification, the features of the mass suggest a BI-RADS category of 4B, which indicates a moderate suspicion of malignancy. This category is used when the probability of cancer is between 10% and 49%. The BI-RADS system is a standardized way for radiologists to categorize breast lesions

ultrasound examinations may also be warranted, depending on the results of the biopsy or additional imaging studies.

Mandatory disclaimer: This is an AI-assisted preliminary opinion, not a medical diagnosis. Final evaluation must be performed by a licensed radiologist.

Disclaimer: AI-assisted preliminary assessment, not a medical diagnosis.

based on their likelihood of being cancerous. The presence of irregular margins and posterior acoustic shadowing makes it less likely that the mass is a benign entity, such as a complex cyst or a fibroadenoma. To further evaluate the mass, a targeted ultrasound-guided biopsy or a contrast-enhanced MRI study may be recommended. In summary, the ultrasound examination suggests a potentially malignant breast lesion with features that warrant further evaluation to determine the presence or absence of cancer.

DeepScan Breast AI Assistant

Research-Only Academic Prototype — Not for Clinical Use

Developed using TensorFlow, Keras 3, and Groq Llama 3.