



GitHub URL

<https://github.com/firelutku/1102-JavaScript-210410436.git>

w14-p1: use create html themne for Cocktail API demo



w14-p2: fetch data from given url



w14-p3: fetch drinks, get null, show no drinks matched

The screenshot shows a VS Code editor with two files: `index.html` and `displayDrinks_36.js`. The `index.html` file contains a search form and a section for cocktails. The `displayDrinks_36.js` file contains a function `displayDrinks` that handles the search results. The browser shows the 'Cooktails API' page with a search bar and a message: 'Sorry, No Drinks Match Your Search'.

```

1 import presentDrinks from './src/presentDrinks_36.js';
2 const URL='https://www.thecocktaildb.com/api/json/v1/1/search.php?s=htc';
3
4 window.addEventListener('DOMContentLoaded',()=>{
5   presentDrinks(URL);
6 });

```

```

1 import get from './getElement.js';
2 import { hideLoading } from './toggleLoading_36.js';
3
4 const displayDrinks=async((drinks))=>{
5   console.log('drinks',drinks);
6   const title=get('.title');
7   const section=get('.section-center');
8   console.log('title',title);
9   console.log('section',section);
10
11   if(!drinks){
12     hideLoading();
13     title.textContent='Sorry,no drinks match your search';
14     section.innerHTML=null;
15     return;
16   }
17   const newDrinks=drinks.map((drink)=>{
18     const {isDrink:id,strDrink:name,strDrinkThumb:image}=drink;
19     return `<a href="drink_36.html">
20       <article class="cocktail" data-id="${id}">
21         
22         <h3>${name}</h3>
23       </article>
24     </a>`;
25   })
26   .join('');
27   hideLoading();
28   title.textContent='';

```

w14-p4: fetch drinks from given url, and display all drinks

The screenshot shows a VS Code editor with two files: `index.html` and `displayDrinks_36.js`. The `index.html` file contains a search form and a section for cocktails. The `displayDrinks_36.js` file contains a function `displayDrinks` that handles the search results. The browser shows the 'Cooktails API' page with a search bar and four cocktails displayed: 'Midnight Manx', 'Midnight Mint', '24K Nightmare', and 'Midnight Cowboy'.

```

19 <body>
20   <div class="search-form">
21     <h2>Cooktails API</h2>
22     <input type="text" placeholder="Search Your Favorite Cocktail" />
23   </div>
24   <section class="section cocktails">
25     <article class="loading hide-loading">
26       
27     </article>
28     <h2 class="title"></h2>
29     <div class="section-center">
30     </div>
31   </section>
32   <script type="module" src="./app_36.js"></script>
33 </body>
34 </html>
35


```

```


14 <cocktaildb_36> > src > displayDrinks_36.js > displayDrinks
15 hideLoading();
16 title.textContent='Sorry,no drinks match your search';
17 section.innerHTML=null;
18 return;
19
20 }
21 const newDrinks=drinks.map((drink)=>{
22   const {isDrink:id,strDrink:name,strDrinkThumb:image}=drink;
23   return `<a href="drink_36.html">
24     <article class="cocktail" data-id="${id}">
25       
26       <h3>${name}</h3>
27     </article>
28   </a>`;
29 })
30 .join('');
31 hideLoading();
32 title.textContent='';
33 section.innerHTML=newDrinks;
34 return section;
35

```

w13-p5-1: let loading.gif show first, remove loading.gif if no drinks matched



w13-p5-2: let loading.gif show first, remove loading.gif in order to show all drinks



w14-last-login

```
FireLu@DESKTOP-2NF893T MINGW64 ~/Desktop/1102-JavaScript-210410436 (main)
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2022-05-24"
d0a2a95 firelutku      Thu May 26 00:45:06 2022 +0800  Initial commit
```

FireLu@DESKTOP-

```
2NF893T MINGW64 ~/Desktop/1102-JavaScript-210410436 (main) $ git log --
pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2022-05-24" d0a2a95 firelutku Thu May 26 00:45:06
2022 +0800 Initial commit
```