IndiGo - Personalization and Experimentation RFP

PREPARED FOR: IndiGo
SUBMISSION DATE: 31st July, 2026

Submitted by: Team MoEngage

Table of Contents

Executive Summary..... 3
Overview of MoEngage..... 3
Accolades and Recognitions..... 4
Regional Presence..... 4
Notable Customers..... 5
Future with MoEngage..... 5
I. Functional Detailed Requirements..... 6
II. Non-Functional Detailed Requirements..... 124
III. Vendor Capability and Information solicited..... 158
IV. Annexure – Architecture Checklist..... 158
V. Annexure – Info Sec requirement..... 158

Executive Summary

We are honored to be invited to participate in IndiGo's initiative to select a Personalization & Experimentation Platform. Having studied the RFP and the personalization, experimentation, segmentation, and optimization requirements in detail, we believe the MoEngage platform and our team are best positioned to give IndiGo a single, trusted view of every passenger, real-time behavioural analytics across web and app, and the ability to turn those insights into action, all operable by business teams without engineering dependency.

MoEngage not only demonstrates **100% compliance** with IndiGo's requirements but also exceeds standard parameters, positioning the platform effectively to deliver an **end-to-end Agentic Personalization and Experimentation platform tailored for IndiGo.**

For many years, marketers have struggled to engage customers at the speed the business demands, held back by fragmented data, engineering dependency, and rule-based legacy tooling. MoEngage was founded in 2014 to solve exactly this: to unify customer data in a single platform, help marketers turn insight into action, and deliver a multi-channel engagement platform with in-built personalization and experimentation engine built for customer-obsessed marketers and product owners. MoEngage enables hyper-personalisation at scale across App and web surfaces, outbound channels (mobile push, email, SMS, web push, WhatsApp, RCS, Facebook and Google audiences and other such channels), transactional alerts, and inbound surfaces (in-app, on-site messaging, cards), with connectors to the wider stack. With AI-powered automation and optimisation, brands analyse audience behaviour and engage each passenger with personalised communication at every touchpoint across the lifecycle.

For an airline operating at IndiGo's scale, 142 destinations and India's largest domestic market share, this means the ability to act on booking, behavioural, and loyalty signals in real time: recovering abandoned searches, personalising by route and fare family, driving ancillary revenue, and orchestrating transactional and service communication reliably across the passenger journey.

Our solution is designed to address five broad themes

i. **Single View of the Passenger:** stitch the journey across channels and data sources including web, app, CRM, booking engine, loyalty, CDP, and third-party systems.

ii. **AI to optimize every part of the journey:** out-of-the-box predictive segments, **Custom Agents**, **1:1 Decisioning Agents, Native Agents,** Actionable insights, and Journey optimization via MoEngage's AI (Merlin).

iii. **A self-serve platform:** fully operable by digital and marketing teams without any engineering dependency.

iv. State of the art **Personalization and Experimentation engine** built In-house


v. **Best-of-breed templating, personalisation, and deliverability** across every channel.

vi. **Scale with easy versioning, localisation, and execution** across markets and languages.

Overview of MoEngage


MoEngage is a next-generation, AI-powered marketing automation platform built for the new-age world. Traditional marketing and analytics clouds are expensive to implement, hard to learn, and rule-based. MoEngage offers an enterprise solution that is easier to use, elegantly designed, integrated with the existing tech stack, and learning-based.

MoEngage is trusted by large enterprises worldwide, including Fortune 500 brands, and enables companies to leverage native capabilities across mobile push, email, in-app and on-site personalisation, web push, SMS, WhatsApp, and RCS, with auto-optimisation towards higher conversion powered by machine learning.



Accolades and Recognitions

MoEngage has been consistently recognised by independent analysts and review bodies as a leader in customer engagement, across Gartner, Forrester, and G2.



Regional Presence

MoEngage has deep roots in India, where the company was founded and where it maintains a substantial engineering, product, professional services, and customer success presence. This gives IndiGo a partner with local time-zone coverage, on-the-ground implementation and support capacity, and the ability to conduct face-to-face working sessions as needed through the engagement.

Critically for IndiGo, MoEngage supports data residency within India (AWS Mumbai region), directly aligning with the RFP requirement that IndiGo customer and business data be stored and processed within India, and with DPDP Act 2023 obligations.


Notable Customers



Future with MoEngage

MoEngage will work seamlessly with IndiGo's existing technology stack across digital, booking, and offline data. This includes integration with IndiGo's CDP (Firsthive, built on Snowflake), booking and reservation systems, the mobile app and website (via MoEngage SDKs), the loyalty programme (BluChip), CRM, and the enterprise data warehouse, using real-time APIs, streaming, SFTP, and webhooks.

The result is a unified passenger view feeding real-time segmentation, cross-channel journey orchestration, and AI-driven personalisation and decisioning, operated self-serve by IndiGo's marketing team.



I. Functional Detailed Requirements

This section of the document describes the standard product features required to be available in product. However, products also have flexibility to change based on IndiGo requirement into their standard application.

1. Vendors are expected to answer with C for Compliant, PC – Partial Compliant, NC – Non-compliant.
2. If the answer is C, provide detailed documentation to substantiate the answer
3. If the answer is PC, provide detailed documentation around which part is Compliant and which is Non-Compliant. Also state willingness to customize at FOC for the Non-Compliant part.
4. If the answer is NC, state willingness to customize at FOC. If no, state if this is a road map item for the future or not.

   Listed below are the Functional Requirements which are divided into Capability requirements and Use Case Demonstration. The latter must be explained in a practical way.

1. Booking Funnel Optimization & Conversion

Capability Requirements

1.1. Ability to run experimentation across Search, Flight Selection, Passenger Details, Ancillary Selection and Seat Selection journeys.

MoEngage Response | Compliance: C

- MoEngage supports A/B/n testing / Experimentation on any tagged page or screen across all five booking steps, using a no-code visual editor for public-facing web pages and an API-delivered content payload (relevant for App personalization) across all of IndiGo's own booking engine (e.g. Passenger Details, Seat Selection).

- Example: test which fare bundle is highlighted as "recommended" on Flight Selection, or which ancillary offer layout converts better on Ancillary Selection.
- Merlin AI can automatically shift traffic toward the better-performing variant mid-test, reducing time spent on underperforming experiences.
- For screens fully owned by IndiGo's reservation system (e.g. the seat map itself), MoEngage personalizes designated content zones within that screen rather than the underlying booking engine logic
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/overview/client-side-versus-server-side-personalization

1.2. Ability to identify customer drop-off points and optimize progression through the booking funnel.Ability to personalize booking experiences based on customer profile, travel context and behavioral signals.

MoEngage Response | Compliance: C

- Yes, natively supported. Every attribute stored on the customer profile, whether it's a stated profile field, a travel-context event, or a behavioural signal, is natively available both for building segments and for personalizing content directly, without needing to be added to a segment first.
- **Segmentation use:** profile, travel context, and behavioural attributes combine through a no-code rule builder to define who receives a given experience. Example: a passenger who searched Delhi–Bangalore three times in a week falls into a "high search intent, no booking" segment.
- **Content-level use:** the same attributes can be inserted directly into the personalized content itself, not just used to decide targeting. Example: a fare-lock reminder banner can dynamically render the passenger's name, the exact route and dates they searched, and their loyalty tier, pulled live from the profile, without that combination needing to exist as a predefined segment.
- **Decisioning use:** the Decisioning Engine consumes the same profile data as ranking inputs. On Ancillary Selection, loyalty tier, booking window, and recent search behaviour all feed into ranking the offer catalog for that specific passenger.
- In practice this means any data point captured on the profile, current or historical, structured attribute or real-time event, is usable at all three levels (who to target, what content to show them, and how to rank offers for them) without separate data modelling for each use case.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience#defining-your-target-audience

1.3. Ability to differentiate experiences for first-time visitors, returning customers and logged-in customers.

MoEngage Response | Compliance: C

- MoEngage enables differentiation of experiences across visitor types through multiple capabilities:

- **First-time visitors**: The web SDK personalizes content for anonymous users using UTM parameters (e.g., campaign source, ad creative) and in-session behavior (e.g., pages viewed, products browsed). This allows tailoring homepage banners, product recommendations, and CTAs even before login. For First time app usrs, SDK identifies this and creates a separate cohort to be targeted with specific content via Server side.
- **Returning customers**: Identity Resolution merges profiles across sessions and devices using identifiers like customer ID, email, or phone number. This could have been passed to MoEngage via the CDP as well. The platform tracks visit recency and frequency, enabling segments such as "users who visited 3+ times in the last 7 days" or "users who browsed but didn't convert."
- **Logged-in customers**: Full profile data (transaction history, loyalty status, travel preferences, booking patterns) powers advanced segmentation.
- All segmentation updates in real-time (p99 SLA of 5 seconds), ensuring immediate experience adaptation as users transition from anonymous to authenticated states. The no-code visual editor allows marketers to personalize any web element without developer involvement.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience#defining-your-target-audience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

1.4. Ability to optimize booking journeys for conversion, revenue and customer experience.

MoEngage Response | Compliance: C

- Yes, natively supported. MoEngage's Web and App Personalization module lets IndiGo directly reshape what a customer sees on Search, Flight Selection, Ancillary Selection, and other digital touchpoints, in real time and per customer, specifically to move that customer toward completing a booking.
- **Personalizing the digital asset itself:** any tagged zone on IndiGo's website or app, banners, carousels, CTAs, fare presentation, ancillary modules, can be rewritten per visitor through a no-code visual editor (web) or an API-delivered content payload (app), without a new app release or code deployment each time the experience needs to change.
- **Driving conversion:** a passenger who has searched the same route multiple times without booking can be shown a different, more direct experience, e.g. a simplified fare comparison or a fare-lock CTA, on their next visit, rather than the standard generic layout every visitor sees.
- **Driving revenue:** the same personalization layer can surface a higher-value fare bundle or a relevant ancillary upsell to a customer profile that shows high propensity for it, directly on the Flight Selection or Ancillary Selection screen, rather than showing a flat, un-personalized offer to everyone.
- **Driving customer experience:** personalization can also simplify rather than upsell, e.g. a returning loyalty member sees a shorter, pre-filled Passenger Details flow referencing saved preferences, reducing friction rather than adding a sales prompt.
- Every one of these personalized experiences can be attached to a defined Conversion Goal (booking completion, ancillary attach, revenue per session) so IndiGo can measure whether the personalized version of the journey actually outperforms the standard one, and Sherpa AI can automatically shift more traffic toward whichever version is winning, without engineering re-involvement each time.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/experience-analytics

1.5. Ability to personalize experiences using travel intent, route, booking window, trip duration and travel dates.

MoEngage Response | Compliance: C

- MoEngage enables personalization based on travel intent, route, and behavioral data. The platform supports:
- **Travel Intent & Route Personalization**: Segment and target customers based on travel preferences, specific routes (e.g., customers who prefer Abu Dhabi to Paris or Istanbul routes), and behavioral signals indicating travel intent
- **Behavioral Segmentation**: Create segments using user attributes, events, and event attributes including search history, past bookings, browsing patterns, and purchase behavior
- **Real-time Personalization**: Deliver personalized flight suggestions, upgrade offers, and content based on user behavior and preferences in real-time across multiple channels
- **Advanced Segmentation**: Leverage rule-based, RFM (Recency, Frequency, Monetary), affinity-based, and predictive segmentation to identify customer patterns and preferences
- **UI Personalization**: Use the web SDK with a no-code WYSIWYG visual builder to personalize website elements including text, images, CTAs, and recommendations based on customer profiles and behavior
- **Loyalty-Based Targeting**: Segment customers by loyalty status or membership and target them with specific campaigns or personalized content
- **Decisioning use:** booking-window urgency is a native weighting input in the offer ranking policy, meaning a 3-day-out booking and a 60-day-out booking on the same route can receive differently ranked ancillary offers automatically.
- The platform combines multiple real-time segmentation techniques with a p99 SLA of 5 seconds per query, ensuring users are assigned to new segments almost immediately. Segments are dynamic and automatically refreshed in real-time, enabling highly personalized campaigns across 14+ channels.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage

1.6. Ability to test alternative layouts, messaging, content, pricing presentation and call-to-action treatments.

MoEngage Response | Compliance: C

- Yes, natively supported. MoEngage's Web and App Personalization module includes built-in A/B/n and multivariate testing, letting IndiGo test any visual or content variation directly on live booking journeys without building a separate testing tool.
- **Layout testing:** on Search or Flight Selection, IndiGo can test a card-based fare layout against a list-based layout to see which drives faster progression to Flight Selection.
- **Messaging testing:** on Ancillary Selection, test whether framing baggage add-ons as "Complete your trip" outperforms a straightforward "Add baggage" label.

- **Content testing:** test entirely different content blocks, e.g. showing a destination-highlight banner versus a loyalty-points-earned banner on the same Search results page, to see which keeps customers engaged longer.
- **Pricing presentation testing:** test itemised pricing (fare + seat + baggage shown separately) against bundled pricing (a single "Total trip price") on Ancillary Selection, to see which presentation reduces price-shock drop-off.
- **CTA testing:** test button copy and placement directly, e.g. "Select Seat" versus "Choose Your Seat" on the Seat Selection screen, or CTA position above versus below the fare summary.
- All five test types run through the same no-code visual editor for web/app-native elements, with Merlin AI automatically shifting traffic toward the better-performing variant mid-test, and results reported on the same analytics dashboard regardless of what was tested, so a layout test and a pricing test are directly comparable on the same conversion goal.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

1.7. Ability to optimize customer progression across the booking funnel through contextual interventions and recommendations.

MoEngage Response | Compliance: C

- MoEngage enables optimization of customer progression across the booking funnel through:
- **Contextual Interventions:**
- Real-time behavioral signal (clicks, signals) triggers automated flows with behaviorally informed nudges inside the app/website
- In-session attributes enable real-time user data evaluation and delivery into journeys
- Personalize elements of the app/web based on your user's journeys with complete context for intevention
- **Recommendations:**
- Advanced ML/DL models: Recommended flights, Similar flights/offers, Frequently Viewed Together flights and hotels, Frequently Bought Together flights and hotels for upselling/cross-selling
- Configurable at product, category, brand, or catalog level
- Deployable across all inbound and outbound channels
- **Segmentation use:** a "dropped at Ancillary Selection" segment can be built to identify who needs an intervention.
- **Content-level use:** the intervention content itself can reference specific profile data (the exact ancillary they viewed, their route) rather than generic copy, whether or not that combination exists as a formal segment.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage

- https://www.moengage.com/docs/user-guide/content/recommendations/advanced-recommendations/overview-advanced-recommendations

1.8. Ability to personalize booking journeys based on customer value, loyalty status and prior booking history.

MoEngage Response | Compliance: C

- The platform enables personalization of booking journeys based on customer value, loyalty status, and prior booking history through:
- **Rule-based segmentation** using user behavior, properties, and custom segments to target specific traveler cohorts. Segmentation on any user, event, and event attribute including booking history (e.g., users with 10+ bookings in the last year, specific booking patterns)
- **Loyalty status segmentation** using any imported user data including loyalty tier and status
- **Aggregation segmentation** for customer value (e.g., users who spent at least $3000 in the last 12 months)
- **Affinity segmentation** to group users based on common behaviors and traits (e.g., frequent business travelers, leisure travelers with specific preferences)
- **AI-based propensity modeling** to identify users' likelihood to perform tracked actions such as booking, with automatic creation of low, medium, and high propensity segments
- **RFM (Recency, Frequency, Monetary)** segmentation to understand user preferences and value
- **Content-level use:** the same RFM score and loyalty tier can be rendered directly into messaging, e.g. "As a Gold member, you're eligible for priority boarding," without that phrase needing a dedicated segment behind it.
- These capabilities allow for highly targeted and personalized communication throughout the booking journey based on individual traveler profiles, past behavior, and predicted intent.
- **MoEngage Differentiator:**
- MoEngage supports both affinity and aggregatiion segmentation that enable you to dig deep into user likes, dislikes, and preferences along with their relative treands over a period of time and create personas accordingly
- https://www.moengage.com/docs/user-guide/segment/basics-of-segmentation/types-of-segments
- https://www.moengage.com/docs/user-guide/segment/segment-operations/affinity-segments
- https://www.moengage.com/docs/user-guide/segment/segment-operations/rfm-segments
- https://www.moengage.com/docs/user-guide/segment/advanced-concepts/aggregation-operations
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview

Use Case Demonstration

1.9. Demonstrate improving Search-to-Booking conversion for a high-volume route like Delhi to Mumbai.

MoEngage Response | Compliance: C

- To be demonstrated

1.10. Demonstrate reducing Flight Selection stage drop-offs.

MoEngage Response | Compliance: C

- To be demonstrated

1.11. Demonstrate differentiated experiences for first-time visitors versus returning customers.

MoEngage Response | Compliance: C

- To be demonstrated

1.12. Demonstrate optimization of Ancillary Selection and Seat Selection pages.

MoEngage Response | Compliance: C

- To be demonstrated

1.13. Demonstrate personalized experiences based on travel intent and customer value.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

1.14. Average experiment launch time.

MoEngage Response | Compliance: C

- Our customer go live with experiments in under 30 mins, case in point T-mobile

1.15. Percentage of experiments launched without engineering support.

MoEngage Response | Compliance: C

- 90% of experiments being launched without/limited engineering support. MoEngage's marketer-first architecture — drag-and-drop journey builder, visual A/B/multivariate test setup, and self-serve content APIs — allows lifecycle and CRM teams to design, launch, and iterate on experiments independently, reducing dependency on engineering resourcing and accelerating experimentation velocity.

1.16. Largest travel deployment.

MoEngage Response | Compliance: C

- KAYAK, a global travel search engine operating at scale across real-time, high-frequency use cases (price drops, gate changes, flight delay alerts), runs on MoEngage as its unified engagement platform across all channels.
- MoEngage enables rapid experiment deployment through a no-code visual A/B/multivariate testing interface and Intelligent Path Optimiser, which tests up to 5 branches simultaneously and auto-routes users to the best-performing path in real time — eliminating manual winner selection and multi-day experimentation windows.

- This capability led to 90% of experiments being launched without/limited engineering support. MoEngage's marketer-first architecture — drag-and-drop journey builder, visual A/B/multivariate test setup, and self-serve content APIs — allows lifecycle and CRM teams to design, launch, and iterate on experiments independently, reducing dependency on engineering resourcing and accelerating experimentation velocity.

1.17. Average conversion uplift achieved.

MoEngage Response | Compliance: C

- MoEngage customers typically see a 10–15% average uplift in conversion/revenue from experimentation-led personalization, with several accounts significantly exceeding this depending on use case and vertical — including a 56% uplift in purchases (Landmark Group), a 30% lift in conversions via flow versioning (Poshmark), and a 15–20% conversion improvement in hospitality/travel-adjacent deployments through dynamic segmentation and personalized journeys.

2. Customer Segmentation

Capability Requirements

2.1. Ability to create audiences using behavioral, transactional, loyalty and profile attributes.

MoEngage Response | Compliance: C

- MoEngage enables audience creation using behavioral, transactional, and profile attributes through a user-friendly interface requiring no coding knowledge.
- Behavioral segmentation: Build segments based on event-triggered actions, user behavior patterns, and engagement signals. For example, passengers who viewed flight booking pages multiple times or completed specific in-app actions.
- Transactional segmentation: Target users based on purchase history, booking frequency, and spending patterns. Aggregation filtering identifies trends such as changes in booking value over time. RFM (Recency, Frequency, Monetary) analysis automatically segments users based on how recently and frequently they book flights and the value of those bookings.
- Profile segmentation: Customize user profile fields with any attribute relevant to your business, including demographics, preferences, and custom data points.
- Affinity-based segmentation: Create subgroups based on shared characteristics and purchase tendencies, such as passengers who predominantly book specific routes or cabin classes.
- All segmentation techniques can be combined using nested logic with and/or filters. Segments update in near real-time with a p99 SLA of 5 seconds per query, ensuring passengers are assigned to new segments almost immediately based on their latest interactions.
- Loyalty data can be ingested and used as a segmentation basis to target customers based on their loyalty or membership status and behavior indicating receptiveness to offers.
- https://www.moengage.com/docs/user-guide/segment/basics-of-segmentation/types-of-segments
- https://www.moengage.com/docs/user-guide/segment/segment-operations/affinity-segments
- https://www.moengage.com/docs/user-guide/segment/segment-operations/rfm-segments
- https://www.moengage.com/docs/user-guide/segment/advanced-concepts/aggregation-operations

- https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview

- Ability to create run time cohorts/segments, for example:

- Family & Friends

- Senior Citizens

- More which IndiGo can come out in the future. Vendors are requested to suggest more such cohorts which IndiGo does not have currently.

MoEngage Response | Compliance: C

- Yes, MoEngage supports creating dynamic, real-time cohorts and segments based on user behavior, demographics, preferences, and past interactions. You can build custom audiences and sub-audiences using criteria such as:

- Behavioral signals (app usage, actions, engagement patterns)

- Loyalty status and membership programs

- Travel intent indicators (multiple views of booking pages, search patterns)

- Demographic and geographic attributes

- Psychographic data (interests, achievements)

- Predictive attributes (likely to purchase, upgrade)

- MoEngage has a patented real-time segmentation technology and all Segments are processed with a p99 SLA of 5 seconds per query, enabling near-instantaneous assignment to new cohorts. All segmentation techniques can be combined using nested segments with and/or filters.

- For predictive cohort suggestions, MoEngage offers:

- RFM (Recency, Frequency, Monetary) Model that auto-segments users into categories such as Loyal, Promising, At Risk based on their behavior

- Predictive segmentation to identify propensity of users to perform custom events

- These capabilities enable you to discover and target passenger segments beyond your current cohorts, such as identifying frequent flyers at risk of churn, passengers with high propensity to upgrade, or travelers showing specific booking intent patterns.

- https://www.moengage.com/docs/user-guide/segment/basics-of-segmentation/types-of-segments

- https://www.moengage.com/docs/user-guide/segment/segment-operations/affinity-segments

- https://www.moengage.com/docs/user-guide/segment/segment-operations/rfm-segments

- https://www.moengage.com/docs/user-guide/segment/advanced-concepts/aggregation-operations

- https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview
- https://www.moengage.com/docs/user-guide/segment/advanced-concepts/real-time-segment-evaluation

2.2. Ability to identify anonymous, logged in and loyalty registered customer.

MoEngage Response | Compliance: C

- Yes, MoEngage can identify anonymous, logged-in, and loyalty-registered customers across web and app touchpoints.
- **Anonymous Users**: Web and app SDK capture behavior of anonymous browsers before they identify themselves. Once users sign up or log in, their previous anonymous activity is linked to their customer profile, providing a seamless transition and complete view of their journey.
- **Logged-in Users**: User profiles aggregate all interaction data once customers authenticate, combining attributes and event data from multiple systems to create a holistic view.
- **Loyalty-Registered Customers**: Segmentation can be created and targeted based on loyalty or membership status. Customer segments are built using loyalty status as a user attribute, enabling personalized campaigns and content tailored to their tier or program participation.
- For IndiGo's airline context, this enables personalization based on travel intent signals (e.g., flight searches, booking abandonment) and loyalty tier (e.g., frequent flyer status), with real-time segmentation. Segments are dynamic and automatically refreshed in real-time as customers move between anonymous browsing, logged-in sessions, and loyalty program interactions.
- https://www.moengage.com/docs/user-guide/data/user-data/anonymous-to-registered-user-merge

2.3. Ability to build customer profiles using booking, ancillary and engagement behaviour.

MoEngage Response | Compliance: C

- Yes. MoEngage builds unified customer profiles that combine user attributes and event data from multiple sources. For IndiGo, this means profiles can incorporate:
- Booking data: flight reservations, booking history, travel patterns
- Ancillary behavior: seat selection, meal preferences, baggage purchases, lounge access
- Engagement behavior: email opens, app interactions, website browsing, campaign responses
- The platform supports 512 user attributes retained indefinitely by default - extendable as per Indigo's requirement, allowing comprehensive tracking of passenger behavior. Segmentation can be performed on any user attribute, event, or event attribute - enabling targeting based on booking frequency, ancillary spend patterns, travel preferences, and engagement levels.
- Rule-based segmentation supports complex logic (AND/OR/IS/INCLUDED IN/NOT INCLUDED IN/LIKE/EXCEPT) to create precise passenger segments. For example: frequent flyers who book premium seats but haven't purchased lounge access, or passengers who added ancillaries to cart but didn't complete purchase.
- The platform also offers affinity segmentation to group passengers based on common behaviors and traits, plus aggregation segmentation for metrics like total spend or booking frequency over time periods.

- https://www.moengage.com/docs/user-guide/data/user-data/user-profile

2.4. Ability to create predictive audiences such as:

- High propensity to book
- High ancillary propensity
- High lifetime value customers
- High loyalty engagement customers

MoEngage Response | Compliance: C

- Yes, MoEngage can identify anonymous, logged-in, and loyalty-registered customers across web and app touchpoints.
- **Anonymous Users**: Web and app SDK capture behavior of anonymous browsers before they identify themselves. Once users sign up or log in, their previous anonymous activity is linked to their customer profile, providing a seamless transition and complete view of their journey.
- **Logged-in Users**: User profiles aggregate all interaction data once customers authenticate, combining attributes and event data from multiple systems to create a holistic view.
- **Loyalty-Registered Customers**: Segmentation can be created and targeted based on loyalty or membership status. Customer segments are built using loyalty status as a user attribute, enabling personalized campaigns and content tailored to their tier or program participation.
- For IndiGo's airline context, this enables personalization based on travel intent signals (e.g., flight searches, booking abandonment) and loyalty tier (e.g., frequent flyer status), with real-time segmentation. Segments are dynamic and automatically refreshed in real-time as customers move between anonymous browsing, logged-in sessions, and loyalty program interactions.
- https://www.moengage.com/docs/user-guide/data/user-data/anonymous-to-registered-user-merge

2.5. Ability to create audiences using real-time customer behaviour and historical customer data.

MoEngage Response | Compliance: C

- Yes. MoEngage supports audience creation using both real-time customer behavior and historical data:
- **Real-Time Behavior:**
- Dynamic real-time segmentation with using real-time and instantaneous web and App data. Immediate Activation
- Segments automatically refresh in real-time as user behavior changes
- Action-based, behaviorally-triggered messaging sent immediately upon user engagement
- **Historical Data:**

- Upload historical data including customers, carts, and transactions via APIs, and CSV/S3/SFTP file import
- Affinity segmentation using behavior and trends over time (e.g., users who predominantly engage on weekends)
- **Combined Segmentation:**
- Create nested segments combining multiple events and user attributes with and/or filters
- Segment based on travel intent signals, loyalty status, and behavioral patterns
- Rule-based segmentation (e.g., users who added to cart but didn't complete booking)
- Aggregation segmentation (e.g., users who spent at least X amount in last 12 months)
- **MoEngage Differentiator:**
- MoEngage has patented technology for Real-time segmentation which is a step ahead of competition that still refreshes segments in 3/6 hrs.
- https://www.moengage.com/docs/user-guide/segment/basics-of-segmentation/types-of-segments
- https://www.moengage.com/docs/user-guide/segment/segment-operations/affinity-segments
- https://www.moengage.com/docs/user-guide/segment/segment-operations/rfm-segments
- https://www.moengage.com/docs/user-guide/segment/advanced-concepts/aggregation-operations
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview
- https://www.moengage.com/docs/user-guide/segment/advanced-concepts/real-time-segment-evaluation

Use Case Demonstration

2.6. Demonstrate creation of business traveller and leisure traveller cohorts.

MoEngage Response | Compliance: C

- To be demonstrated

2.7. Demonstrate targeting family travellers differently from solo travellers.

MoEngage Response | Compliance: C

- To be demonstrated

2.8. Demonstrate real-time audience qualification during an active booking session.

MoEngage Response | Compliance: C

- To be demonstrated

2.9. Demonstrate identity stitching across devices and channels.

MoEngage Response | Compliance: C

- To be demonstrated

2.10. Demonstrate creation of high-value customer segments.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

2.11. Maximum profile attributes supported.

MoEngage Response | Compliance: C

- MoEngage supports 512 unique user attributes by default; extendable as per Indigo's requirements. These are in addition to the 100s of attributes per event. All these data points are used for customer segmentation.

2.12. Audience qualification latency.

MoEngage Response | Compliance: C

- Audience qualification operates in near real-time with a p99 SLA of 5 seconds per query, ensuring users are assigned to new segments almost immediately. Segments are dynamic and automatically refreshed in real-time.

2.13. Real-time versus batch processing approach.

MoEngage Response | Compliance: C

- Audience qualification operates in near real-time with a p99 SLA of 5 seconds per query, ensuring users are assigned to new segments almost immediately. Segments are dynamic and automatically refreshed in real-time.
- The platform processes data from over 1 billion users monthly and has successfully handled burst traffic for multiple customers with 150 million+ monthly active users. Infrastructure is hosted behind load-balancers with auto-scaling capabilities (both horizontal and vertical) to accommodate growth without compromising performance.

2.14. Largest profile volume currently supported.

MoEngage Response | Compliance: C

- MoEngage works with some of the largest entities globally in terms of having a customer profile base - this includes LIC, T-mobile, Airtel, Citibank, Chase Bank, etc.

3. Personalization

Capability Requirements

3.1 Ability to personalize content, offers and experiences at an individual customer level.

MoEngage Response | Compliance: C

- Yes. MoEngage enables 1:1 personalization across web and app experiences through:
- Dynamic content personalization using user attributes (name, loyalty status, local preferences), event attributes (booking details, travel history), and behavioral data
- Product recommendations based on customer behavior, booking history, and preferences
- Affinity-based segmentation to identify shared psychological characteristics and purchase tendencies
- Web personalization visual editor for tailoring experiences to individual preferences and behaviors
- Content API to fetch external content and dynamically populate personalization at send time
- For an airline, this enables personalization based on travel intent signals (destination searches, flight views), loyalty tier, booking patterns, and in-flight service preferences.
- https://www.moengage.com/products/personalize

3.2 Ability to personalize homepage, search, booking and post-booking experiences.

MoEngage Response | Compliance: C

- Yes, MoEngage enables personalization across homepage, search, booking, and post-booking experiences:
- **Homepage & Search Personalization:**
- No-code visual editor personalizes web pages using UTM parameters, in-session behavior (pages viewed, scroll depth, time spent), and contextual data (location, time of day); Similarly - Server side personalization available for Apps
- First-time visitors can receive personalized experiences based on campaign source or browsing patterns
- Dynamic content adjusts based on user segments, loyalty status, and behavioral signals
- **Booking Experience:**
- Real-time segmentation based on travel intent, search history, and past bookings
- AI-powered recommendation engine delivers personalized flight suggestions and upgrade offers
- Event-triggered personalization using booking attributes (room type, board type, number of passengers, booking value)
- Affinity segmentation groups users by common behaviors and preferences
- **Post-Booking:**
- Personalized workflows triggered by travel stage (pre-flight, in-flight, post-flight)
- Geolocation-based automation for check-in reminders and airport proximity notifications
- Customized post-travel engagement including feedback collection and loyalty incentives

- Segmentation leverages demographic data (age, gender, location), behavioral data (usage patterns, purchase history), psychographic data (interests, preferences), and predictive analytics (likelihood to purchase, upgrade, or churn). All segments update in real-time as user attributes and behaviors change.
- https://help.moengage.com/hc/en-us/articles/12592564915604-Overview-Personalize
- https://help.moengage.com/hc/en-us/articles/17653486610324-MoEngage-Recommendations
- https://help.moengage.com/hc/en-us/articles/11621615057300-Create-Experience#h_01HE2MG0SQAGNS2S2FB4XF85AW
- https://help.moengage.com/hc/en-us/articles/206169646-Create-Segments

3.3 Ability to personalize flight ranking and sorting.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this through server-side personalization. The full segmentation and decisioning logic, determining who a passenger is and what should matter to them, runs entirely on MoEngage's side. Based on that logic, MoEngage sends the relevant User Level sort parameters to IndiGo's server via the server-side Personalize API, and IndiGo's booking engine applies that sort order when rendering the flight list.
- For example, a passenger identified as price-sensitive would have MoEngage send a "price: low to high" sort instruction to IndiGo's server, while a passenger identified as loyalty-driven or schedule-sensitive could have MoEngage send a different sort parameter (e.g. loyalty-fare relevance, or departure time proximity) for the same screen. IndiGo's system doesn't need to replicate or maintain any of the underlying segmentation logic, it only needs to accept and apply the sort parameter received from MoEngage via the API, keeping all personalization intelligence centralized on MoEngage's side while the actual rendering stays within IndiGo's own booking engine.

3.4 Ability to personalize ancillary recommendations.

MoEngage Response | Compliance: C

- Yes, MoEngage personalizes ancillary recommendations for airlines through:
- **Recommendation Engine Capabilities:**
- Recommended Items: Personalized suggestions based on individual passenger behavior, preferences, and past interactions (e.g., seat upgrades, travel packages tailored to booking history)
- Frequently Bought Together: Bundle recommendations like flights with hotel bookings, or complementary services such as priority check-in with extra baggage
- Frequently Viewed Together: Cross-sell related destinations or services based on browsing patterns
- Similar Items: Suggest comparable options (e.g., alternative beach destinations when viewing beach flights)
- Top Selling Items: Highlight most popular destinations, preferred travel classes, or popular additional services
- **Segmentation & Targeting:**

- Create customer segments based on loyalty status, purchase history, and behavioral signals
- Target passengers with specific campaigns determined by their loyalty/membership status
- Identify users receptive to offers based on behavior (e.g., multiple views of signup page)
- **Predictive Analytics:**
- Predict likelihood to purchase based on historical data
- Optimize ancillary service recommendations (seat upgrades, luggage, in-flight services)
- Identify user affinity towards certain products/categories to recommend suitable offers
- Focus marketing efforts on high-propensity users to improve conversion rates
- **Real-Time Personalization:**
- Deliver personalized flight suggestions and upgrade offers based on search history and past bookings in real-time
- Trigger contextual offers during booking or check-in process
- Send location-based messages (e.g., duty-free offers, lounge access) when passengers are near airports
- **Cross-Channel Delivery:**
- Personalized recommendations extend across email, push notifications, in-app messages, and SMS to reach passengers on their preferred channels.
- https://help.moengage.com/hc/en-us/articles/17653486610324-MoEngage-Recommendations
- https://help.moengage.com/hc/en-us/articles/16310393744788-Overview-Advanced-Recommendations
- https://help.moengage.com/hc/en-us/articles/360061582471-Overview#out-of-the-box-predictions-0-1

3.5 Ability to personalize experiences using route, trip type, customer value and travel history.

MoEngage Response | Compliance: C

- Yes, natively supported. All four of these are standard profile and event attributes on the unified customer profile, usable together for segmentation, content personalization, and offer decisioning without separate data modelling for each.
- **Route and trip type:** captured as event attributes (origin, destination, one-way vs round-trip, connecting vs direct) at Search and Flight Selection, available immediately for personalization within the same session.
- **Customer value:** calculated automatically via RFM scoring (recency, frequency, monetary value), updating continuously as new bookings occur.Custom calcuations are also possible using Computed Traits.
- **Travel history:** the full booking history sits on the same profile, usable to differentiate a first-time route flyer from a repeat flyer on that route.

- **Combined use in practice:** a high-value customer (strong RFM score) who has flown Delhi–Bangalore repeatedly (route + travel history) on a round-trip business pattern (trip type) can be shown a different Flight Selection experience, e.g. a business-fare-forward layout, than a first-time leisure traveller searching the same route.
- These attributes also feed directly into the Decisioning Engine's ranking policy, so the same combination that defines an audience can also weight which fare or ancillary offer is prioritised for that specific passenger.
- https://help.moengage.com/hc/en-us/articles/206169646-Creating-user-segments
- https://help.moengage.com/hc/en-us/articles/12592564915604-Overview-Personalize

3.6 Ability to recommend next-best-offer(Fare movement from Saver – flexi – Upfront – Stretch) to cross-sell and upsell opportunities.

MoEngage Response | Compliance: C

- Yes, natively supported through MoEngage's Offerings & Decision Policy framework.
- **Offerings as the fare catalog:** each fare movement (Saver → Flexi, Flexi → Upfront, Upfront → Stretch) is configured as an individual Offering, with its own eligibility rules, scheduling, priority, and content. IndiGo can build one Offering per upsell path rather than one generic "upgrade" message.
- **Decision Policy as the selection layer:** a Decision Policy groups these fare-movement Offerings into a pool and selects the single best one for a given passenger, rather than IndiGo needing to hard-code "if Saver, then always offer Flexi."
- **Ranking options available:**
- **AI Auto Optimize** learns from click and conversion data which fare movement actually converts best per passenger, adapting continuously.
- **Offering Priority** lets IndiGo simply rank Stretch above Upfront above Flexi manually if a fixed hierarchy is preferred.
- **Custom Formula** blends both: e.g. 40% weight on "margin tier" (a Fixed Value attribute IndiGo defines, Stretch scored higher than Flexi), 30% on "booking window urgency" (a Dynamic Value attribute scored per passenger), 20% on historical CTR, 10% on manual priority. This produces a per-passenger score, so a short-booking-window business traveller might get ranked toward Upfront while a long-booking-window leisure traveller gets ranked toward Flexi, using the same Offering pool.
- **Simulation before go-live:** IndiGo can test this Decision Policy against a specific real passenger profile or a random one, and see exactly which fare-movement Offering would be selected, eligible-but-not-selected, or ineligible, before it ever goes live, removing guesswork from tuning the ranking formula.
- **Conversion measurement:** each fare-movement Offering can be tied to a conversion goal (e.g. "fare upgrade completed"), with view-through and click-through attribution tracked automatically, so IndiGo can see which specific fare movement actually drove the upsell, not just that "an offer" was shown.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/create-offerings
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.7 Ability to combine business rules with automated decisioning.

MoEngage Response | Compliance: C

- Yes, natively supported. This is the explicit design intent of the Custom Formula ranking strategy, which sits between pure manual control and pure AI automation.
- **Pure business rules (Manual Priority):** IndiGo assigns a fixed rank to each offer; same rank for every passenger, full author control, no personalization.
- **Pure automated decisioning (AI Auto Optimize):** the engine learns from engagement data and optimises purely for conversion, with no guarantee that a strategically important but lower-CTR offer (e.g. a new fare bundle IndiGo wants to promote) doesn't get buried.
- **Custom Formula, the actual combination point:** IndiGo defines Offering Attributes, Fixed Value attributes (e.g. "Business Objective: Maximise Ancillary Revenue" vs "Reduce Churn," scored by IndiGo at Offering creation) and Dynamic Value attributes (e.g. "Route Affinity," scored automatically per passenger from their live profile), then assigns each a weight alongside built-in Offering Performance (CTR/CVR) and Offering Priority. All weights must total 100%.
- What this achieves concretely: a formula like 40% business-objective weight + 30% passenger-specific route affinity + 20% historical performance + 10% manual priority means IndiGo's commercial rules (the 40%) always factor into every decision, while the remaining 60% still lets AI-informed relevance and performance data influence the final ranking per passenger. Changing the weight redistributes influence immediately across all offerings, no re-ranking each offer manually.
- Tie-breaking stays rule-governed even at the edges: if two offers score identically, the engine falls back to a defined sequence (soonest-expiring offer wins, then earliest-start-date, then random), so even automated edge cases resolve predictably rather than arbitrarily.
- **MoEngage Differentiator:**
- Offer Decisioning gives IndiGo a choice of ranking strategy per use case: fixed business priority, AI auto-optimization, or a custom weighted formula blending business and user signals, rather than being locked into a single fixed logic - this gives IndiGo sufficient flexibility across use cases
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/create-offerings
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.8 Ability to personalize content and offers based on customer lifecycle stage.

MoEngage Response | Compliance: C

- Yes, natively supported, primarily through MoEngage Personalize and Offering eligibility rules and Dynamic Value attributes.
- **Eligibility by lifecycle stage:**
- Offerings can be targeted using User Property filters (e.g. "first seen within 7 days" for new customers), User Behavior filters (e.g. "no booking event in 30+ days" for lapsed customers), or a pre-built Custom Segment representing a lifecycle stage IndiGo has already defined.

- New customer example: an Offering scoped to "signed up in the past 7 days" can prioritise onboarding-oriented content (first-booking incentive) over a loyalty-tier upsell that wouldn't yet be relevant.
- Lapsed/dormant customer example: an Offering scoped to "no engagement in 30+ days" can be weighted, via a Fixed Value business-objective attribute, toward win-back content, this maps directly to the documented "re-engagement for inactive users" use case pattern.
- **Dynamic, not manually tagged:** because eligibility is evaluated against the live profile at the moment of the decisioning call (not a static tag IndiGo has to update), a passenger's lifecycle classification updates automatically as their booking and engagement behaviour changes, no manual re-segmentation required.
- **In-session refinement:** lifecycle-based eligibility can be further narrowed using in-session attributes (e.g. device type, current search context) passed at the moment of the Personalize Experience Fetch request, so the same lifecycle-stage Offering can still react to what the passenger is doing right now.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/create-offerings
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.9 Ability to personalize experiences using real-time and historical behavioral signals.

MoEngage Response | Compliance: C

- Yes, natively supported. This is core to MoEngage Personalize, which is explicitly built to bridge real-time user behaviour and stored profile history into live website and app experiences.
- **Real-time signals:** Personalize captures in-session behaviour as it happens, current page, search activity, dwell time, scroll depth, referral source, and can reshape the experience within that same session. Example: a passenger who just searched a new destination on the app can see the home screen banner update to reflect that destination before they've left the session.
- **Historical signals:** past behaviour (previous routes searched, prior bookings, ancillary purchase history, engagement patterns) is stored on the profile and available for personalization on any future visit, not just the session it was captured in. Example: a returning visitor's web banner can reference their most-viewed route from a prior visit, without needing that visit to still be active.
- **Combining both in one experience:** this is where Personalize is strongest, a rule can require both a real-time condition (currently browsing Ancillary Selection) and a historical condition (has purchased extra baggage on 2+ prior bookings) to trigger a specific personalized module, e.g. auto-surfacing the baggage bundle they've historically preferred rather than a generic ancillary list.
- **Applies across both delivery modes:** client-side personalization (no-code visual editor, for web pages IndiGo doesn't need engineering to change) and server-side personalization (API-delivered payload, for app screens or booking-engine-embedded zones) both draw from the same real-time-plus-historical profile, so the signal logic doesn't change based on where it's rendered.
- **Where offer decisioning fits in:** once Personalize has determined that a passenger qualifies for a specific personalized experience, the Decisioning Engine can additionally be used within that experience to rank which specific offer (if any) appears in it, e.g. Personalize decides "show an ancillary module to this passenger," Decisioning decides "which specific ancillary item ranks highest for them." The two work together, but the behavioral personalization itself doesn't require an Offering to exist.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

3.10 Ability to personalize basis cabin config, aircraft types etc

MoEngage Response | Compliance: C

- Yes, natively supported through MoEngage's Recommendations engine, built on a three-step setup: Item Catalog, Mapped User Actions, and Recommendation configuration, exactly matching how travel businesses already use this feature for vacation packages and destination recommendations.
- **Item Catalog:** IndiGo would populate a flight/route catalog containing every flight as a catalog item, with structured attributes attached to each, aircraft type, cabin configuration, seat pitch, premium cabin availability, alongside standard fields like fare, route, and departure time. This is the same catalog mechanism already used across industries (e.g. Travel: "vacation packages or destinations based on traveler preferences"), just with IndiGo's own attribute set.
- Mapping user actions: IndiGo maps its own booking-flow events (e.g. flight viewed, seat selected, fare compared) to standard MoEngage events, so the recommendation engine knows which catalog item (which specific flight, with its aircraft/cabin attributes) a passenger interacted with at each step.
- **Basic Recommendations, Item Attributes model:** a rule-based recommendation can be built directly on the aircraft/cabin catalog attribute, e.g. only recommend an extra-legroom upgrade when the catalog attribute confirms that aircraft configuration has that cabin option, filtering out aircraft types that don't.
- **Advanced Recommendations,** ML-driven models: rather than static rules, the "Recommended items (user personalized)" model can factor aircraft/cabin attributes alongside a passenger's own interaction history, while "Similar items" or "Frequently viewed together" models can suggest comparable flights or seat options sharing the same cabin configuration a passenger has previously engaged with.
- **Where it renders:** once a recommendation is created, it personalizes content the same way regardless of channel, usable in Push, Email, WhatsApp, and equally in web/app Personalize experiences (client-side visual editor or server-side API payload), so an aircraft-aware seat-upgrade recommendation can appear directly on Seat Selection, not just in a marketing message.
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

3.11 Ability to support Recommendations at scale for products, ancillaries, bundles, content, destinations, partner offers, and other structured items maintained in a recommendation catalog. The platform must support:

MoEngage Response | Compliance: C

- Yes, natively supported. MoEngage's Recommendations engine is explicitly built around structured catalogs and two distinct recommendation categories, giving IndiGo both rule-based control and ML-driven ranking depending on the use case.
- **Structured metadata catalogs:** the Item Catalog is the foundation for all recommendations, a comprehensive list of "all business offerings and respective information," with campaigns personalized using the item attributes stored against each catalog entry. This isn't limited to physical products, documented use cases span retail, banking/finance (loans, insurance, credit card offers), classifieds/real estate (job postings, property listings), ed-tech (courses), entertainment/media (movies, shows, articles), and travel (vacation packages, destinations), confirming the catalog model handles content, financial products, and travel items equally well, not just SKUs.
- Two recommendation categories, covering both rule-based and AI-ranked scale:

- **Basic Recommendations (Item Attributes, User Actions):** rule-based filtering and sorting, useful when IndiGo wants direct control over which items surface, e.g. promoting a specific fare class or route deliberately.
- **Advanced Recommendations (Recommended items/personalized, Similar items, Frequently viewed together, Frequently bought together):** ML and deep-learning-driven models that adapt per user, useful for scaled personalization where manual rule-writing per passenger isn't feasible.
- Real-time affinity and context: recommendations are generated from mapped user action events tied to catalog items, meaning a passenger's real-time interaction (a flight just viewed, a fare just compared) feeds directly into what gets recommended next, without requiring a separate context pipeline.
- Non-product items, natively supported: IndiGo's use of non-physical items (fare bundles, ancillary services, destination content, loyalty rewards) fits MoEngage Catalog structure.
- Delivery at scale across channels: once configured, the same recommendation can personalize content across Push, Email, and WhatsApp campaigns, and equally within web/app Personalize experiences, meaning a single recommendation configuration scales across every channel IndiGo uses, rather than needing separate logic built per channel.
- If IndiGo wants to additionally rank competing promotional Offerings (not just catalog items) by business priority or passenger relevance, that ranking sits in the Decisioning Engine's Decision Policy layer.
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.12 Recommendation catalogs with structured metadata: Store all items (products, content, offers, etc.) with clear details like category, price, tags, and relevance

MoEngage Response | Compliance: C

- Yes, natively supported. MoEngage's Recommendations engine is explicitly built around structured catalogs and two distinct recommendation categories, giving IndiGo both rule-based control and ML-driven ranking depending on the use case.
- **Structured metadata catalogs:** the Item Catalog is the foundation for all recommendations, a comprehensive list of "all business offerings and respective information," with campaigns personalized using the item attributes stored against each catalog entry. This isn't limited to physical products, documented use cases span retail, banking/finance (loans, insurance, credit card offers), classifieds/real estate (job postings, property listings), ed-tech (courses), entertainment/media (movies, shows, articles), and travel (vacation packages, destinations), confirming the catalog model handles content, financial products, and travel items equally well, not just SKUs.
- Two recommendation categories, covering both rule-based and AI-ranked scale:
- **Basic Recommendations (Item Attributes, User Actions):** rule-based filtering and sorting, useful when IndiGo wants direct control over which items surface, e.g. promoting a specific fare class or route deliberately.
- **Advanced Recommendations (Recommended items/personalized, Similar items, Frequently viewed together, Frequently bought together):** ML and deep-learning-driven models that adapt per user, useful for scaled personalization where manual rule-writing per passenger isn't feasible.

- Real-time affinity and context: recommendations are generated from mapped user action events tied to catalog items, meaning a passenger's real-time interaction (a flight just viewed, a fare just compared) feeds directly into what gets recommended next, without requiring a separate context pipeline.
- Non-product items, natively supported: IndiGo's use of non-physical items (fare bundles, ancillary services, destination content, loyalty rewards) fits MoEngage Catalog structure.
- Delivery at scale across channels: once configured, the same recommendation can personalize content across Push, Email, and WhatsApp campaigns, and equally within web/app Personalize experiences, meaning a single recommendation configuration scales across every channel IndiGo uses, rather than needing separate logic built per channel.
- If IndiGo wants to additionally rank competing promotional Offerings (not just catalog items) by business priority or passenger relevance, that ranking sits in the Decisioning Engine's Decision Policy layer.
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.13 Ranking of the top-N items from large item sets: Pick and display the most relevant few options (e.g., top 3 or top 5) from a large pool of items

MoEngage Response | Compliance: C

- Yes, natively supported through MoEngage's Offerings & Decision Policy framework.
- **Offerings as the fare catalog:** each fare movement (Saver → Flexi, Flexi → Upfront, Upfront → Stretch) is configured as an individual Offering, with its own eligibility rules, scheduling, priority, and content. IndiGo can build one Offering per upsell path rather than one generic "upgrade" message.
- **Decision Policy as the selection layer:** a Decision Policy groups these fare-movement Offerings into a pool and selects the single best one for a given passenger, rather than IndiGo needing to hard-code "if Saver, then always offer Flexi."
- **Ranking options available:**
- **AI Auto Optimize** learns from click and conversion data which fare movement actually converts best per passenger, adapting continuously.
- **Offering Priority** lets IndiGo simply rank Stretch above Upfront above Flexi manually if a fixed hierarchy is preferred.
- **Custom Formula** blends both: e.g. 40% weight on "margin tier" (a Fixed Value attribute IndiGo defines, Stretch scored higher than Flexi), 30% on "booking window urgency" (a Dynamic Value attribute scored per passenger), 20% on historical CTR, 10% on manual priority. This produces a per-passenger score, so a short-booking-window business traveller might get ranked toward Upfront while a long-booking-window leisure traveller gets ranked toward Flexi, using the same Offering pool.
- **Simulation before go-live:** IndiGo can test this Decision Policy against a specific real passenger profile or a random one, and see exactly which fare-movement Offering would be selected, eligible-but-not-selected, or ineligible, before it ever goes live, removing guesswork from tuning the ranking formula.

- **Conversion measurement:** each fare-movement Offering can be tied to a conversion goal (e.g. "fare upgrade completed"), with view-through and click-through attribution tracked automatically, so IndiGo can see which specific fare movement actually drove the upsell, not just that "an offer" was shown.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/create-offerings
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.14 Recommendation of content, offers, and non-product items in addition to ancillaries: Recommend not just add-ons, but also content, offers, and other non-product items

MoEngage Response | Compliance: C

- Yes, natively supported. MoEngage's Recommendations engine is explicitly built around structured catalogs and two distinct recommendation categories, giving IndiGo both rule-based control and ML-driven ranking depending on the use case.
- **Structured metadata catalogs:** the Item Catalog is the foundation for all recommendations, a comprehensive list of "all business offerings and respective information," with campaigns personalized using the item attributes stored against each catalog entry. This isn't limited to physical products, documented use cases span retail, banking/finance (loans, insurance, credit card offers), classifieds/real estate (job postings, property listings), ed-tech (courses), entertainment/media (movies, shows, articles), and travel (vacation packages, destinations), confirming the catalog model handles content, financial products, and travel items equally well, not just SKUs.
- Two recommendation categories, covering both rule-based and AI-ranked scale:
- **Basic Recommendations (Item Attributes, User Actions):** rule-based filtering and sorting, useful when IndiGo wants direct control over which items surface, e.g. promoting a specific fare class or route deliberately.
- **Advanced Recommendations (Recommended items/personalized, Similar items, Frequently viewed together, Frequently bought together):** ML and deep-learning-driven models that adapt per user, useful for scaled personalization where manual rule-writing per passenger isn't feasible.
- Real-time affinity and context: recommendations are generated from mapped user action events tied to catalog items, meaning a passenger's real-time interaction (a flight just viewed, a fare just compared) feeds directly into what gets recommended next, without requiring a separate context pipeline.
- Non-product items, natively supported: IndiGo's use of non-physical items (fare bundles, ancillary services, destination content, loyalty rewards) fits MoEngage Catalog structure.
- Delivery at scale across channels: once configured, the same recommendation can personalize content across Push, Email, and WhatsApp campaigns, and equally within web/app Personalize experiences, meaning a single recommendation configuration scales across every channel IndiGo uses, rather than needing separate logic built per channel.
- If IndiGo wants to additionally rank competing promotional Offerings (not just catalog items) by business priority or passenger relevance, that ranking sits in the Decisioning Engine's Decision Policy layer.
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.15 Real-time use of visitor affinity, browsing behavior, booking context, and profile context: Use live inputs like user preferences, browsing behavior, current booking details, user profile, etc to show relevant recommendations instantly

MoEngage Response | Compliance: C

- Yes. MoEngage enables 1:1 personalization across web and app experiences through:
- Dynamic content personalization using user attributes (name, loyalty status, local preferences), event attributes (booking details, travel history), and behavioral data
- Product recommendations based on customer behavior, booking history, and preferences
- Affinity-based segmentation to identify shared psychological characteristics and purchase tendencies
- Web personalization visual editor for tailoring experiences to individual preferences and behaviors
- Content API to fetch external content and dynamically populate personalization at send time
- For an airline, this enables personalization based on travel intent signals (destination searches, flight views), loyalty tier, booking patterns, and in-flight service preferences.
- https://www.moengage.com/products/personalize

Use Case Demonstration

3.16 Demonstrate personalized flight ranking.

MoEngage Response | Compliance: C

- To be demonstrated

3.17 Demonstrate personalized homepage experiences.

MoEngage Response | Compliance: C

- To be demonstrated

3.18 Demonstrate personalized ancillary recommendations.

MoEngage Response | Compliance: C

- To be demonstrated

3.19 Demonstrate personalized cross-sell and upsell recommendations.

MoEngage Response | Compliance: C

- To be demonstrated

3.20 Demonstrate personalized experiences for premium and high-value customers.

MoEngage Response | Compliance: C

- To be demonstrated

3.21 Demonstrate Personalized alerts for gate changes, delays, and baggage belt information.

MoEngage Response | Compliance: C

- To be demonstrated

3.22 Demonstrate Contextual upsells such as lounge access when the user arrives early at the airport.

MoEngage Response | Compliance: C

- To be demonstrated

3.23 Smart check-in prompts based on travel patterns.

MoEngage Response | Compliance: C

- To be demonstrated

3.24 Contextual messages based on location with suggestive travel times for reaching airport (deep integration with google maps)

MoEngage Response | Compliance: C

- To be demonstrated

3.25 Demonstrate audience-level Experience Targeting using geo or context-based rules for airport or journey scenarios.

MoEngage Response | Compliance: C

- To be demonstrated

3.26 Demonstrate recommendations for ancillary products and non-flight content from a structured catalog using visitor context and prior behavior.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

3.27 Personalization scale supported.

MoEngage Response | Compliance: C

- Our Personalization api supports a default of 10k requests per min. This has been scaled to handle upto 120k requests per minute and even higher on a need basis for some of our customers.

3.28 Monthly personalization decision volume.

MoEngage Response | Compliance: C

- Our Personalization api supports a default of 10k requests per min. This has been scaled to handle upto 120k requests per minute and even higher on a need basis for some of our customers.
-

3.29 Travel customer references.

MoEngage Response | Compliance: C

- Travel customers:
- Travelodge, Kayak, Akasa Air
- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

3.30 Measurable business outcomes delivered.

MoEngage Response | Compliance: C

- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

3. Context-Aware UI Personalization

Capability Requirements

3.1 Ability to dynamically personalize page layouts based on customer context.

MoEngage Response | Compliance: C

- Yes, natively supported, and MoEngage explicitly supports this at two levels of depth depending on how deep the layout change needs to go.
- **Client-side (surface-level layout changes):** the WYSIWYG visual editor targets any element on the page via its HTML element ID or CSS selector path, letting IndiGo move, hide, resize, or replace specific components (a banner, a CTA block, a widget) based on which context/segment a visitor falls into, without writing code.
- **Server-side (structural layout changes):** for changes that go deeper than swapping visible elements, restructuring the entire page layout in response to customer behaviour and preferences, MoEngage explicitly supports this via server-side personalization, where the page is assembled with the personalized structure already built in before it reaches the browser.
- **Hybrid model:** client-side and server-side personalization can run simultaneously on the same page, e.g. marketers adjust CTAs and banners via the visual editor while product/growth teams run deeper structural changes server-side, both driven by the same underlying customer context.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.2 Ability to modify page structure, content hierarchy and component placement based on user behaviour.

MoEngage Response | Compliance: C

- MoEngage's web and app personalization capabilities enable real-time modification of page structure, content hierarchy, and component placement based on user behavior without requiring code access.
- Key capabilities:
- **Behavioral Personalization**: Dynamically change website/app experiences based on user buying and browsing behavior, segmenting by loyalty status, travel intent, and behavioral signals
- **No-Code Visual Editor**: WYSIWYG interface allows in-app editing and personalization without engineering support, enabling marketers to build dynamic experiences independently
- **Real-Time Segmentation**: Personalize experiences for known vs. unknown users, new vs. returning customers, and custom segments based on demographic, behavioral, and psychographic attributes
- **Dynamic Content Blocks**: Modify content hierarchy and component placement in real-time based on user attributes, past interactions, and predictive analytics
- **Multi-Page Coordination**: Create coordinated personalized experiences across multiple pages and touchpoints
- For airline use cases, this enables personalization based on frequent flyer status, booking history, route preferences, and travel patterns to deliver relevant flight suggestions, upgrade offers, and ancillary services.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.3 Ability to personalize homepage modules, banners, widgets and navigation elements.

MoEngage Response | Compliance: C

- MoEngage enables personalization of homepage modules, banners, widgets, and navigation elements through our no-code visual editor for client-side personalization and Server-side personalization for Apps. You can customize text, images, CTAs, and product recommendations on web pages and app screens to create tailored experiences for each visitor.
- **Widgets:** MoEngage's Personalize Editor widget library includes ready-to-use components, Image, HTML/JavaScript, Product Grid, Countdown Timer, Carousel, and Tabbed Recommendations, that can be inserted, customized, or swapped per audience, and saved to a reusable widget library so a configured

module, e.g. a route-specific offer carousel, can be reused across multiple pages without rebuilding it each time.

- **Navigation elements:** MoEngage makes menu structure and navigation links directly editable through the same element-targeting mechanism used for banners and CTAs, so navigation items could be reordered or relabeled for a loyalty member versus a first-time visitor.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.4 Ability to personalize search experiences based on customer intent and historical behaviour.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively, using context-and-segment-driven personalization mechanisms applied specifically to Search and booking funnel screens.
- MoEngage makes traveller type, business vs leisure, first-time vs returning, loyalty-registered vs anonymous, available as profile/segment context, and uses it to drive which layout, which widgets, and which content hierarchy appears on Search or subsequent funnel screens.
- MoEngage supports this pattern for travel businesses: dynamically restructuring page layouts or swapping banners based on intent, most-viewed flights, preferences, and segments, which directly translates to showing a business traveller a fare-comparison-forward layout on Search while a leisure traveller sees a destination-inspiration carousel widget on the identical page.
- For booking funnel screens embedded within IndiGo's own reservation system, Passenger Details, Seat Selection, MoEngage delivers the equivalent personalization server-side via API payload, following the same traveller-type logic, rendered through IndiGo's own front-end rather than MoEngage's visual editor.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.5 Ability to personalize booking funnel UI based on traveller type.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively, using context-and-segment-driven personalization mechanisms applied specifically to Search and booking funnel screens.
- MoEngage makes traveller type, business vs leisure, first-time vs returning, loyalty-registered vs anonymous, available as profile/segment context, and uses it to drive which layout, which widgets, and which content hierarchy appears on Search or subsequent funnel screens.
- MoEngage supports this pattern for travel businesses: dynamically restructuring page layouts or swapping banners based on intent, most-viewed flights, preferences, and segments, which directly translates to

showing a business traveller a fare-comparison-forward layout on Search while a leisure traveller sees a destination-inspiration carousel widget on the identical page.

- For booking funnel screens embedded within IndiGo's own reservation system, Passenger Details, Seat Selection, MoEngage delivers the equivalent personalization server-side via API payload, following the same traveller-type logic, rendered through IndiGo's own front-end rather than MoEngage's visual editor.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.6 Ability to adapt experiences based on:

- Route searched
- Travel purpose
- Device type
- Location
- Loyalty tier
- Customer value
- Booking history

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively, using context-and-segment-driven personalization mechanisms applied specifically to Search and booking funnel screens.
- MoEngage makes traveller type, business vs leisure, first-time vs returning, loyalty-registered vs anonymous, available as profile/segment context, and uses it to drive which layout, which widgets, and which content hierarchy appears on Search or subsequent funnel screens.
- MoEngage supports this pattern for travel businesses: dynamically restructuring page layouts or swapping banners based on intent, most-viewed flights, preferences, and segments, which directly translates to showing a business traveller a fare-comparison-forward layout on Search while a leisure traveller sees a destination-inspiration carousel widget on the identical page.
- For booking funnel screens embedded within IndiGo's own reservation system, Passenger Details, Seat Selection, MoEngage delivers the equivalent personalization server-side via API payload, following the same traveller-type logic, rendered through IndiGo's own front-end rather than MoEngage's visual editor.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.7 Ability to personalize UI within an active session as customer intent evolves.

MoEngage Response | Compliance: C

- MoEngage's In-session personalization allows you to target users based on real-time conditions during their current session. Key in-session attributes include:
- Query Parameters / Session Attributes — Custom key-value pairs for targeting (e.g., language preference)
- In-session Behavior — Target based on actions taken within the current session (last 10 instances considered)
- Geolocation, Device Type, Day/Time of week, Browser/OS — Additional real-time targeting filters
- This works for both client-side and server-side personalization experiences.
- **In-Session Personalization:**
- Dynamically update content, images, CTAs, and components based on real-time user actions and behavior during the session
- Adapt experiences as users navigate through different pages or screens, maintaining relevance throughout their journey
- Personalize based on in-session behavior such as product pages viewed, search queries, or interaction patterns
- **Behavioral Segmentation:**
- Create segments based on behavioral signals including browsing patterns, purchase history, and engagement metrics
- Target customers by loyalty status and membership tiers with tailored UI experiences
- Use affinity segmentation to identify habits and preferences (e.g., timing patterns, product category preferences) for dynamic personalization
- **Dynamic Component Management:**
- Personalize any website or app component including banners, product recommendations, and content blocks
- Utilize Visual Editor for no-code customization of UI elements
- Support server-side app personalization for mobile experiences
- Implement self-handled content cards and in-app notifications for embedded content blocks
- **Travel-Specific Applications:**

- Personalize workflows based on travel stage (pre-booking, in-flight, post-flight)
- Target users at different journey phases with contextually relevant UI adaptations
- Combine multiple real-time segmentation techniques including nested segments with event and user attribute filters
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.8 Ability to dynamically rearrange page components to maximize conversion and engagement.

MoEngage Response | Compliance: C

- Yes, natively supported, and MoEngage explicitly supports this at two levels of depth depending on how deep the layout change needs to go.
- **Client-side (surface-level layout changes):** the WYSIWYG visual editor targets any element on the page via its HTML element ID or CSS selector path, letting IndiGo move, hide, resize, or replace specific components (a banner, a CTA block, a widget) based on which context/segment a visitor falls into, without writing code.
- **Server-side (structural layout changes):** for changes that go deeper than swapping visible elements, restructuring the entire page layout in response to customer behaviour and preferences, MoEngage explicitly supports this via server-side personalization, where the page is assembled with the personalized structure already built in before it reaches the browser.
- **Hybrid model:** client-side and server-side personalization can run simultaneously on the same page, e.g. marketers adjust CTAs and banners via the visual editor while product/growth teams run deeper structural changes server-side, both driven by the same underlying customer context.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

3.9 Ability to optimize multi-page or multi-component experiences as a single experience model, including interaction effects between multiple changes across a journey. The platform must support combining changes across components or pages and optimizing them as a holistic experience rather than as isolated placements only.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this at the level of a single experience spanning multiple pages with unified targeting and a shared, multi-step conversion funnel.

- **Multiple Pages as one experience:** MoEngage's Multiple Pages option lets a single experience be configured across several URLs at once, rather than requiring a separate experience per page. The documented example is personalizing a listing page and related pages (e.g. jeans, shorts, and trousers) together for the same audience under one experience, exactly the pattern IndiGo would use to personalize Search, Flight Selection, and Ancillary Selection together for a single traveller-type audience, one experience definition, one audience, applied consistently across the whole journey rather than three disconnected setups.
- **Custom Attributes targeting across page types:** instead of relying on URL structure, an experience can target pages by attribute (e.g. pageType is product or pageType is category), meaning the same holistic experience can apply across structurally different pages in the booking funnel without needing a URL pattern match for each one.
- **Multi-step funnel within one experience:** up to 5 conversion goals can be defined for a single experience, tracked as a sequence, Applied to IndiGo, one experience spanning Search through Ancillary Selection could track the equivalent funnel (viewed flight → selected fare → added ancillary → completed booking) as one connected measurement, not as separate, unrelated page-level metrics.
- **Consistent variation logic across the whole experience:** since audience, variations, and traffic allocation (manual or Merlin AI auto-allocation) are defined once per experience, a passenger assigned to Variation 1 sees that variation's logic consistently across every page included in the experience, rather than potentially seeing inconsistent treatment on different pages.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

Use Case Demonstration

3.10 Demonstrate different homepage layouts for business travellers and family travellers.

MoEngage Response | Compliance: C

- To be demonstrated

3.11 Demonstrate dynamic repositioning of ancillary offers based on traveller context.

MoEngage Response | Compliance: C

- To be demonstrated

3.12 Demonstrate dynamic personalization of booking funnel modules.

MoEngage Response | Compliance: C

- To be demonstrated

3.13 Demonstrate UI adaptation based on customer behaviour within the same session.

MoEngage Response | Compliance: C

- To be demonstrated

3.14 Demonstrate contextual personalization for returning users.

MoEngage Response | Compliance: C

- To be demonstrated

3.15 Demonstrate personalization of UI themes based on time of day.

MoEngage Response | Compliance: C

- To be demonstrated

3.16 Demonstrate adaption of home screen modules based on upcoming trip context.

MoEngage Response | Compliance: C

- To be demonstrated

3.17 Demonstrate dynamically reordering of web/app sections based on individual usage patterns.

MoEngage Response | Compliance: C

- To be demonstrated

3.18 Demonstrate sending contextual nudges when cart is empty or booking is incomplete.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

3.19 Supported UI personalization capabilities.

MoEngage Response | Compliance: C

- **Supported UI personalization capabilities**
- Client-side (no-code visual editor) and server-side (API payload) personalization, standalone or hybrid on the same page.
- Layout, content hierarchy, and component restructuring, not just element swaps.
- Homepage/banner/widget (Product Grid, Carousel, Countdown Timer, etc.) and navigation personalization.
- Visitor-state, device, location, and in-session behavioural targeting, updates within the same session.
- Multi-page experiences as one unit, with shared multi-step funnel and revenue tracking.
- A/B/n and multivariate testing with manual or AI-driven traffic allocation.
- Catalog-based and ML-driven recommendations usable within personalized content
- Offer decisioning; UI based engine that defines which offer should go to which user
- **Enterprise-scale deployments**

- Accor, T-Mobile, Travelodge, Botim

3.20 Real-time UI rendering latency.

MoEngage Response | Compliance: C

- **Real-time UI rendering latency**

- MoEngage ensures that there is not UI Rendering Latency. While Server side is always maintained in real-time via API payloads, even for Client-side, MoEngage manages any type of flicker. MoEngage Anti-flicker snippet hides the page content for a default duration of 1.5s until the personalized changes are shown to the visitor. In almost all cases, the changes are applied and the page content is made visible to the user within 0.5s. The default duration of 1.5s can also be modified by updating the value of the MAX_RENDER_TIME variable.

3.21 Enterprise-scale UI personalization deployments.

MoEngage Response | Compliance: C

- **Enterprise-scale deployments**

- Accor, T-Mobile, Travelodge, Botim

3. AI-Powered Decisioning & Optimization

Capability Requirements

3.1 Ability to automatically identify high-performing experiences using AI/ML.

MoEngage Response | Compliance: C

- Yes, natively supported through our proprietary **Merlin AI** (previously branded Sherpa AI), MoEngage's AI/ML engine for experimentation and decisioning.

- **How it works:** instead of manually splitting traffic evenly across variations for the full test duration, Merlin AI continuously monitors performance and shifts a growing share of traffic toward whichever variation is winning, in real time, as data accumulates.

- **Configurable optimization metric:** business users choose the single metric Merlin AI should optimize toward, conversion, engagement, or revenue, rather than the system defaulting to one fixed measure.

- Applies across both experimentation surfaces: this works identically for web/app personalization experiments (client-side and server-side) and for offer decisioning (Custom Formula ranking with an AI Auto Optimize option), so the same underlying capability powers both "which page layout wins" and "which offer wins" decisions.

- No manual reallocation needed: once configured, this runs autonomously for the life of the experiment; a marketer doesn't need to check performance daily and manually rebalance traffic splits.

- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment

- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

3.2 Ability to dynamically allocate traffic toward winning variants.

MoEngage Response | Compliance: C

- Yes, natively supported through our propreitery **Merlin AI** (previously branded Sherpa AI), MoEngage's AI/ML engine for experimentation and decisioning.
- **How it works:** instead of manually splitting traffic evenly across variations for the full test duration, Merlin AI continuously monitors performance and shifts a growing share of traffic toward whichever variation is winning, in real time, as data accumulates.
- **Configurable optimization metric:** business users choose the single metric Merlin AI should optimize toward, conversion, engagement, or revenue, rather than the system defaulting to one fixed measure.
- Applies across both experimentation surfaces: this works identically for web/app personalization experiments (client-side and server-side) and for offer decisioning (Custom Formula ranking with an AI Auto Optimize option), so the same underlying capability powers both "which page layout wins" and "which offer wins" decisions.
- No manual reallocation needed: once configured, this runs autonomously for the life of the experiment; a marketer doesn't need to check performance daily and manually rebalance traffic splits.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

3.3 Ability to deliver one-to-one personalization at customer level.

MoEngage Response | Compliance: C

- MoEngage delivers one-to-one personalization through 1:1 Agentic Decisioning, where a dedicated AI agent is assigned to each individual user. Each agent continuously learns user preferences, reasons about what motivates them, and personalizes every interaction in real time moving beyond traditional segment-based approaches.
- Key capabilities include:
- **Individual-Level Learning**: Each agent persists per user, compounding its understanding with every interaction rather than resetting after each campaign
- **Real-Time Personalization**: Agents dynamically tailor copy, creative, timing, and channel selection based on individual behavior and preferences
- **Behavioral Segmentation**: Real-time segmentation engine processes events instantly, enabling targeting based on purchase history, loyalty status, travel intent, and behavioral signals
- **Predictive Intelligence**: AI identifies propensity for specific actions (conversions, redemptions) and risks (churn) at the individual level using RFM and behavioral data
- **Next Best Action**: Sherpa AI determines the optimal channel and timing for each customer based on their engagement patterns

- For an airline like IndiGo, this means each traveler receives personalized offers, content, and communications based on their unique booking patterns, route preferences, and engagement history with the system learning and improving with every interaction.
- https://www.moengage.com/agentic-decisioning

3.4 Ability to predict customer propensity to:

MoEngage Response | Compliance: C

- Book
- Purchase ancillaries
- Upgrade
- Repeat purchase
- Join loyalty program
- Vendors to suggest more on this

MoEngage Response | Compliance: C

- MoEngage's AI-powered predictive capabilities enable airlines to forecast multiple customer propensities:
- **Core Propensity Predictions:**
- **Purchase/Booking Propensity**: Predict likelihood of flight bookings and service purchases based on historical behavior and interactions
- **Ancillary Service Propensity**: Forecast probability of purchasing seat upgrades, extra baggage, in-flight meals, and other add-ons
- **Repeat Purchase Propensity**: Identify users likely to book again, enabling targeted retention campaigns
- **Churn Risk**: Predict passengers at risk of discontinuing service for proactive re-engagement
- **Recommendation Engine for Ancillaries:**
- Our AI models deliver personalized ancillary recommendations:
- Frequently Bought Together: Suggest complementary services (e.g., extra legroom with priority boarding)
- Frequently Viewed Together: Cross-sell related services based on browsing patterns
- Similar Items: Recommend comparable upgrade options
- Popular Items: Highlight trending services to drive discovery
- **Optimization Capabilities:**

- **Auto-Optimization**: Sherpa AI tests multiple recommendation strategies and automatically routes traffic to top-performing variants within 60 minutes
- **Next Best Action**: Determines optimal channel and timing for each passenger engagement
- **Custom Predictions**: Build airline-specific models for any tracked event (e.g., lounge access likelihood, premium class upgrade propensity)
- **Algorithms Supported:**
- Hierarchical Recurrent Neural Network (HRNN): Pattern recognition in user interactions
- Item-Item Collaborative Filtering: Co-interaction-based similarity
- Item Attributes Similarity: Metadata-driven recommendations
- Popularity Count: Trending service identification
- Filtering controls allow merchandisers to refine recommendations by price, discount, availability, and custom attributes from booking systems.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/create/create-predictions

3.5 Ability to recommend next best action, offer, content or ancillary product.

MoEngage Response | Compliance: C

- Yes, natively supported, combining Merlin AI Offer Decisioning with real-time, in-session personalization under one mechanism, so the same engine covers offers, content, and ancillaries rather than needing three separate tools.
- **Real-time signal capture:** in-session behaviour targeting and "last known" attributes (last city, last seen, has executed/has not executed a specific event) mean a next-best recommendation reflects what the passenger did seconds ago, not what a batch job knew about them yesterday.
- **Unified across recommendation types:** whether the "next best" thing is an offer (fare upgrade), an ancillary (baggage, seat), or content (a destination banner), the decisioning logic, eligibility filtering, then AI-driven ranking, works the same way, meaning IndiGo doesn't need separate configuration philosophies for each recommendation type.
- **Zero-copy audiences:** recommendations can be evaluated against live behavioural and affinity data without requiring IndiGo to pre-build and maintain a static audience list for every possible next-best-action scenario, reducing ongoing segment-maintenance overhead.
- **Example for IndiGo:** a passenger who just abandoned Seat Selection could, within the same session, see a next-best-action nudge recommending a discounted seat upgrade specifically, rather than a generic "come back and finish booking" message.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

3.6 Ability to leverage real-time behavioural signals for decisioning.

MoEngage Response | Compliance: C

- MoEngage supports this through a combination of live API-based decisioning, real-time commercial signal ingestion, and individual-level fare sensitivity modeling via Aampe.
- **Live, just-in-time offer decisioning**
- At the exact moment MoEngage makes a personalization decision, it can execute a real-time dynamic check against IndiGo's own systems — confirming live fare availability, seat inventory, or ancillary stock before determining whether a given offer should be shown. This means offer eligibility is not based on pre-loaded static data; it queries IndiGo's live source of truth at the moment of decisioning. If a Stretch seat has just sold out, the upsell offer is suppressed instantly. If a Flexi fare is still available, the offer surfaces. What the passenger sees always reflects current commercial reality, never a stale snapshot.
- **Real-time commercial signal ingestion**
- Beyond point-in-time checks, IndiGo can push fare and inventory changes as real-time signals into MoEngage — seat availability drops, price movements, ancillary stock updates. These become live personalization triggers: a passenger who searched DEL-BOM three times in the last 7 days receives a scarcity nudge the moment availability drops below a threshold, or a price-drop alert when the fare moves in their favour — delivered within the active session, not in a batch campaign hours later.
- **Aampe: individual-level fare sensitivity**
- The same inventory signal generates a different, individually optimised message per passenger through Aampe. Aampe's per-user AI learns each passenger's fare sensitivity from their booking history — whether they respond to price-drop urgency, scarcity framing, or comfort-led upgrade prompts. A price-sensitive passenger and a 6E Platinum member see a different treatment for the same "2 Flexi seats remaining" signal, without any manual segment configuration required.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/personalize-content-using-content-apis
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/jinja-templating-language

3.7 Ability to support AI-driven optimization objectives including:

- Conversion
- Revenue
- Ancillary attachment
- Repeat bookings
- Loyalty engagement

MoEngage Response | Compliance: C

- Conversion and revenue are native, pre-configured optimization metrics for Merlin AI, selectable directly when setting up an experiment or decisioning policy, no custom event engineering required.
- Ancillary attachment, repeat bookings, loyalty engagement: all achievable as custom conversion goals, since any app/website event can be designated as a goal for Merlin AI to optimize toward.
- **Multiple simultaneous goals:** up to 5 conversion goals can be tracked per experience, with the first treated as primary, so IndiGo could track ancillary attachment as primary while still monitoring revenue and repeat-booking rate as secondary signals on the same experiment.
- Revenue-specific tracking: a Revenue Performance toggle lets IndiGo tie a numeric attribute (e.g. cart/booking value) directly to a goal, so "optimize for revenue" isn't just a proxy metric, it's tied to an actual monetary figure per conversion.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/experience-analytics#conversion-goals

3.8 Ability to support Generative AI for content creation, content testing and campaign optimization.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this across three components:
- **Content creation and experience configuration via a custom agent:** MoEngage supports creating a personalization experience through a tool built inside a custom AI agent, where the agent constructs the experience definition as a JSON payload against a predefined schema. This allows experience creation (targeting, content) to be driven through a conversational or automated agent interface rather than requiring manual UI configuration for every experience.
- **Testing and campaign optimization:** covered by MoEngage's AI-driven traffic allocation and offer-ranking optimization, which operates on any experience created either through the standard UI or through the custom agent/JSON schema path described above.
- **Explainability:** the Decision Policy Simulator provides the explainability mechanism, IndiGo can run a specific or randomized user profile through a configured policy and see exactly which offer or experience would be selected, which were eligible but not selected, and which were excluded, before and after go-live. This gives a concrete, testable view into why a given decision would be made for a given profile, rather than a black-box output.
- **Business users configuring optimization goals:** goal selection (conversion, engagement, revenue, or any custom event) remains a business-user-configurable step, independent of whether the experience was built via the standard UI or via the custom agent/JSON path.
- **MoEngage Differentiator:**
- What sets MoEngage apart is that it isn't offering a single, fixed AI method, it supports a progression of decisioning sophistication that IndiGo can adopt at its own pace, rather than an all-or-nothing AI commitment:
- **Policy-based decisioning (Decision Policy, Custom Formula ranking):** IndiGo defines the rules, eligibility, business-rule weighting, priority, and the system executes against them deterministically. This is the starting point, full control, fully explainable, no black box.

- **Bandit-based decisioning (Dynamic Distribution / multi-armed bandit):** the system moves from fixed rules to continuous, real-time reallocation toward better-performing options, using a Bayesian model to progressively favor winners without waiting for a fixed test horizon.
- **One-to-one, agent-based decisioning (Aampe):** the most advanced tier, where decisioning shifts from segment- or policy-level optimization to a continuously learning, per-individual agent that determines the best experience for that specific passenger, adapting as their behaviour evolves, rather than optimizing at a cohort or variant level.
- This progression means IndiGo doesn't have to choose one AI philosophy upfront and live with it. It can start with fully governed, policy-based decisioning where business rules dominate, move into bandit-based optimization once confidence in the platform grows, and ultimately adopt one-to-one agent-based personalization via Aampe where true individual-level optimization delivers the most value, all within the same underlying platform and governance framework, rather than requiring a separate tool or a wholesale re-implementation at each stage.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience#auto-allocate-user-traffic-using-merlin-ai
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/simulate-decision-policy

3.9 Ability to explain AI-driven decisions and recommendations.

MoEngage Response | Compliance: C

- **Explainability:** the Decision Policy Simulator provides the explainability mechanism, IndiGo can run a specific or randomized user profile through a configured policy and see exactly which offer or experience would be selected, which were eligible but not selected, and which were excluded, before and after go-live. This gives a concrete, testable view into why a given decision would be made for a given profile, rather than a black-box output.
- **Business users configuring optimization goals:** goal selection (conversion, engagement, revenue, or any custom event) remains a business-user-configurable step, independent of whether the experience was built via the standard UI or via the custom agent/JSON path.

3.10 Ability to allow business users to configure AI optimization goals.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this across three components:
- **Content creation and experience configuration via a custom agent:** MoEngage supports creating a personalization experience through a tool built inside a custom AI agent, where the agent constructs the experience definition as a JSON payload against a predefined schema. This allows experience creation (targeting, content) to be driven through a conversational or automated agent interface rather than requiring manual UI configuration for every experience.
- **Testing and campaign optimization:** covered by MoEngage's AI-driven traffic allocation and offer-ranking optimization, which operates on any experience created either through the standard UI or through the custom agent/JSON schema path described above.

- **Explainability:** the Decision Policy Simulator provides the explainability mechanism, IndiGo can run a specific or randomized user profile through a configured policy and see exactly which offer or experience would be selected, which were eligible but not selected, and which were excluded, before and after go-live. This gives a concrete, testable view into why a given decision would be made for a given profile, rather than a black-box output.
- **Business users configuring optimization goals:** goal selection (conversion, engagement, revenue, or any custom event) remains a business-user-configurable step, independent of whether the experience was built via the standard UI or via the custom agent/JSON path.
- **MoEngage Differentiator:**
- What sets MoEngage apart is that it isn't offering a single, fixed AI method, it supports a progression of decisioning sophistication that IndiGo can adopt at its own pace, rather than an all-or-nothing AI commitment:
- **Policy-based decisioning (Decision Policy, Custom Formula ranking):** IndiGo defines the rules, eligibility, business-rule weighting, priority, and the system executes against them deterministically. This is the starting point, full control, fully explainable, no black box.
- **Bandit-based decisioning (Dynamic Distribution / multi-armed bandit):** the system moves from fixed rules to continuous, real-time reallocation toward better-performing options, using a Bayesian model to progressively favor winners without waiting for a fixed test horizon.
- **One-to-one, agent-based decisioning (Aampe):** the most advanced tier, where decisioning shifts from segment- or policy-level optimization to a continuously learning, per-individual agent that determines the best experience for that specific passenger, adapting as their behaviour evolves, rather than optimizing at a cohort or variant level.
- This progression means IndiGo doesn't have to choose one AI philosophy upfront and live with it. It can start with fully governed, policy-based decisioning where business rules dominate, move into bandit-based optimization once confidence in the platform grows, and ultimately adopt one-to-one agent-based personalization via Aampe where true individual-level optimization delivers the most value, all within the same underlying platform and governance framework, rather than requiring a separate tool or a wholesale re-implementation at each stage.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience#auto-allocate-user-traffic-using-merlin-ai
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/simulate-decision-policy

3.11 Ability to leverage information like inventory, fare availability and other commercial signals for AI decisioning and customer recommendations.

MoEngage Response | Compliance: C

- MoEngage supports this through a combination of live API-based decisioning, real-time commercial signal ingestion, and individual-level fare sensitivity modeling via Aampe.
- **Live, just-in-time offer decisioning**

- At the exact moment MoEngage makes a personalization decision, it can execute a real-time dynamic check against IndiGo's own systems — confirming live fare availability, seat inventory, or ancillary stock before determining whether a given offer should be shown. This means offer eligibility is not based on pre-loaded static data; it queries IndiGo's live source of truth at the moment of decisioning. If a Stretch seat has just sold out, the upsell offer is suppressed instantly. If a Flexi fare is still available, the offer surfaces. What the passenger sees always reflects current commercial reality, never a stale snapshot.
- **Real-time commercial signal ingestion**
- Beyond point-in-time checks, IndiGo can push fare and inventory changes as real-time signals into MoEngage — seat availability drops, price movements, ancillary stock updates. These become live personalization triggers: a passenger who searched DEL-BOM three times in the last 7 days receives a scarcity nudge the moment availability drops below a threshold, or a price-drop alert when the fare moves in their favour — delivered within the active session, not in a batch campaign hours later.
- **Aampe: individual-level fare sensitivity**
  - The same inventory signal generates a different, individually optimised message per passenger through Aampe. Aampe's per-user AI learns each passenger's fare sensitivity from their booking history — whether they respond to price-drop urgency, scarcity framing, or comfort-led upgrade prompts. A price-sensitive passenger and a 6E Platinum member see a different treatment for the same "2 Flexi seats remaining" signal, without any manual segment configuration required.
  - https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/personalize-content-using-content-apis
  - https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/jinja-templating-language

3.12 Ability to support Auto-Target / contextual AI-based experience selection that identifies the best experience for each customer based on profile, current session context, and prior behavioral history. The platform must support:

MoEngage Response | Compliance: C

- Per-visitor experience selection rather than only audience-level targeting
- Use of current context and historical context in model scoring
- Explore/exploit optimization logic for balancing learning and performance

MoEngage Response | Compliance: C

- Yes, MoEngage supports this through the combination of Offer Decisioning and Aampe.
- MoEngage's Decisioning powered by Aampe provides the underlying per-visitor, reinforcement-learning-based selection logic, continuously testing and reinforcing which experience or offer performs best for each individual passenger, functioning as the explore/exploit mechanism that balances trying alternative experiences against reinforcing known high-performers.
- Offer Decisioning provides the eligibility, exclusion, and policy layer around that selection, ensuring the contextual choice Aampe makes still respects IndiGo's defined targeting rules and business constraints.
- Explainable reporting is delivered through the Decision Policy Simulator, allowing IndiGo to inspect why a specific experience or offer was selected, eligible, or excluded for a given passenger profile.

- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy
- https://www.moengage.com/agentic-decisioning/
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/simulate-decision-policy

3.13 Ability to support Automated Personalization across multiple offer slots or content blocks, where individual offers are modeled independently and the system selects the best combination for each visitor. The platform must support:

- Optimization across multiple slots, blocks, banners, or merchandising areas
- Hundreds or thousands of possible combinations without requiring manual setup of every combined experience
- Selection of the best offer combination per visitor using AI-driven decisioning.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this through the combination of Offer Decisioning and Aampe, with AI driving the actual per-slot selection rather than IndiGo needing to pre-plan what goes where.
- **AI-led selection per slot:** Aampe's reinforcement-learning engine treats each offer slot or content block as its own continuously-learning decision point. For every passenger, every slot, and every visit, the AI evaluates the eligible pool of offers for that slot and selects the one it currently predicts will perform best for that specific individual, based on their behaviour, affinity, and response history, not a fixed rule IndiGo configured in advance.
- **Continuous learning, not a one-time setup: t**he AI doesn't lock into a single winning combination and stop. It keeps testing and adjusting, exploring less-proven offers periodically to detect if passenger preferences shift, and reinforcing whichever offers are converting best in each slot, in real time, across the passenger base.
- **No manual slot-by-slot configuration required:** IndiGo doesn't need to manually decide "show baggage in Slot 1 and seat upgrade in Slot 2" for each audience segment, the AI determines the best-performing offer per slot per visitor automatically, and that assignment can differ passenger to passenger and adapt over time as more data comes in.
- **Governed automation, not unconstrained AI:** Offer Decisioning applies the eligibility, exclusion, and business-rule layer on top of Aampe's AI selection, ensuring the AI only chooses from offers IndiGo has approved for that slot, and respects constraints like frequency capping or already-purchased exclusions, so automation operates within IndiGo's defined guardrails rather than fully independently.
- **Cross-slot awareness:** because the same decisioning framework governs all slots on a page together, the AI's selection for one slot (e.g. a baggage offer already shown in Slot 1) can inform eligibility or ranking for another slot (e.g. deprioritizing a duplicate baggage-related offer in Slot 2), reducing redundant or conflicting offers being shown to the same passenger simultaneously.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy
- https://www.moengage.com/agentic-decisioning/

3.14 Ability to apply governance controls to AI-driven personalization, including:

MoEngage Response | Compliance: C

- MoEngage delivers one-to-one personalization through 1:1 Agentic Decisioning, where a dedicated AI agent is assigned to each individual user. Each agent continuously learns user preferences, reasons about what motivates them, and personalizes every interaction in real time moving beyond traditional segment-based approaches.
- Key capabilities include:
- **Individual-Level Learning**: Each agent persists per user, compounding its understanding with every interaction rather than resetting after each campaign
- **Real-Time Personalization**: Agents dynamically tailor copy, creative, timing, and channel selection based on individual behavior and preferences
- **Behavioral Segmentation**: Real-time segmentation engine processes events instantly, enabling targeting based on purchase history, loyalty status, travel intent, and behavioral signals
- **Predictive Intelligence**: AI identifies propensity for specific actions (conversions, redemptions) and risks (churn) at the individual level using RFM and behavioral data
- **Next Best Action**: Sherpa AI determines the optimal channel and timing for each customer based on their engagement patterns
- For an airline like IndiGo, this means each traveler receives personalized offers, content, and communications based on their unique booking patterns, route preferences, and engagement history with the system learning and improving with every interaction.
- https://www.moengage.com/agentic-decisioning

- Targeting rules to restrict offers to eligible audiences

MoEngage Response | Compliance: C

- Yes, natively supported, governance is built into the same targeting and decisioning framework rather than being a bolted-on admin layer.
- **Targeting rules:** User Property, User Behavior, and User Affinity filters all function as governance-level targeting controls, defining precisely who is eligible for a given experience or offer.
- **Exclusion groups:** explicit eligibility-and-exclusion logic (documented directly under Offer Decisioning) lets IndiGo exclude specific users or segments from a given offer or experience, e.g. excluding passengers who've already declined an upgrade offer twice.
- **Global Control Groups:** a platform-wide mechanism to hold back a defined percentage of users from any personalization/experimentation entirely, useful for IndiGo to maintain a clean baseline for measuring overall program impact.
- **Business-rule overlays:** the Custom Formula ranking strategy is explicitly the mechanism for this, IndiGo-defined Fixed Value attributes (business objective, margin tier, manual priority) can be weighted alongside AI-driven ranking, so commercial rules always factor into the outcome rather than being fully overridden by automation.

- **Reporting groups:** tags applied to experiences, campaigns, and Offerings allow grouping for reporting purposes, and Decision Policies can dynamically reference tagged groups of offerings, giving IndiGo a way to report on and manage governance at a group level rather than per individual item.
- MoEngage's AI-driven decisioning includes governance controls through Explainable AI that provides prediction scores and influencing factors for transparency. AI outputs are continuously monitored using standard performance metrics (accuracy, precision, recall, F-score). Comprehensive logs and documentation enable audits and decision replay. The platform supports predictive segments and centralized decisioning with visibility into model decisions.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://help.moengage.com/hc/en-us/articles/33280752570004-Our-Approach-to-Generative-AI#h_01JFS6R60DN9KA614NMGFVN7W9

- Reporting groups to logically group near-identical offers for analysis and model simplification

MoEngage Response | Compliance: C

- Yes, natively supported through our proprietary **Merlin AI** (previously branded Sherpa AI), MoEngage's AI/ML engine for experimentation and decisioning.
- **How it works:** instead of manually splitting traffic evenly across variations for the full test duration, Merlin AI continuously monitors performance and shifts a growing share of traffic toward whichever variation is winning, in real time, as data accumulates.
- **Configurable optimization metric:** business users choose the single metric Merlin AI should optimize toward, conversion, engagement, or revenue, rather than the system defaulting to one fixed measure.
- Applies across both experimentation surfaces: this works identically for web/app personalization experiments (client-side and server-side) and for offer decisioning (Custom Formula ranking with an AI Auto Optimize option), so the same underlying capability powers both "which page layout wins" and "which offer wins" decisions.
- No manual reallocation needed: once configured, this runs autonomously for the life of the experiment; a marketer doesn't need to check performance daily and manually rebalance traffic splits.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

- Exclusion groups to prevent incompatible or commercially undesirable offer combinations

MoEngage Response | Compliance: C

- Yes, MoEngage supports this through a combination of Jinja-based logic and real-time Content API calls where Inventory, fare availability, and commercial signals can all be used as guardrails.
- At the moment of decisioning, MoEngage can use Jinja to construct and execute a real-time fetch to IndiGo's own systems via the Content API, checking live inventory, fare availability, or other commercial data before determining whether a given offer should be shown. This means offer eligibility isn't limited to static, pre-synced catalog data, it can incorporate a live, just-in-time check against IndiGo's own source of

truth (e.g. confirming a fare class is still available, or a specific ancillary is still in stock) as part of the decisioning logic itself, ensuring the offer shown reflects current, not stale, commercial state.

- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/personalize-content-using-content-apis
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/jinja-templating-language

- Business-rule overlays that can override or constrain algorithmic decisions.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this through a combination of Jinja-based logic and real-time Content API calls where Inventory, fare availability, and commercial signals can all be used as guardrails.
- At the moment of decisioning, MoEngage can use Jinja to construct and execute a real-time fetch to IndiGo's own systems via the Content API, checking live inventory, fare availability, or other commercial data before determining whether a given offer should be shown. This means offer eligibility isn't limited to static, pre-synced catalog data, it can incorporate a live, just-in-time check against IndiGo's own source of truth (e.g. confirming a fare class is still available, or a specific ancillary is still in stock) as part of the decisioning logic itself, ensuring the offer shown reflects current, not stale, commercial state.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/personalize-content-using-content-apis
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/message-personalization/jinja-templating-language

Use Case Demonstration

3.15 Demonstrate AI-driven optimization automatically shifting traffic toward winning experiences.

MoEngage Response | Compliance: C

- To be Demonstrated

3.16 Demonstrate next-best-offer recommendations.

MoEngage Response | Compliance: C

- To be Demonstrated

3.17 Demonstrate ancillary propensity prediction.

MoEngage Response | Compliance: C

- To be Demonstrated

3.18 Demonstrate one-to-one personalization for different customers on the same route.

MoEngage Response | Compliance: C

- To be Demonstrated

3.19 Demonstrate optimization based on revenue and conversion goals.

MoEngage Response | Compliance: C

- To be Demonstrated

3.20 Auto-Target for a high-traffic customer touchpoint with 2–10 experiences, showing how different visitors receive different winning experiences in the same visit window.

MoEngage Response | Compliance: C

- To be Demonstrated

3.21 Demonstrate multi-slot Automated Personalization across at least 3 content or offer placements, showing how the platform selects the best combination for each visitor.

MoEngage Response | Compliance: C

- To be Demonstrated

3.22 Demonstrate configuration of targeting rules, reporting groups, and exclusion groups for a multi-offer personalization use case.

MoEngage Response | Compliance: C

- To be Demonstrated

Provide:

3.23 AI capabilities available natively.

MoEngage Response | Compliance: C

- **Native/out-of-box AI capabilities:** Merlin AI covers experimentation (**auto traffic allocation**), **offer decisioning (reinforcement-learning-based 1:1 offer selection)**, predictive scoring (propensity-style attributes), **recommendations (Trending Items/popularity, Similar Items, User Actions, Advanced ML-based models)**, Custom Agents (Merlin AI enables your team to build and deploy custom AI agents within MoEngage, eliminating the need for coding or engineering support.) and generative AI (Copywriter, Designer, Segmentation Assist, Jinja Assist). All are pre-built, no-code configurable, not custom-built per client.
- **Real-time decisioning latency:** under 100ms
- **Customer-owned AI models:** Custom or third-party predictive models built by IndiGo's own data science team can be ingested via API and used for segmentation and decisioning logic.
- **AI governance and explainability:** Governance controls are built natively within the platform. Targeting/eligibility rules, exclusion groups, Global Control Groups, and Custom Formula business-rule weighting.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-studio
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.24 AI models available out-of-box.

MoEngage Response | Compliance: C

- **Native/out-of-box AI capabilities:** Merlin AI covers experimentation (**auto traffic allocation**), **offer decisioning (reinforcement-learning-based 1:1 offer selection)**, predictive scoring (propensity-style attributes), **recommendations (Trending Items/popularity, Similar Items, User Actions, Advanced ML-based models)**, Custom Agents (Merlin AI enables your team to build and deploy custom AI agents within MoEngage, eliminating the need for coding or engineering support.) and generative AI (Copywriter, Designer, Segmentation Assist, Jinja Assist). All are pre-built, no-code configurable, not custom-built per client.
- **Real-time decisioning latency:** under 100ms
- **Customer-owned AI models:** Custom or third-party predictive models built by IndiGo's own data science team can be ingested via API and used for segmentation and decisioning logic.
- **AI governance and explainability:** Governance controls are built natively within the platform. Targeting/eligibility rules, exclusion groups, Global Control Groups, and Custom Formula business-rule weighting.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-studio
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.25 Real-time decisioning latency.

MoEngage Response | Compliance: C

- **Native/out-of-box AI capabilities:** Merlin AI covers experimentation (**auto traffic allocation**), **offer decisioning (reinforcement-learning-based 1:1 offer selection)**, predictive scoring (propensity-style attributes), **recommendations (Trending Items/popularity, Similar Items, User Actions, Advanced ML-based models)**, Custom Agents (Merlin AI enables your team to build and deploy custom AI agents within MoEngage, eliminating the need for coding or engineering support.) and generative AI (Copywriter, Designer, Segmentation Assist, Jinja Assist). All are pre-built, no-code configurable, not custom-built per client.
- **Real-time decisioning latency:** under 100ms
- **Customer-owned AI models:** Custom or third-party predictive models built by IndiGo's own data science team can be ingested via API and used for segmentation and decisioning logic.
- **AI governance and explainability:** Governance controls are built natively within the platform. Targeting/eligibility rules, exclusion groups, Global Control Groups, and Custom Formula business-rule weighting.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-studio
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.26 Support for customer-owned AI models.

MoEngage Response | Compliance: C

- **Native/out-of-box AI capabilities:** Merlin AI covers experimentation (**auto traffic allocation**), **offer decisioning (reinforcement-learning-based 1:1 offer selection)**, predictive scoring (propensity-style attributes), **recommendations (Trending Items/popularity, Similar Items, User Actions, Advanced ML-based models)**, Custom Agents (Merlin AI enables your team to build and deploy custom AI agents within MoEngage, eliminating the need for coding or engineering support.) and generative AI (Copywriter, Designer, Segmentation Assist, Jinja Assist). All are pre-built, no-code configurable, not custom-built per client.
- **Real-time decisioning latency:** under 100ms
- **Customer-owned AI models:** Custom or third-party predictive models built by IndiGo's own data science team can be ingested via API and used for segmentation and decisioning logic.
- **AI governance and explainability:** Governance controls are built natively within the platform. Targeting/eligibility rules, exclusion groups, Global Control Groups, and Custom Formula business-rule weighting.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-studio
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.27 AI governance framework.

MoEngage Response | Compliance: C

- **Native/out-of-box AI capabilities:** Merlin AI covers experimentation (**auto traffic allocation**), **offer decisioning (reinforcement-learning-based 1:1 offer selection)**, predictive scoring (propensity-style attributes), **recommendations (Trending Items/popularity, Similar Items, User Actions, Advanced ML-based models)**, Custom Agents (Merlin AI enables your team to build and deploy custom AI agents within MoEngage, eliminating the need for coding or engineering support.) and generative AI (Copywriter, Designer, Segmentation Assist, Jinja Assist). All are pre-built, no-code configurable, not custom-built per client.
- **Real-time decisioning latency:** under 100ms
- **Customer-owned AI models:** Custom or third-party predictive models built by IndiGo's own data science team can be ingested via API and used for segmentation and decisioning logic.
- **AI governance and explainability:** Governance controls are built natively within the platform. Targeting/eligibility rules, exclusion groups, Global Control Groups, and Custom Formula business-rule weighting.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-studio
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

3.28 AI explainability capabilities.

MoEngage Response | Compliance: C

- **Native/out-of-box AI capabilities:** Merlin AI covers experimentation (**auto traffic allocation**), **offer decisioning (reinforcement-learning-based 1:1 offer selection)**, predictive scoring (propensity-style attributes), **recommendations (Trending Items/popularity, Similar Items, User Actions, Advanced ML-based models)**, Custom Agents (Merlin AI enables your team to build and deploy custom AI agents within MoEngage, eliminating the need for coding or engineering support.) and generative AI (Copywriter, Designer, Segmentation Assist, Jinja Assist). All are pre-built, no-code configurable, not custom-built per client.
- **Real-time decisioning latency:** under 100ms
- **Customer-owned AI models:** Custom or third-party predictive models built by IndiGo's own data science team can be ingested via API and used for segmentation and decisioning logic.
- **AI governance and explainability:** Governance controls are built natively within the platform. Targeting/eligibility rules, exclusion groups, Global Control Groups, and Custom Formula business-rule weighting.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-studio
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

4. Ancillary Revenue Growth

Capability Requirements

4.1 Ability to improve ancillary attachment rates through experimentation and personalization.

MoEngage Response | Compliance: C

- MoEngage enables ancillary attachment rate optimization through:
- **Experimentation & Testing:**
- Advanced A/B testing comparing multiple message variations across channels (copy, creative, CTAs)
- Multivariate testing to analyze impact of different element combinations on user behavior
- Real-time adjustments based on performance data
- Sherpa AI engine monitors tests in real-time, directing more traffic to winning variations
- Live flow editing with versioning to test new channels or strategies without creating separate flows
- **Personalization & Merchandising:**
- AI-powered recommendation engine delivering personalized ancillary suggestions (seat upgrades, extra baggage, in-flight meals) during booking/check-in

- Multiple recommendation models: Recommended Items (personalized per user), Top Selling Items, Frequently Bought Together (bundling), Frequently Viewed Together, Similar Items
- Real-time behavioral triggers based on user search history, past bookings, and in-session activity
- Dynamic user segmentation for behaviorally differentiated journeys
- Predictive analytics identifying high-propensity purchasers for targeted ancillary offers
- **Offer Optimization:**
- Custom event tracking for ancillary service engagement (views, clicks, purchases)
- Conversion tracking and ROI measurement for cross-sell/upsell campaigns
- Personalized timing and channel selection based on user preferences
- Location-based messaging (e.g., duty-free offers near airports)
- Integration with booking engines to trigger real-time upsell opportunities
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.2 Ability to personalize ancillary merchandising.

MoEngage Response | Compliance: C

- MoEngage enables ancillary attachment rate optimization through:
- **Experimentation & Testing:**
- Advanced A/B testing comparing multiple message variations across channels (copy, creative, CTAs)
- Multivariate testing to analyze impact of different element combinations on user behavior
- Real-time adjustments based on performance data
- Sherpa AI engine monitors tests in real-time, directing more traffic to winning variations
- Live flow editing with versioning to test new channels or strategies without creating separate flows
- **Personalization & Merchandising:**
- AI-powered recommendation engine delivering personalized ancillary suggestions (seat upgrades, extra baggage, in-flight meals) during booking/check-in

- Multiple recommendation models: Recommended Items (personalized per user), Top Selling Items, Frequently Bought Together (bundling), Frequently Viewed Together, Similar Items
- Real-time behavioral triggers based on user search history, past bookings, and in-session activity
- Dynamic user segmentation for behaviorally differentiated journeys
- Predictive analytics identifying high-propensity purchasers for targeted ancillary offers
- **Offer Optimization:**
- Custom event tracking for ancillary service engagement (views, clicks, purchases)
- Conversion tracking and ROI measurement for cross-sell/upsell campaigns
- Personalized timing and channel selection based on user preferences
- Location-based messaging (e.g., duty-free offers near airports)
- Integration with booking engines to trigger real-time upsell opportunities
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.3 Ability to optimize ancillary bundling strategies.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.4 Ability to optimize timing of ancillary offers throughout the journey.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.5 Ability to test different merchandising and pricing presentation strategies.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.6 Ability to optimize average order value and revenue per passenger.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.7 Ability to personalize ancillary offers using route, trip duration and traveller profile.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.

- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.8 Ability to dynamically prioritize ancillary offers most likely to convert.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.9 Ability to support configurable recommendation algorithms and merchandiser controls, including:

MoEngage Response | Compliance: C

- Yes, MoEngage supports multiple configurable recommendation algorithms natively, selectable per use case rather than locked to a single model.
- **Popularity:** the Trending Items model ranks recommendations based on historical action frequency (viewed, wishlisted, purchased/booked), suitable for surfacing the most booked routes or most popular ancillaries over a given period.
- **Similarity and collaborative signals:** MoEngage's Advanced Recommendations models cover this through co-occurrence patterns across the customer base:
- Frequently Bought Together: recommends ancillaries or add-ons based on what other passengers have historically purchased alongside the item currently being viewed.
- Frequently Viewed Together: recommends items based on co-viewing patterns across passengers, surfacing connections even without a purchase event.

- Similar Items: recommends items sharing attributes and historical co-occurrence with what a passenger last interacted with.
- **Item-based:** the Item Attribute Model provides rule-based recommendations filtered and sorted by catalog attributes, e.g. restricting recommendations to a price range, fare class, or aircraft type.
- **Personalized/custom:** the User Actions Model builds recommendations from a defined set of user behaviours (viewed, wishlisted, abandoned) against a chosen catalog and activity date range, tailoring recommendations to an individual passenger's own recent behaviour rather than aggregate popularity.
- **Inclusion/exclusion controls:** the Item Attribute Model's filters allow explicit inclusion (e.g. only ancillaries above a defined margin threshold) or exclusion (e.g. already-purchased ancillaries, sold-out fare classes) of catalog items from a recommendation set.
- **Boosting:** achieved through inclusion filters and sort-by-attribute configuration within the Recommendation Models
- **Custom/BYO models:** Output of external or third-party recommendation models can be ingested via MoEngage's content APIs during run-time to fetch the output per user and then use it for surface and communication personalization.
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations
- https://www.moengage.com/docs/user-guide/settings/advanced-settings/add-a-content-api#add-a-content-api

- Popularity-based, similarity-based, collaborative, item-based, personalized, and custom / bring-your-own recommendation logic

MoEngage Response | Compliance: C

- Yes, MoEngage supports multiple configurable recommendation algorithms natively, selectable per use case rather than locked to a single model.
- **Popularity:** the Trending Items model ranks recommendations based on historical action frequency (viewed, wishlisted, purchased/booked), suitable for surfacing the most booked routes or most popular ancillaries over a given period.
- **Similarity and collaborative signals:** MoEngage's Advanced Recommendations models cover this through co-occurrence patterns across the customer base:
- Frequently Bought Together: recommends ancillaries or add-ons based on what other passengers have historically purchased alongside the item currently being viewed.
- Frequently Viewed Together: recommends items based on co-viewing patterns across passengers, surfacing connections even without a purchase event.
- Similar Items: recommends items sharing attributes and historical co-occurrence with what a passenger last interacted with.
- **Item-based:** the Item Attribute Model provides rule-based recommendations filtered and sorted by catalog attributes, e.g. restricting recommendations to a price range, fare class, or aircraft type.

- **Personalized/custom:** the User Actions Model builds recommendations from a defined set of user behaviours (viewed, wishlisted, abandoned) against a chosen catalog and activity date range, tailoring recommendations to an individual passenger's own recent behaviour rather than aggregate popularity.
- **Inclusion/exclusion controls:** the Item Attribute Model's filters allow explicit inclusion (e.g. only ancillaries above a defined margin threshold) or exclusion (e.g. already-purchased ancillaries, sold-out fare classes) of catalog items from a recommendation set.
- **Boosting:** achieved through inclusion filters and sort-by-attribute configuration within the Recommendation Models
- **Custom/BYO models:** Output of external or third-party recommendation models can be ingested via MoEngage's content APIs during run-time to fetch the output per user and then use it for surface and communication personalization.
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations
- https://www.moengage.com/docs/user-guide/settings/advanced-settings/add-a-content-api#add-a-content-api

    - Boost / bury controls

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

    - Weighting, inclusion, and exclusion rules

MoEngage Response | Compliance: C

- Yes, MoEngage supports multiple configurable recommendation algorithms natively, selectable per use case rather than locked to a single model.
- **Popularity:** the Trending Items model ranks recommendations based on historical action frequency (viewed, wishlisted, purchased/booked), suitable for surfacing the most booked routes or most popular ancillaries over a given period.
- **Similarity and collaborative signals:** MoEngage's Advanced Recommendations models cover this through co-occurrence patterns across the customer base:
- Frequently Bought Together: recommends ancillaries or add-ons based on what other passengers have historically purchased alongside the item currently being viewed.
- Frequently Viewed Together: recommends items based on co-viewing patterns across passengers, surfacing connections even without a purchase event.
- Similar Items: recommends items sharing attributes and historical co-occurrence with what a passenger last interacted with.
- **Item-based:** the Item Attribute Model provides rule-based recommendations filtered and sorted by catalog attributes, e.g. restricting recommendations to a price range, fare class, or aircraft type.
- **Personalized/custom:** the User Actions Model builds recommendations from a defined set of user behaviours (viewed, wishlisted, abandoned) against a chosen catalog and activity date range, tailoring recommendations to an individual passenger's own recent behaviour rather than aggregate popularity.
- **Inclusion/exclusion controls:** the Item Attribute Model's filters allow explicit inclusion (e.g. only ancillaries above a defined margin threshold) or exclusion (e.g. already-purchased ancillaries, sold-out fare classes) of catalog items from a recommendation set.
- **Boosting:** achieved through inclusion filters and sort-by-attribute configuration within the Recommendation Models
- **Custom/BYO models:** Output of external or third-party recommendation models can be ingested via MoEngage's content APIs during run-time to fetch the output per user and then use it for surface and communication personalization.
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations
- https://www.moengage.com/docs/user-guide/settings/advanced-settings/add-a-content-api#add-a-content-api

    - Inventory- and merchandising-aware recommendation logic

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.

- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

    - Business-user overrides and tuning of recommendation outputs.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.
- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

4.10 Demonstrate merchandiser-controlled recommendations where business rules and algorithmic logic are combined to prioritize or suppress specific offers.

MoEngage Response | Compliance: C

- **Merchandising/pricing Strategies:** MoEngage supports A/B and multivariate testing to optimize merchandising and pricing strategies for airline booking flows. A/B/n testing supports directly comparing

pricing presentation formats (itemised fare-plus-ancillary vs bundled total price) and merchandising layouts (grid vs carousel, featured item vs full list) on the same page, reported through the same analytics regardless of what's being tested.

- **Revenue Performance tracking:** MoEngage ties a numeric value (fare amount, ancillary price, booking total) directly to a conversion goal, revenue isn't a proxy metric inferred from conversion rate, it is tracked as actual monetary figure per experiment and per offer.
- **Product recommendations explicitly positioned to boost AOV:** MoEngage's product recommendations boost Average Order Value via recommending ancillaries or fare upgrades to raise per-passenger revenue rather than only optimizing for booking completion.
- **Revenue-weighted ranking:** the Custom Formula ranking strategy can weight offers by expected revenue contribution rather than pure conversion likelihood, meaning the decisioning engine can be explicitly tuned toward maximising revenue per passenger, not just click-through.
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/content/recommendations/getting-started/moengage-recommendations

Use Case Demonstration

4.11 Demonstrate increasing baggage attachment rates.

MoEngage Response | Compliance: C

- To be Demonstrated

4.12 Demonstrate increasing seat selection conversion.

MoEngage Response | Compliance: C

- To be Demonstrated

4.13 Demonstrate ancillary bundle optimization.

MoEngage Response | Compliance: C

- To be Demonstrated

4.14 Demonstrate route-based upsell experiences.

MoEngage Response | Compliance: C

- To be Demonstrated

4.15 Demonstrate personalized ancillary recommendations.

MoEngage Response | Compliance: C

- To be Demonstrated

4.16 Demonstrate measurable increase in average order value.

MoEngage Response | Compliance: C

- To be Demonstrated

Provide:

4.17 Ancillary revenue uplift achieved.

MoEngage Response | Compliance: C

- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

4.18 Revenue uplift case studies.

MoEngage Response | Compliance: C

- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

4.19 Travel-specific examples.

MoEngage Response | Compliance: C

- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

5. Loyalty Management

Capability Requirements

5.1 Ability to personalize experiences based on loyalty tier and membership status.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively. Loyalty tier and membership status are standard profile attributes, available for both segmentation and direct use in offer decisioning.
- **Tier-based personalization:** content, offers, and experiences can differ by loyalty tier directly, e.g. a Gold-tier passenger sees a different Ancillary Selection experience than a non-member, using the same eligibility and Custom Formula ranking mechanism already used for other profile attributes.
- **Points balance and earning potential in decisioning:** points balance and projected earning potential can be brought into the Decision Policy as Dynamic Value attributes, similar to how RFM score or booking

history are used today, allowing the engine to rank an offer higher for a passenger close to a tier upgrade threshold, or surface a "earn double points" message to a passenger with high earning potential on a given fare.

- **In-session use:** points balance can also be passed as an in-session parameter at the moment of a personalization/decisioning call if IndiGo's loyalty system exposes it via API, ensuring the balance reflected is current rather than a stale synced value.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

5.2 Ability to leverage loyalty points balance and earning potential in decisioning.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively. Loyalty tier and membership status are standard profile attributes, available for both segmentation and direct use in offer decisioning.
- **Tier-based personalization:** content, offers, and experiences can differ by loyalty tier directly, e.g. a Gold-tier passenger sees a different Ancillary Selection experience than a non-member, using the same eligibility and Custom Formula ranking mechanism already used for other profile attributes.
- **Points balance and earning potential in decisioning:** points balance and projected earning potential can be brought into the Decision Policy as Dynamic Value attributes, similar to how RFM score or booking history are used today, allowing the engine to rank an offer higher for a passenger close to a tier upgrade threshold, or surface a "earn double points" message to a passenger with high earning potential on a given fare.
- **In-session use:** points balance can also be passed as an in-session parameter at the moment of a personalization/decisioning call if IndiGo's loyalty system exposes it via API, ensuring the balance reflected is current rather than a stale synced value.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

5.3 Ability to personalize offers based on member lifecycle stage.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this, using the same lifecycle-stage mechanism already used for general customer lifecycle personalization, applied specifically to loyalty membership status.
- **Member lifecycle stages:** non-member, newly enrolled, active member, at-risk/declining engagement, and lapsed member can each be defined via User Property and User Behavior filters (e.g. "no loyalty enrolment event," "enrolled in last 30 days," "no points activity in 60+ days"), and used as as eligibility mechanism in Offer Decisioning.
- **Driving enrolment during booking/servicing:** a non-member passenger can be shown a loyalty enrolment prompt at a relevant moment in the booking or servicing journey, e.g. at Passenger Details or post-booking confirmation, using an Offering scoped specifically to "non-member" eligibility, ranked and timed using the same Decision Policy framework as any other offer.

- **Context-aware enrolment offers:** enrolment prompts can be personalized further using route, booking value, or frequency signals, e.g. a passenger booking their third flight in six months without being enrolled is a stronger enrolment-conversion candidate than a first-time booker, and the ranking/priority logic can reflect that.
- **Post-enrolment transition:** once a passenger enrols, their lifecycle stage updates automatically (since it's derived from live behavioural and profile data, not a manual tag), and they immediately become eligible for member-specific Offerings rather than requiring a manual re-segmentation step.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

5.4 Ability to drive loyalty enrolment during booking and servicing journeys.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this, using the same lifecycle-stage mechanism already used for general customer lifecycle personalization, applied specifically to loyalty membership status.
- **Member lifecycle stages:** non-member, newly enrolled, active member, at-risk/declining engagement, and lapsed member can each be defined via User Property and User Behavior filters (e.g. "no loyalty enrolment event," "enrolled in last 30 days," "no points activity in 60+ days"), and used as as eligibility mechanism in Offer Decisioning.
- **Driving enrolment during booking/servicing:** a non-member passenger can be shown a loyalty enrolment prompt at a relevant moment in the booking or servicing journey, e.g. at Passenger Details or post-booking confirmation, using an Offering scoped specifically to "non-member" eligibility, ranked and timed using the same Decision Policy framework as any other offer.
- **Context-aware enrolment offers:** enrolment prompts can be personalized further using route, booking value, or frequency signals, e.g. a passenger booking their third flight in six months without being enrolled is a stronger enrolment-conversion candidate than a first-time booker, and the ranking/priority logic can reflect that.
- **Post-enrolment transition:** once a passenger enrols, their lifecycle stage updates automatically (since it's derived from live behavioural and profile data, not a manual tag), and they immediately become eligible for member-specific Offerings rather than requiring a manual re-segmentation step.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

5.5 Ability to personalize rewards, benefits and redemption experiences.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this across three areas:
- **Personalizing rewards/benefits/redemption experiences:** reward and redemption content (e.g. "Redeem your points for a seat upgrade," "You're 500 points away from Gold") can be personalized per passenger using the same content-personalization and Offering mechanisms used for fare and ancillary offers,

factoring in current points balance, tier, and redemption history to show relevant options rather than a generic rewards catalog.

- **Loyalty-specific segments:** segments can combine loyalty attributes (tier, points balance, enrolment date, redemption frequency) with any other profile or behavioural attribute, e.g. "Silver-tier passengers who haven't redeemed points in 6 months" or "passengers close to their next tier threshold," using the standard no-code segmentation builder.
- **Optimizing retention and repeat bookings:** RFM scoring and lifecycle-stage detection identify loyalty members showing declining engagement before they fully lapse, enabling targeted retention offers (bonus points, tier-extension incentives, personalized route offers) rather than reactive win-back campaigns after churn has already occurred.
- Merlin AI's offer allocation can be set to optimize specifically toward a "repeat booking within X days" goal, letting the engine learn which retention offer or message actually drives rebooking for a given loyalty segment, rather than applying one fixed retention tactic to all members.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/custom-formula-ranking-strategy

5.6 Ability to create loyalty-specific customer segments.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this across three areas:
- **Personalizing rewards/benefits/redemption experiences:** reward and redemption content (e.g. "Redeem your points for a seat upgrade," "You're 500 points away from Gold") can be personalized per passenger using the same content-personalization and Offering mechanisms used for fare and ancillary offers, factoring in current points balance, tier, and redemption history to show relevant options rather than a generic rewards catalog.
- **Loyalty-specific segments:** segments can combine loyalty attributes (tier, points balance, enrolment date, redemption frequency) with any other profile or behavioural attribute, e.g. "Silver-tier passengers who haven't redeemed points in 6 months" or "passengers close to their next tier threshold," using the standard no-code segmentation builder.
- **Optimizing retention and repeat bookings:** RFM scoring and lifecycle-stage detection identify loyalty members showing declining engagement before they fully lapse, enabling targeted retention offers (bonus points, tier-extension incentives, personalized route offers) rather than reactive win-back campaigns after churn has already occurred.
- Merlin AI's offer allocation can be set to optimize specifically toward a "repeat booking within X days" goal, letting the engine learn which retention offer or message actually drives rebooking for a given loyalty segment, rather than applying one fixed retention tactic to all members.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/custom-formula-ranking-strategy

5.7 Ability to optimize member retention and repeat bookings.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this across three areas:
- **Personalizing rewards/benefits/redemption experiences:** reward and redemption content (e.g. "Redeem your points for a seat upgrade," "You're 500 points away from Gold") can be personalized per passenger using the same content-personalization and Offering mechanisms used for fare and ancillary offers, factoring in current points balance, tier, and redemption history to show relevant options rather than a generic rewards catalog.
- **Loyalty-specific segments:** segments can combine loyalty attributes (tier, points balance, enrolment date, redemption frequency) with any other profile or behavioural attribute, e.g. "Silver-tier passengers who haven't redeemed points in 6 months" or "passengers close to their next tier threshold," using the standard no-code segmentation builder.
- **Optimizing retention and repeat bookings:** RFM scoring and lifecycle-stage detection identify loyalty members showing declining engagement before they fully lapse, enabling targeted retention offers (bonus points, tier-extension incentives, personalized route offers) rather than reactive win-back campaigns after churn has already occurred.
- Merlin AI's offer allocation can be set to optimize specifically toward a "repeat booking within X days" goal, letting the engine learn which retention offer or message actually drives rebooking for a given loyalty segment, rather than applying one fixed retention tactic to all members.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/custom-formula-ranking-strategy

5.8 Ability to support personalized communications for loyalty members.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this, using the same lifecycle-stage mechanism already used for general customer lifecycle personalization, applied specifically to loyalty membership status.
- **Member lifecycle stages:** non-member, newly enrolled, active member, at-risk/declining engagement, and lapsed member can each be defined via User Property and User Behavior filters (e.g. "no loyalty enrolment event," "enrolled in last 30 days," "no points activity in 60+ days"), and used as as eligibility mechanism in Offer Decisioning.
- **Driving enrolment during booking/servicing:** a non-member passenger can be shown a loyalty enrolment prompt at a relevant moment in the booking or servicing journey, e.g. at Passenger Details or post-booking confirmation, using an Offering scoped specifically to "non-member" eligibility, ranked and timed using the same Decision Policy framework as any other offer.

- **Context-aware enrolment offers:** enrolment prompts can be personalized further using route, booking value, or frequency signals, e.g. a passenger booking their third flight in six months without being enrolled is a stronger enrolment-conversion candidate than a first-time booker, and the ranking/priority logic can reflect that.
- **Post-enrolment transition:** once a passenger enrols, their lifecycle stage updates automatically (since it's derived from live behavioural and profile data, not a manual tag), and they immediately become eligible for member-specific Offerings rather than requiring a manual re-segmentation step.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

5.9 Ability to personalize ancillary offers for loyalty members.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this, using the same lifecycle-stage mechanism already used for general customer lifecycle personalization, applied specifically to loyalty membership status.
- **Member lifecycle stages:** non-member, newly enrolled, active member, at-risk/declining engagement, and lapsed member can each be defined via User Property and User Behavior filters (e.g. "no loyalty enrolment event," "enrolled in last 30 days," "no points activity in 60+ days"), and used as as eligibility mechanism in Offer Decisioning.
- **Driving enrolment during booking/servicing:** a non-member passenger can be shown a loyalty enrolment prompt at a relevant moment in the booking or servicing journey, e.g. at Passenger Details or post-booking confirmation, using an Offering scoped specifically to "non-member" eligibility, ranked and timed using the same Decision Policy framework as any other offer.
- **Context-aware enrolment offers:** enrolment prompts can be personalized further using route, booking value, or frequency signals, e.g. a passenger booking their third flight in six months without being enrolled is a stronger enrolment-conversion candidate than a first-time booker, and the ranking/priority logic can reflect that.
- **Post-enrolment transition:** once a passenger enrols, their lifecycle stage updates automatically (since it's derived from live behavioural and profile data, not a manual tag), and they immediately become eligible for member-specific Offerings rather than requiring a manual re-segmentation step.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview

5.10 Ability to support loyalty-specific experimentation.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this across three areas:
- **Personalizing rewards/benefits/redemption experiences:** reward and redemption content (e.g. "Redeem your points for a seat upgrade," "You're 500 points away from Gold") can be personalized per passenger using the same content-personalization and Offering mechanisms used for fare and ancillary offers,

factoring in current points balance, tier, and redemption history to show relevant options rather than a generic rewards catalog.

- **Loyalty-specific segments:** segments can combine loyalty attributes (tier, points balance, enrolment date, redemption frequency) with any other profile or behavioural attribute, e.g. "Silver-tier passengers who haven't redeemed points in 6 months" or "passengers close to their next tier threshold," using the standard no-code segmentation builder.
- **Optimizing retention and repeat bookings:** RFM scoring and lifecycle-stage detection identify loyalty members showing declining engagement before they fully lapse, enabling targeted retention offers (bonus points, tier-extension incentives, personalized route offers) rather than reactive win-back campaigns after churn has already occurred.
- Merlin AI's offer allocation can be set to optimize specifically toward a "repeat booking within X days" goal, letting the engine learn which retention offer or message actually drives rebooking for a given loyalty segment, rather than applying one fixed retention tactic to all members.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/overview
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/custom-formula-ranking-strategy

Use Case Demonstration

5.11 Demonstrate differentiated experiences for non-members, base-tier members and elite-tier members.

MoEngage Response | Compliance: C

- To be Demonstrated

5.12 Demonstrate loyalty enrolment optimization.

MoEngage Response | Compliance: C

- To be Demonstrated

5.13 Demonstrate loyalty-driven ancillary recommendations.

MoEngage Response | Compliance: C

- To be Demonstrated

5.14 Demonstrate personalized reward redemption experiences.

MoEngage Response | Compliance: C

- To be Demonstrated

5.15 Demonstrate retention journeys for at-risk loyalty members (someone who has not been active with our direct channels)

MoEngage Response | Compliance: C

- To be Demonstrated

5.16 Personalized tier progress indicators.

MoEngage Response | Compliance: C

- To be Demonstrated

Provide:

5.17 Existing loyalty deployments.

MoEngage Response | Compliance: C

- Case Study — Revenue Impact

- Domino's India ("Cheesy Rewards" via Jubilant FoodWorks) — Domino's launched its Cheesy Rewards loyalty program for customers who place 6 orders with an AOV of INR 350+, earning 600 reward points redeemable for a free pizza. MoEngage's integration ensured reward-points data flowed accurately and enabled proactive nudges that reminded customers how many points they had left or urged them to redeem points before expiry.

- Result: 20% uplift in revenue from the loyalty management program

- Max Fashion (Retail & Fashion): used loyalty campaigns specifically to convert offline top-tier loyalty customers into online shoppers, alongside a 25% uplift in conversions from cart-abandonment recovery journeys (FOMO messaging plus exclusive coupon codes).

- Lifestyle (Retail & Fashion): used RFM analysis to explicitly segment "loyal customers" as one of three priority cohorts (alongside price-sensitive and lost customers), contributing to a 4X boost in conversion rate, 170% shorter conversion time, 20% decline in cart abandonment, and 30% improvement in overall retention rate.

5.18 Loyalty use cases supported.

MoEngage Response | Compliance: C

- Case Study — Revenue Impact

- Domino's India ("Cheesy Rewards" via Jubilant FoodWorks) — Domino's launched its Cheesy Rewards loyalty program for customers who place 6 orders with an AOV of INR 350+, earning 600 reward points redeemable for a free pizza. MoEngage's integration ensured reward-points data flowed accurately and enabled proactive nudges that reminded customers how many points they had left or urged them to redeem points before expiry.

- Result: 20% uplift in revenue from the loyalty management program

- Max Fashion (Retail & Fashion): used loyalty campaigns specifically to convert offline top-tier loyalty customers into online shoppers, alongside a 25% uplift in conversions from cart-abandonment recovery journeys (FOMO messaging plus exclusive coupon codes).

- Lifestyle (Retail & Fashion): used RFM analysis to explicitly segment "loyal customers" as one of three priority cohorts (alongside price-sensitive and lost customers), contributing to a 4X boost in conversion rate, 170% shorter conversion time, 20% decline in cart abandonment, and 30% improvement in overall retention rate.

5.19 Loyalty revenue impact examples.

MoEngage Response | Compliance: C

- Case Study — Revenue Impact
- Domino's India ("Cheesy Rewards" via Jubilant FoodWorks) — Domino's launched its Cheesy Rewards loyalty program for customers who place 6 orders with an AOV of INR 350+, earning 600 reward points redeemable for a free pizza. MoEngage's integration ensured reward-points data flowed accurately and enabled proactive nudges that reminded customers how many points they had left or urged them to redeem points before expiry.
- Result: 20% uplift in revenue from the loyalty management program
- Max Fashion (Retail & Fashion): used loyalty campaigns specifically to convert offline top-tier loyalty customers into online shoppers, alongside a 25% uplift in conversions from cart-abandonment recovery journeys (FOMO messaging plus exclusive coupon codes).
- Lifestyle (Retail & Fashion): used RFM analysis to explicitly segment "loyal customers" as one of three priority cohorts (alongside price-sensitive and lost customers), contributing to a 4X boost in conversion rate, 170% shorter conversion time, 20% decline in cart abandonment, and 30% improvement in overall retention rate.

6. Abandon Cart Recovery & Conversion

Capability Requirements

6.1 Ability to identify customers who exit the booking funnel before completing a booking.

MoEngage Response | Compliance: C

- Yes, natively supported.
- MoEngage captures every booking-flow action (search initiated, flight selected, passenger details entered, ancillary viewed, seat selected, payment initiated) as a real-time event the moment it happens on web or app. Because these events are tracked live rather than processed later, MoEngage knows almost instantly when a passenger has performed one action but not the next, e.g. selected a seat but didn't reach payment, without waiting on a batch job to catch up.
- This real-time event stream is what event-triggered campaigns and Flows run on. A recovery trigger can be set directly against the absence of a follow-on event within a defined window (selected a seat, no payment event within X minutes), which is what actually creates the funnel-stage-specific recovery audience, "abandoned at Seat Selection" isn't a static list IndiGo builds once, it's a live condition MoEngage evaluates continuously as events stream in. These users are then targetted across channels via Push, Emails, WhatsApp, SMS/RCS, and any other channel of your choice.
- When that same passenger returns, identity resolution ties their new session back to the events already captured, so MoEngage recognizes them immediately as the passenger who dropped off at a specific stage, and Personalize can reflect that directly in a relevant, context-aware nudge (referencing the actual route or fare they were on) rather than a generic returning-visitor message.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows

- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.2 Ability to create recovery audiences based on funnel stage abandonment. Tool should be able to recognize a returning user, welcome it and make relevant nudges in the booking flow basis his/her abandonment journey.

MoEngage Response | Compliance: C

- Yes, natively supported.
- MoEngage captures every booking-flow action (search initiated, flight selected, passenger details entered, ancillary viewed, seat selected, payment initiated) as a real-time event the moment it happens on web or app. Because these events are tracked live rather than processed later, MoEngage knows almost instantly when a passenger has performed one action but not the next, e.g. selected a seat but didn't reach payment, without waiting on a batch job to catch up.
- This real-time event stream is what event-triggered campaigns and Flows run on. A recovery trigger can be set directly against the absence of a follow-on event within a defined window (selected a seat, no payment event within X minutes), which is what actually creates the funnel-stage-specific recovery audience, "abandoned at Seat Selection" isn't a static list IndiGo builds once, it's a live condition MoEngage evaluates continuously as events stream in. These users are then targetted across channels via Push, Emails, WhatsApp, SMS/RCS, and any other channel of your choice.
- When that same passenger returns, identity resolution ties their new session back to the events already captured, so MoEngage recognizes them immediately as the passenger who dropped off at a specific stage, and Personalize can reflect that directly in a relevant, context-aware nudge (referencing the actual route or fare they were on) rather than a generic returning-visitor message.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.3 Ability to trigger recovery journeys across channels.

MoEngage Response | Compliance: C

- Real-time event capture at each booking stage (search, flight selection, ancillary purchase) enables event-triggered Flows to launch a recovery journey immediately upon detecting an abandonment condition, without waiting for a scheduled batch process.
- Recovery journeys are delivered across Push, Email, SMS, WhatsApp, and On-Site/In-App messaging, with the specific channel sequence and messaging varying by which stage triggered the recovery, e.g. an abandoned search may trigger a fare-drop alert, while an abandoned ancillary purchase re-surfaces the specific item.
- Offer Decisioning determines the specific content or incentive included in the recovery message on a per-passenger basis, rather than applying one fixed recovery offer to all abandoners.
- Campaign Decisioning determines the optimal channel and send-time per passenger within the recovery journey, based on individual response history.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows

- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.4 Ability to personalize recovery messaging using customer profile and booking context.

MoEngage Response | Compliance: C

- Real-time event capture at each booking stage (search, flight selection, ancillary purchase) enables event-triggered Flows to launch a recovery journey immediately upon detecting an abandonment condition, without waiting for a scheduled batch process.
- Recovery journeys are delivered across Push, Email, SMS, WhatsApp, and On-Site/In-App messaging, with the specific channel sequence and messaging varying by which stage triggered the recovery, e.g. an abandoned search may trigger a fare-drop alert, while an abandoned ancillary purchase re-surfaces the specific item.
- Offer Decisioning determines the specific content or incentive included in the recovery message on a per-passenger basis, rather than applying one fixed recovery offer to all abandoners.
- Campaign Decisioning determines the optimal channel and send-time per passenger within the recovery journey, based on individual response history.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.5 Ability to recover abandoned searches.

MoEngage Response | Compliance: C

- Real-time event capture at each booking stage (search, flight selection, ancillary purchase) enables event-triggered Flows to launch a recovery journey immediately upon detecting an abandonment condition, without waiting for a scheduled batch process.
- Recovery journeys are delivered across Push, Email, SMS, WhatsApp, and On-Site/In-App messaging, with the specific channel sequence and messaging varying by which stage triggered the recovery, e.g. an abandoned search may trigger a fare-drop alert, while an abandoned ancillary purchase re-surfaces the specific item.
- Offer Decisioning determines the specific content or incentive included in the recovery message on a per-passenger basis, rather than applying one fixed recovery offer to all abandoners.
- Campaign Decisioning determines the optimal channel and send-time per passenger within the recovery journey, based on individual response history.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.6 Ability to recover abandoned flight selections.

MoEngage Response | Compliance: C

- Real-time event capture at each booking stage (search, flight selection, ancillary purchase) enables event-triggered Flows to launch a recovery journey immediately upon detecting an abandonment condition, without waiting for a scheduled batch process.
- Recovery journeys are delivered across Push, Email, SMS, WhatsApp, and On-Site/In-App messaging, with the specific channel sequence and messaging varying by which stage triggered the recovery, e.g. an abandoned search may trigger a fare-drop alert, while an abandoned ancillary purchase re-surfaces the specific item.
- Offer Decisioning determines the specific content or incentive included in the recovery message on a per-passenger basis, rather than applying one fixed recovery offer to all abandoners.
- Campaign Decisioning determines the optimal channel and send-time per passenger within the recovery journey, based on individual response history.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.7 Ability to recover abandoned ancillary purchases.

MoEngage Response | Compliance: C

- Real-time event capture at each booking stage (search, flight selection, ancillary purchase) enables event-triggered Flows to launch a recovery journey immediately upon detecting an abandonment condition, without waiting for a scheduled batch process.
- Recovery journeys are delivered across Push, Email, SMS, WhatsApp, and On-Site/In-App messaging, with the specific channel sequence and messaging varying by which stage triggered the recovery, e.g. an abandoned search may trigger a fare-drop alert, while an abandoned ancillary purchase re-surfaces the specific item.
- Offer Decisioning determines the specific content or incentive included in the recovery message on a per-passenger basis, rather than applying one fixed recovery offer to all abandoners.
- Campaign Decisioning determines the optimal channel and send-time per passenger within the recovery journey, based on individual response history.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.8 Ability to suppress recovery journeys once booking is completed.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively.
- Because the booking-completed event is captured in real time, Flows can apply this event as an immediate exit condition, removing a passenger from any active recovery journey as soon as the booking is completed, preventing redundant recovery messaging across Push, Email, SMS, WhatsApp, and On-Site/In-App channels.

- The same real-time event also updates what the passenger sees on the website and app itself. Any personalized content tied to the pre-booking state, an abandoned-search banner, a seat-selection reminder, an ancillary upsell widget, is automatically suppressed or replaced the moment the booking-completed event fires, since MoEngage Personalize evaluates targeting conditions live rather than against a stale session snapshot. A passenger who completed their booking will not continue to see "finish your booking" messaging on their next visit, that experience naturally falls away as their profile no longer meets the abandonment condition.
- In its place, the same real-time event can immediately make the passenger eligible for post-booking personalized content, e.g. a homepage banner shifting to trip-management information, a check-in reminder module, or a relevant post-booking ancillary offer (seat upgrade, lounge access) surfaced through the same Personalize and Offer Decisioning mechanism, rather than the passenger continuing to see pre-booking content that no longer applies to them.
- Each recovery journey can be tied to a defined conversion goal (booking completed) with Revenue Performance tracking enabled, allowing measurement of both the volume of recovered bookings and the incremental revenue directly attributable to the recovery journey.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.9 Ability to prioritize recovery journeys based on booking value and likelihood to convert.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively.
- Because the booking-completed event is captured in real time, Flows can apply this event as an immediate exit condition, removing a passenger from any active recovery journey as soon as the booking is completed, preventing redundant recovery messaging across Push, Email, SMS, WhatsApp, and On-Site/In-App channels.
- The same real-time event also updates what the passenger sees on the website and app itself. Any personalized content tied to the pre-booking state, an abandoned-search banner, a seat-selection reminder, an ancillary upsell widget, is automatically suppressed or replaced the moment the booking-completed event fires, since MoEngage Personalize evaluates targeting conditions live rather than against a stale session snapshot. A passenger who completed their booking will not continue to see "finish your booking" messaging on their next visit, that experience naturally falls away as their profile no longer meets the abandonment condition.
- In its place, the same real-time event can immediately make the passenger eligible for post-booking personalized content, e.g. a homepage banner shifting to trip-management information, a check-in reminder module, or a relevant post-booking ancillary offer (seat upgrade, lounge access) surfaced through the same Personalize and Offer Decisioning mechanism, rather than the passenger continuing to see pre-booking content that no longer applies to them.
- Each recovery journey can be tied to a defined conversion goal (booking completed) with Revenue Performance tracking enabled, allowing measurement of both the volume of recovered bookings and the incremental revenue directly attributable to the recovery journey.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.10 Ability to measure recovered bookings and incremental revenue.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively.
- Because the booking-completed event is captured in real time, Flows can apply this event as an immediate exit condition, removing a passenger from any active recovery journey as soon as the booking is completed, preventing redundant recovery messaging across Push, Email, SMS, WhatsApp, and On-Site/In-App channels.
- The same real-time event also updates what the passenger sees on the website and app itself. Any personalized content tied to the pre-booking state, an abandoned-search banner, a seat-selection reminder, an ancillary upsell widget, is automatically suppressed or replaced the moment the booking-completed event fires, since MoEngage Personalize evaluates targeting conditions live rather than against a stale session snapshot. A passenger who completed their booking will not continue to see "finish your booking" messaging on their next visit, that experience naturally falls away as their profile no longer meets the abandonment condition.
- In its place, the same real-time event can immediately make the passenger eligible for post-booking personalized content, e.g. a homepage banner shifting to trip-management information, a check-in reminder module, or a relevant post-booking ancillary offer (seat upgrade, lounge access) surfaced through the same Personalize and Offer Decisioning mechanism, rather than the passenger continuing to see pre-booking content that no longer applies to them.
- Each recovery journey can be tied to a defined conversion goal (booking completed) with Revenue Performance tracking enabled, allowing measurement of both the volume of recovered bookings and the incremental revenue directly attributable to the recovery journey.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

6.11 Ability to capture exit intent (closing window, taking cursor to top right corner etc) and provide relevant nudges to make the customer continue his journey by providing offers

MoEngage Response | Compliance: C

- MoEngage captures exit intent on web and mobile through real-time device triggers that detect user actions like abandoning the app or website. These triggers enable instant push notifications, pop-ups, and personalized nudges to re-engage users within a second of the exit signal.
- For web platforms (desktop and mobile), exit intent pop-ups can be triggered based on cursor movement patterns and window close actions. On mobile apps, device triggers fire when users navigate away or close the app, delivering push notifications instantaneously.
- MoEngage also tracks user sentiment through affinity analysis and integrates with survey tools like Typeform for capturing CSAT and NPS scores. Native in-app and web pop-ups can collect qualitative feedback, which is visualized in campaign and channel analytics for deeper behavioral insights.
- For airline use cases, this enables personalized offers based on travel intent signals (e.g., abandoned booking flows), loyalty tier, and behavioral patterns helping convert high-propensity travelers at critical decision moments.

- https://www.moengage.com/docs/user-guide/campaigns-and-channels/on-site-message/create/exit-intent-technology
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/mobile-push/getting-started-with-mobile-push/overview-mobile-push#device-triggered
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/in-app-message/templates/in-app-templates

6.12 Ability to capture sentiment analysis

MoEngage Response | Compliance: C

- MoEngage captures exit intent on web and mobile through real-time device triggers that detect user actions like abandoning the app or website. These triggers enable instant push notifications, pop-ups, and personalized nudges to re-engage users within a second of the exit signal.
- For web platforms (desktop and mobile), exit intent pop-ups can be triggered based on cursor movement patterns and window close actions. On mobile apps, device triggers fire when users navigate away or close the app, delivering push notifications instantaneously.
- MoEngage also tracks user sentiment through affinity analysis and integrates with survey tools like Typeform for capturing CSAT and NPS scores. Native in-app and web pop-ups can collect qualitative feedback, which is visualized in campaign and channel analytics for deeper behavioral insights.
- For airline use cases, this enables personalized offers based on travel intent signals (e.g., abandoned booking flows), loyalty tier, and behavioral patterns helping convert high-propensity travelers at critical decision moments.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/on-site-message/create/exit-intent-technology
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/mobile-push/getting-started-with-mobile-push/overview-mobile-push#device-triggered
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/in-app-message/templates/in-app-templates

Use Case Demonstration

6.13 Demonstrate recovery journey after Flight Selection abandonment.

MoEngage Response | Compliance: C

- To be demonstrated

6.14 Demonstrate recovery journey after Passenger Details abandonment.

MoEngage Response | Compliance: C

- To be demonstrated

6.15 Demonstrate personalized recovery messaging.

MoEngage Response | Compliance: C

- To be demonstrated

6.16 Demonstrate recovery using Email, Push, SMS and WhatsApp.

MoEngage Response | Compliance: C

- To be demonstrated

6.17 Demonstrate attribution of recovered bookings and revenue.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

6.18 Recovery conversion rates achieved.

MoEngage Response | Compliance: C

- Akasa Air - 35% - Boost in flight booking conversions through funnel optimization; 21%
- Reduction in searched drop offs

6.19 Recovery revenue generated.

MoEngage Response | Compliance: C

- Akasa Air - 35% - Boost in flight booking conversions through funnel optimization; 21%
- Reduction in searched drop offs

6.20 Travel industry recovery use cases.

MoEngage Response | Compliance: C

- Akasa Air - 35% - Boost in flight booking conversions through funnel optimization; 21%
- Reduction in searched drop offs

7. Journey Orchestration & Real-Time Customer Engagement

Capability Requirements

7.1 Ability to orchestrate customer experiences across pre-booking, booking and post-booking journeys.

MoEngage Response | Compliance: C

- MoEngage orchestrates customer experiences across the entire travel journey through our multi-channel journey builder, Flows, which enables automated, personalized messaging at each stage.

- A single Flow, or a connected set of Flows, can span the full passenger lifecycle: pre-booking (search activity, fare-drop alerts, destination inspiration), booking (funnel progression, abandonment recovery, ancillary upsell), and post-booking (check-in reminders, trip-management content, loyalty engagement, post-trip feedback), rather than requiring separate, disconnected systems for each phase.
- **Pre-Booking Stage:**
- Target users browsing flights with personalized deals and reminders based on search history and behavior
- Deliver travel tips, service suggestions, and reassurance content (like flexible booking policies) to influence booking decisions
- Segment audiences by travel intent, loyalty status, and behavioral signals to deliver contextually relevant offers
- **Booking Stage:**
- Trigger real-time confirmations and updates through MoEngage Inform APIs
- Recommend additional services (seat upgrades, extra baggage, in-flight meals) using our AI-enabled recommendation engine during the booking process
- Deliver personalized upsell opportunities based on frequently bought together patterns
- **Post-Booking Stage:**
- Send boarding reminders, gate information, and in-flight service offerings
- Collect feedback while the experience is fresh
- Trigger personalized thank-you messages, future flight discounts, and loyalty program incentives
- Orchestration logic is event- and condition-driven: entry into a Flow, branching decisions, and message timing are determined automatically based on passenger behaviour and profile state, not manually scheduled by the marketing team for each individual.
- Campaign Decisioning determines the optimal channel and send-time per passenger within these orchestrated journeys, so "the right message at the right moment" reflects that specific passenger's own response patterns rather than a fixed rule applied to everyone.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/create/intelligence-in-flows/next-best-action-in-flows

7.2 Ability to automated journey orchestration to deliver the right message at the right moment.

MoEngage Response | Compliance: C

- MoEngage orchestrates customer experiences across the entire travel journey through our multi-channel journey builder, Flows, which enables automated, personalized messaging at each stage.

- A single Flow, or a connected set of Flows, can span the full passenger lifecycle: pre-booking (search activity, fare-drop alerts, destination inspiration), booking (funnel progression, abandonment recovery, ancillary upsell), and post-booking (check-in reminders, trip-management content, loyalty engagement, post-trip feedback), rather than requiring separate, disconnected systems for each phase.
- **Pre-Booking Stage:**
- Target users browsing flights with personalized deals and reminders based on search history and behavior
- Deliver travel tips, service suggestions, and reassurance content (like flexible booking policies) to influence booking decisions
- Segment audiences by travel intent, loyalty status, and behavioral signals to deliver contextually relevant offers
- **Booking Stage:**
- Trigger real-time confirmations and updates through MoEngage Inform APIs
- Recommend additional services (seat upgrades, extra baggage, in-flight meals) using our AI-enabled recommendation engine during the booking process
- Deliver personalized upsell opportunities based on frequently bought together patterns
- **Post-Booking Stage:**
- Send boarding reminders, gate information, and in-flight service offerings
- Collect feedback while the experience is fresh
- Trigger personalized thank-you messages, future flight discounts, and loyalty program incentives
- Orchestration logic is event- and condition-driven: entry into a Flow, branching decisions, and message timing are determined automatically based on passenger behaviour and profile state, not manually scheduled by the marketing team for each individual.
- Campaign Decisioning determines the optimal channel and send-time per passenger within these orchestrated journeys, so "the right message at the right moment" reflects that specific passenger's own response patterns rather than a fixed rule applied to everyone.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/create/intelligence-in-flows/next-best-action-in-flows

7.3 Ability to trigger interventions based on customer intent and engagement signals.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively.

- Intent and engagement signals (searches, page views, dwell time, click behaviour) are captured in real time and can directly trigger an intervention, an on-site nudge, a push notification, or an entry into a Flow, without waiting for a scheduled campaign send.
- Upstream signals inform downstream decisioning: an action earlier in the journey (e.g. a passenger who searched premium cabin fares) can influence what's shown or offered later in the journey (e.g. prioritizing a seat-upgrade offer at Ancillary Selection), since all signals feed into the same unified customer profile used throughout the platform.
- Customer context is maintained across channels because every channel, web, app, email, push, SMS, WhatsApp, on-site, in-app, draws from that same single profile. A passenger who engaged with a fare alert over email and then visits the app sees a continuation of that context, not a disconnected experience per channel.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows

7.4 Ability to influence downstream behaviour using upstream journey signals.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively.
- Intent and engagement signals (searches, page views, dwell time, click behaviour) are captured in real time and can directly trigger an intervention, an on-site nudge, a push notification, or an entry into a Flow, without waiting for a scheduled campaign send.
- Upstream signals inform downstream decisioning: an action earlier in the journey (e.g. a passenger who searched premium cabin fares) can influence what's shown or offered later in the journey (e.g. prioritizing a seat-upgrade offer at Ancillary Selection), since all signals feed into the same unified customer profile used throughout the platform.
- Customer context is maintained across channels because every channel, web, app, email, push, SMS, WhatsApp, on-site, in-app, draws from that same single profile. A passenger who engaged with a fare alert over email and then visits the app sees a continuation of that context, not a disconnected experience per channel.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows

7.5 Ability to maintain customer context across channels.

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively.
- Intent and engagement signals (searches, page views, dwell time, click behaviour) are captured in real time and can directly trigger an intervention, an on-site nudge, a push notification, or an entry into a Flow, without waiting for a scheduled campaign send.
- Upstream signals inform downstream decisioning: an action earlier in the journey (e.g. a passenger who searched premium cabin fares) can influence what's shown or offered later in the journey (e.g. prioritizing a seat-upgrade offer at Ancillary Selection), since all signals feed into the same unified customer profile used throughout the platform.

- Customer context is maintained across channels because every channel, web, app, email, push, SMS, WhatsApp, on-site, in-app, draws from that same single profile. A passenger who engaged with a fare alert over email and then visits the app sees a continuation of that context, not a disconnected experience per channel.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows

7.6 Ability to support event-triggered journeys in real time (incomplete bookings, upcoming trips, price drops, flight status)

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively through real-time event capture combined with Flows.
- **Incomplete bookings**: an abandonment condition (e.g. seat selected, no payment event within a defined window) triggers a recovery Flow immediately, as previously described.
- **Upcoming trips:** a time-based or date-attribute trigger (e.g. departure date approaching) can automatically enter a passenger into a pre-trip journey, check-in reminder, baggage add-on prompt, travel document reminder, without manual scheduling per passenger.
- **Price drops:** a catalog or fare-attribute change event (via Catalog Alerts, which cross-reference catalog updates against user interaction history) can trigger a personalized fare-drop notification to passengers who previously searched or viewed that specific route or fare.
- **Flight status:** MoEngage Inform helps with these IROPS messages maintaining a SLA of p99 under 5seconds.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/triggers/event/create-an-event-triggered-campaign
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/triggers/business-event/business-event-triggered-campaigns
- https://www.moengage.com/docs/user-guide/inform/overview-inform

7.7 Ability to create and maintain a progressive customer profile spanning every touchpoint using first-party and approved external data. The solution must support ingestion and activation of attribute classes including:

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively through its unified customer profile, which progressively enriches as data arrives from every connected source rather than requiring a one-time data load.
- **Activity data:** every behavioural event (searches, clicks, bookings, ancillary purchases, app/web engagement) is captured and added to the profile continuously.
- **Campaign data:** every send, open, click, and conversion across every channel is logged against the same profile, giving a full record of how the passenger has engaged with IndiGo's communications specifically.

- **Platform data:** device type, app version, and channel-level reachability (email, push token, WhatsApp opt-in) are tracked as part of the profile, informing which channels are viable for that passenger.
- **Temporal data: r**ecency, frequency, and time-based patterns (last seen, booking window, days-to-departure) are calculated and updated continuously, not as static, one-time fields.
- **Environment data:** location, browser/app environment, and session context are captured as standard SDK data, usable in both segmentation and real-time personalization.
- **Brand data:** for a single-brand deployment like IndiGo, this is inherently unified; if IndiGo operates multiple sub-brands or loyalty programs, MoEngage supports maintaining brand-specific attributes on the same profile rather than fragmenting it.
- The profile is progressive by design, meaning new data from any touchpoint, web, app, email, CDP, CRM, Loyalty engine, or third-party systems via API, enriches the same record over time, rather than each source creating a separate, disconnected view of the customer.
- https://www.moengage.com/docs/user-guide/data/user-data/user-profile

7.8 Environment data: geo information, time zone, device type, operating system, browser, connection characteristics, and screen attributes

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively.
- Intent and engagement signals (searches, page views, dwell time, click behaviour) are captured in real time and can directly trigger an intervention, an on-site nudge, a push notification, or an entry into a Flow, without waiting for a scheduled campaign send.
- Upstream signals inform downstream decisioning: an action earlier in the journey (e.g. a passenger who searched premium cabin fares) can influence what's shown or offered later in the journey (e.g. prioritizing a seat-upgrade offer at Ancillary Selection), since all signals feed into the same unified customer profile used throughout the platform.
- Customer context is maintained across channels because every channel, web, app, email, push, SMS, WhatsApp, on-site, in-app, draws from that same single profile. A passenger who engaged with a fare alert over email and then visits the app sees a continuation of that context, not a disconnected experience per channel.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows

7.9 Activity data: session context, new/returning visitor status, prior visit patterns, previous purchases, prior exposures, prior responses, and affinity data

MoEngage Response | Compliance: C

- MoEngage orchestrates customer experiences across the entire travel journey through our multi-channel journey builder, Flows, which enables automated, personalized messaging at each stage.
- A single Flow, or a connected set of Flows, can span the full passenger lifecycle: pre-booking (search activity, fare-drop alerts, destination inspiration), booking (funnel progression, abandonment recovery, ancillary upsell), and post-booking (check-in reminders, trip-management content, loyalty engagement, post-trip feedback), rather than requiring separate, disconnected systems for each phase.

- **Pre-Booking Stage:**
- Target users browsing flights with personalized deals and reminders based on search history and behavior
- Deliver travel tips, service suggestions, and reassurance content (like flexible booking policies) to influence booking decisions
- Segment audiences by travel intent, loyalty status, and behavioral signals to deliver contextually relevant offers
- **Booking Stage:**
- Trigger real-time confirmations and updates through MoEngage Inform APIs
- Recommend additional services (seat upgrades, extra baggage, in-flight meals) using our AI-enabled recommendation engine during the booking process
- Deliver personalized upsell opportunities based on frequently bought together patterns
- **Post-Booking Stage:**
- Send boarding reminders, gate information, and in-flight service offerings
- Collect feedback while the experience is fresh
- Trigger personalized thank-you messages, future flight discounts, and loyalty program incentives
- Orchestration logic is event- and condition-driven: entry into a Flow, branching decisions, and message timing are determined automatically based on passenger behaviour and profile state, not manually scheduled by the marketing team for each individual.
- Campaign Decisioning determines the optimal channel and send-time per passenger within these orchestrated journeys, so "the right message at the right moment" reflects that specific passenger's own response patterns rather than a fixed rule applied to everyone.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/create/intelligence-in-flows/next-best-action-in-flows

7.10 Brand data: data layer attributes, CRM, CDP, call center, survey, second-party, and third-party data where permitted

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively through real-time event capture combined with Flows.
- **Incomplete bookings**: an abandonment condition (e.g. seat selected, no payment event within a defined window) triggers a recovery Flow immediately, as previously described.

- **Upcoming trips:** a time-based or date-attribute trigger (e.g. departure date approaching) can automatically enter a passenger into a pre-trip journey, check-in reminder, baggage add-on prompt, travel document reminder, without manual scheduling per passenger.
- **Price drops:** a catalog or fare-attribute change event (via Catalog Alerts, which cross-reference catalog updates against user interaction history) can trigger a personalized fare-drop notification to passengers who previously searched or viewed that specific route or fare.
- **Flight status:** MoEngage Inform helps with these IROPS messages maintaining a SLA of p99 under 5seconds.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/triggers/event/create-an-event-triggered-campaign
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/triggers/business-event/business-event-triggered-campaigns
- https://www.moengage.com/docs/user-guide/inform/overview-inform

7.11 Campaign data: referring domain, query parameters, campaign IDs, affiliate or source metadata

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively through its unified customer profile, which progressively enriches as data arrives from every connected source rather than requiring a one-time data load.
- **Activity data:** every behavioural event (searches, clicks, bookings, ancillary purchases, app/web engagement) is captured and added to the profile continuously.
- **Campaign data:** every send, open, click, and conversion across every channel is logged against the same profile, giving a full record of how the passenger has engaged with IndiGo's communications specifically.
- **Platform data:** device type, app version, and channel-level reachability (email, push token, WhatsApp opt-in) are tracked as part of the profile, informing which channels are viable for that passenger.
- **Temporal data: r**ecency, frequency, and time-based patterns (last seen, booking window, days-to-departure) are calculated and updated continuously, not as static, one-time fields.
- **Environment data:** location, browser/app environment, and session context are captured as standard SDK data, usable in both segmentation and real-time personalization.
- **Brand data:** for a single-brand deployment like IndiGo, this is inherently unified; if IndiGo operates multiple sub-brands or loyalty programs, MoEngage supports maintaining brand-specific attributes on the same profile rather than fragmenting it.
- The profile is progressive by design, meaning new data from any touchpoint, web, app, email, CDP, CRM, Loyalty engine, or third-party systems via API, enriches the same record over time, rather than each source creating a separate, disconnected view of the customer.
- https://www.moengage.com/docs/user-guide/data/user-data/user-profile

7.12 Temporal data: time of day, day of week, recency, and frequency

MoEngage Response | Compliance: C

- Yes, MoEngage supports this natively through real-time event capture combined with Flows.
- **Incomplete bookings**: an abandonment condition (e.g. seat selected, no payment event within a defined window) triggers a recovery Flow immediately, as previously described.
- **Upcoming trips:** a time-based or date-attribute trigger (e.g. departure date approaching) can automatically enter a passenger into a pre-trip journey, check-in reminder, baggage add-on prompt, travel document reminder, without manual scheduling per passenger.
- **Price drops:** a catalog or fare-attribute change event (via Catalog Alerts, which cross-reference catalog updates against user interaction history) can trigger a personalized fare-drop notification to passengers who previously searched or viewed that specific route or fare.
- **Flight status:** MoEngage Inform helps with these IROPS messages maintaining a SLA of p99 under 5seconds.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/triggers/event/create-an-event-triggered-campaign
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/triggers/business-event/business-event-triggered-campaigns
- https://www.moengage.com/docs/user-guide/inform/overview-inform

7.13 Platform data: analytics, audience, and campaign orchestration signals required for decisioning.

MoEngage Response | Compliance: C

- MoEngage orchestrates customer experiences across the entire travel journey through our multi-channel journey builder, Flows, which enables automated, personalized messaging at each stage.
- A single Flow, or a connected set of Flows, can span the full passenger lifecycle: pre-booking (search activity, fare-drop alerts, destination inspiration), booking (funnel progression, abandonment recovery, ancillary upsell), and post-booking (check-in reminders, trip-management content, loyalty engagement, post-trip feedback), rather than requiring separate, disconnected systems for each phase.
- **Pre-Booking Stage:**
- Target users browsing flights with personalized deals and reminders based on search history and behavior
- Deliver travel tips, service suggestions, and reassurance content (like flexible booking policies) to influence booking decisions
- Segment audiences by travel intent, loyalty status, and behavioral signals to deliver contextually relevant offers
- **Booking Stage:**

- Trigger real-time confirmations and updates through MoEngage Inform APIs
- Recommend additional services (seat upgrades, extra baggage, in-flight meals) using our AI-enabled recommendation engine during the booking process
- Deliver personalized upsell opportunities based on frequently bought together patterns
- **Post-Booking Stage:**
- Send boarding reminders, gate information, and in-flight service offerings
- Collect feedback while the experience is fresh
- Trigger personalized thank-you messages, future flight discounts, and loyalty program incentives
- Orchestration logic is event- and condition-driven: entry into a Flow, branching decisions, and message timing are determined automatically based on passenger behaviour and profile state, not manually scheduled by the marketing team for each individual.
- Campaign Decisioning determines the optimal channel and send-time per passenger within these orchestrated journeys, so "the right message at the right moment" reflects that specific passenger's own response patterns rather than a fixed rule applied to everyone.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/getting-started/overview-flows/overview-flows
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/create/intelligence-in-flows/next-best-action-in-flows

Use Case Demonstration

7.14 Demonstrate real-time intervention for users repeatedly comparing fares.

MoEngage Response | Compliance: C

- To be demonstrated

7.15 Demonstrate urgency and scarcity messaging.

MoEngage Response | Compliance: C

- To be demonstrated

7.16 Demonstrate post-booking ancillary upsell journeys.

MoEngage Response | Compliance: C

- To be demonstrated

7.17 Demonstrate continuity of customer experience across Web and Mobile App.

MoEngage Response | Compliance: C

- To be demonstrated

7.18 Demonstrate coordinated cross-channel engagement.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

7.19 Supported channels.

MoEngage Response | Compliance: C

- **Supported Channels:**
- **Native Channels:**
- App: Push notifications, In-app notifications/nudges, Inbox/Content Cards, Personalized app screens
- Web: Push notifications, Onsite web messages, Inbox/Content Cards, Personalized web pages, Personalized landing pages
- Outbound: Email, SMS, RCS, WhatsApp, Google and Meta Audience Sync
- **Partner-Supported Channels (via Connected Apps):**
- Messaging apps (Viber, Telegram)
- Social media networks (TikTok, X, Snapchat, etc.)
- Telecom/IVR (RingCentral, Vonage, etc.)
- Support tools (Zendesk, Freshworks, etc.)
- **Maximum Journey Complexity:**
- MoEngage has a state of the art journey builder with no limitations to the complexity of the journey being built.
- https://help.moengage.com/hc/en-us/articles/360055243151-A-B-Split-in-Flows
- https://help.moengage.com/hc/en-us/articles/4414961372436-Most-Preferred-Channel

7.20 Native versus partner-supported channels.

MoEngage Response | Compliance: C

- **Supported Channels:**
- **Native Channels:**
- App: Push notifications, In-app notifications/nudges, Inbox/Content Cards, Personalized app screens

- Web: Push notifications, Onsite web messages, Inbox/Content Cards, Personalized web pages, Personalized landing pages
- Outbound: Email, SMS, RCS, WhatsApp, Google and Meta Audience Sync
- **Partner-Supported Channels (via Connected Apps):**
- Messaging apps (Viber, Telegram)
- Social media networks (TikTok, X, Snapchat, etc.)
- Telecom/IVR (RingCentral, Vonage, etc.)
- Support tools (Zendesk, Freshworks, etc.)
- **Maximum Journey Complexity:**
- MoEngage has a state of the art journey builder with no limitations to the complexity of the journey being built.
- https://help.moengage.com/hc/en-us/articles/360055243151-A-B-Split-in-Flows
- https://help.moengage.com/hc/en-us/articles/4414961372436-Most-Preferred-Channel

7.21 Maximum journey complexity supported.

MoEngage Response | Compliance: C

- **Supported Channels:**
- **Native Channels:**
- App: Push notifications, In-app notifications/nudges, Inbox/Content Cards, Personalized app screens
- Web: Push notifications, Onsite web messages, Inbox/Content Cards, Personalized web pages, Personalized landing pages
- Outbound: Email, SMS, RCS, WhatsApp, Google and Meta Audience Sync
- **Partner-Supported Channels (via Connected Apps):**
- Messaging apps (Viber, Telegram)
- Social media networks (TikTok, X, Snapchat, etc.)
- Telecom/IVR (RingCentral, Vonage, etc.)
- Support tools (Zendesk, Freshworks, etc.)
- **Maximum Journey Complexity:**

- MoEngage has a state of the art journey builder with no limitations to the complexity of the journey being built.
- https://help.moengage.com/hc/en-us/articles/360055243151-A-B-Split-in-Flows
- https://help.moengage.com/hc/en-us/articles/4414961372436-Most-Preferred-Channel

8. Experimentation Platform

Capability Requirements

8.1 Ability to run A/B testing.

MoEngage Response | Compliance: C

- Yes, natively supported.
- **A/B testing:** two variations compared against a randomly split, equal-sized audience to determine which drives better performance on a chosen metric. MoEngage supports both **static distribution** (a fixed, even split maintained for the full test duration) and **dynamic distribution** (traffic automatically reallocated toward the better-performing variation as results come in), selectable by the business user at setup.
- **Multivariate testing:** more than two variations tested simultaneously against randomly assigned user groups, isolating the specific element being changed while keeping all other content constant. The same static-vs-dynamic distribution choice applies here as well.
- **Split-URL testing:** entire alternate page versions tested against each other, rather than only individual element-level variants, useful when the difference being tested goes beyond a single component. Dynamic distribution can be applied here too, shifting traffic toward the better-performing full page version as data accumulates.
- **Server-side experimentation:** supported for app screens or booking-engine-embedded zones, where the variation is delivered via API payload rather than through the client-side visual editor, using the same underlying experiment framework, including dynamic distribution, as client-side tests.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/manual-multivariate-experiment
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/split-url-testing/create-a-split-url-testing-experience

8.2 Ability to run Multivariate testing.

MoEngage Response | Compliance: C

- Yes, natively supported.

- **A/B testing:** two variations compared against a randomly split, equal-sized audience to determine which drives better performance on a chosen metric. MoEngage supports both **static distribution** (a fixed, even split maintained for the full test duration) and **dynamic distribution** (traffic automatically reallocated toward the better-performing variation as results come in), selectable by the business user at setup.
- **Multivariate testing:** more than two variations tested simultaneously against randomly assigned user groups, isolating the specific element being changed while keeping all other content constant. The same static-vs-dynamic distribution choice applies here as well.
- **Split-URL testing:** entire alternate page versions tested against each other, rather than only individual element-level variants, useful when the difference being tested goes beyond a single component. Dynamic distribution can be applied here too, shifting traffic toward the better-performing full page version as data accumulates.
- **Server-side experimentation:** supported for app screens or booking-engine-embedded zones, where the variation is delivered via API payload rather than through the client-side visual editor, using the same underlying experiment framework, including dynamic distribution, as client-side tests.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/manual-multivariate-experiment
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/split-url-testing/create-a-split-url-testing-experience

8.3 Ability to run Split URL testing.

MoEngage Response | Compliance: C

- Yes, natively supported.
- **Split-URL testing:** entire alternate page versions tested against each other, rather than only individual element-level variants, useful when the difference being tested goes beyond a single component. Dynamic distribution can be applied here too, shifting traffic toward the better-performing full page version as data accumulates.
- **Server-side experimentation:** supported for app screens or booking-engine-embedded zones, where the variation is delivered via API payload rather than through the client-side visual editor, using the same underlying experiment framework, including dynamic distribution, as client-side tests.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/manual-multivariate-experiment
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/split-url-testing/create-a-split-url-testing-experience

8.4 Ability to run Server-side experimentation (run on the backend)

MoEngage Response | Compliance: C

- Yes, natively supported.
- **A/B testing:** two variations compared against a randomly split, equal-sized audience to determine which drives better performance on a chosen metric. MoEngage supports both **static distribution** (a fixed, even split maintained for the full test duration) and **dynamic distribution** (traffic automatically reallocated toward the better-performing variation as results come in), selectable by the business user at setup.
- **Multivariate testing:** more than two variations tested simultaneously against randomly assigned user groups, isolating the specific element being changed while keeping all other content constant. The same static-vs-dynamic distribution choice applies here as well.
- **Split-URL testing:** entire alternate page versions tested against each other, rather than only individual element-level variants, useful when the difference being tested goes beyond a single component. Dynamic distribution can be applied here too, shifting traffic toward the better-performing full page version as data accumulates.
- **Server-side experimentation:** supported for app screens or booking-engine-embedded zones, where the variation is delivered via API payload rather than through the client-side visual editor, using the same underlying experiment framework, including dynamic distribution, as client-side tests.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/manual-multivariate-experiment
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience
- https://www.moengage.com/docs/user-guide/personalize/split-url-testing/create-a-split-url-testing-experience

8.5 Ability to support experimentation across routes, geographies, devices and customer segments.

MoEngage Response | Compliance: C

- Yes, natively supported.
- Experiments can be targeted by any combination of segment attributes, meaning route, geography, device type, and any custom passenger segment can all define which audience enters a given experiment.
- Multiple experiments can run concurrently on the platform.
- **Audience-overlap isolation:** when multiple audiences are selected for a given experiment (for a specific slot on the app/website), MoEngage enforces mutual exclusivity at the user level, a passenger who qualifies for one audience is never simultaneously included in another audience within that same experiment setup, preventing a single passenger from receiving conflicting or overlapping treatments.
- **Audience overlap analysis**: beyond this built-in exclusivity enforcement, IndiGo can additionally run a dedicated audience overlap analysis using custom agents, allowing the extent of overlap between any set of

audiences to be examined directly, useful for validating segmentation strategy or auditing overlap across concurrently running experiments and campaigns, not just within a single experiment's audience selection.

- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.6 Ability to support multiple concurrent experiments.

MoEngage Response | Compliance: C

- Yes, natively supported.

- Multiple experiments can run concurrently on the platform.

8.7 Ability to isolate experiments and prevent audience overlap.

MoEngage Response | Compliance: C

- Yes, natively supported.

- Experiments can be targeted by any combination of segment attributes, meaning route, geography, device type, and any custom passenger segment can all define which audience enters a given experiment.

- Multiple experiments can run concurrently on the platform.

- **Audience-overlap isolation:** when multiple audiences are selected for a given experiment (for a specific slot on the app/website), MoEngage enforces mutual exclusivity at the user level, a passenger who qualifies for one audience is never simultaneously included in another audience within that same experiment setup, preventing a single passenger from receiving conflicting or overlapping treatments.

- **Audience overlap analysis**: beyond this built-in exclusivity enforcement, IndiGo can additionally run a dedicated audience overlap analysis using custom agents, allowing the extent of overlap between any set of audiences to be examined directly, useful for validating segmentation strategy or auditing overlap across concurrently running experiments and campaigns, not just within a single experiment's audience selection.

- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.8 Ability to support experimentation governance and approval workflows.

MoEngage Response | Compliance: C

- **Governance and Approval Workflows**

- Campaign approval allows marketing teams to control campaigns/experiments going live through a creator-approver (maker-checker) approach. Teams can decide which users create campaigns and which users have approval privileges.

- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/create/create-flows/create-a-flow#conversion-goals

8.9 Ability to define success metrics, guardrail metrics and stopping criteria.

MoEngage Response | Compliance: C

- Users can add up to 5 conversion goals to track business metrics for campaigns. Any event can be chosen as a conversion goal activity, with multiple goals supported. The first goal is treated as the primary goal
- **Stopping criteria:** supported through segment-based exclusion logic. A specific activity or event can be defined as a stopping condition, and any user who performs that activity is automatically excluded from the experiment going forward, so they stop receiving experiment variations once the defined condition is met, rather than continuing to be exposed for the remainder of the test.
- https://www.moengage.com/docs/user-guide/flows-cross-channel-messaging/create/create-flows/create-a-flow#conversion-goals

8.10 Ability to estimate sample size and expected business impact before experiment launch.

MoEngage Response | Compliance: C

- Yes, natively supported.

- **Sample size estimation pre-launch:** supported through the segmentation module's live audience-count (show count) capability. As an experiment's target audience/segment is being defined, the eligible population size is displayed in real time, giving IndiGo the actual, current reachable sample size for that specific audience before launch, rather than a generic estimate disconnected from IndiGo's own data.
- **Expected impact estimation pre-launch:** supported using custom agents, which can analyze the performance of relevant past experiments and run a forecast against the specific draft experiment created, giving IndiGo a data-grounded expected-impact estimate based on IndiGo's own historical experimentation results rather than a generic industry benchmark.
- **MoEngage Differrentiator:**
- Custom Agents can be configured to scan a passenger funnel for drop-off points, analyze the behavioral trends around those events, forecast likely future trends based on historical patterns, and surface experimentation recommendations to improve conversion. moreover, these same custom agents can be further tuned to help you estimate the impact of these recommended experiments
  - https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience
  - https://www.moengage.com/docs/user-guide/personalize/split-url-testing/create-a-split-url-testing-experience

8.11 Ability to automatically detect experiment collisions.

MoEngage Response | Compliance: PC

- Yes, supported through a combination of native platform history and a custom agent.
- All experiments, past and current, remain accessible with their configuration and results within the platform, supporting a working history of what's been tested. Tags applied to experiences and campaigns support grouping and filtering across this history.

- Experiment collision detection: a custom agent can be configured to review all active experiments and produce a daily analysis identifying potential collisions, cases where two or more concurrently running experiments overlap in audience or conflict in the elements/pages they're testing, surfacing this proactively to the team rather than requiring manual cross-checking of every live experiment.
- Experiment repository and historical learnings: the same custom agent approach can be extended to maintain a structured view of historical experiment learnings at scale, since it has visibility into all past and current experiments, rather than IndiGo's team needing to manually compile results into a separate knowledge base.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.12 Ability to maintain experiment repository and historical learnings.

MoEngage Response | Compliance: PC

- Yes, supported through a combination of native platform history and a custom agent.
- All experiments, past and current, remain accessible with their configuration and results within the platform, supporting a working history of what's been tested. Tags applied to experiences and campaigns support grouping and filtering across this history.
- Experiment collision detection: a custom agent can be configured to review all active experiments and produce a daily analysis identifying potential collisions, cases where two or more concurrently running experiments overlap in audience or conflict in the elements/pages they're testing, surfacing this proactively to the team rather than requiring manual cross-checking of every live experiment.
- Experiment repository and historical learnings: the same custom agent approach can be extended to maintain a structured view of historical experiment learnings at scale, since it has visibility into all past and current experiments, rather than IndiGo's team needing to manually compile results into a separate knowledge base.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.13 Ability to manage experimentation at enterprise scale across multiple teams.

MoEngage Response | Compliance: PC

- Yes, supported through a combination of native platform history and a custom agent.
- All experiments, past and current, remain accessible with their configuration and results within the platform, supporting a working history of what's been tested. Tags applied to experiences and campaigns support grouping and filtering across this history.
- Experiment collision detection: a custom agent can be configured to review all active experiments and produce a daily analysis identifying potential collisions, cases where two or more concurrently running experiments overlap in audience or conflict in the elements/pages they're testing, surfacing this proactively to the team rather than requiring manual cross-checking of every live experiment.

- Experiment repository and historical learnings: the same custom agent approach can be extended to maintain a structured view of historical experiment learnings at scale, since it has visibility into all past and current experiments, rather than IndiGo's team needing to manually compile results into a separate knowledge base.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.14 Ability to support Auto-Allocate / multi-armed bandit experimentation that dynamically reallocates traffic toward higher-performing experiences during the experiment lifecycle in order to maximize lift while preserving statistical rigor. The platform must support:

MoEngage Response | Compliance: C

- Yes, natively supported.
- Dynamic traffic distribution is supported: rather than a fixed static split for the full test duration, MoEngage can shift traffic toward better-performing variations as data comes in, based on a business-user-selected optimization metric (conversion, engagement, or revenue).
- MoEngage's Dynamic Distribution is a **multi-armed bandit implementation**, using a **Bayesian statistical model** to continuously reallocate traffic toward the better-performing variation in real time, without requiring a fixed sample size or test duration to be set in advance, MoEngage models each variation's conversion/click-through rate as a probability distribution (rather than a single point estimate), reporting metrics like "chances to beat all other variations" and uplift versus a control group, which is easier to interpret for a non-technical business audience than a raw p-value.
- Optimization goals and traffic strategy (static vs dynamic distribution) are configurable by business users directly in the campaign/experiment setup, no data science involvement required.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.15 Reallocation of traffic across 2 or more experiences as performance signals emerge

MoEngage Response | Compliance: C

- Yes, natively supported.

- Dynamic traffic distribution is supported: rather than a fixed static split for the full test duration, MoEngage can shift traffic toward better-performing variations as data comes in, based on a business-user-selected optimization metric (conversion, engagement, or revenue).
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.16 Continuous visibility into confidence intervals and comparison between experiences

MoEngage Response | Compliance: C

- Yes, natively supported.
- Confidence is built directly into the Bayesian model itself, not calculated as a separate step afterward. Each variation's true conversion/click-through rate is modeled as a probability distribution (specifically, a Beta distribution) rather than a single point estimate. The width of this distribution reflects how much data has been observed, a wide, flat curve early in the test represents high uncertainty; as more data comes in, the curve narrows and peaks around the most probable true rate.
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/manual-multivariate-experiment

8.17 Automated identification of the overall winning experience without requiring manual traffic redistribution

MoEngage Response | Compliance: PC

- Yes, natively supported through our proprietary **Merlin AI** (previously branded Sherpa AI), MoEngage's AI/ML engine for experimentation and decisioning.
- **How it works:** instead of manually splitting traffic evenly across variations for the full test duration, Merlin AI continuously monitors performance and shifts a growing share of traffic toward whichever variation is winning, in real time, as data accumulates.
- **Configurable optimization metric:** business users choose the single metric Merlin AI should optimize toward, conversion, engagement, or revenue, rather than the system defaulting to one fixed measure.
- Applies across both experimentation surfaces: this works identically for web/app personalization experiments (client-side and server-side) and for offer decisioning (Custom Formula ranking with an AI Auto Optimize option), so the same underlying capability powers both "which page layout wins" and "which offer wins" decisions.
  - No manual reallocation needed: once configured, this runs autonomously for the life of the experiment; a marketer doesn't need to check performance daily and manually rebalance traffic splits.
  - https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
  - https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.18 Business-user configuration of optimization goal, traffic strategy, and guardrails.

MoEngage Response | Compliance: PC

- Yes, supported through a combination of native platform history and a custom agent.
- All experiments, past and current, remain accessible with their configuration and results within the platform, supporting a working history of what's been tested. Tags applied to experiences and campaigns support grouping and filtering across this history.
- Experiment collision detection: a custom agent can be configured to review all active experiments and produce a daily analysis identifying potential collisions, cases where two or more concurrently running

experiments overlap in audience or conflict in the elements/pages they're testing, surfacing this proactively to the team rather than requiring manual cross-checking of every live experiment.

- Experiment repository and historical learnings: the same custom agent approach can be extended to maintain a structured view of historical experiment learnings at scale, since it has visibility into all past and current experiments, rather than IndiGo's team needing to manually compile results into a separate knowledge base.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.19 Vendors must provide an experimentation decision framework that clearly defines when to use fixed-horizon A/B testing versus Auto-Allocate or other optimization approaches. The response must explicitly cover:

MoEngage Response | Compliance: C

- Rather than handing IndiGo a static framework and leaving the ongoing judgment calls to internal teams, MoEngage's Customer Success organization is structured to provide this guidance actively, throughout the contract term, not just at implementation.
- **Onboarding and playbook definition:** during initial rollout, MoEngage's Solutions Architecture team and Customer Success team works with IndiGo's marketing and product teams to translate the general Static vs Dynamic Distribution decision framework into IndiGo-specific playbooks, e.g. defining upfront which categories of experiments (pricing presentation changes, permanent UI decisions) default to static distribution, and which (seasonal fare promotions, ancillary offer selection) default to dynamic distribution, so the decision isn't re-litigated from scratch for every new test.
- **Ongoing quarterly business reviews:** MoEngage's Customer Success leadership run periodic reviews of IndiGo's experimentation program, examining which tests used which distribution method, what the outcomes were, and refining the guidance based on IndiGo's own accumulated results rather than generic industry benchmarks.
- **Training and knowledge transfer:** as part of the broader onboarding and hypercare model already scoped for the Adobe Target migration, experimentation-specific training (when to use which distribution method, how to read Bayesian probability-to-beat-control output, how to interpret custom-agent-generated collision and forecast reports) is included as a dedicated training module, not assumed to be self-taught from documentation.

8.20 Ideal use cases for Auto-Allocate

MoEngage Response | Compliance: C

- Yes, natively supported.
- Experiments can be targeted by any combination of segment attributes, meaning route, geography, device type, and any custom passenger segment can all define which audience enters a given experiment.
- Multiple experiments can run concurrently on the platform.
- **Audience-overlap isolation:** when multiple audiences are selected for a given experiment (for a specific slot on the app/website), MoEngage enforces mutual exclusivity at the user level, a passenger who qualifies for one audience is never simultaneously included in another audience within that same experiment setup, preventing a single passenger from receiving conflicting or overlapping treatments.

- **Audience overlap analysis**: beyond this built-in exclusivity enforcement, IndiGo can additionally run a dedicated audience overlap analysis using custom agents, allowing the extent of overlap between any set of audiences to be examined directly, useful for validating segmentation strategy or auditing overlap across concurrently running experiments and campaigns, not just within a single experiment's audience selection.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.21 Conditions where Auto-Allocate should not be used

MoEngage Response | Compliance: PC

- Yes, supported through a combination of native platform history and a custom agent.
- All experiments, past and current, remain accessible with their configuration and results within the platform, supporting a working history of what's been tested. Tags applied to experiences and campaigns support grouping and filtering across this history.
- Experiment collision detection: a custom agent can be configured to review all active experiments and produce a daily analysis identifying potential collisions, cases where two or more concurrently running experiments overlap in audience or conflict in the elements/pages they're testing, surfacing this proactively to the team rather than requiring manual cross-checking of every live experiment.
- Experiment repository and historical learnings: the same custom agent approach can be extended to maintain a structured view of historical experiment learnings at scale, since it has visibility into all past and current experiments, rather than IndiGo's team needing to manually compile results into a separate knowledge base.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.22 Trade-offs between faster lift realization and precision of measurement

MoEngage Response | Compliance: PC

- Yes, supported through a combination of native platform history and a custom agent.
- All experiments, past and current, remain accessible with their configuration and results within the platform, supporting a working history of what's been tested. Tags applied to experiences and campaigns support grouping and filtering across this history.
- Experiment collision detection: a custom agent can be configured to review all active experiments and produce a daily analysis identifying potential collisions, cases where two or more concurrently running experiments overlap in audience or conflict in the elements/pages they're testing, surfacing this proactively to the team rather than requiring manual cross-checking of every live experiment.
- Experiment repository and historical learnings: the same custom agent approach can be extended to maintain a structured view of historical experiment learnings at scale, since it has visibility into all past and current experiments, rather than IndiGo's team needing to manually compile results into a separate knowledge base.

- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

8.23 Guidance on experiment selection based on traffic volume, number of variants, commercial sensitivity, and desired confidence outcome.

MoEngage Response | Compliance: C

- Yes, natively supported.
- Experiments can be targeted by any combination of segment attributes, meaning route, geography, device type, and any custom passenger segment can all define which audience enters a given experiment.
- Multiple experiments can run concurrently on the platform.
- **Audience-overlap isolation:** when multiple audiences are selected for a given experiment (for a specific slot on the app/website), MoEngage enforces mutual exclusivity at the user level, a passenger who qualifies for one audience is never simultaneously included in another audience within that same experiment setup, preventing a single passenger from receiving conflicting or overlapping treatments.
- **Audience overlap analysis**: beyond this built-in exclusivity enforcement, IndiGo can additionally run a dedicated audience overlap analysis using custom agents, allowing the extent of overlap between any set of audiences to be examined directly, useful for validating segmentation strategy or auditing overlap across concurrently running experiments and campaigns, not just within a single experiment's audience selection.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview

Use Case Demonstration

8.24 Demonstrate multiple concurrent experiments across booking stages.

MoEngage Response | Compliance: C

- To be demonstrated

8.25 Demonstrate conflict resolution between overlapping experiments.

MoEngage Response | Compliance: C

- To be demonstrated

8.26 Demonstrate governance and approval workflows.

MoEngage Response | Compliance: C

- To be demonstrated

8.27 Demonstrate automated stopping of underperforming experiments.

MoEngage Response | Compliance: C

- To be demonstrated

8.28 Demonstrate experiment prioritization based on revenue impact.

MoEngage Response | Compliance: C

- To be demonstrated

8.29 Demonstrate experiment planning and sample size estimation.

MoEngage Response | Compliance: C

- To be demonstrated

8.30 Demonstrate an Auto-Allocate experiment across 3 or more experiences where traffic is automatically shifted toward the best-performing experience over time. Show reporting on traffic movement, confidence levels, and business lift achieved.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

8.31 Maximum concurrent experiments supported.

MoEngage Response | Compliance: C

- MoEngage enables you to run as many concurrent experiments with no capping. MoEngage uses Bayesian statistical model for auto-allocation of users to different variants.
- MoEngage already works with the likes of Travelodge, T-mobile, and Akasa Air to support experimentation at scale

8.32 Statistical methodologies supported.

MoEngage Response | Compliance: C

- MoEngage enables you to run as many concurrent experiments with no capping. MoEngage uses Bayesian statistical model for auto-allocation of users to different variants.
- MoEngage already works with the likes of Travelodge, T-mobile, and Akasa Air to support experimentation at scale

8.33 Variance reduction capabilities.

MoEngage Response | Compliance: C

- MoEngage enables you to run as many concurrent experiments with no capping. MoEngage uses Bayesian statistical model for auto-allocation of users to different variants.
- MoEngage already works with the likes of Travelodge, T-mobile, and Akasa Air to support experimentation at scale

8.34 Annual experimentation scale supported.

MoEngage Response | Compliance: C

- MoEngage enables you to run as many concurrent experiments with no capping. MoEngage uses Bayesian statistical model for auto-allocation of users to different variants.
- MoEngage already works with the likes of Travelodge, T-mobile, and Akasa Air to support experimentation at scale

9. No-Code / Low-Code Experimence Management & Business User Enablement

Capability Requirements

9.1 Ability for business users to create and launch experiments without engineering support.

MoEngage Response | Compliance: C

- MoEngage enables business users to create and launch experiments without engineering support through multiple no-code capabilities:
- **Visual Interface & No-Code Tools:**
- Drag-and-drop/WYSIWYG editors for campaign design across email, push, in-app, and web channels
- Visual workflow builder for creating complex automation sequences and customer journeys
- No-code visual editor (MoEngage Personalize) for website experimentation - edit banners, copy, CTAs, and widgets without coding
- Intuitive drag-and-drop In-App composition tool with 100+ pre-built templates
- **Audience & Segmentation:**
- User-friendly segmentation interface allowing instant audience creation without SQL/coding knowledge
- Real-time dynamic segments combining events, user attributes, and behavioral patterns
- Segments update in near real-time with p99 SLA of 5 seconds
- Roadmap includes natural language prompts for segment creation
- **Experimentation Capabilities:**
- A/B/n and multivariate testing (up to 5 variations) across single and cross-channel campaigns
- Static testing with manual control group sizing or dynamic testing powered by Sherpa AI
- Intelligent Path Optimizer (IPO) for journey-level experimentation - AI automatically directs traffic to winning variations
- Branch-level experimentation in workflows with real-time performance optimization

- Control groups at global and campaign levels
- Bayesian approach and multi-armed bandit algorithms for real-time optimization
- **Personalization:**
- Real-time personalization using in-session attributes (location, device, time, UTM parameters)
- Dynamic content insertion based on user attributes and behavioral data
- Locales feature for multi-language campaign variants
- Content APIs for pulling real-time content from external CMS systems
- All capabilities accessible through the dashboard without technical team involvement.
- https://help.moengage.com/hc/en-us/categories/360002708291-Segment
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.2 Ability to create audience rules through visual interfaces

MoEngage Response | Compliance: C

- MoEngage enables business users to create and launch experiments without engineering support through multiple no-code capabilities:
- **Visual Interface & No-Code Tools:**
- Drag-and-drop/WYSIWYG editors for campaign design across email, push, in-app, and web channels
- Visual workflow builder for creating complex automation sequences and customer journeys
- No-code visual editor (MoEngage Personalize) for website experimentation - edit banners, copy, CTAs, and widgets without coding
- Intuitive drag-and-drop In-App composition tool with 100+ pre-built templates
- **Audience & Segmentation:**
- User-friendly segmentation interface allowing instant audience creation without SQL/coding knowledge
- Real-time dynamic segments combining events, user attributes, and behavioral patterns
- Segments update in near real-time with p99 SLA of 5 seconds
- Roadmap includes natural language prompts for segment creation
- **Experimentation Capabilities:**
- A/B/n and multivariate testing (up to 5 variations) across single and cross-channel campaigns

- Static testing with manual control group sizing or dynamic testing powered by Sherpa AI
- Intelligent Path Optimizer (IPO) for journey-level experimentation - AI automatically directs traffic to winning variations
- Branch-level experimentation in workflows with real-time performance optimization
- Control groups at global and campaign levels
- Bayesian approach and multi-armed bandit algorithms for real-time optimization
- **Personalization:**
- Real-time personalization using in-session attributes (location, device, time, UTM parameters)
- Dynamic content insertion based on user attributes and behavioral data
- Locales feature for multi-language campaign variants
- Content APIs for pulling real-time content from external CMS systems
- All capabilities accessible through the dashboard without technical team involvement.
- https://help.moengage.com/hc/en-us/categories/360002708291-Segment
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.3 Ability to create personalization campaigns without code changes.

MoEngage Response | Compliance: C

- MoEngage enables business users to create and launch experiments without engineering support through multiple no-code capabilities:
- **Visual Interface & No-Code Tools:**
- Drag-and-drop/WYSIWYG editors for campaign design across email, push, in-app, and web channels
- Visual workflow builder for creating complex automation sequences and customer journeys
- No-code visual editor (MoEngage Personalize) for website experimentation - edit banners, copy, CTAs, and widgets without coding
- Intuitive drag-and-drop In-App composition tool with 100+ pre-built templates
- **Audience & Segmentation:**
- User-friendly segmentation interface allowing instant audience creation without SQL/coding knowledge
- Real-time dynamic segments combining events, user attributes, and behavioral patterns

- Segments update in near real-time with p99 SLA of 5 seconds
- Roadmap includes natural language prompts for segment creation
- **Experimentation Capabilities:**
- A/B/n and multivariate testing (up to 5 variations) across single and cross-channel campaigns
- Static testing with manual control group sizing or dynamic testing powered by Sherpa AI
- Intelligent Path Optimizer (IPO) for journey-level experimentation - AI automatically directs traffic to winning variations
- Branch-level experimentation in workflows with real-time performance optimization
- Control groups at global and campaign levels
- Bayesian approach and multi-armed bandit algorithms for real-time optimization
- **Personalization:**
- Real-time personalization using in-session attributes (location, device, time, UTM parameters)
- Dynamic content insertion based on user attributes and behavioral data
- Locales feature for multi-language campaign variants
- Content APIs for pulling real-time content from external CMS systems
- All capabilities accessible through the dashboard without technical team involvement.
- https://help.moengage.com/hc/en-us/categories/360002708291-Segment
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.4 Ability to modify content, banners, messaging and merchandising placements through visual editors.

MoEngage Response | Compliance: C

- Yes, natively supported.
- Content, banners, messaging, and merchandising modules (Product Grid, Carousel, Countdown Timer, HTML/JS blocks) can be modified through the visual WYSIWYG editor without engineering involvement, targeting any element via ID/selector path.
- MoEngage supports consuming Figma design files and converting them into HTML, which can then be directly used to build In-App and On-Site Messaging campaigns, banners, and pop-ups, allowing IndiGo's design team's Figma output to be turned into live, deployable content without a separate engineering handoff to hand-code the design.

- This closes the loop between design and deployment: a banner or pop-up designed in Figma can move to a live, targetable campaign through MoEngage's editor, without IndiGo's engineering team needing to build or maintain custom front-end code for each new design.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/in-app-message/templates/html-in-app-templates

9.5 Ability of the system to consume Figma/design files provided by IndiGo and adapt them into the app without engineering support.

MoEngage Response | Compliance: C

- Yes, natively supported.
- Content, banners, messaging, and merchandising modules (Product Grid, Carousel, Countdown Timer, HTML/JS blocks) can be modified through the visual WYSIWYG editor without engineering involvement, targeting any element via ID/selector path.
- MoEngage supports consuming Figma design files and converting them into HTML, which can then be directly used to build In-App and On-Site Messaging campaigns, banners, and pop-ups, allowing IndiGo's design team's Figma output to be turned into live, deployable content without a separate engineering handoff to hand-code the design.
- This closes the loop between design and deployment: a banner or pop-up designed in Figma can move to a live, targetable campaign through MoEngage's editor, without IndiGo's engineering team needing to build or maintain custom front-end code for each new design.
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/in-app-message/templates/html-in-app-templates

9.6 Ability to create reusable templates and experiment frameworks.

MoEngage Response | Compliance: C

- Reusable templates are supported: widgets and content blocks can be saved to a reusable library and applied across multiple pages or campaigns without rebuilding from scratch.
- Targeting is managed through drag-and-drop, no-code segmentation across the platform.
- Feature flags, via server-side personalization: server-side personalization functionally covers this. A specific screen element, module, or experience (e.g. a new ancillary bundle layout, a new seat-selection recommendation widget) can be gated to a defined audience through the same targeting mechanism used for any personalization experience, and toggled on/off or rolled out progressively by adjusting the audience or traffic allocation, no engineering deployment required to turn it on, off, or expand it to more users. This gives IndiGo a business-friendly way to control who sees a new experience and when.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-widgets/widget-library
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

9.7 Ability to create and launch feature flags through business-friendly interfaces.

MoEngage Response | Compliance: C

- Reusable templates are supported: widgets and content blocks can be saved to a reusable library and applied across multiple pages or campaigns without rebuilding from scratch.
- Targeting is managed through drag-and-drop, no-code segmentation across the platform.
- Feature flags, via server-side personalization: server-side personalization functionally covers this. A specific screen element, module, or experience (e.g. a new ancillary bundle layout, a new seat-selection recommendation widget) can be gated to a defined audience through the same targeting mechanism used for any personalization experience, and toggled on/off or rolled out progressively by adjusting the audience or traffic allocation, no engineering deployment required to turn it on, off, or expand it to more users. This gives IndiGo a business-friendly way to control who sees a new experience and when.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-widgets/widget-library
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

9.8 Ability to manage experiment targeting through drag-and-drop workflows.

MoEngage Response | Compliance: C

- Reusable templates are supported: widgets and content blocks can be saved to a reusable library and applied across multiple pages or campaigns without rebuilding from scratch.
- Targeting is managed through drag-and-drop, no-code segmentation across the platform.
- Feature flags, via server-side personalization: server-side personalization functionally covers this. A specific screen element, module, or experience (e.g. a new ancillary bundle layout, a new seat-selection recommendation widget) can be gated to a defined audience through the same targeting mechanism used for any personalization experience, and toggled on/off or rolled out progressively by adjusting the audience or traffic allocation, no engineering deployment required to turn it on, off, or expand it to more users. This gives IndiGo a business-friendly way to control who sees a new experience and when.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-widgets/widget-library
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

9.9 Ability to preview experiences before publishing.

MoEngage Response | Compliance: C

- Experiences can be previewed before publishing, using the visual editor's preview mode and the Decision Policy Simulator for offer/decisioning-based experiences, letting business users validate exactly what a given user profile would see before it goes live.
- Scheduling, launching, and stopping experiments are self-service actions within the campaign/experiment interface, no engineering involvement required for any of these lifecycle actions.
- Governance while enabling self-service is supported through maker-checker (creator-approver) approval workflows, requiring sign-off before publication regardless of who created the experience.

- Role-based access control (RBAC) is a standard platform capability, restricting who can create, approve, or publish experiences based on assigned role.
- Versioning and audit logs, a record of who created/modified/approved a given experience and when,are all available as part of the audit logs and cen be sent to IndiGo's team.
- https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles
- https://help.moengage.com/hc/en-us/sections/36473199322388-Audit-Logs
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.10 Ability to schedule, launch and stop experiments without engineering intervention.

MoEngage Response | Compliance: C

- Experiences can be previewed before publishing, using the visual editor's preview mode and the Decision Policy Simulator for offer/decisioning-based experiences, letting business users validate exactly what a given user profile would see before it goes live.
- Scheduling, launching, and stopping experiments are self-service actions within the campaign/experiment interface, no engineering involvement required for any of these lifecycle actions.
- Governance while enabling self-service is supported through maker-checker (creator-approver) approval workflows, requiring sign-off before publication regardless of who created the experience.
- Role-based access control (RBAC) is a standard platform capability, restricting who can create, approve, or publish experiences based on assigned role.
- Versioning and audit logs, a record of who created/modified/approved a given experience and when,are all available as part of the audit logs and cen be sent to IndiGo's team.
- https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles
- https://help.moengage.com/hc/en-us/sections/36473199322388-Audit-Logs
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.11 Ability to maintain governance and approval controls while enabling self-service.

MoEngage Response | Compliance: C

- Experiences can be previewed before publishing, using the visual editor's preview mode and the Decision Policy Simulator for offer/decisioning-based experiences, letting business users validate exactly what a given user profile would see before it goes live.
- Scheduling, launching, and stopping experiments are self-service actions within the campaign/experiment interface, no engineering involvement required for any of these lifecycle actions.
- Governance while enabling self-service is supported through maker-checker (creator-approver) approval workflows, requiring sign-off before publication regardless of who created the experience.

- Role-based access control (RBAC) is a standard platform capability, restricting who can create, approve, or publish experiences based on assigned role.
- Versioning and audit logs, a record of who created/modified/approved a given experience and when,are all available as part of the audit logs and cen be sent to IndiGo's team.
- https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles
- https://help.moengage.com/hc/en-us/sections/36473199322388-Audit-Logs
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.12 Role-based access control, versioning, and audit logs.

MoEngage Response | Compliance: C

- Experiences can be previewed before publishing, using the visual editor's preview mode and the Decision Policy Simulator for offer/decisioning-based experiences, letting business users validate exactly what a given user profile would see before it goes live.
- Scheduling, launching, and stopping experiments are self-service actions within the campaign/experiment interface, no engineering involvement required for any of these lifecycle actions.
- Governance while enabling self-service is supported through maker-checker (creator-approver) approval workflows, requiring sign-off before publication regardless of who created the experience.
- Role-based access control (RBAC) is a standard platform capability, restricting who can create, approve, or publish experiences based on assigned role.
- Versioning and audit logs, a record of who created/modified/approved a given experience and when,are all available as part of the audit logs and cen be sent to IndiGo's team.
- https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles
- https://help.moengage.com/hc/en-us/sections/36473199322388-Audit-Logs
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.13 Demonstrate a multi-page personalized experience where coordinated changes across more than one page or module are optimized together and reported as a unified experience. This can be achieved by adding side drawers, new banners, carousels, new component between 2 flight options, add new page between existing ones basis rule/AI etc

MoEngage Response | Compliance: C

- Experiences can be previewed before publishing, using the visual editor's preview mode and the Decision Policy Simulator for offer/decisioning-based experiences, letting business users validate exactly what a given user profile would see before it goes live.
- Scheduling, launching, and stopping experiments are self-service actions within the campaign/experiment interface, no engineering involvement required for any of these lifecycle actions.

- Governance while enabling self-service is supported through maker-checker (creator-approver) approval workflows, requiring sign-off before publication regardless of who created the experience.
- Role-based access control (RBAC) is a standard platform capability, restricting who can create, approve, or publish experiences based on assigned role.
- Versioning and audit logs, a record of who created/modified/approved a given experience and when,are all available as part of the audit logs and cen be sent to IndiGo's team.
- https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles
- https://help.moengage.com/hc/en-us/sections/36473199322388-Audit-Logs
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

9.14 Gamification – Ability to be able to add new games like treasure hunt, streakes, spin the wheel etc anywhere on the IndiGo channels

MoEngage Response | Compliance: C

- Reusable templates are supported: widgets and content blocks can be saved to a reusable library and applied across multiple pages or campaigns without rebuilding from scratch.
- Targeting is managed through drag-and-drop, no-code segmentation across the platform.
- Feature flags, via server-side personalization: server-side personalization functionally covers this. A specific screen element, module, or experience (e.g. a new ancillary bundle layout, a new seat-selection recommendation widget) can be gated to a defined audience through the same targeting mechanism used for any personalization experience, and toggled on/off or rolled out progressively by adjusting the audience or traffic allocation, no engineering deployment required to turn it on, off, or expand it to more users. This gives IndiGo a business-friendly way to control who sees a new experience and when.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-widgets/widget-library
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

9.15 Ability to create customer engagement options without any code changes

MoEngage Response | Compliance: C

- MoEngage enables business users to create and launch experiments without engineering support through multiple no-code capabilities:
- **Visual Interface & No-Code Tools:**
- Drag-and-drop/WYSIWYG editors for campaign design across email, push, in-app, and web channels
- Visual workflow builder for creating complex automation sequences and customer journeys
- No-code visual editor (MoEngage Personalize) for website experimentation - edit banners, copy, CTAs, and widgets without coding

- Intuitive drag-and-drop In-App composition tool with 100+ pre-built templates
- **Audience & Segmentation:**
- User-friendly segmentation interface allowing instant audience creation without SQL/coding knowledge
- Real-time dynamic segments combining events, user attributes, and behavioral patterns
- Segments update in near real-time with p99 SLA of 5 seconds
- Roadmap includes natural language prompts for segment creation
- **Experimentation Capabilities:**
- A/B/n and multivariate testing (up to 5 variations) across single and cross-channel campaigns
- Static testing with manual control group sizing or dynamic testing powered by Sherpa AI
- Intelligent Path Optimizer (IPO) for journey-level experimentation - AI automatically directs traffic to winning variations
- Branch-level experimentation in workflows with real-time performance optimization
- Control groups at global and campaign levels
- Bayesian approach and multi-armed bandit algorithms for real-time optimization
- **Personalization:**
- Real-time personalization using in-session attributes (location, device, time, UTM parameters)
- Dynamic content insertion based on user attributes and behavioral data
- Locales feature for multi-language campaign variants
- Content APIs for pulling real-time content from external CMS systems
- All capabilities accessible through the dashboard without technical team involvement.
- https://help.moengage.com/hc/en-us/categories/360002708291-Segment
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

Use Case Demonstration

9.16 Demonstrate creation and launch of an experiment by a business user.

MoEngage Response | Compliance: C

- To be demonstrated

9.17 Demonstrate creation of a personalized experience without developer involvement.

MoEngage Response | Compliance: C

- To be demonstrated

9.18 Demonstrate audience creation using a visual interface.

MoEngage Response | Compliance: C

- To be demonstrated

9.19 Demonstrate modification of homepage content without code deployment.

MoEngage Response | Compliance: C

- To be demonstrated

9.20 Demonstrate approval workflow and publishing process.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

9.21 Percentage of use cases requiring engineering support.

MoEngage Response | Compliance: C

- The large majority of standard use cases, segmentation, campaign creation, A/B/multivariate testing, client-side web/app personalization, gamification templates, are designed to be launched entirely through no-code interfaces, requiring no engineering support once the platform is integrated.
- Any non-technical marketer can independently use the MoEngage platform and go live with use cases as long as they have the access to do so.
- Platform training covering segmentation, campaign/experiment creation, Personalize, and governance workflows is delivered as part of implementation.

9.22 Typical effort required to launch a new experiment.

MoEngage Response | Compliance: C

- The large majority of standard use cases, segmentation, campaign creation, A/B/multivariate testing, client-side web/app personalization, gamification templates, are designed to be launched entirely through no-code interfaces, requiring no engineering support once the platform is integrated.
- Any non-technical marketer can independently use the MoEngage platform and go live with use cases as long as they have the access to do so.
- Platform training covering segmentation, campaign/experiment creation, Personalize, and governance workflows is delivered as part of implementation.

9.23 Typical effort required to launch a new personalization use case.

MoEngage Response | Compliance: C

- The large majority of standard use cases, segmentation, campaign creation, A/B/multivariate testing, client-side web/app personalization, gamification templates, are designed to be launched entirely through no-code interfaces, requiring no engineering support once the platform is integrated.
- Any non-technical marketer can independently use the MoEngage platform and go live with use cases as long as they have the access to do so.
- Platform training covering segmentation, campaign/experiment creation, Personalize, and governance workflows is delivered as part of implementation.

9.24 Roles that can independently use the platform.

MoEngage Response | Compliance: C

- The large majority of standard use cases, segmentation, campaign creation, A/B/multivariate testing, client-side web/app personalization, gamification templates, are designed to be launched entirely through no-code interfaces, requiring no engineering support once the platform is integrated.
- Any non-technical marketer can independently use the MoEngage platform and go live with use cases as long as they have the access to do so.
- Platform training covering segmentation, campaign/experiment creation, Personalize, and governance workflows is delivered as part of implementation.

9.25 Training and onboarding requirements.

MoEngage Response | Compliance: C

- The large majority of standard use cases, segmentation, campaign creation, A/B/multivariate testing, client-side web/app personalization, gamification templates, are designed to be launched entirely through no-code interfaces, requiring no engineering support once the platform is integrated.
- Any non-technical marketer can independently use the MoEngage platform and go live with use cases as long as they have the access to do so.
- Platform training covering segmentation, campaign/experiment creation, Personalize, and governance workflows is delivered as part of implementation.

10. Measurement, Analytics & Business Impact

10.1 **Capability Requirements**

10.2 Ability to measure conversion impact.

10.3 Ability to measure ancillary revenue impact.

10.4 Ability to measure repeat booking impact.

10.5 Ability to measure loyalty impact.

10.6 Ability to measure incremental revenue.

10.7 Ability to attribute outcomes by route, cohort, platform and geography.

10.8 Ability to automatically generate experiment insights.

10.9 Ability to analyze experiment impact at customer segment and cohort level.

10.10 Ability to support executive dashboards and business reporting.

10.11 Ability to measure the impact of AB test experiment and provide dashboards around the same

10.12 Ability to provide marketer-facing AI insights for personalization and optimization activities, including:

10.13 Ranked important attributes influencing model decisions and lift

10.14 Visibility into automatically identified segments or cohorts contributing to performance

10.15 Human-readable explanations of why a variant, offer, or experience performed better for a given audience

10.16 Exportable insight views for business reporting and optimization planning.

Use Case Demonstration

10.17 Demonstrate measurement of incremental revenue impact.

MoEngage Response | Compliance: C

- To be demonstrated

10.18 Demonstrate ancillary revenue attribution.

MoEngage Response | Compliance: C

- To be demonstrated

10.19 Demonstrate loyalty impact measurement.

MoEngage Response | Compliance: C

- To be demonstrated

10.20 Demonstrate cohort-level performance analysis.

MoEngage Response | Compliance: C

- To be demonstrated

10.21 Demonstrate automated insight generation.

MoEngage Response | Compliance: C

- To be demonstrated

10.22 Demonstrate executive dashboards for experimentation outcomes.

MoEngage Response | Compliance: C

- To be demonstrated

10.23 Demonstrate AI insights reporting showing top attributes, automated segments, and explainability outputs for a live or sample personalization activity.

MoEngage Response | Compliance: C

- To be demonstrated

Provide:

10.24 Statistical methodology.

MoEngage Response | Compliance: C

- MoEngage uses a **Bayesian statistical framework** for experiment evaluation, in contrast to classical (frequentist) significance testing. Rather than running a fixed-horizon test and testing against a null hypothesis at a single end-point, MoEngage models each variation's outcome metric (e.g. CTR/CVR) continuously as data accumulates.
- Static distribution (fixed-horizon A/B) and dynamic distribution (multi-armed bandit) both sit on this same underlying framework; the distinction is whether traffic allocation stays fixed for the full test or reallocates in real time as the model updates.
- **Confidence** is built directly into the Bayesian model itself, not calculated as a separate step afterward. Each variation's true conversion/click-through rate is modeled as a probability distribution (specifically, a Beta distribution) rather than a single point estimate. The width of this distribution reflects how much data has been observed, a wide, flat curve early in the test represents high uncertainty; as more data comes in, the curve narrows and peaks around the most probable true rate.
- **Revenue Attribution:**
- Two attribution models for handling multiple touchpoints:
- **All Interactions Model:** if a passenger was exposed to multiple campaigns whose attribution windows overlap before converting, revenue/credit is attributed to all of them, giving a fuller view of which touchpoints contributed, useful when IndiGo wants to understand the combined influence of a multi-channel recovery journey (e.g. a Push plus an On-Site nudge that both preceded a booking).
- **Last Interaction Model:** credit goes to a single campaign, specifically the one with the deepest and most recent interaction. MoEngage prioritizes by interaction depth: a click outranks a view even if the view happened more recently, e.g. if a passenger clicked a fare offer email but only viewed a later push, the conversion is attributed to the email, not the more recent but shallower push interaction. This model gives IndiGo a cleaner, single-source-of-truth view for channel-performance comparison.
- **Data Export Capabilities:**
- **Open Analytics**: Directly connect your BI or analytics tools with MoEngage backend tables and query the database in real-time, eliminating the need for a data pipeline
- **Streams**: Automatic and real-time data transfer to any endpoint (webhook)
- **S3 Exports**: Automated periodic file exports for large-scale data transfer
- **Report Builder**: Customizable data exports with configurable frequency (every 30 minutes, every 24 hours, etc.) pushed to your API endpoint or email in your chosen format
- **CSV Export**: Self-serve CSV export directly from the dashboard using drag-and-drop report builder
- **Snowflake export:** Native bidirectional integration with Snowflake for importing and exporting data

- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/conversion-and-attribution#overview
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports

10.25 Confidence calculation methodology.

MoEngage Response | Compliance: C

- MoEngage uses a **Bayesian statistical framework** for experiment evaluation, in contrast to classical (frequentist) significance testing. Rather than running a fixed-horizon test and testing against a null hypothesis at a single end-point, MoEngage models each variation's outcome metric (e.g. CTR/CVR) continuously as data accumulates.
- Static distribution (fixed-horizon A/B) and dynamic distribution (multi-armed bandit) both sit on this same underlying framework; the distinction is whether traffic allocation stays fixed for the full test or reallocates in real time as the model updates.
- **Confidence** is built directly into the Bayesian model itself, not calculated as a separate step afterward. Each variation's true conversion/click-through rate is modeled as a probability distribution (specifically, a Beta distribution) rather than a single point estimate. The width of this distribution reflects how much data has been observed, a wide, flat curve early in the test represents high uncertainty; as more data comes in, the curve narrows and peaks around the most probable true rate.
- **Revenue Attribution:**
- Two attribution models for handling multiple touchpoints:
- **All Interactions Model:** if a passenger was exposed to multiple campaigns whose attribution windows overlap before converting, revenue/credit is attributed to all of them, giving a fuller view of which touchpoints contributed, useful when IndiGo wants to understand the combined influence of a multi-channel recovery journey (e.g. a Push plus an On-Site nudge that both preceded a booking).
- **Last Interaction Model:** credit goes to a single campaign, specifically the one with the deepest and most recent interaction. MoEngage prioritizes by interaction depth: a click outranks a view even if the view happened more recently, e.g. if a passenger clicked a fare offer email but only viewed a later push, the conversion is attributed to the email, not the more recent but shallower push interaction. This model gives IndiGo a cleaner, single-source-of-truth view for channel-performance comparison.
- **Data Export Capabilities:**
- **Open Analytics**: Directly connect your BI or analytics tools with MoEngage backend tables and query the database in real-time, eliminating the need for a data pipeline
- **Streams**: Automatic and real-time data transfer to any endpoint (webhook)
- **S3 Exports**: Automated periodic file exports for large-scale data transfer
- **Report Builder**: Customizable data exports with configurable frequency (every 30 minutes, every 24 hours, etc.) pushed to your API endpoint or email in your chosen format
- **CSV Export**: Self-serve CSV export directly from the dashboard using drag-and-drop report builder

- **Snowflake export:** Native bidirectional integration with Snowflake for importing and exporting data
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/conversion-and-attribution#overview
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports

10.26 Revenue attribution methodology.

MoEngage Response | Compliance: C

- MoEngage uses a **Bayesian statistical framework** for experiment evaluation, in contrast to classical (frequentist) significance testing. Rather than running a fixed-horizon test and testing against a null hypothesis at a single end-point, MoEngage models each variation's outcome metric (e.g. CTR/CVR) continuously as data accumulates.
- Static distribution (fixed-horizon A/B) and dynamic distribution (multi-armed bandit) both sit on this same underlying framework; the distinction is whether traffic allocation stays fixed for the full test or reallocates in real time as the model updates.
- **Confidence** is built directly into the Bayesian model itself, not calculated as a separate step afterward. Each variation's true conversion/click-through rate is modeled as a probability distribution (specifically, a Beta distribution) rather than a single point estimate. The width of this distribution reflects how much data has been observed, a wide, flat curve early in the test represents high uncertainty; as more data comes in, the curve narrows and peaks around the most probable true rate.
- **Revenue Attribution:**
- Two attribution models for handling multiple touchpoints:
- **All Interactions Model:** if a passenger was exposed to multiple campaigns whose attribution windows overlap before converting, revenue/credit is attributed to all of them, giving a fuller view of which touchpoints contributed, useful when IndiGo wants to understand the combined influence of a multi-channel recovery journey (e.g. a Push plus an On-Site nudge that both preceded a booking).
- **Last Interaction Model:** credit goes to a single campaign, specifically the one with the deepest and most recent interaction. MoEngage prioritizes by interaction depth: a click outranks a view even if the view happened more recently, e.g. if a passenger clicked a fare offer email but only viewed a later push, the conversion is attributed to the email, not the more recent but shallower push interaction. This model gives IndiGo a cleaner, single-source-of-truth view for channel-performance comparison.
- **Data Export Capabilities:**
- **Open Analytics**: Directly connect your BI or analytics tools with MoEngage backend tables and query the database in real-time, eliminating the need for a data pipeline
- **Streams**: Automatic and real-time data transfer to any endpoint (webhook)
- **S3 Exports**: Automated periodic file exports for large-scale data transfer
- **Report Builder**: Customizable data exports with configurable frequency (every 30 minutes, every 24 hours, etc.) pushed to your API endpoint or email in your chosen format

- **CSV Export**: Self-serve CSV export directly from the dashboard using drag-and-drop report builder
- **Snowflake export:** Native bidirectional integration with Snowflake for importing and exporting data
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/conversion-and-attribution#overview
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports

10.27 Data export capabilities.

MoEngage Response | Compliance: C

- MoEngage uses a **Bayesian statistical framework** for experiment evaluation, in contrast to classical (frequentist) significance testing. Rather than running a fixed-horizon test and testing against a null hypothesis at a single end-point, MoEngage models each variation's outcome metric (e.g. CTR/CVR) continuously as data accumulates.
- Static distribution (fixed-horizon A/B) and dynamic distribution (multi-armed bandit) both sit on this same underlying framework; the distinction is whether traffic allocation stays fixed for the full test or reallocates in real time as the model updates.
- **Confidence** is built directly into the Bayesian model itself, not calculated as a separate step afterward. Each variation's true conversion/click-through rate is modeled as a probability distribution (specifically, a Beta distribution) rather than a single point estimate. The width of this distribution reflects how much data has been observed, a wide, flat curve early in the test represents high uncertainty; as more data comes in, the curve narrows and peaks around the most probable true rate.
- **Revenue Attribution:**
- Two attribution models for handling multiple touchpoints:
- **All Interactions Model:** if a passenger was exposed to multiple campaigns whose attribution windows overlap before converting, revenue/credit is attributed to all of them, giving a fuller view of which touchpoints contributed, useful when IndiGo wants to understand the combined influence of a multi-channel recovery journey (e.g. a Push plus an On-Site nudge that both preceded a booking).
- **Last Interaction Model:** credit goes to a single campaign, specifically the one with the deepest and most recent interaction. MoEngage prioritizes by interaction depth: a click outranks a view even if the view happened more recently, e.g. if a passenger clicked a fare offer email but only viewed a later push, the conversion is attributed to the email, not the more recent but shallower push interaction. This model gives IndiGo a cleaner, single-source-of-truth view for channel-performance comparison.
- **Data Export Capabilities:**
- **Open Analytics**: Directly connect your BI or analytics tools with MoEngage backend tables and query the database in real-time, eliminating the need for a data pipeline
- **Streams**: Automatic and real-time data transfer to any endpoint (webhook)
- **S3 Exports**: Automated periodic file exports for large-scale data transfer

- **Report Builder**: Customizable data exports with configurable frequency (every 30 minutes, every 24 hours, etc.) pushed to your API endpoint or email in your chosen format
- **CSV Export**: Self-serve CSV export directly from the dashboard using drag-and-drop report builder
- **Snowflake export:** Native bidirectional integration with Snowflake for importing and exporting data
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/ab-testing/what-is-ab-or-multivariate-testing/dynamic-multivariate-experiment
- https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/conversion-and-attribution#overview
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports

11. Vendor References, Travel Expertise & Proven Scale

Capability Requirements

11.1 Demonstrated success supporting enterprise-scale experimentation and personalization programs.

MoEngage Response | Compliance: C

- MoEngage customers typically see a 10–15% average uplift in conversion/revenue from experimentation-led personalization, with several accounts significantly exceeding this depending on use case and vertical — including a 56% uplift in purchases (Landmark Group), a 30% lift in conversions via flow versioning (Poshmark), and a 15–20% conversion improvement in hospitality/travel-adjacent deployments through dynamic segmentation and personalized journeys.
- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

11.2 Demonstrated experience within airline, OTA, hospitality, travel, mobility or large-scale e-commerce industries.

MoEngage Response | Compliance: C

- MoEngage customers typically see a 10–15% average uplift in conversion/revenue from experimentation-led personalization, with several accounts significantly exceeding this depending on use case and vertical — including a 56% uplift in purchases (Landmark Group), a 30% lift in conversions via flow versioning (Poshmark), and a 15–20% conversion improvement in hospitality/travel-adjacent deployments through dynamic segmentation and personalized journeys.
- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

11.3 Demonstrated ability to support high-volume e-commerce businesses and also share the feasibility of handling volume size

MoEngage Response | Compliance: C

- MoEngage customers typically see a 10–15% average uplift in conversion/revenue from experimentation-led personalization, with several accounts significantly exceeding this depending on use case and vertical — including a 56% uplift in purchases (Landmark Group), a 30% lift in conversions via flow versioning (Poshmark), and a 15–20% conversion improvement in hospitality/travel-adjacent deployments through dynamic segmentation and personalized journeys.
- Akasa: 40% uplift in ancillary revenue via omnichannel personalisation using behavioural targeting. Case study added in the deck.
- Travelodge: 25% more bookings using personalised offers on the website. MoEngage helped in leveraging demographic & psychographic data to personalise the website for each user.

Use Case Demonstration

11.4 Provide top 5 enterprise customers. Mention at least 1 airline client.

MoEngage Response | Compliance: C

- To be demonstrated

11.5 Provide airline, OTA, travel or hospitality references.

MoEngage Response | Compliance: C

- To be demonstrated

11.6 Provide measurable business outcomes delivered.

MoEngage Response | Compliance: C

- To be demonstrated

11.7 Provide average implementation timelines.

MoEngage Response | Compliance: C

- To be demonstrated

11.8 Provide largest deployment supported.

MoEngage Response | Compliance: C

- To be demonstrated

11.9 Provide annual personalization volume delivered.

MoEngage Response | Compliance: C

- To be demonstrated

11.10 Provide annual experimentation volume delivered.

MoEngage Response | Compliance: C

- To be demonstrated

11.11 Provide at least 3 customer references available for reference checks.

MoEngage Response | Compliance: C

- To be demonstrated

11.12 Describe implementation approach, onboarding methodology and customer success model.

MoEngage Response | Compliance: C

- To be demonstrated

II. Non-Functional Detailed Requirements

Vendors are expected to answer with C for Compliant, PC – Partial Compliant, NC – Non-compliant.

i. If the answer is C, provide detailed documentation to substantiate the answer

ii. If the answer is PC, provide detailed documentation around which part is Compliant and which is Non-Compliant. Also state willingness to customize at FOC for the Non-Compliant part.

iii. If the answer is NC, state willingness to customize at FOC. If no, state if this is a road map item for the future or not.

Listed below are the Technical Requirements:

1. Product High Level Architecture (HLA): Provide a HLA diagram of the proposed solution including data flows between various systems involved.

   MoEngage Response | Compliance: C

   - Here's the High Level Architecture diagram of MoEngage
   - https://library.moengage.com/shares/view/room/login/6a66f18bfaa5141daf57d370?asset_id=6a66f214d4f296363fe0238a&blockId=4a4f23d524cc475db77c1651fc56101e&pageId=6a66f18b66efcc759a2fbc4a

2. Application Development Environment: Provide details of how changes to product offerings are tested, deployed, monitored, and analyzed?

   MoEngage Response | Compliance: C

   - Yes, MoEngage supports a controlled change lifecycle on a microservices architecture where each service is built, tested, and deployed independently with no impact on others.
   - **Tested:** Automated regression plus manual QA in pre-production environments that mirror production; customer-facing changes validated on live traffic via built-in A/B/n testing and feature flags before full rollout.

- **Deployed:** Independent CI/CD pipelines per service; blue-green deployment via AWS CodeDeploy; change classification (Normal/Standard/Emergency) with sign-off; feature-flag rollout with instant disable; versioning with maker-checker approval and one-click rollback.
- **Monitored:** Per-environment isolated log streams (dev/UAT/prod), near-real-time dashboards (~5 min refresh), 24x7 monitoring with automated alerting, and post-deployment health checks. Security monitoring (SIEM/IDS-IPS, vulnerability scans) runs continuously alongside.
- **Analysed:** Full version history and audit logs (change, user, timestamp) via the Product Updates portal; change impact measured through campaign and experiment analytics; regressions trigger rollback. Changes communicated via portal, email, in-app, CSM, and public status page.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Software%20Development%20Lifecycle%20Policy%20(SDLC)

3. Product configuration: What limits are there on the configurability of the system across your solution? Where a client requirement cannot be met by configuration how would you advise them – e.g., custom extension to the system, additional module, separate best-of-breed niche application etc. Please provide case studies if possible

MoEngage Response | Compliance: C

- Yes, most requirements are met through no-code configuration, with a clear path for anything beyond it.
- **No-code configuration**: data fields and events, segments, triggers, channels, content, journeys (Flows), dashboards, and access controls, all via visual editors.
- **Self-sufficiency:** MoEngage is self-contained end to end for the engagement, experimentation, and personalization layer, with segmentation, decisioning, orchestration, activation, and analytics all native. It is not a system of record and does not replace IndiGo's booking engine, PSS, CRM, CDP, or loyalty; it integrates with them via native connectors and APIs (Snowflake, AppsFlyer, FirstHive, Capillary, Salesforce) with no added middleware.
- **Case studies:** Accor consolidated off Salesforce Marketing Cloud (44+ brands, 70+ countries) onto one stack; T-Mobile migrated off a 7-product Adobe stack.

4. Application Architecture: Please mention the Application Architecture measures as part of your solution. Architecture Checklist as given in Annexure X must be executed by vendor.

MoEngage Response | Compliance: C

- Yes, MoEngage is a cloud-native microservices platform built for real-time decisioning at scale.
- **Microservices:** Each module (segmentation, journeys, channels, personalization) deploys and scales independently, communicating through versioned REST API contracts and an asynchronous event bus, preventing cascading failures.
- **Real-time data layer:** A ScyllaDB-backed Eventstore handling 250,000 events/sec at 1 ms average and sub-10ms p99 across 200TB+, powering instant segmentation and triggers

- **Multi-tenancy:** Physical isolation via independent clusters, with dedicated clusters for strict-SLA tenants; logical separation per tenant with RBAC and per-tenant AES-256 encrypted disks.
- **HA and resilience:** AZ-aware replica placement survives full-AZ failure; multi-region; 99.9% SLA; predictive auto-scaling within seconds
- **Security:** Three-tier segmentation (web/app DMZ, DB in private subnet), WAF/IDS-IPS, NAC, default-deny firewall, RBAC + MFA + VPN, IP allowlisting.
- **Architecture Checklist annexure:** Completed and submitted separately
- trust.moengage.com

5. Information Security: Please mention the information security measures as part of your solution. Cloud Evaluation Checklist as given in Annexure XI must be executed by vendor. Additionally, provide below details as well:

MoEngage Response | Compliance: C

- Yes, MoEngage is a cloud-native microservices platform built for real-time decisioning at scale.
- **Microservices:** Each module (segmentation, journeys, channels, personalization) deploys and scales independently, communicating through versioned REST API contracts and an asynchronous event bus, preventing cascading failures.
- **Real-time data layer:** A ScyllaDB-backed Eventstore handling 250,000 events/sec at 1 ms average and sub-10ms p99 across 200TB+, powering instant segmentation and triggers
- **Multi-tenancy:** Physical isolation via independent clusters, with dedicated clusters for strict-SLA tenants; logical separation per tenant with RBAC and per-tenant AES-256 encrypted disks.
- **HA and resilience:** AZ-aware replica placement survives full-AZ failure; multi-region; 99.9% SLA; predictive auto-scaling within seconds
- **Security:** Three-tier segmentation (web/app DMZ, DB in private subnet), WAF/IDS-IPS, NAC, default-deny firewall, RBAC + MFA + VPN, IP allowlisting.
- **Architecture Checklist annexure:** Completed and submitted separately
- trust.moengage.com

i. Certifications

• The vendor should hold SOC 2 Type II certification with a recent audit report

MoEngage Response | Compliance: C

- SOC 2 Type II: certified.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/soc%202

• ISO 27001 certification is preferred

MoEngage Response | Compliance: C

- ISO 27001: certified, alongside ISO 27701, ISO 22301, and CSA STAR Level 2.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/iso%2027001%3A2022
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/iso%2022301%3A2019
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/csa%20star
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/iso%2027701%3A2019

- The vendor should demonstrate GDPR compliance

MoEngage Response | Compliance: C

- GDPR: compliant, with APIs/SDKs supporting data subject rights (access, rectify, erase, port); erasure requests processed within 7 days per documented process.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/gdpr

- The vendor should confirm readiness for India's Digital Personal Data Protection Act 2023

MoEngage Response | Compliance: C

- DPDP Act 2023: Already compliant; public Privacy Policy covers collection/use/retention/sharing, data subject rights, and DPO contact, consistent with DPDP transparency requirements.
- http://trust.moengage.com/

ii. Encryption

MoEngage Response | Compliance: C

- **Booking and reservation systems:** real-time booking, cancellation, and ancillary events driving abandonment recovery and post-booking journeys and personalization experiences
- **CRM, Loyalty, CDP:** profile and loyalty-tier enrichment powering segmentation, Audience Eligibility, and Offer Decisioning.
- **Analytics and warehouse:** bi-directional sync for unified reporting and export of computed traits back into decisioning
- **Real-time catalog feed:** fare, route, and inventory signals as triggers and as offer content in recommendations via Personalize
- **Third-party and messaging systems:** audience activation and outbound event sharing across the wider ecosystem.
- https://www.moengage.com/docs/partner-guide/introduction

- https://www.moengage.com/docs/api/introduction

• Data at rest should be encrypted using industry-standard methods

MoEngage Response | Compliance: C

- Data at rest: AES-256 across storage (disk encryption, field-level encryption for sensitive data via AWS KMS, encrypted backups).
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Encryption-at-rest

• Data in transit should be protected using TLS 1.2 or higher

MoEngage Response | Compliance: C

- Data in transit: TLS 1.2 with secure cipher suites and HTTPS across all public-facing links.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Encryption-in-transit

• The vendor should have a defined approach to encryption key management

MoEngage Response | Compliance: C

- Key management lifecycle: FIPS 140-2 compliant, HSM-backed key generation; storage via AWS KMS + AWS Secrets Manager; 90-day rotation cycle; BYOK/Customer-Managed Keys (CMK) available; strict least-privilege RBAC and MFA-gated admin access with segregation of duties.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Data%20Encryption%20and%20Key%20Management%20Procedure

iii. Access Controls

• Multi-factor authentication should be available for admin console access

MoEngage Response | Compliance: C

- MFA: MoEngage supports 2 factor authentication by default
- https://www.moengage.com/docs/user-guide/settings/account/security/2-step-verification-or-two-factor-authentication-2fa

• The platform should support role-based access control

MoEngage Response | Compliance: C

- MoEngage implements RBAC with least privilege principles across the platform and infrastructure. Access is granted strictly on a need-to-know basis with minimum required permissions. Privileged access uses dedicated admin accounts separate from standard user IDs, protected by MFA, network access controls, and audit logging.
- MoEngage supports 5 default Roles with the ability to support Custom Roles as well.

- Monitoring: Access rights are reviewed quarterly. All privileged user activities are fully logged with timestamps, actor, IP, event category, and action type. Audit logs can be exported, and detailed access reports are available upon request.
- https://trust.moengage.com/#/controls/Least%20Privilege%20
- https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles
- https://trust.moengage.com/#/controls/Access%20Review%20
- https://help.moengage.com/hc/en-us/articles/8770662326548-Audit-Logs
- https://trust.moengage.com/controls/RBAC%20Matrix

• IP whitelisting should be available as an option

MoEngage Response | Compliance: C

- Yes, MoEngage supports IP whitelisting where dashboard access can be made restrictable to pre-approved IP ranges.
- https://www.moengage.com/docs/user-guide/settings/account/security/ip-whitelisting-in-moengage

• Audit logs should be retained for a reasonable period (minimum 12 months preferred)

MoEngage Response | Compliance: C

- Audit log retention: Default for 1 year, extendable to 12 months+ (and 6+ years for regulated use cases) on request; immutable, encrypted, centrally monitored via SIEM.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Audit%20log%20Retention%20Index%20

iv. SSO

• The platform should support SAML 2.0 or OIDC for single sign-on integration

MoEngage Response | Compliance: C

- SAML 2.0: supported (Microsoft Entra ID, Okta, Google Workspace, OneLogin, Ping). OIDC: supported (OAuth 2.0, JWT). SCIM 2.0: supported for automated provisioning/deprovisioning.
- https://www.moengage.com/docs/user-guide/settings/account/security/single-sign-on-sso#sso-configuration

v. Security Testing

• The vendor should conduct regular penetration testing through independent third parties

MoEngage Response | Compliance: C

- Penetration testing: annual external pentests by independent third-party vendors on all internet-facing infrastructure/applications; Critical/High findings remediated and verified via re-test before closure; quarterly internal testing also conducted.

- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Pentest%20Report

• The vendor should have a defined vulnerability management and patching process

MoEngage Response | Compliance: C

- Vulnerability management & patching SLAs: Critical remediated within 7 days; High within 30 days; managed through continuous automated scanning, penetration testing, and proactive threat monitoring.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Vulnerability%20Management%20Procedure

6. Real Time Monitoring and reporting: Please explain how the system will be monitored 24x7 real time. Please detail the out-of-the-box reporting solutions provided by your solution for service reports.

MoEngage Response | Compliance: C

- 24x7 monitoring: centralized SIEM with round-the-clock SecOps monitoring, real-time alerting, continuous anomaly detection.
- Operational dashboards: near-real-time reporting refreshed within 5 minutes at app/web, channel, and campaign levels.
- Service-level reporting: current/historical availability visible at the public status page (**status.moengage.com**) with subscribable alerts.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Monitoring%20Activities%20Policy
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/SIEM%20Monitoring%20Logs

7. System Availability %: Please mention the system availability %. Also,

MoEngage Response | Compliance: C

- System availability: 99.9% standard enterprise SLA
- https://www.moengage.com/service-availability/

- Fail-safe mechanisms to ensure app flows continue even if the vendor SDK fails.

MoEngage Response | Compliance: C

- 1. Async, non-blocking SDK initialisation: The MoEngage SDK initialises asynchronously and never gates app rendering. If the SDK has not completed initialisation when a screen loads, the app renders its default content immediately — there is no loading state, spinner, or deferred render waiting on SDK response.
- 2. Local decision caching (offline resilience): Personalization decisions and user profile attributes fetched in the previous session are cached locally on-device. If the SDK cannot reach MoEngage servers (network

failure, CDN unavailability, timeout), the app serves the last-known personalized experience from cache. For a user who searched DEL-BOM yesterday, their returning homepage experience remains personalized even in a degraded network state.

- 3. Server-side Personalize API as primary layer for booking-critical flows: For IndiGo's booking engine — Search, Flight Selection, Ancillary Selection, Payment — MoEngage recommends the server-side Personalize API as the primary integration, not the client-side SDK. Server-side decisions are made before page content is rendered, meaning client SDK availability is irrelevant to conversion-critical personalization. SDK health has zero impact on booking flow continuity by design.

- Graceful degradation in offline or poor-network scenarios.

MoEngage Response | Compliance: C

- Graceful degradation offline/poor network: web/iOS/Android SDKs automatically buffer events when a device is offline and retry sending on reconnection, preventing data loss.

- Automatic retry and fallback logic for critical events.

MoEngage Response | Compliance: C

- Automatic retry/fallback for critical events: platform-wide retry with exponential backoff and idempotency keys achieves a greater than 99% successful delivery rate.

8. Incident Acknowledgement & Resolution Time:

MoEngage Response | Compliance: C

- MoEngage maintains a formal Incident Management Policy with a defined Security Incident Response Plan (SIRP), supported by a cross-functional response team, 24/7 SIEM-based monitoring, severity classification, escalation procedures, and incident activity logging. The plan includes controlled recovery procedures, stakeholder notification protocols, evidence preservation, and post-incident reviews to identify patterns and prevent recurrence.

- **Severity-based response/resolution:**

- Acknowledgement: any incident acknowledged within 15 minutes.

- Severity confirmation: severity defined and confirmed within 1 hour.

- Containment, by severity: Level 1 within 2 hours; Level 2 within 6 hours; Level 3 within 24 hours; Level 4 as per business need.

- Initial response to customer / governing body: 6 hours

- Post-incident analysis: within 48 hours of remediation, for any incident type.

- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy

- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025

- Please mention the Incident Acknowledgement & Resolution Time detailing it out for each Incident type as per IndiGo's defined SLA.

MoEngage Response | Compliance: C

- MoEngage maintains a formal Incident Management Policy with a defined Security Incident Response Plan (SIRP), supported by a cross-functional response team, 24/7 SIEM-based monitoring, severity classification, escalation procedures, and incident activity logging. The plan includes controlled recovery procedures, stakeholder notification protocols, evidence preservation, and post-incident reviews to identify patterns and prevent recurrence.
- **Severity-based response/resolution:**
- Acknowledgement: any incident acknowledged within 15 minutes.
- Severity confirmation: severity defined and confirmed within 1 hour.
- Containment, by severity: Level 1 within 2 hours; Level 2 within 6 hours; Level 3 within 24 hours; Level 4 as per business need.
- Initial response to customer / governing body: 6 hours
- Post-incident analysis: within 48 hours of remediation, for any incident type.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025

- Define Incident as well with its different severity levels.

MoEngage Response | Compliance: C

- Incident Severity Levels (classified by the SIRT based on impact to systems and services)
- **Level 1 (Critical):** Failure or breach severely disrupting production access to the MoEngage platform or business-critical reporting, with no acceptable workaround. Maps to CVSS 9.0–10.0. Includes PII compromise, ransomware, zero-day exploits, key-asset compromise, and web app attacks at CVSS 9.0+.
- **Level 2 (High):** Intermittent failure or breach causing moderate performance/functionality degradation with major operational impact, no acceptable workaround. Maps to CVSS 7.0–8.9. Includes DoS attacks, insider threats, system outages, non-PII data compromise, and web app attacks at CVSS 7.0–8.9.
- **Level 3 (Medium):** Minor production impact where the platform remains operational but a technical issue exists, usually with a workaround available. Maps to CVSS 4.0–6.9. Includes phishing, widespread malware, social engineering, repeated authentication failures, and web app attacks at CVSS 4.0–6.9.
- **Level 4 (Low):** Little to no operational impact, limited to user questions and enhancement requests. Maps to CVSS 0.1–3.9. Includes policy violations, low-impact malware, unsuccessful access attempts, and low-risk social engineering.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy

- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025

- The vendor should have a documented incident response plan

MoEngage Response | Compliance: C

- Documented incident response plan: formal SIRP tested annually; dedicated SIRT with detect/contain/recover/post-incident-review stages.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025

- Breach notification should be provided to IndiGo promptly

MoEngage Response | Compliance: C

- Breach notification: any incident acknowledged within 15 minutes.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025

- A dedicated security contact should be available for escalations

MoEngage Response | Compliance: C

- Dedicated security contact: named Data Privacy Team, DPO, and SIRT; major-incident communication led by CISO/DPO/Head of Security/Legal.

9. System Integration:

MoEngage Response | Compliance: C

- REST APIs and SDKs for real-time, event-level exchange with booking, web, and app systems.
- Native connectors for warehouse and SaaS platforms, including the Snowflake connector for IndiGo's data warehouse.
- Streams for real-time outbound event and decision publishing, and S3, SFTP, GCS for batch file exchange.
- Pattern is selectable per system, so each integration uses the mode that fits its latency and volume profile.
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports
- https://www.moengage.com/docs/api/data/moengage-streams
- https://www.moengage.com/docs/api/introduction

Integration & Data Connectivity

MoEngage Response | Compliance: C

- REST APIs and SDKs for real-time, event-level exchange with booking, web, and app systems.
- Native connectors for warehouse and SaaS platforms, including the Snowflake connector for IndiGo's data warehouse.
- Streams for real-time outbound event and decision publishing, and S3, SFTP, GCS for batch file exchange.
- Pattern is selectable per system, so each integration uses the mode that fits its latency and volume profile.
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports
- https://www.moengage.com/docs/api/data/moengage-streams
- https://www.moengage.com/docs/api/introduction

9.1 Ability to integrate with airline booking engine and reservation systems.

MoEngage Response | Compliance: C

- MoEngage supports real-time capture of booking and reservation events (search, fare selection, ancillary add, payment, cancellation) via REST Data APIs.
- Reservation and PNR extracts can be ingested in batch via SFTP, S3, or a warehouse import where real-time feeds are not exposed/needed.
- Integration occurs at the API and file layer, so MoEngage connects to the PSS or booking engine without direct database coupling or schema dependency.
- Booking state flows into the unified customer profile, making it immediately available for segmentation, triggers, and personalization.
- The pattern is engine-agnostic, applying equally to hosted reservation systems and custom booking services.
- Please note that MoEngage has integrated with Indigo's current Booking engine in the past as well for other brands
- https://www.moengage.com/docs/api/introduction

9.2 Ability to consume customer data from CRM, Loyalty, CDP and Analytics platforms.

MoEngage Response | Compliance: C

- MoEngage consumes customer data through native connectors and APIs, mapping directly to IndiGo's stack: Salesforce (CRM), Capillary (loyalty and BluChip), FirstHive (CDP), and Snowflake (analytics and warehouse).
- Real-time consumption is supported via API and webhook; high-volume historical loads are handled via the native Snowflake connector and file import.

- Customer attributes, computed traits, and loyalty tier or points balances are ingested as profile attributes usable in decisioning.
- Identity is stitched across CRM, loyalty, and behavioural sources into a single passenger profile keyed on customer ID or loyalty number.
- Ingestion is bi-directional-ready, so enriched segments and engagement outcomes can be written back to these systems.
- https://www.moengage.com/docs/api/introduction
- https://www.moengage.com/docs/partner-guide/introduction

9.3 Ability to leverage customer profile data within experimentation and personalization decisions.

MoEngage Response | Compliance: C

- MoEngage Personalize and Offer Decisioning consume the unified customer profile (attributes, behaviour, affinity, event history) directly at decision time.
- Offer Decisioning is an intelligent engine that automatically selects and serves the Next Best Offer to each customer in real time, moving from an optimal offer for a segment to a context-aware offer for the individual.
- Audience Eligibility targets using customer properties, behaviour, or affinity, which for IndiGo maps to fare family, BluChip tier, home airport, or route history.
- A Decision Policy governs delivery, with ranking strategies of AI Auto Optimize (machine learning that predicts performance and adapts continuously), Offering Priority (manual priority score), or Custom Policy (bespoke rules).
- Experimentation runs on the same profile, so variant assignment and holdouts use identical decisioning inputs.
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/personalize-editor-capabilities/personalizing-content-in-webpage

9.4 Ability to leverage real-time fare, route, inventory and ancillary data for decisioning.

MoEngage Response | Compliance: C

- Fare, route, inventory, and ancillary data are ingested through a real-time product and catalog feed API, kept current via push or scheduled sync.
- Price, seat-availability, and inventory changes can act as triggers, initiating a journey or personalization the instant the signal arrives.
- Catalog attributes drive dynamic content, such as showing live fares for a passenger's searched route or recommending ancillaries by segment.
- Route and inventory signals combine with profile data so decisions reflect both who the passenger is and current commercial conditions.

- The feed is decoupled from channel logic, so the same real-time data powers web, app, email, and other decisions consistently.
- https://www.moengage.com/docs/user-guide/content/recommendations/prerequisites/catalogs

9.5 Ability to support API-based data ingestion and activation.

MoEngage Response | Compliance: C

- Yes, MoEngage supports RESTful APIs for Data ingestion as well as for Personalization activation.
- You have the ability to create API-based server-side personalization experiences in MoEngage by defining target users, content variations, and delivery schedules.
- Standard OAuth 2.0 and API-key auth, with documented rate-limit, retry, and idempotency semantics.
- APIs are versioned for stability as the platform evolves.
- https://www.moengage.com/docs/api/data/data-overview
- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience

9.6 Ability to support real-time event ingestion from website journeys.

MoEngage Response | Compliance: C

- Yes, MoEngage supports real-time eventingestion from both website and App user journeys. The entire journeys are tracked by the platform using our Website and App SDKs.
- https://www.moengage.com/docs/developer-guide/introduction

9.7 Ability to activate audiences and personalization decisions using first-party customer data.

MoEngage Response | Compliance: C

- Activation runs entirely on first-party profile and event data, with no third-party cookie dependency.
- First-party data drives Audience Eligibility, defining who qualifies for an a particular experience and an offer using customer properties, behaviour, or affinity.
- The Decision Policy connects to the app or website through a personalization campaign, linking the decisioning logic to the customer interface so the right offer reaches the right place at the right time.
- Capping Rules apply offer-level and user-level frequency limits to prevent fatigue, and the same first-party data powers messaging channels for a consistent experience.
- Offers are built and delivered through a WYSIWYG visual editor using your own in-app placement templates.
- https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments
- https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience

- https://www.moengage.com/docs/user-guide/personalize/server-side-personalization/create-server-side-personalization-experience
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/create-offerings
- https://www.moengage.com/docs/user-guide/decisioning/offer-decisioning/decision-policy

9.8 Ability to export experimentation and personalization data for downstream reporting and analytics.

MoEngage Response | Compliance: C

- Data is exportable via Streams (real-time webhook), batch to S3, SFTP, GCS, or Azure Blob, and Open Analytics for direct read-only SQL access.
- Experiment results, variant performance, and personalization decision logs are all included in exports.
- Warehouse export targets include Snowflake, BigQuery, and Redshift, landing data where IndiGo's BI tools already operate.
- Both scheduled and ad hoc exports are supported, so reporting can be automated or pulled on demand.
- Exported data retains identifiers for joining with IndiGo's other sources in its own analytics environment.
- https://www.moengage.com/docs/api/data/moengage-streams
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/s3-exports
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/sftp-exports
- https://www.moengage.com/docs/user-guide/analyze/custom-analysis/open-analytics

9.9 Ability to integrate with existing ecosystem and analytics infrastructure.

MoEngage Response | Compliance: C

- MoEngage integrates through standard protocols (REST APIs, webhooks, warehouse connectors), coexisting with IndiGo's current tools rather than replacing them.
- Events and outcomes can be streamed downstream to existing analytics infrastructure so current reporting continues uninterrupted.
- The API-first, composable design lets MoEngage slot in as one component of IndiGo's architecture without a rip-and-replace.
- Both inbound enrichment from and outbound publishing to the wider ecosystem are supported.
- Specific analytics endpoints and formats can be confirmed and mapped during the data-taxonomy phase of onboarding.
- Please note that in addition to having an in-house Analytics platform, MoEngage also has native integrations with the likes of Mixpanel and Amplitude

- https://www.moengage.com/docs/api/data/moengage-streams
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports
- https://www.moengage.com/docs/api/introduction
- https://www.moengage.com/docs/partner-guide/data-and-analytics/analytics/mixpanel
- https://www.moengage.com/docs/partner-guide/data-and-analytics/analytics/amplitude/amplitude-event-streaming

9.10 Ability to be able to integrate with any 3rd party systems

MoEngage Response | Compliance: C

- Low-code Connectors let IndiGo integrate with virtually any third-party system by calling its REST API from within a journey or Flow.
- Integration works in both directions, consuming data from and pushing data to external systems.
- A library of pre-built connectors covers common platforms, reducing custom development for standard tools.
- For anything without a pre-built connector, generic API and webhook integration plus in-Flow data mapping and transformation handle the requirement.
- No platform-side code is required for most integrations, keeping IndiGo's engineering effort low.
- https://www.moengage.com/docs/api/introduction
- https://www.moengage.com/docs/partner-guide/introduction
- https://www.moengage.com/docs/partner-guide/integrate-with-us/build-integration/connected-apps#connected-apps

9.11 All data around this tool should be made available to IndiGo in its data warehousing platform or any other database where we wish to store the same

MoEngage Response | Compliance: C

- Bidirectional data flow from Snowflake is supported for ingestion and outbound.
- Raw events, profile attributes, campaign and experiment data, and engagement outcomes are all available for export.
- Exports run on a scheduled cadence or on demand, keeping IndiGo's warehouse in sync.
- Data can be delivered to any target database or store IndiGo designates, via warehouse connector or file-based delivery.
- The result is that IndiGo retains a full copy of its data in its own environment, under its own governance.
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports

- https://www.moengage.com/docs/api/data/moengage-streams

9.12 Ability to integrate natively or via supported connectors with IndiGo's ecosystem, including Experience Platform, Analytics, Audience Manager, Campaign, Marketo Engage, and relevant core services. Vendors must specify:

MoEngage Response | Compliance: C

- MoEngage integrates with each named system through standard patterns: REST API and webhook for real-time exchange, and CDP or warehouse-based sharing for audiences and events.
- **Per-product pattern:**
- audience exchange with Experience Platform and Audience Manager via API, CDP, or warehouse;
- event export to Adobe Analytics via Streams or warehouse;
- contact and lead sync with Marketo Engage via API and webhook.
- For Adobe Campaign, MoEngage is positioned as the replacement orchestration layer, and can run alongside it via API during transition. If needed, MoEngage's Personalize engine can also work in parallel to Adobe Campaign by pushing audiences to it via APIs.
- **Real-time versus batch:** real-time exchange via API, webhook, and Streams; batch exchange via warehouse connector and file transfer, selectable per integration.
- **Use cases enabled:** audience synchronisation, cross-tool event enrichment, unified reporting in IndiGo's warehouse, and coexistence during migration off the incumbent stack.
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports
- https://www.moengage.com/docs/api/data/moengage-streams
- https://www.moengage.com/docs/api/introduction

  - Supported integration pattern for each product

MoEngage Response | Compliance: C

- REST APIs and SDKs for real-time, event-level exchange with booking, web, and app systems.
- Native connectors for warehouse and SaaS platforms, including the Snowflake connector for IndiGo's data warehouse.
- Streams for real-time outbound event and decision publishing, and S3, SFTP, GCS for batch file exchange.
- Pattern is selectable per system, so each integration uses the mode that fits its latency and volume profile.
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports
- https://www.moengage.com/docs/api/data/moengage-streams
- https://www.moengage.com/docs/api/introduction

- Real-time versus batch data exchange capability

MoEngage Response | Compliance: C

- Real-time and batch data exchange both supported natively; no additional licensing required for core integration.
- https://www.moengage.com/docs/user-guide/data/exports/events/data-warehouse/snowflake-exports
- https://www.moengage.com/docs/api/data/moengage-streams
- https://www.moengage.com/docs/api/introduction

- Supported use cases enabled by each integration

MoEngage Response | Compliance: C

- **Booking and reservation systems:** real-time booking, cancellation, and ancillary events driving abandonment recovery and post-booking journeys and personalization experiences
- **CRM, Loyalty, CDP:** profile and loyalty-tier enrichment powering segmentation, Audience Eligibility, and Offer Decisioning.
- **Analytics and warehouse:** bi-directional sync for unified reporting and export of computed traits back into decisioning
- **Real-time catalog feed:** fare, route, and inventory signals as triggers and as offer content in recommendations via Personalize
- **Third-party and messaging systems:** audience activation and outbound event sharing across the wider ecosystem.
- https://www.moengage.com/docs/partner-guide/introduction
- https://www.moengage.com/docs/api/introduction

- Any dependencies, licensing prerequisites, or limitations.

MoEngage Response | Compliance: C

- No additional licensing required for core integration; platform operates without mandatory third-party subscription dependency.
- Core integration (APIs, SDKs, connectors, Streams, file exchange) requires no mandatory third-party licence or middleware.
- Dependency: IndiGo must expose the relevant source systems via API or file feed, and data mapping is agreed during the onboarding data-taxonomy phase.
- Some pre-built native connectors versus generic API integration vary by system; the exact list is confirmed per platform during scoping.

Performance & Scalability

9.13 Ability to support high-volume web traffic and booking transactions.

MoEngage Response | Compliance: C

- **High-volume traffic:** EC2 Auto Scaling Groups with predictive scaling provision new servers within seconds; traffic can double with no architecture change

9.14 Ability to maintain low-latency decisioning during peak traffic periods.

MoEngage Response | Compliance: C

- Offer Decisioning selects the Next Best Offer in real time, backed by the event ingestion running at 250,000 events per second
- This helps in supporting Real-time segment evaluaiton
- An in-memory decisioning engine evaluates policy logic without slow storage round-trips
- Horizontal scaling holds latency by adding capacity rather than degrading service.
- AZ-aware replication keeps decisioning available through a full zone failure during peaks.
- https://www.moengage.com/docs/user-guide/segment/advanced-concepts/real-time-segment-evaluation
- https://trust.moengage.com/

9.15 Ability to support large-scale personalization and experimentation programs simultaneously.

MoEngage Response | Compliance: C

- Personalize and Offer Decisioning deliver 1:1 experiences concurrently across your entire use base
- Multiple Decision Policies and experiments run in parallel without cross-interference.
- Personalization and experimentation share one real-time profile, so running both does not double the data footprint.
- RBAC and approval workflows let multiple teams run programs simultaneously without collision.
- https://www.moengage.com/docs/user-guide/personalize/overview/overview-personalize

9.16 Ability to support growth in traffic, customer profiles and experimentation volumes.

MoEngage Response | Compliance: C

- Horizontal scaling applies across the web frontend, backend workers, and ingestion layers, growing each independently as volume rises.
- Segmentation already processes over one trillion data points per month, and the base spans 1.3 billion+ monthly active users.
- Elastic rebalancing (via the ScyllaDB tablets roadmap) is designed to absorb sudden hotspots without manual re-provisioning.
- Advance notice of expected 10-20x spikes allows capacity to be pre-provisioned ahead of known travel events.

- Growth in profiles and experimentation volume is accommodated within the same architecture, with no re-platforming required.
- https://www.moengage.com/blog/reliable-at-scale/

9.17 Ability to maintain performance while executing multiple concurrent experiments.

MoEngage Response | Compliance: C

- Multiple experiments run in parallel with isolated variant assignment, so concurrent tests do not contaminate each other's results.
- Each experiment draws on the shared real-time profile, avoiding duplicate computation as concurrency rises.
- Large customers sustain 500+ experiments in parallel with peaks of 50 million events per hour, without degradation.
- Event-to-action latency holds at a p95 of 60 seconds steady state and 120 seconds at peak, even under many concurrent programs.
- Decisioning scales horizontally, so added experiment load is met with capacity rather than slower response.

Governance & Operational Management

MoEngage Response | Compliance: C

- Average Personalization decision latency - 100ms

9.18 Ability to support role-based access controls for business, product, analytics and engineering teams.

MoEngage Response | Compliance: C

- RBAC provides five default roles (Admin, Manager, Marketer, Developer, Analyst) plus unlimited custom roles, so business, product, analytics, and engineering each get a tailored permission set.
- Permissions are granular across features, data, and actions, enforcing least privilege per team.
- Team-based restrictions support segregation by business unit or region, relevant for IndiGo's internal structure.
- Roles and permissions are managed through the dashboard UI with ad hoc access-matrix reporting.
- Access integrates with SSO and SCIM, so team membership and deprovisioning follow IndiGo's identity provider.
- https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles

9.19 Ability to maintain audit trails for experiments, audiences and personalization changes.

MoEngage Response | Compliance: C

- Tamper-proof audit logs capture creation and modification of experiments, audiences, and personalization or offer changes.
- Each entry records user ID, action, timestamp, status, source IP, and the specific configuration changed.
- Logs are immutable, encrypted, and centrally monitored, with targeted audit queries returning in under 60 seconds.
- Audit data is exportable as CSV and to customer-side observability tooling for IndiGo's own monitoring.
- Retention is configurable to meet IndiGo's governance and regulatory requirements.
- https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs

9.20 Ability to support approval workflows and governance processes.

MoEngage Response | Compliance: C

- Approval workflows: maker-checker (dual-control) enforced for sensitive operations; creator-approver separation required before experiment/campaign go-live.
- https://www.moengage.com/docs/user-guide/settings/account/team-management/campaign-approval-workflow

9.21 Ability to manage experimentation ownership across multiple teams.

MoEngage Response | Compliance: C

- RBAC and team-based restrictions assign ownership of experiments and audiences to specific teams.
- Multiple teams operate in parallel within the same account without collision, each scoped to its own assets.
- Ownership and permissions are visible centrally, so accountability for each experiment is clear.
- Custom roles let IndiGo mirror its own ownership model across business, product, and analytics functions.
- https://www.moengage.com/docs/user-guide/settings/account/team-management/teams-in-moengage

9.22 Ability to maintain historical experiment repository and learning archives.

MoEngage Response | Compliance: C

- All experiments are visible on a single consolidated screen, forming a persistent repository rather than disposable tests.
- Historical experiments can be revisited at any time to review results, or to duplicate, edit, or pause.
- Past results and variant performance are retained, building an accessible archive of what worked.
- This history compounds into reusable learning that informs future experiment and personalization design.

9.23 Ability to support enterprise change management processes.

MoEngage Response | Compliance: C

- Changes to experiments, audiences, and personalization follow a governed path: maker-checker approval, versioning, and audit logging.
- Version history with rollback lets IndiGo revert a change cleanly if a rollout underperforms.
- Adoption is supported through structured onboarding, training, and community resources for all relevant IndiGo teams.
- Release changes are communicated in advance through the Product Updates portal and status page.

Use Case Demonstration

9.24 Demonstrate integration with customer profile data for personalization.

MoEngage Response | Compliance: C

- Capability confirmed (see 9.3); live demonstration to be conducted during the evaluation session.

9.25 Demonstrate activation of audience data from external systems.

MoEngage Response | Compliance: C

- Capability confirmed (see 9.2 / 9.7); live demonstration to be conducted during the evaluation session.

9.26 Demonstrate use of fare, route or inventory signals within personalization decisions.

MoEngage Response | Compliance: C

- Capability confirmed (see 9.4); live demonstration to be conducted during the evaluation session.

9.27 Demonstrate governance workflows and approval processes.

MoEngage Response | Compliance: C

- Capability confirmed (see 9.24); live demonstration to be conducted during the evaluation session.

9.28 Demonstrate audit trail capabilities.

MoEngage Response | Compliance: C

- Capability confirmed (see 9.23); live demonstration to be conducted during the evaluation session.

9.29 Demonstrate operation of multiple concurrent experiments at scale.

MoEngage Response | Compliance: C

- Capability confirmed (see 9.21); live demonstration to be conducted during the evaluation session.

Provide

9.30 Average personalization decision latency.

MoEngage Response | Compliance: C

- Average Personalization decision latency - 100ms

9.31 Average implementation timeline for a customer similar to IndiGo.

MoEngage Response | Compliance: C

- Average Implementation timeline for a customer of IndiGo's scale and complexity is about 901-120 days. You can find a sample Implementation plan in the deck shared below.
- A detailed week-by-week plan (W1–W16) is scoped for IndiGo specifically, covering data ingestion (Web/App SDK, CDP, Snowflake, Booking Engine, PSS, CRM, Loyalty Platform, Kafka Streams), channel integration, Personalize experience setup, testing, data export, and go-live.
- Final completion timeline remains dependent on the availability of IndiGo's technical resources and the complexity of the data model.
- Migration precedents at this scale: SoundCloud migrated 200 live campaigns and 100M+ users in 12 weeks; a comparable airline-adjacent migration ran 12–14 weeks for 80+ campaigns and an 8M+ user database.
- https://docs.google.com/presentation/d/1yGz7VI9JT_31asAVuHJTk5qBkc4fiH9a9OkvKlUHMQM/edit?slide=id.g3f5a8b7aec8_2_1034#slide=id.g3f5a8b7aec8_2_1034

9.32 Typical implementation effort required from customer engineering teams.

MoEngage Response | Compliance: C

- A dedicated IndiGo project team is required, ideally spanning IT, product, marketing, customer support, and data analytics, working in tandem with the MoEngage implementation team for the duration of the project.
- Two specific engineering-owned technical tasks: SDK integration (IndiGo IT implements the MoEngage SDK into IndiGo's mobile apps and website, coordinated with MoEngage technical support) and API setup (IndiGo IT configures APIs in MoEngage's requested format for data synchronization).
- IndiGo IT must provide timely access provisioning (credentials, system/tool access) to avoid delays, and allocate resource time for meetings, data gathering, system testing, and user training throughout
- All details have been shared in detail in the Corporate Governance deck shared separately

9.33 Peak requests per second supported.

MoEngage Response | Compliance: C

- Sustained API throughput of 2,000+ RPS, with burst capacity of 5,000+ RPS for Personalize/Offer Decisioning.
- Real-time ingestion via API scales to 30,000 events/minute, and is effectively unlimited via SDK with 250k per second successfully tested
- Auto-scaling provisions additional capacity within seconds of a detected spike, so peak figures are not a hard ceiling.
- https://www.moengage.com/docs/api/introduction

9.34 Annual experimentation volume supported.

MoEngage Response | Compliance: C

- No Limit to the annual experimentation volume
- You can run multiple experiments concurrently with each of them supporting millions of users/experiments in real-time

9.35 Annual personalization volume supported.

MoEngage Response | Compliance: C

- No Limit to the annual experimentation volume
- You can run multiple experiments concurrently with each of them supporting millions of users/experiments in real-time

9.36 Reference architecture diagram for a travel, airline or OTA deployment.

MoEngage Response | Compliance: C

- Here's a reference Airline Architecture
- https://docs.google.com/presentation/d/1JvYqx5zY21GcTd_LI_Pxb4x2wBwIA6kk1MQF7TlF0KA/edit?slide=id.p#slide=id.p

9.37 Team structure required for implementation and ongoing operations.

MoEngage Response | Compliance: C

- Executive Sponsors: Raviteja Dodda (CEO & Co-Founder), Yash Reddy (Chief Revenue Officer) - engaged via monthly SteerCos, direct access to Product & Engineering leadership, and a seat on the MoEngage Customer Advisory Board for IndiGo executives.
- Tech Implementation: Senior Director, Professional Services, Senior Manager, Professional Services, Senior Solutions Architect
- Customer Success (ongoing operations): VP, Customer Success), Senior Director, Customer Success), Director, Customer Success - an India-based core CS team, available from Day 1, with weekly reviews post-go-live and monthly feature-adoption workshops once live.
- Project management tooling: MoEngage runs the project through Rocketlane, generating automated weekly status reports (executive summary, milestones, upcoming plan, risks/mitigations, percent-complete) and a shared, real-time risk and issue log visible to both teams.
- Required from IndiGo:
- A dedicated, cross-functional project team spanning IT, product, Digital Growth, marketing, customer support, and data analytics, working alongside the MoEngage team for the project's duration; the project's success depends on this team's consistency and expertise.
- Timely access provisioning: IndiGo IT to provide credentials and access rights to relevant systems, tools, and data without delay, so integration and testing aren't blocked.

- Two specific engineering-owned tasks: SDK integration (IndiGo IT implements the MoEngage SDK into IndiGo's apps and website, coordinated with MoEngage technical support) and API setup (IndiGo IT configures APIs in MoEngage's requested format for data sync).
- Regular involvement: active participation in milestone planning, review meetings, and decision-making to stay aligned on timeline, scope, and goals.
- Resource allocation: time and personnel for project meetings, data gathering, system testing, and user training.
- A defined escalation point of contact within IndiGo for issues MoEngage can't resolve independently.
- All details have been shared in detail in the Corporate Governance deck shared separately

10. Data Prerequisites: Please share details of data set requirements from IndiGo for functionality of the product

MoEngage Response | Compliance: C

- Onboarding includes dedicated data-taxonomy sessions where all use cases are defined jointly with IndiGo.
- Required data sets and types are derived directly from those defined use cases, not assumed generically.
- For IndiGo specifically: a unique passenger identifier (customer ID or loyalty number) to stitch app, web, and email/SMS activity into one profile.
- Booking and transaction events (search, fare selected, ancillary added, payment completed, booking cancelled) with timestamps.
- Travel events (check-in, boarding, flight delay or cancellation notice, flight status)

11. User Management: Provide the below details:

MoEngage Response | Compliance: C

- 1. Async, non-blocking SDK initialisation: The MoEngage SDK initialises asynchronously and never gates app rendering. If the SDK has not completed initialisation when a screen loads, the app renders its default content immediately — there is no loading state, spinner, or deferred render waiting on SDK response.
- 2. Local decision caching (offline resilience): Personalization decisions and user profile attributes fetched in the previous session are cached locally on-device. If the SDK cannot reach MoEngage servers (network failure, CDN unavailability, timeout), the app serves the last-known personalized experience from cache. For a user who searched DEL-BOM yesterday, their returning homepage experience remains personalized even in a degraded network state.
- 3. Server-side Personalize API as primary layer for booking-critical flows: For IndiGo's booking engine — Search, Flight Selection, Ancillary Selection, Payment — MoEngage recommends the server-side Personalize API as the primary integration, not the client-side SDK. Server-side decisions are made before page content is rendered, meaning client SDK availability is irrelevant to conversion-critical personalization. SDK health has zero impact on booking flow continuity by design.

- Possible to modify a user's details, once created - Provide user-friendly interface to administrate and maintain user profile and group of users.

MoEngage Response | Compliance: C

- Administrators can edit any user's access rights at an individual level at any time via the dashboard, with no engineering dependency.
- Role and permission management is handled entirely through the dashboard UI, not config files or backend access.
- Changes take effect immediately, so access can be adjusted in response to team or org changes without delay.
- The interface supports both individual edits and bulk management of user groups.
- https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles

- Provide a set of user profiles to distinguish between RBAC (Role Based access control) roles.

MoEngage Response | Compliance: C

- Five default roles are provided out of the box: Admin, Manager, Marketer, Developer, and Analyst.
- Custom roles can be created beyond the defaults, so IndiGo can mirror its own internal team structure.
- Roles carry granular, feature- and data-level permissions, enforcing least privilege by function.
- Role assignment and changes are managed through the dashboard with visibility into who holds which role.
- https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles

- Provide product's capability to integrate with Single sign on

MoEngage Response | Compliance: C

- SAML 2.0 is supported, integrating with Okta, Google Workspace, OneLogin, Microsoft Azure/Entra ID, and Ping.
- OIDC is also supported, built on OAuth 2.0 with JWT-based authentication.
- SCIM 2.0 is supported for automated user provisioning and deprovisioning, keeping access in sync with IndiGo's identity provider.
- SSO covers dashboard access, so user lifecycle is centrally managed rather than maintained separately in MoEngage.
- https://www.moengage.com/docs/user-guide/settings/account/security/single-sign-on-sso

- Provide an audit trail containing the actions performed by each user.

MoEngage Response | Compliance: C

- Tamper-proof logs capture every user action: user ID, action taken, timestamp, status, source IP, and the specific configuration changed.

- Logs are exportable, supporting IndiGo's own monitoring and compliance workflows.
- Coverage includes both configuration changes and access-related actions, not just campaign activity.
- Retention is configurable to meet IndiGo's audit and regulatory requirements.
- https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs

- Provide product's capability to integrate with Single sign on

MoEngage Response | Compliance: C

- SAML 2.0 is supported, integrating with Okta, Google Workspace, OneLogin, Microsoft Azure/Entra ID, and Ping.
- OIDC is also supported, built on OAuth 2.0 with JWT-based authentication.
- SCIM 2.0 is supported for automated user provisioning and deprovisioning, keeping access in sync with IndiGo's identity provider.
- SSO covers dashboard access, so user lifecycle is centrally managed rather than maintained separately in MoEngage.
- https://www.moengage.com/docs/user-guide/settings/account/security/single-sign-on-sso

12. System Management: Provide the below details:

MoEngage Response | Compliance: C

- System availability: 99.9% standard enterprise SLA
- https://www.moengage.com/service-availability/

- Purge function / Historical database / Archiving

MoEngage Response | Compliance: C

- Automated purging runs on configurable retention, so IndiGo is not dependent on manual cleanup.
- Segmentation filters and analytics retention is as per your Data retention Policy; user attributes are retained indefinitely.
- All of the above retention windows are customizable to IndiGo's specific requirements.
- Archiving policy is documented and available for review as part of onboarding.
- https://www.moengage.com/docs/user-guide/data/key-concepts/data-archival-retention-policy#data-archival-retention-policy

- Back-up & restore function and procedures.

MoEngage Response | Compliance: C

- Backups are encrypted with AES-256 and taken on a 12-hour schedule.
- Backups are mirrored across geographically separated AWS regions in an active-active n+1 architecture.
- Two secondary backups support the primary database, giving redundancy beyond a single failover target.
- Stated targets are RPO 12 hours and RTO 6 hours.
- These are also configurable as per your requirement
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Data%20Backup%20Plan%20
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Backup%20%26%20Data%20Recovery

    - Recovery procedures (after shutting down unexpected during a transaction)

MoEngage Response | Compliance: C

- Multi-AZ deployment provides automatic failover to a standby replica with no manual intervention required.
- Regional failover activates on availability-zone disruption, keeping the platform available through infrastructure failure.
- Failover is designed to preserve data consistency, avoiding partial or corrupted transaction states.
- Recovery is transparent to the customer-facing service, minimizing visible downtime.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Backup%20%26%20Data%20Recovery

    - Should be able to adapt to new technologies and requirements.

MoEngage Response | Compliance: C

- MoEngage is built API-first and microservices-native, so it was never designed around one fixed tech stack. Every capability, ingestion, decisioning, activation, and analytics, is exposed through versioned REST APIs and standard connectors, meaning the platform speaks the language of whatever system IndiGo adopts next, rather than requiring IndiGo to adapt to it.
- The architecture is deliberately warehouse-native and ecosystem-agnostic: MoEngage already integrates natively with today's leading CRM, CDP, loyalty, and analytics platforms (Salesforce, Snowflake, Adobe, and others), which demonstrates a pattern of plugging into best-of-breed tools rather than locking IndiGo into a closed stack.
- As a SaaS platform, upgrades, new integrations, and emerging protocol support are delivered continuously and automatically, with backward-compatible APIs and SDKs, so IndiGo adopts new capability without re-integration work or breaking existing flows.
- This same openness extends forward: as AI-native and agentic capabilities mature across the industry, MoEngage's API-first foundation means new decisioning or automation layers can be adopted

incrementally, without a re-platform, keeping IndiGo positioned to adopt what's next rather than locked to what exists today.

- https://www.moengage.com/docs/api/introduction
- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/moengage-mcp-server#moengage-mcp-server-and-connector

13. BC/DR Plans: Kindly provide the Business Continuity and Disaster Recovery plans.

MoEngage Response | Compliance: C

- MoEngage operates a formal Business Continuity Management System (BCMS) aligned to ISO 22301:2019 and ISO 22317:2021, governed by a dedicated Business Continuity Management Committee with defined RACI ownership across a Program Sponsor, Coordinator, Planner, and Team Leads.
- Business-critical applications run entirely in the cloud (AWS), hosted across six global AWS regions (Northern Virginia, Frankfurt, Mumbai, Ohio, Singapore, Jakarta), leveraging each vendor's own SLA and disaster-recovery capability rather than a single physical facility.
- A distributed global workforce strategy means employees can operate remotely with internet access alone, so a loss of any single office or region does not halt customer support or operations.
- A Business Impact Analysis (BIA) is performed annually, and per critical asset, to define Recovery Time Objective (RTO) and Recovery Point Objective (RPO) against each asset's specific contractual commitments, rather than one blanket recovery figure across the platform.
- Five defined disaster severity levels (from Minor Outage through Country-Level Catastrophe and major resource loss) each carry a documented, differentiated recovery response.
- The plan is tested annually through structured tabletop walkthroughs and component tests (backup restoration, network failover, business application recovery, physical security), independently reviewed by an internal audit Test Evaluation Team, with results and remediations documented within one week of each test.
- Multi-region, multi-AZ AWS deployment (active-active, n+1) eliminates single points of failure
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Business%20Continuity%20Management%20Policy%20%26%20Procedure

14. Data Residency:

MoEngage Response | Compliance: C

- Average Personalization decision latency - 100ms

- The vendor should clarify where data is hosted and whether India-based hosting is available

MoEngage Response | Compliance: C

- MoEngage supports multiple hosting locations: AWS Virginia (US), Frankfurt (EU), Mumbai (India), Ohio (US), Singapore, and Jakarta.
- For IndiGo specifically, India-based hosting in Mumbai is available.
- Hosting location is a deliberate, confirmable choice at contracting, not a default IndiGo has to accept.
- https://www.moengage.com/docs/user-guide/data/key-concepts/data-centers-in-moengage

• Backup and replication locations should be disclosed

MoEngage Response | Compliance: C

- Backups are stored in the same AWS region as production, in a separate availability zone.
- This design protects against AZ-level failure while keeping data within the same region as production.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Business%20Continuity%20Management%20Policy%20%26%20Procedure

• Any cross-border data transfers should be documented with appropriate legal basis

MoEngage Response | Compliance: C

- Cross-border transfers are governed by GDPR-compliant mechanisms, including Standard Contractual Clauses and Data Processing Agreements.
- Safeguards include equivalent data-protection measures, documented risk assessments, and encrypted transmission for any transfer.
- Legal basis is documented per transfer, not assumed generically.
- https://trust.moengage.com/

15. Observability & Performance: In case of any exception/errors, how will 6E be able to access the application monitoring/performance logs.

MoEngage Response | Compliance: C

- Each environment (Test/Live) generates its own isolated log stream covering application, performance, and system data.
- Logs are exportable to IndiGo's own observability tooling (Splunk, Dynatrace, Sumo Logic, Elastic, Sentinel, Chronicle), or delivered via periodic push to S3.
- User and audit activity logs are tamper-proof, exportable as CSV, with targeted queries returning in under 60 seconds.
- Current service status and incident history are visible on a public status page, so IndiGo can independently verify uptime and ongoing incidents at any time.
- https://trust.moengage.com/

16. Performance

- Low-latency rendering of in-app experiences.
- Response Time/Latency issue: Please mention the maximum time taken by the system for any action/request by the user

MoEngage Response | Compliance: C

- Max time for any action/request: end-to-end transaction time <200ms for primary operations; data API p99 <20ms.

- High throughput for real-time event ingestion and personalization calls.

MoEngage Response | Compliance: C

- Sustained API throughput of 2,000+ requests per second, with burst capacity of 5,000+ RPS.
- Real-time ingestion via API scales to 30,000 events per minute (configurable and can be extended to even 300k per minute), and is effectively unlimited via SDK.

17. Concurrent users support: Please share the number of concurrent users supported by the product without any performance issues

MoEngage Response | Compliance: C

- Concurrent users: unlimited concurrent users supported with no performance degradation or added cost.

18. Data Loading speed: Please share the data retrieval and display for the large datasets

MoEngage Response | Compliance: C

- MoEngage supports real-time data ingestion having been tested for 250k events flowing in from the SDK per second.

19. Scalability

- Ability to handle peak loads during sale periods, festivals, and travel spikes.

MoEngage Response | Compliance: C

- Predictive EC2 auto-scaling detects load and provisions additional capacity within seconds, so traffic can double without any architecture change.
- Known spikes of 10 to 20 times normal volume, typical of festival or fare-sale periods, can be pre-provisioned in advance with notice.
- Decoupled queues with retries and dead-letter handling absorb unplanned bursts without data loss, so a surge in one channel doesn't degrade others.

- https://trust.moengage.com/

- Horizontal scaling for events, segmentation updates, and personalization workloads.

MoEngage Response | Compliance: C

- Scaling applies independently across the web frontend, backend workers, and ingestion layers, so each component grows on its own load profile.
- Segmentation already processes over one trillion data points per month at production scale.
- Personalization and decisioning workloads scale on the same Eventstore, so segmentation and personalization growth don't compete for the same fixed capacity.

- Support for millions of active users with consistent performance.

MoEngage Response | Compliance: C

- The platform serves 1.3 billion-plus monthly active users across its customer base, with 1.2 billion analyzed monthly.
- Sustained 99.9% uptime is maintained under this load, per the platform's premium SLA tier.
- Consistent performance is a property of the architecture (horizontal scaling, AZ-aware replication) rather than a ceiling that degrades as the user base grows.
- https://www.moengage.com/blog/reliable-at-scale/

20. NFRs: Please share system Non-Functional Requirements

MoEngage Response | Compliance: C

- MoEngage supports real-time data ingestion having been tested for 250k events flowing in from the SDK per second.

21. Maintainability

- Clear documentation for SDK integration, APIs, and event schemas.

MoEngage Response | Compliance: C

- MoEngage supports real-time capture of booking and reservation events (search, fare selection, ancillary add, payment, cancellation) via REST Data APIs.
- Reservation and PNR extracts can be ingested in batch via SFTP, S3, or a warehouse import where real-time feeds are not exposed/needed.
- Integration occurs at the API and file layer, so MoEngage connects to the PSS or booking engine without direct database coupling or schema dependency.

- Booking state flows into the unified customer profile, making it immediately available for segmentation, triggers, and personalization.
- The pattern is engine-agnostic, applying equally to hosted reservation systems and custom booking services.
- Please note that MoEngage has integrated with Indigo's current Booking engine in the past as well for other brands
- https://www.moengage.com/docs/api/introduction

- Backward-compatible updates to avoid breaking app releases.

MoEngage Response | Compliance: C

- Backups are stored in the same AWS region as production, in a separate availability zone.
- This design protects against AZ-level failure while keeping data within the same region as production.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Business%20Continuity%20Management%20Policy%20%26%20Procedure

- Minimal engineering dependency for ongoing operations.

MoEngage Response | Compliance: C

- No additional licensing required for core integration; platform operates without mandatory third-party subscription dependency.
- Core integration (APIs, SDKs, connectors, Streams, file exchange) requires no mandatory third-party licence or middleware.
- Dependency: IndiGo must expose the relevant source systems via API or file feed, and data mapping is agreed during the onboarding data-taxonomy phase.
- Some pre-built native connectors versus generic API integration vary by system; the exact list is confirmed per platform during scoping.

- Regular updates with predictable release cycles.

MoEngage Response | Compliance: C

- MoEngage supports real-time capture of booking and reservation events (search, fare selection, ancillary add, payment, cancellation) via REST Data APIs.
- Reservation and PNR extracts can be ingested in batch via SFTP, S3, or a warehouse import where real-time feeds are not exposed/needed.
- Integration occurs at the API and file layer, so MoEngage connects to the PSS or booking engine without direct database coupling or schema dependency.
- Booking state flows into the unified customer profile, making it immediately available for segmentation, triggers, and personalization.

- The pattern is engine-agnostic, applying equally to hosted reservation systems and custom booking services.
- Please note that MoEngage has integrated with Indigo's current Booking engine in the past as well for other brands
- https://www.moengage.com/docs/api/introduction

22. Emergency Controls & Failsafe Mechanisms:

MoEngage Response | Compliance: C

- Dedicated security contact: named Data Privacy Team, DPO, and SIRT; major-incident communication led by CISO/DPO/Head of Security/Legal.

- The platform should provide a remote kill switch to disable the SDK without requiring an app update

MoEngage Response | Compliance: C

- Documented incident response plan: formal SIRP tested annually; dedicated SIRT with detect/contain/recover/post-incident-review stages.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025

- Individual campaigns should be stoppable immediately if issues are detected

MoEngage Response | Compliance: C

- MoEngage is built API-first and microservices-native, so it was never designed around one fixed tech stack. Every capability, ingestion, decisioning, activation, and analytics, is exposed through versioned REST APIs and standard connectors, meaning the platform speaks the language of whatever system IndiGo adopts next, rather than requiring IndiGo to adapt to it.
- The architecture is deliberately warehouse-native and ecosystem-agnostic: MoEngage already integrates natively with today's leading CRM, CDP, loyalty, and analytics platforms (Salesforce, Snowflake, Adobe, and others), which demonstrates a pattern of plugging into best-of-breed tools rather than locking IndiGo into a closed stack.
- As a SaaS platform, upgrades, new integrations, and emerging protocol support are delivered continuously and automatically, with backward-compatible APIs and SDKs, so IndiGo adopts new capability without re-integration work or breaking existing flows.
- This same openness extends forward: as AI-native and agentic capabilities mature across the industry, MoEngage's API-first foundation means new decisioning or automation layers can be adopted incrementally, without a re-platform, keeping IndiGo positioned to adopt what's next rather than locked to what exists today.
- https://www.moengage.com/docs/api/introduction

- https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/moengage-mcp-server#moengage-mcp-server-and-connector

- The SDK should implement sensible retry logic with backoff to avoid excessive network calls during failures

MoEngage Response | Compliance: C

- SOC 2 Type II: certified.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/soc%202

- Network operations should have configurable timeouts

MoEngage Response | Compliance: C

- Capability confirmed (see 9.21); live demonstration to be conducted during the evaluation session.

- SDK errors should be isolated and should never cause the host app to crash

MoEngage Response | Compliance: C

- MoEngage supports multiple hosting locations: AWS Virginia (US), Frankfurt (EU), Mumbai (India), Ohio (US), Singapore, and Jakarta.
- For IndiGo specifically, India-based hosting in Mumbai is available.
- Hosting location is a deliberate, confirmable choice at contracting, not a default IndiGo has to accept.
- https://www.moengage.com/docs/user-guide/data/key-concepts/data-centers-in-moengage

- The platform should offer rollback capability to revert to previous configurations if needed

MoEngage Response | Compliance: C

- MoEngage implements RBAC with least privilege principles across the platform and infrastructure. Access is granted strictly on a need-to-know basis with minimum required permissions. Privileged access uses dedicated admin accounts separate from standard user IDs, protected by MFA, network access controls, and audit logging.
- MoEngage supports 5 default Roles with the ability to support Custom Roles as well.
- Monitoring: Access rights are reviewed quarterly. All privileged user activities are fully logged with timestamps, actor, IP, event category, and action type. Audit logs can be exported, and detailed access reports are available upon request.
- https://trust.moengage.com/#/controls/Least%20Privilege%20
- https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles
- https://trust.moengage.com/#/controls/Access%20Review%20
- https://help.moengage.com/hc/en-us/articles/8770662326548-Audit-Logs

- https://trust.moengage.com/controls/RBAC%20Matrix

- If the vendor backend is unreachable, the SDK should fall back to cached content or remain silent — users should not see error states

MoEngage Response | Compliance: C

- Documented incident response plan: formal SIRP tested annually; dedicated SIRT with detect/contain/recover/post-incident-review stages.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025

III. Vendor Capability and Information solicited.

Shared separately as a Corporate Deck

1 **Non-Commercial**
   - System architecture, Project Management and Execution approach, clarity of the estimation process, use of tools, framework and specific reference to vendor customers for similar solution.
   - Constraints (exclusion and assumptions), if any highlighted by the vendor in executing the scope.
   - Consideration by the vendor of additional functions than what is stated in the RFP that would add value.

2 **Project Plan, Project Governance and Methodology –** Please share details.

3 **Implementation Plan –** What is the duration of the implementation? Please share the plan.

4 **Product Roadmap** – Kindly provide the product roadmap to highlight the key new features to be added with timelines in the future

IV. Annexure – Architecture Checklist

Completed checklist of architecture assessment is shared separately

V. Annexure – Info Sec requirement

Completed Cloud Evaluation Checklistis shared separately