



Indigo- Enterprise Digital Analytics Platform RFP

PREPARED FOR: Indigo

SUBMISSION DATE: 27th July, 2026

Submitted by: Team MoEngage

Table of Contents

Functional Requirements

1. Enterprise Analytics Data Collection	7
2. Event Taxonomy & Data Governance	14
3. Customer Identity Resolution & Unified Customer Profiles	18
4. Customer Journey Analytics	24
5. Product Analytics	30
6. Booking Funnel Analytics & Conversion Optimization	39
7. Marketing Analytics & Attribution	48
8. Audience Management & Customer Segmentation	56
9. AI-Powered Analytics & Predictive Intelligence	65
10. Digital Experience Analytics	75
11. Heatmaps & User Interaction Analytics	80
12. Reporting, Dashboards & Business Intelligence	86
13. Self-Service Analytics & Business User Enablement	94
14. Enterprise Data Quality & Governance	100

Non-Functional Requirements

1. Architecture & Solution Design	108
2. Security, Privacy & Compliance	117
3. Performance & Scalability	137
4. Integration & Data Connectivity	147
5. Platform Administration & Governance	163
6. SDK & Implementation Requirements	171
7. Data Management & Retention	185
8. Support, Operations & Managed Services	192
9. Vendor References, Travel Expertise & Proven Scale	202

Vendor Capability and Information solicited

Annexure - Architecture Checklist (Shared separately)

Annexure - Cloud Evaluation (Shared separately)

Executive Summary

We are honored to be invited to participate in IndiGo's initiative to select an Enterprise Digital Analytics Platform. Having studied the RFP and the analytics, data-collection, segmentation, and governance requirements in detail, we believe the MoEngage platform and our team are best positioned to give IndiGo a single, trusted view of every passenger, real-time behavioural analytics across web and app, and the ability to turn those insights into action, all operable by business teams without engineering dependency with Fully compliance level of 94.5%.

For many years, analysts and marketers have struggled to work at the speed the business demands, held back by fragmented data, heavy engineering dependency, and rule-based legacy tooling. MoEngage was founded in 2014 to solve exactly this: to unify customer data in a single platform, help teams visualise and act on that data, and provide AI-powered analytics and engagement built for customer-obsessed teams. MoEngage captures and analyses customer interactions across web, mobile applications (Android and iOS), backend services, APIs, and other digital channels, and turns them into segments, funnels, cohorts, paths, and predictive insights in real time.

For an airline operating at IndiGo's scale, 142 destinations and India's largest domestic market share, this means understanding the full passenger journey from search to booking to travel, measuring drop-off and retention, building operational and predictive audiences, and governing data quality, lineage, and access to enterprise standards, all within India-resident infrastructure aligned to the DPDP Act 2023.

Our solution is designed to address five broad themes

- **Single view of the passenger:** stitch the journey across web, app, backend, CRM, booking, loyalty, CDP, and third-party systems into one analytics-ready profile.
- **AI to surface insight and optimise decisions:** out-of-the-box predictive segments, actionable insights, and automated analysis via MoEngage's AI (Merlin).
- **A self-serve platform:** dashboards, funnels, cohorts, and segments built by analysts, marketers, and product managers with no engineering dependency.
- **Enterprise-grade data quality and governance:** accuracy, completeness, lineage, metadata, access control, and auditability.
- **Scale, residency, and resilience:** high-volume real-time ingestion on a cloud-native architecture, with India data residency.

Overview of MoEngage

MoEngage is a next-generation, AI-powered insights-led customer engagement and analytics platform built for the new world. Traditional analytics and marketing clouds are expensive to implement, hard to learn, and rule-based. MoEngage offers an enterprise solution that is easier to use, integrated with the existing tech stack, and learning-based, combining customer analytics, segmentation, and cross-channel engagement in one platform.

Who are We?

MoEngage is a AI Customer Engagement Platform that helps customer-obsessed brands build stronger customer relationships

1350+

CUSTOMERS

1.5T

MESSAGES

850+

MOENGAGERS

15+

OFFICES

2014

EST. SINCE

450M

CAPITAL RAISED AND BACKED BY


Goldman Sachs

CHRYSCAPITAL

Accolades and Recognitions

MoEngage has been consistently recognised by independent analysts and review bodies, including Gartner, Forrester, and G2, across customer analytics and engagement.

We are loved by Analysts and Marketers



Rusty Warner
VP Analyst Forrester

"It's 'humans + AI' innovation investments and roadmap focus on helping brands become more customer obsessed"

Gartner
Peer Insights.

4.8 ★★★★★ 4.5/5



Regional Presence

MoEngage has deep roots in India, where it was founded and maintains a substantial engineering, product, professional services, and customer success presence, giving IndiGo local time-zone coverage and on-the-ground implementation and support.

Critically for this RFP, MoEngage supports data residency within India (AWS Mumbai region), directly aligning with the requirement that IndiGo customer and business data be stored and processed within India, and with DPDP Act 2023 obligations.

Notable Customers

Our footprint in the travel & hospitality industry




Future with MoEngage

MoEngage will work seamlessly with IndiGo's existing technology stack across digital, booking, and offline data. This includes integration with IndiGo's CDP (Firsthive, built on Snowflake), booking and reservation systems, the mobile app and website (via MoEngage SDKs), the loyalty programme (BluChip), CRM, and the enterprise data warehouse, using real-time APIs, streaming, SFTP, and webhooks.

The result is a unified, analytics-ready passenger view powering real-time segmentation, self-serve dashboards and funnels, predictive insight, and governed data access, operated independently by IndiGo's analytics and marketing teams.

MoEngage < > Indigo | Integration Architecture | Analytics



Functional Detailed Requirements

1. Enterprise Analytics Data Collection

1.1 Capability Requirements

The proposed solution should provide an enterprise-grade analytics collection framework capable of capturing customer interactions consistently across all digital channels while maintaining high data quality, scalability, governance, and low processing latency.

The platform should support:

1.1.1. Ability to capture customer interaction events across Web, Mobile Applications (Android and iOS), backend services, APIs, kiosks, chatbots, and future digital channels.

MoEngage Response | Compliance: C

- MoEngage captures customer interaction events across web, mobile applications (Android and iOS), backend services, APIs, chatbots, kiosks, any other digital channels and campaign interactions through cross-channel event tracking capabilities.
- We collect rich event attributes including user identifiers, timestamps, device information, geographic location, usage patterns (frequency, session duration, feature usage, user journeys), and user preferences (language, notification settings).
- This creates a unified view of each customer across these digital touchpoints, enabling comprehensive tracking of behavior and engagement patterns throughout the customer journey.
- <https://www.moengage.com/docs/developer-guide/introduction>
- <https://www.moengage.com/docs/api/introduction>
- <https://www.moengage.com/docs/partner-guide/introduction>

1.1.2. Ability to support SDK-based, API-based, server-side, client-side, and hybrid event collection mechanisms.

MoEngage Response | Compliance: C

- MoEngage supports multiple event collection mechanisms:
- **SDK-based collection:**
- Web SDK and Mobile SDK (Native, React Native, Flutter, other) for real-time user interaction tracking
- Captures rich event attributes including user IDs, product details, action type, timestamps, device info, and location data
- Can be deployed via tag managers like Google Tag Manager for websites
- **API-based collection:**
- Data API for sending events and user properties from servers/data warehouses

- Business Event API for triggering campaigns with business events - such as fare dropped
- REST APIs supporting JSON format with Basic Auth, JWT, and mTLS/TLS v1.2 encryption
- **Server-side collection:**
- Server-to-server calls for events not captured client-side or bulk data updates
- Direct data exchange through secure APIs
- **Client-side collection:**
- JavaScript tag/pixel for website tracking
- App SDK for App data tracking
- **Hybrid approach:**
- Combines SDK tagging for real-time personalized campaigns with server-side forwarding for comprehensive data capture
- Integrates with 300+ partners across CDPs, Data warehouses and SFTP
- Supports batch uploads for historical data
- <https://www.moengage.com/docs/developer-guide/introduction>
- <https://www.moengage.com/docs/api/introduction>

1.1.3. Ability to capture page views, screen views, clicks, searches, bookings, payment events, ancillary purchases, cancellations, refunds, modifications, check-in activities, and servicing events.

MoEngage Response | Compliance: C

- MoEngage supports comprehensive event tracking across web and mobile platforms, capturing user interactions including page views, screen views, clicks, searches, and custom events such as bookings, payment events, ancillary purchases, cancellations, refunds, modifications, check-in activities, and servicing events.
- The platform's Behavior (Event Analysis) module enables tracking of how customers engage with your app/website and monitors KPIs.
- Custom event tracking allows you to define and capture airline-specific events like ancillary service purchases, booking modifications, and check-in activities.
- For IndiGo's Adobe Analytics migration, MoEngage's event tracking architecture supports the transition of existing event taxonomies while maintaining data continuity across all customer touchpoints.
- <https://www.moengage.com/docs/user-guide/data/key-concepts/overview-data>

1.1.4. Ability to capture custom business events without requiring significant engineering effort.

MoEngage Response | Compliance: C

- Aviation-specific actions (fare selection, seat upgrade, add-on purchase, loyalty tier change) can be defined as custom events through the SDK or server-to-server APIs without building new infrastructure per event
- Business teams do not need engineering sign-off to consume a new event once it flows in. Marketers can immediately use it for segmentation, campaigns, and analytics from a self-serve data management console
- Event and attribute display names can be relabeled in plain business language (for example, "Fare Upgrade Selected" instead of a raw code), so non-technical teams can build without needing to understand underlying data structures
- A single event definition works uniformly across web, mobile app, and other booking channels, avoiding duplicate engineering effort per platform
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

1.1.5. Ability to define custom event parameters, custom dimensions, calculated metrics, and event attributes.

MoEngage Response | Compliance: C

- MoEngage supports defining custom event parameters and event attributes through our platform.
- Custom event attributes/dimensions can be configured when tracking events, supporting string, numeric, boolean, array, and date objects.
- For calculated metrics, MoEngage Compute enables marketers to create custom metrics using a formula builder with logical expressions, mathematical operations, and date functions. These calculated fields support aggregation and time-based calculations (e.g., purchases in last 30 days, product categories in last 3 months) and automatically recalculate when underlying data changes.
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>
- <https://www.moengage.com/docs/user-guide/data/computed-traits/computed-traits-overview>

1.1.6. Ability to capture customer identifiers, session identifiers, device identifiers, campaign identifiers, booking identifiers, and transaction identifiers.

MoEngage Response | Compliance: C

- All identifier types (customer ID, PNR or booking ID, transaction ID, session ID, device ID, campaign ID) are supported natively as event and user attributes, with no cap on how many identifier types can be tracked per event
- Identifiers can be passed at the point of tracking (for example, attaching a booking ID to a "Payment Completed" event) and are immediately queryable for that specific transaction
- A unified customer identity is maintained across devices and channels - this can be based on the FHID maintained by Indigo's CDP, so a traveler booking on the IndiGo app and later checking in on web are recognized as the same customer rather than as separate device-based profiles.
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>
- <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>

1.1.7. Ability to support offline event collection with automatic synchronization once connectivity is restored.

MoEngage Response | Compliance: C

- Events generated while a device is offline are queued locally on the device and are not lost
- Once connectivity is restored, queued events are automatically synced to the platform in the background, with no manual re-trigger needed from the traveler or airline staff
- If a sync attempt fails (poor signal, timeout), the platform retries automatically on the next connectivity window rather than dropping the data permanently
- This ensures a traveler's full journey, booking on wifi, going offline mid-flight, then reconnecting on landing, is captured as one continuous, accurate timeline
- <https://www.moengage.com/docs/developer-guide/ios-sdk/data-tracking/basic/tracking-events>

1.1.8. Ability to validate events before ingestion to prevent duplicate, malformed, or incomplete analytics records.

MoEngage Response | Compliance: C

- Every incoming event and attribute is checked against an expected data type (text, number, date, boolean, location) before it's stored
- Validation rules are configured once, as part of the initial integration. IndiGo's team maps each attribute to its intended data type a single time, and the platform applies that mapping automatically to every future event carrying that attribute, with no repeated engineering effort per event or per campaign
- If an incoming value doesn't match its mapped type (for example, a fare amount arriving as text instead of a number), the platform attempts an auto-correction; if that isn't possible, the bad value is dropped rather than silently corrupting reports
- Naming consistency is enforced so the same business event (say, "Booking Confirmed") can't accidentally fragment into multiple near-duplicate event names across platforms, which would otherwise split and undercount reporting
- Anomalies in event or attribute volume are proactively flagged, so a sudden spike or drop in a booking event (a signal of broken tracking) surfaces before it silently skews dashboards
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management>

1.1.9. Ability to support high-volume event ingestion while maintaining low latency during peak booking periods.

MoEngage Response | Compliance: C

- MoEngage handles high-volume event ingestion during peak periods through auto-scaling infrastructure built on AWS microservices. Our system processes data from over 1 billion customers monthly and regularly manages burst traffic for customers with 50 Million+ Monthly Active Users.
- Key capabilities for peak booking periods:

- Auto-scaling groups detect unusual traffic spikes and provision new servers within seconds before burst traffic arrives
- Capacity to handle 300+ requests per second in near real-time
- Batch ingestion of 2+ million users per hour
- End-to-end response times maintained below 200ms for primary transactions
- Zero data loss during traffic spikes through buffering and processing systems
- For airline booking scenarios with expected 10-20x traffic spikes, advance notification enables pre-scaling of resources to handle the surge without delay. Even if incoming traffic more than doubles across processes and locations, the platform scales automatically without architectural changes.

Provide

- Maximum events processed per second.

MoEngage Response | Compliance: C

- Our real-time event pipeline is engineered and load-tested for a sustained write-heavy throughput of 250,000+ events/second, purpose-built on a dedicated low-latency "Eventstore" layer (built on ScyllaDB) separate from our batch/analytics data lake. This capacity was validated for a workload handling 250K writes per second at 1ms p99 latency with 200TB+ of data.
- This is horizontally scalable — additional shard/cluster capacity can be added without service disruption to absorb burst traffic (e.g., flash sales, schedule changes, IRROPS events).
- At an aggregate platform level, MoEngage processes over 250 billion events every month, reaching speeds of up to 500 million events per hour at the rate of 250K per second — figures we publish externally and can validate via reference architecture walkthroughs.
- <https://www.scylladb.com/2026/01/16/moengage-millisecond-personalization/>

- Maximum daily event volume supported.

MoEngage Response | Compliance: C

- Platform-wide, we process 250+ billion events/month (~6.5–8 billion events/day on average, with individual tenant clusters isolated for SLA guarantees).
- Brands worldwide use MoEngage to send more than 3 billion messages in a day, including 2.5 billion push notifications, over 250 million emails, and 20 million WhatsApp messages — this is downstream comms volume, not just raw event ingestion, giving a sense of full-pipeline scale (ingestion → segmentation → activation)
- <https://www.scylladb.com/2026/01/16/moengage-millisecond-personalization/>

- Average event ingestion latency.

MoEngage Response | Compliance: C

- **Average event ingestion latency:** ~1 ms, with p99 under 10 ms from the moment a user action occurs to when it is recorded in the platform
- **Infrastructure:** Built on a high-speed "Eventstore" layer powered by ScyllaDB, engineered for ultra-low latency at scale, handling over 250,000 writes per second
- <https://www.scylladb.com/2026/01/16/moengage-millisecond-personalization/>
- Supported SDKs and APIs.

MoEngage Response | Compliance: C

- Client SDKs:
 - -Native Mobile: Android, iOS
 - -Cross-platform: React Native, Flutter, Cordova, Capacitor, Unity, Ionic
 - -Web: JavaScript Web SDK (incl. AMP support, browser-extension support)
 - -TV/OTT platforms
 - -E-commerce integrations: Shopify, WooCommerce, Magento
 - APIs:
 - -Data APIs: Track Event, Bulk Import (users + events, batched up to 100KB/call), Device management, Device Opt-out
 - -Business Events API: create/trigger/search real-time business events (e.g., "flight delayed," "check-in window open," "fare drop on viewed route") to power event-triggered campaigns
 - -Streams API: forwards user actions and campaign events to Indigo's own downstream endpoints in near real-time (for warehouse/BI sync)
 - -Personalize API: server-side fetch of personalized content + experience-event reporting
 - -Full REST API coverage for catalog, user, and transactional alert management, with webhook-based delivery callbacks
 - [Introduction - MoEngage](#)
 - <https://moengage.com/docs/developer-guide/introduction>
 - Offline synchronization capabilities.
- #### MoEngage Response | Compliance: C
- Events generated while a device is offline are queued locally on the device rather than being lost, using the SDK's local storage buffer
 - The SDK performs a periodic flush (syncing queued events to the backend) on a default interval, which is configurable

- If a sync attempt fails due to connectivity loss, the SDK retains the queued events and automatically retries on the next flush attempt, rather than dropping them after a single failed attempt
- This ensures a continuous, ordered event stream once connectivity is restored, relevant for IndiGo's scenario of intermittent connectivity at airports, in-flight, or in low-network regions across the route network
- No manual intervention or app restart is required to trigger the sync, it resumes automatically as part of the SDK's normal flush cycle once the device reconnects
- Event validation mechanisms.

MoEngage Response | Compliance: C

- Every incoming event and attribute is checked against a configured expected data type (text, number, date, boolean, location) before being stored
- If an incoming value doesn't match its expected type, the platform attempts an auto-correction; if that isn't possible, the value is dropped rather than being silently stored as corrupted data
- This data type mapping is configured once per attribute during integration and applies automatically to every future event carrying that attribute, without requiring re-validation setup per event or per campaign
- Naming consistency is enforced at the event level, helping prevent the same business event from being fragmented into multiple near-duplicate event names across platforms, which would otherwise split and undercount reporting
- At the SDK level specifically, events with invalid attribute structures (for example, unsupported data types like null values, custom objects, or invalid numbers) are rejected before being sent, with debug logging available during implementation to catch and resolve these rejections during development rather than after launch
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management>
- Largest enterprise implementation.

MoEngage Response | Compliance: C

- T-Mobile: Serves 140 million users with real-time, personalized offers at scale
- SoundCloud: Handles massive traffic spikes to instantly trigger notifications to millions of fans
- Inspire Brands
- Accor Group
- Airtel
- Swiggy
- The platform is architected to automatically add server capacity to meet demand, with a queuing architecture that ensures high-volume sends on one channel do not impact performance of others. This enables delivery of over 1.5 trillion messages annually while maintaining consistent performance for enterprise clients.

- Airline references using similar event collection architecture.

MoEngage Response | Compliance: C

- We have active airline customers on the same core ingestion/event architecture described above, including:
- AirAsia
- Gulf Air
- Jazeera Airways
- Akasa Air
- These accounts run on the identical multi-tenant event pipeline (SDK/API ingestion → Kafka/Flink stream processing → Eventstore/segmentation → cross-channel activation) used across our broader Travel & Hospitality portfolio (which also includes Accor, Kayak, OYO, Travelodge, Thomas Cook, and airport operators like Bangalore International Airport Limited).

2. Event Taxonomy & Data Governance

2.1 Capability Requirements

The proposed solution should provide comprehensive event governance capabilities ensuring consistency, standardization, quality, and maintainability of analytics implementation across the enterprise.

The platform should support:

2.1.1. Ability to define standardized enterprise event taxonomy.

MoEngage Response | Compliance: C

- Yes. During the Preparation and Design Phase of our implementation framework, we work with clients to define the data taxonomy and data sources, followed by formal Events Sign-off.
- This process establishes a standardized enterprise event taxonomy aligned with your business requirements and technical architecture.

2.1.2. Ability to maintain event naming conventions across all digital channels.

MoEngage Response | Compliance: C

- Yes, MoEngage supports maintaining event naming conventions across all digital channels.
- During the implementation design phase, our team works with you to establish a data taxonomy structure that ensures consistent event naming across websites, mobile apps, and other digital touchpoints.
- The platform is designed to be open and agnostic, allowing you to define and enforce naming conventions that maintain consistency across all channels where user behavior is tracked. This unified approach ensures that events like 'Flight Viewed' or 'Flight Booked' follow the same naming structure regardless of the channel, enabling consistent segmentation, analytics, and campaign triggering across your entire digital ecosystem.
- <https://www.moengage.com/docs/developer-guide/ios-sdk/data-tracking/basic/tracking-events>

2.1.3. Ability to define reusable event schemas.

MoEngage Response | Compliance: C

- Each event is defined once, with a fixed set of attributes and expected data types, and that definition is reused automatically across every future occurrence of the event, no redefinition needed per campaign, segment, or report
- The same event schema (for example, "Booking Confirmed" with fare class, route, payment mode, PNR) is usable identically across web, mobile app, and any other integrated channel, so IndiGo does not need separate schema definitions per platform
- Business-friendly labels (display name, description) can be layered onto a schema once, making it consistently readable for every team that reuses it later, without touching the underlying event structure
- Changing the data type mapping on a schema updates enforcement for all future incoming events tied to that schema, without needing to redefine the event itself
- <https://www.moengage.com/docs/developer-guide/ios-sdk/data-tracking/basic/tracking-events>
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

2.1.4. Ability to manage metadata associated with events, dimensions, and metrics.

MoEngage Response | Compliance: C

- Every event and every attribute can carry a display name, description, category, and enforced data type, managed centrally from one dashboard
- Attributes can be marked visible or hidden from marketer-facing dropdowns independently of whether they're still being tracked in the background, so IndiGo can curate what business users see without losing underlying data
- PII-sensitive attributes (traveler contact details, payment information) can be flagged for masking or encryption directly at the metadata level, rather than requiring a separate data governance layer
- On the metrics side, computed values inside the analytics module (conversion counts, revenue totals, funnel drop-off rates) inherit their labeling and grouping from the same metadata categories as the underlying events, keeping dimension and metric naming consistent across dashboards
- <https://www.moengage.com/docs/developer-guide/ios-sdk/data-tracking/basic/tracking-events>
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

2.1.5. Ability to maintain version history of analytics events.

MoEngage Response | Compliance: C

- Every change made to an event definition or its attributes, including data type mapping, status (allowed/blocked), visibility, display name, and description, is automatically logged with no manual effort required
- Each log entry captures who made the change, what was changed, and the exact timestamp, giving IndiGo a complete, tamper-proof audit trail of every event definition change over time

- Logs cannot be edited or deleted by any user, including admins, ensuring the audit trail itself cannot be altered or gamed after the fact
- Access to this history is restricted to admin-level roles, so only authorized personnel can view or export the change record, supporting IndiGo's internal governance and compliance needs
- The complete audit history can be filtered (by team, entity, action, actor, or date range) and exported as a CSV report, making it usable for periodic compliance reviews or evaluator audits rather than requiring manual tracking outside the platform
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

2.1.6. Ability to validate event payloads before publishing.

MoEngage Response | Compliance: C

- Two distinct validation layers apply here. First, a pre-production Test environment exists separately from Live, so IndiGo's engineering team can send and inspect event payloads before they ever reach production tracking, catching structural issues pre-launch
- Second, at actual ingestion time, every payload is checked against its mapped data type (set once during integration, as covered earlier) and malformed values are auto-corrected or dropped rather than silently published
- Together, this means a bad payload can be caught twice: once during pre-launch testing, and again automatically at the point of ingestion if something slips through
- <https://www.moengage.com/docs/user-guide/settings/account/general-settings/workspace-settings>

Provide

- Maximum supported events.

MoEngage Response | Compliance: C

- No hard platform ceiling on number of distinct custom events or event attributes per account
- Governed by configurable schema/limits enforcement (per-account, contractually agreed) rather than a fixed cap
- Enterprise customers typically track several hundred distinct event types across web, app, and server-side sources
- Metadata capabilities.

MoEngage Response | Compliance: C

- Internal schema registry tracks: event name, custom parameters, custom dimensions, calculated metrics, standard + customer-specific attribute metadata
- Computed Traits auto-generates derived attributes (purchase intent, lifestyle segment, sentiment) from raw event metadata

- Metadata includes type, source system, and ownership for governance traceability
- Event governance framework.

MoEngage Response | Compliance: C

- Data validation controls form the enforcement layer: every event and attribute is checked against a configured data type, with non-conforming values corrected or dropped, and naming consistency is enforced to prevent the same business event fragmenting into duplicate names
- Metadata management forms the definitional layer: every event and attribute carries a display name, description, category, and enforced data type, giving IndiGo a consistent, business-readable definition of what each piece of tracked data means
- Access roles form the accountability layer: permissions control who can create, modify, or view event and attribute definitions, so changes to the governed taxonomy require appropriate authorization
- The audit log forms the traceability layer: every configuration change to an event or attribute is logged with who made the change and when, giving IndiGo a complete historical record of how the governed taxonomy has evolved
- Together, these four layers, validation, metadata, access control, and audit trail, constitute what IndiGo would operationalize as its event governance framework. This should be explicitly scoped with IndiGo during implementation as a defined framework built on these building blocks, rather than assumed to exist as a single pre-configured governance product
- Event quality monitoring reports.

MoEngage Response | Compliance: C

- The detection layer runs continuously: event and attribute volume is monitored against expected baselines, with automatic alerts triggered when a metric deviates beyond a threshold IndiGo defines, surfacing a likely quality issue (a broken integration, a silently failing tracking call) as it happens rather than only being discovered during a periodic manual review
- The inspection layer lets IndiGo's team confirm and diagnose a flagged issue directly: the integration validation view shows whether a specific event is arriving with the correct source, platform, and attribute structure, turning a raw alert into an actionable diagnosis rather than a vague signal
- <https://www.moengage.com/docs/user-guide/settings/data-management/data-management-alerts>
- <https://www.moengage.com/docs/user-guide/getting-started/integration-validation/android-native-integration-validation>
- Enterprise customer references.

MoEngage Response | Compliance: C

- Deutsche Telekom — enterprise-scale governed taxonomy
- T-Mobile — consolidated 5 fragmented Adobe/SFMC data sources into one governed MoEngage taxonomy
- Nestle, McAfee — enterprise data-governance maturity references

- Airline-specific: AirAsia, Gulf Air, Jazeera Airways

3. Customer Identity Resolution & Unified Customer Profiles

3.1 Capability Requirements

The proposed solution should provide enterprise identity resolution capabilities enabling a unified customer profile across anonymous, authenticated, loyalty, partner, and multi-device interactions.

The platform should support:

3.1.1. Ability to identify anonymous visitors.

MoEngage Response | Compliance: C

- MoEngage's SDK enables web and App tracking tags to identify and track anonymous browsers before they identify themselves.
- Once users sign up or provide identifying information, their previous anonymous activity is automatically linked to their customer profile, creating a seamless transition and complete view of their journey from anonymous browsing to known customer.
- <https://www.moengage.com/docs/user-guide/data/user-data/anonymous-to-registered-user-merge>

3.1.2. Ability to merge anonymous users into authenticated customer profiles

MoEngage Response | Compliance: C

- When a traveler browses IndiGo's app or website without logging in, an anonymous profile captures their activity (fare searches, cart additions)
- The moment that traveler logs in or completes a booking with an identifier (email, mobile number, loyalty ID),
- This merge happens automatically, with no manual reconciliation needed from IndiGo's team for the standard login flow; so a fare search done anonymously minutes before login is still visible on the merged profile
- <https://www.moengage.com/docs/user-guide/data/user-data/anonymous-to-registered-user-merge>

3.1.3. Ability to stitch customer journeys across multiple devices.

MoEngage Response | Compliance: C

- A single unified identifier is maintained per traveler regardless of how many devices they use (mobile app, mobile web, desktop web)
- Once a traveler is identified on one device (say, logging in on mobile) and later logs in with the same identifier on another device (web), both device histories are consolidated under one profile
- This gives IndiGo a single, continuous journey view. Someone who searches a fare on mobile and completes the booking on desktop is tracked as one journey, not two disconnected sessions

- A dedicated Analytics-level toggle exists to control whether this merged view is reflected consistently in reporting, keeping segmentation counts and analytics counts aligned rather than showing conflicting numbers
- <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>
- <https://www.moengage.com/docs/user-guide/settings/analytics/enable-user-merging>

3.1.4. Ability to support identity resolution using login IDs, loyalty numbers, booking references, customer IDs, cookies, mobile identifiers, and enterprise identity providers.

MoEngage Response | Compliance: C

- **Native identity resolution** allows any user attribute (login ID, loyalty number, booking reference, customer ID, mobile number) using MoEngage's Multi-ID merging to be configured as a matching identifier. When any one configured identifier matches across profiles, those profiles are automatically consolidated into a single unified traveler identity
- Cookie-based identifiers are supported for pre-login web tracking and get reconciled into the unified profile once a stronger identifier (login, loyalty number) is captured
- The platform's multi-ID merge supports multiple identifiers per workspace out of the box. For IndiGo's requirement, which spans six or more identifier types (login ID, loyalty number, booking reference, customer ID, cookie ID, mobile identifier), this is a native platform capability.
- Profile merge behavior is rule-based and configurable: IndiGo can define which profile is retained on conflict (for example, prioritizing the profile with a verified loyalty number over one with only a cookie ID) and define how specific attributes combine on merge (for example, summing loyalty points across merged profiles rather than overwriting)
- On enterprise identity providers and CDPs, our recommended approach is a two-layer identity strategy:
- MoEngage's native identity resolution handles real-time behavioral and transactional identity stitching (app, web, booking, in-session), since this needs to happen at the speed of a live customer interaction. For enterprise-wide identity governance and golden-record reconciliation across systems IndiGo already operates (loyalty platform, CRM, offline/call-center data), MoEngage will build a two-way integration with FirstHive, IndiGo's existing CDP. Resolved identity data flows from MoEngage into FirstHive to enrich the enterprise golden record, and FirstHive's consolidated identity graph flows back into MoEngage to inform real-time personalization and segmentation
- This avoids forcing all identity resolution logic into a single system: MoEngage stays fast and real-time for engagement decisions, FirstHive remains IndiGo's system of record for enterprise-wide identity governance, and the two stay synchronized rather than duplicated
- Enterprise identity providers such as SAML, OIDC, or SCIM govern how IndiGo's internal team authenticates into the MoEngage dashboard. This is supported of the shelf by MoEngage.
- <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>
- <https://www.moengage.com/docs/user-guide/data/user-data/anonymous-to-registered-user-merge>
- <https://www.moengage.com/docs/user-guide/settings/account/security/single-sign-on-ss0>

3.1.5. Ability to create persistent customer profiles.

MoEngage Response | Compliance: C

- MoEngage creates a persistent user profile for every customer using unique persistent identifiers assigned to each user. These identifiers ensure appropriate tracking across the customer lifecycle, including transitions from anonymous to known states (e.g., when a customer creates an account).
- The user profile aggregates all user attributes across data sources and indexes customer behavior chronologically, including:
 - All tracked events
 - Campaign interactions
 - Consent activity
- The profile persists and accumulates data across every future session, booking, and channel interaction, it is not reset or fragmented by app reinstalls, browser clears, or repeat visits once identity is re-established. This chronological indexing enables a complete audit trail to be reviewed in sequential order. The platform automatically creates additional attributes such as best time to send communications and propensity to become dormant.
- All attributes (loyalty tier, preferred routes, past bookings) and event history remain tied to this one persistent profile rather than being siloed by session or device
- <https://www.moengage.com/docs/user-guide/data/user-data/user-profile>
- <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>

3.1.6. Ability to support household and family relationships where applicable.

MoEngage Response | Compliance: C

- Yes, MoEngage will rely on Indigo's CDP for household and family relationship mapping on our platform. The same set of rules will be replicated and the user merging will happen accordingly.

3.1.7. Ability to combine behavioural, transactional, operational, demographic, and loyalty information.

MoEngage Response | Compliance: C

- MoEngage supports combining behavioral, transactional, operational, demographic, and loyalty information for segmentation and personalization. All data attributes stored in customer profiles including attributes, actions, activities, consents, and tokens can be used for creating segments, personalizing campaigns, and reporting.
- The platform processes events in real-time, enabling segmentation based on event properties and user behavior.
- Custom attributes specific to your business needs can be defined and utilized across all product modules, including segmentation, personalization, analytics, and campaign triggers.
- All five categories can coexist on the same unified traveler profile: behavioral (searches, clicks, app opens), transactional (bookings, payments, add-ons), operational (flight status, check-in events), demographic (age, home city, preferred language), and loyalty (tier, points balance)

- These attribute types are not siloed into separate systems requiring manual joins, they live on one profile and can be used together in a single segment or analytics query (for example, "Gold-tier loyalty members who searched a route in the last 7 days but haven't booked")
- Data across all five categories can originate from different sources (SDK, API, file imports, partner integrations) and still resolve onto the same profile once identity is established
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

3.1.8. Ability to support profile enrichment using enterprise systems.

MoEngage Response | Compliance: C

- MoEngage supports profile enrichment by aggregating data from multiple enterprise systems to create holistic user profiles. The platform seamlessly integrates with various digital platforms including websites, mobile apps, CRM systems, and data warehouses.
- Each user has a dedicated profile where all data is aggregated, combining user attributes and event data sourced from internal systems, point of sale, and other relevant platforms. The data model supports continuous enrichment by integrating additional data sources over time.
- Profile data can be enriched from IndiGo's enterprise systems through direct integrations, including a dedicated integration with FirstHive, IndiGo's CDP, so consolidated enterprise identity and attribute data flows directly into the traveler's MoEngage profile
- Additional enrichment paths remain available through file-based imports (CSV, S3, SFTP) or warehouse integrations (Snowflake) for systems outside the CDP, such as a standalone loyalty database or revenue management system
- This means FirstHive functions as IndiGo's enterprise-wide source of truth, while MoEngage stays synchronized with it rather than requiring IndiGo to feed the same enterprise data into MoEngage a second time through a separate manual process
- <https://www.moengage.com/docs/partner-guide/introduction>
- <https://www.moengage.com/docs/user-guide/data/user-data/user-profile>

3.1.9. Ability to maintain customer profile history.

MoEngage Response | Compliance: C

- MoEngage maintains comprehensive customer profile history through a unified profile model that indexes user behavior chronologically, including all tracked attributes, events, and campaign interactions over time.
- A traveler's profile retains a running activity timeline showing events performed, sessions, and attribute changes over time, visible directly on the profile view
- Historical event data feeding this profile is retained per IndiGo's configured retention window, giving a rolling view of recent traveler behavior rather than only the current-state snapshot
- This activity history is what powers behavior-based segmentation and personalization, since decisions can reference not just a traveler's current attributes but their past sequence of actions
- <https://www.moengage.com/docs/user-guide/data/user-data/user-profile>

3.1.10. Ability to support first-party identity management strategies.

MoEngage Response | Compliance: C

- Identity resolution runs natively on IndiGo's own first-party identifiers (login ID, loyalty number, booking reference, mobile number) rather than depending on third-party cookies or external ad-tech identity graphs
- This means IndiGo's traveler identity strategy stays resilient to third-party cookie deprecation, since profile stitching is anchored on identifiers IndiGo itself owns and issues
- First-party identifiers captured at any touchpoint (app login, web login, in-store kiosk if integrated) feed the same unified identity graph without dependency on external identity providers
- This is reinforced by the native FirstHive integration described earlier in this response, which consolidates IndiGo's first-party identifiers across enterprise systems into a single governed identity layer, rather than IndiGo depending on any third-party identity graph
- <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>

3.1.11. Ability to maintain customer profile audit history.

MoEngage Response | Compliance: C

- Every change made to a customer profile's configuration-level attributes and any manual merge actions performed by IndiGo's team is logged automatically, capturing who made the change, what was changed, and when
- This audit log cannot be edited or deleted by any user, including admins, so the audit trail itself remains tamper-proof
- Access is restricted to admin-level roles, and the full log is filterable and exportable, giving IndiGo a defensible audit record for compliance or evaluator review without needing a separate governance tool
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

Provide

- Identity resolution methodology.

MoEngage Response | Compliance: C

- Builds one persistent Single Customer View by resolving/merging: device ID, cookie, login ID, loyalty number, booking reference, customer ID, or enterprise IdP identifier
- Anonymous visitor activity tracked against device/cookie ID from first touch
- Automatic merge into authenticated profile the instant a customer logs in or completes a booking — full history carried forward, not just future events
- Handles multi-identifier entities: both users and devices can carry multiple identifiers with no single universal key required
- Entity resolution runs inside the Action Streaming layer of our real-time ingestion pipeline (not a nightly batch job)

- <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>
- Maximum supported profile attributes.
MoEngage Response | Compliance: C
 - No hard-coded ceiling on attributes per profile
 - Enterprise accounts commonly maintain hundreds of behavioural, transactional, operational, demographic, and loyalty attributes per customer
 - Further enriched via Computed Traits (MoEngage generated attributes) and direct CRM/enterprise-system sync
- Identity graph capabilities.
MoEngage Response | Compliance: C
 - Cross-device and cross-channel stitching across web, app, and backend touchpoints
 - Supported identifiers: login IDs, loyalty numbers, booking references, cookies, mobile identifiers, enterprise IdP tokens
 - Persistent graph maintained per customer with full profile + audit history retained
 - Household/family relationship modeling supported where the business case requires it (e.g., linked traveller profiles)
 - <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>
- Customer profile update latency.
MoEngage Response | Compliance: C
 - Updates flow through the same streaming pipeline as event ingestion (Kafka + Flink + RocksDB)
 - This results in near-real time profile updates
 - Enables near-real-time audiences, analytics, and personalization immediately after a booking, check-in, or loyalty-qualifying action
 - RocksDB state store cuts database reads by more than half versus a direct-database-read model, keeping updates fast even at scale
 - <https://www.scylladb.com/2026/01/16/moengage-millisecond-personalization/>
- Airline customer deployments.
MoEngage Response | Compliance: C
 - Airline Customer Deployments:
 - AirAsia

- Gulf Air
 - Jazeera Airways
 - Akasa Air
 - Largest customer profile implementation.
- MoEngage Response | Compliance: C**
- 1.3 billion+ customer profiles managed globally today across customers
 - Reference precedent: T-Mobile at 140 million profiles on the same identity-resolution architecture and Adobe Migration
 - Individual enterprise tenants run dedicated, isolated clusters sized to active-user volume and retention policy

4. Customer Journey Analytics

4.1 Capability Requirements

The proposed solution should provide enterprise customer journey analytics enabling complete visibility of customer interactions across all digital touchpoints throughout the travel lifecycle.

The platform should support:

4.1.1. Ability to visualize end-to-end customer journeys across Web, Mobile Applications, APIs, Contact Centre, Loyalty Platform, Marketing Platforms, and future channels.

MoEngage Response | Compliance: C

- MoEngage will ingest data from all these sources individually and create a unified profile ensuring that you have the ability to view any user's end-to-end customer journey across different touch points.
- Web and App data will come to MoEngage via our SDKs. Moreover, Any system capable of sending data via API, including a contact centre platform, loyalty engine, or a future channel not yet in scope, can feed events into the same unified traveler profile, without needing a purpose-built, named integration per source system
- Once ingested, events from any channel are visualized together in the same journey and path analysis tools, so a contact centre interaction and an app booking event appear on the same customer timeline rather than in separate silos
- This channel-agnostic ingestion model means IndiGo is not limited to a fixed list of "supported channels." Any future channel IndiGo adds can be onboarded as an event source without a platform upgrade or vendor dependency
- <https://www.moengage.com/docs/developer-guide/introduction>
- <https://www.moengage.com/docs/api/introduction>

- <https://www.moengage.com/docs/partner-guide/introduction>

4.1.2. Ability to analyse customer movement across booking, servicing, check-in, ancillary purchase, loyalty, and post-travel journeys.

MoEngage Response | Compliance: C

- Each of these stages (booking, servicing, check-in, ancillary purchase, loyalty activity, post-travel engagement) is tracked as a sequence of business events on the traveler's unified profile
- Funnel analysis lets IndiGo define these stages as a conversion sequence (for example, Fare Searched to Booking Confirmed to Check-in Completed) and see the conversion rate and drop-off at each stage
- User Path analysis complements this by showing what travelers actually do before or after a specific milestone, rather than only the stages IndiGo predefines, surfacing movement patterns that weren't explicitly modeled upfront
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnels-overview>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-paths-overview>

4.1.3. Ability to automatically identify journey drop-off points.

MoEngage Response | Compliance: C

- Funnel analysis automatically calculates and visually highlights the conversion rate at every stage, making drop-off points visible without manual data crunching
- Advanced funnel analysis goes further, measuring how long users take at each step and how many attempts they make before succeeding, surfacing hesitation points, not just binary drop-off, such as travelers repeatedly viewing seat selection before abandoning
- Drop-off segments can be converted directly into a targetable audience with one action, so IndiGo can immediately re-engage travelers who dropped off (for example, at payment) rather than only observing the drop-off in a report
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnels-overview>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-paths-overview>

4.1.4. Ability to compare customer journeys across different traveller segments.

MoEngage Response | Compliance: C

- MoEngage Funnels module enables comparison of customer journeys across traveller segments. You can define event sequences (e.g., search → seat selection → booking) and visualize funnels by user types, segments, time periods, and attributes. The platform supports:
- Segmentation and trend analysis to compare funnel performance across different traveller cohorts
- Custom splits based on user attributes, location, day of week, and hour of day
- Time-to-convert and steps-to-convert analysis to understand journey duration and friction points

- Side-by-side funnel comparison by timeframe (e.g., versus 7 days ago, year-over-year) and segments (e.g., first-time versus returning travellers)
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnels-overview>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/compare-mode-in-analytics>

4.1.5. Ability to analyse conversion paths and customer behaviour across multiple sessions.

MoEngage Response | Compliance: C

- Yes, MoEngage supports conversion path and customer behaviour analysis across multiple sessions as well.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

4.1.6. Ability to identify friction points affecting booking conversion.

MoEngage Response | Compliance: C

- User Path analysis run in reverse from "Booking Completed" or "Payment Failed" shows exactly what travelers did in the steps immediately before, surfacing the specific actions that precede successful versus failed bookings
- Advanced funnel analysis identifies steps where users take unusually long or attempt an action repeatedly before succeeding, both strong signals of a friction point (for example, repeated failed OTP attempts before checkout)
- These friction points can be filtered by device, route, or fare type, helping IndiGo distinguish a friction point that's universal from one specific to, say, a particular payment method or route
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>

4.1.7. Ability to support multi-session journey reconstruction.

MoEngage Response | Compliance: C

- A traveler's full journey is reconstructed as one continuous timeline that spans multiple sessions and devices, rather than resetting with each new visit
- Both forward paths (what happens after a starting event) and reverse paths (what led up to an ending event) can be reconstructed across this multi-session history, giving IndiGo both directions of journey analysis
- This reconstruction relies on the same unified identity resolution covered earlier in this response, so a traveler searching on mobile and completing the booking on web later is treated as one reconstructed journey, not two fragments
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

4.1.8. Ability to compare successful versus unsuccessful customer journeys.

MoEngage Response | Compliance: C

- Cohort-based retention analysis and funnel comparison both allow IndiGo to directly contrast the behavior of travelers who completed a booking against those who abandoned it, using the same underlying event data
- Reverse path analysis run separately from "Booking Completed" and from "Booking Abandoned" surfaces exactly where the two journeys diverge, rather than IndiGo having to infer it from aggregate drop-off numbers alone
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/retention/retention-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

4.1.9. Ability to analyse customer behaviour before cancellations, payment failures, booking abandonment, and ancillary purchases.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive behavioral analytics capabilities to analyze customer actions before key events such as cancellations, payment failures, booking abandonment, and ancillary purchases.
- **User Paths:** Visualize how customers navigate through the booking journey. Analyze event trails to understand what actions users perform before abandoning a booking, experiencing payment failure, or completing ancillary purchases.
- **Funnel Analytics:** Analyze sequences of events leading to specific outcomes (e.g., booking initiation → payment → completion). Quickly identify where users drop off between events and create dynamic segments to trigger re-engagement campaigns for users who abandoned bookings or failed payments.
- **Behavior Analytics:** Gain trends and insights into how users interact with web and mobile apps, including engagement and conversion patterns. Track differences in behavior between user cohorts (e.g., first-time vs. repeat bookers, ancillary purchasers vs. non-purchasers).
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/retention/retention-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/behavior-analysis>

4.1.10. Ability to correlate customer journeys with operational events including flight delays, disruptions, fare changes, and schedule modifications.

MoEngage Response | Compliance: C

- Operational events (a flight delay notification, a schedule change, a fare adjustment) are tracked as events in exactly the same way as booking or engagement events, meaning they sit on the same traveler timeline and can be correlated directly
- This allows analysis such as "how did travelers who experienced a flight delay behave in the following 48 hours" or "did a fare change immediately precede a booking abandonment," using MoEngage's Funnels and Behavioural analysis
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/behavior-analysis>

4.1.11. Ability to analyse journey performance across channels, geographies, devices, campaigns, and loyalty tiers.

MoEngage Response | Compliance: C

- Every journey and conversion report (funnels, path analysis, session behavior, retention/cohorts) can be filtered and compared across each of these dimensions independently or in combination, since channel, geography, device type, campaign source, and loyalty tier are all standard attributes attached to every tracked event and traveler profile
- IndiGo can isolate journey performance for a specific combination directly, for example, mobile app users from Tier 2 cities who arrived through a paid campaign and hold Silver loyalty status, without needing engineering support to build a custom report for that combination
- Comparisons can run side by side rather than one filter at a time, so IndiGo can view booking conversion rate for Gold-tier travelers on web against Silver-tier travelers on mobile app in a single view, rather than pulling two separate reports and manually reconciling them
- This filtering applies uniformly across analysis types. The same channel, geography, device, campaign, and loyalty tier dimensions available in funnel analysis are also available in path analysis, session analysis, and retention analysis, so IndiGo isn't restricted to a single report type to get this cross-dimensional view
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/compare-mode-in-analytics>

4.1.12. Ability to support journey segmentation using behavioural, transactional, and operational attributes.

MoEngage Response | Compliance: C

- Any journey analysis IndiGo runs, whether it's a funnel, a behavior query, a user path, a retention/cohort view, or session analysis, can be converted directly into a segment with one click from the chart itself, without needing to manually rebuild the same logic in a separate segment builder
- For example, if a funnel analysis reveals travelers who searched a route but dropped off before payment, IndiGo can create a segment directly from that funnel step and immediately act on it (send a re-engagement campaign, export the list, or feed it into further analysis), rather than translating the finding into a new query by hand
- The resulting segment can still combine behavioural (searches, clicks), transactional (past bookings, payment history), and operational attributes (affected by a schedule change, delayed flight) as additional filter conditions on top of what the original analysis surfaced, so the segment isn't limited to only what was visible in that one chart
- Segments created this way can be saved as either dynamic (recalculates as new travelers match the criteria over time) or static (fixed at the point of creation), giving IndiGo control over whether the audience should keep updating or stay locked to a specific moment
- This turns journey analysis into something IndiGo's marketing team can act on directly from the insight itself, without depending on a separate segmentation exercise or engineering support to translate a finding into a targetable audience
- <https://www.moengage.com/docs/user-guide/analyze/analytics/actionable-analytics>

4.1.13. Ability to provide AI-assisted journey insights and optimization recommendations.

MoEngage Response | Compliance: C

- MoEngage's AI layer (Proactive Assistant, powered by Merlin AI) continuously and automatically scans traveler data without requiring IndiGo's team to run a query, surfacing anomalies (a sudden spike or dip in bookings, drop-offs, or engagement) and auto-generated traveler clusters based on behavior patterns
- Where relevant, these insights are one-click actionable, letting IndiGo immediately create a targeting segment or trigger a re-engagement campaign directly from the surfaced insight, rather than only receiving a static report
- You can also leverage MoEngage's Custom Agents to set up any journey insights as per the business requirements
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/proactive-assistant/proactive-assistant>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>

Provide

- Maximum supported journey length.

MoEngage Response | Compliance: C

- No fixed step-count ceiling on journey/session reconstruction
 - Eventstore retains full user-activity timelines for a configurable rolling window per tenant SLA
 - Multi-session journey reconstruction supported across the entire retention window without truncation
- Journey reconstruction capabilities.

MoEngage Response | Compliance: C

- Reconstructs journeys across Web, Mobile App, API, Contact Centre, Loyalty Platform, Marketing Platform touchpoints
 - Easily duplicate journeys and run any segmentation / analysis on them
- Journey visualization methodology.

MoEngage Response | Compliance: C

- Funnel, Cohort, and Retention Analysis modules for step-by-step and longitudinal journey views
 - Automatic drop-off and friction-point identification built into the analysis, not a manual comparison exercise
 - Journeys filterable/comparable across traveller segments, channels, geographies, devices, campaigns, and loyalty tiers
- AI-assisted journey analysis features.

MoEngage Response | Compliance: C

- Analytics Assist (Merlin AI) — natural-language queries across journey/campaign performance data, with conversational follow-up
 - AI surfaces friction points and optimization recommendations automatically, without manual funnel-by-funnel review
 - MoEngage's AI layer (Proactive Assistant, powered by Merlin AI) continuously and automatically scans traveler data without requiring IndiGo's team to run a query, surfacing anomalies (a sudden spike or dip in bookings, drop-offs, or engagement) and auto-generated traveler clusters based on behavior patterns
 - Where relevant, these insights are one-click actionable, letting IndiGo immediately create a targeting segment or trigger a re-engagement campaign directly from the surfaced insight, rather than only receiving a static report
 - You can also leverage MoEngage's Custom Agents to set up any journey insights as per the business requirements
 - <https://www.moengage.com/docs/user-guide/ai-and-intelligence/proactive-assistant/proactive-assistant>
 - <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>
- Journey analytics latency.

MoEngage Response | Compliance: C

- Booking-funnel and journey dashboards reflect near-real-time behaviour, not next-day batch reporting
- Airline deployment references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways — booking, ancillary, and loyalty journey tracking in production
 - Reference calls available at a later stage
- Largest production journey analytics implementation.

MoEngage Response | Compliance: C

- Runs on the same Eventstore/analytics infrastructure processing 250B+ events/month platform-wide
- Reference precedent: T-Mobile's 12 billion events flow through comparable journey-analytics infrastructure

5. Product Analytics

5.1 Capability Requirements

The proposed solution should provide comprehensive product analytics capabilities enabling IndiGo to measure, monitor, analyse, and optimize customer engagement across all digital products and customer touchpoints.

The solution should support:

5.1.1. Ability to measure feature adoption, customer engagement, and product usage across Web, Mobile Applications, and future digital channels.

MoEngage Response | Compliance: C

- Every time a traveler interacts with a feature, whether that's searching a fare, opening the fare calendar, or selecting a seat, that interaction is captured as an event and attributed to their unified profile, regardless of whether it happened on the IndiGo app, the website, or any other digital surface. This means
- IndiGo doesn't end up with three disconnected usage numbers for the same feature (one from app, one from web, one from a kiosk), it gets one number that can be broken down by channel whenever that view is useful, and one number that rolls up when it isn't
- Because the underlying tracking mechanism doesn't care which specific platform an event originated from, when IndiGo eventually launches a new digital surface, say a smart-device check-in experience, that channel's usage becomes measurable the moment events start flowing in. There's no need to wait for a platform upgrade or new integration to "support" that channel from an analytics standpoint
- Engagement itself is measured at multiple depths: simple usage counts (how many travelers used a feature), frequency (how often the same traveler returns to it), and depth (how many related actions happen in the same session), so IndiGo isn't limited to a single flat adoption number per feature
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

5.1.2. Ability to analyse customer interaction with every product feature throughout the customer lifecycle.

MoEngage Response | Compliance: C

- A traveler's very first interaction with IndiGo, whether that's their first app open, first fare search, or first website visit, is tied to the same profile that will later capture their tenth booking, their loyalty tier upgrade, and their hundredth check-in. Feature interaction data doesn't get siloed by time period or reset between visits, it accumulates for the life of that relationship
- This makes lifecycle-stage comparison possible in a very concrete way: IndiGo could pull up how a traveler in their first 30 days behaves differently with feature usage (heavy fare comparison, cautious add-on selection) compared to a loyalty member of three years (fast checkout, high add-on attach rate, frequent use of saved payment methods), because both are visible on the same continuous timeline rather than requiring two separate systems to be joined together
- This also supports proactive intervention. If a newer traveler's feature engagement pattern starts resembling that of travelers who historically churned, IndiGo can catch that early rather than only noticing after the traveler has already stopped booking
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

5.1.3. Ability to measure customer retention, repeat usage, stickiness, and engagement trends.

MoEngage Response | Compliance: C

- **Retention analysis** works by grouping travelers into cohorts based on a shared starting action, for instance, everyone who completed their first booking during a particular week, and then tracking what percentage of that group returns and remains active over the following days, weeks, or months. This produces the classic retention curve IndiGo's product and growth teams would use to judge whether engagement efforts are actually working over time, not just in the moment a campaign goes out
- **Stickiness** (how habitual a behavior becomes, like checking flight status daily during travel week versus opening the app once a year) is measured through repeat usage frequency reports, distinguishing travelers who use IndiGo's app as a recurring utility from those who only open it around the time of a booking
- **Engagement trend lines** are available as time-series charts with automatic percentage-change calculations built in, so IndiGo can immediately see whether a metric is improving or declining week over week without manually calculating the delta each time
- Any cohort showing declining stickiness (say, travelers who used to check in via app but have stopped) can be turned directly into a targetable segment for a re-engagement push, closing the loop between "we noticed retention slipping" and "we did something about it"
- <https://www.moengage.com/docs/user-guide/analyze/analytics/retention/advanced-retention-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

5.1.4. Ability to identify frequently used, underutilized, and abandoned product features.

MoEngage Response | Compliance: C

- **Behavior analysis** produces a ranked view of feature usage, showing total interactions and unique users per feature side by side, so IndiGo can immediately see which features (say, seat selection) get heavy use compared to others (say, a specific ancillary add-on) that barely register
- The distinction between "underutilized" and "abandoned" matters, and the platform supports telling them apart. A feature is underutilized if travelers rarely start using it at all (low entry into the feature), while a feature is abandoned if travelers start but consistently don't finish (high entry, low completion). Funnel and path analysis distinguish these two patterns clearly rather than collapsing them into one generic "low usage" number
- This distinction is operationally useful for IndiGo. A feature with low entry might need better visibility or promotion within the app, while a feature with high entry but low completion likely has a usability or trust problem (for example, travelers opening seat selection but abandoning once they see the price) that promotion alone won't fix
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

5.1.5. Ability to measure customer engagement across booking, servicing, loyalty, ancillary, and post-booking journeys.

MoEngage Response | Compliance: C

- MoEngage provides detailed analytics on passenger engagement across all journey stages:
- **Booking Journey:** Track conversion rates, booking behavior, and funnel analytics to understand drop-offs and optimize the booking flow
- **Servicing Journey:** Monitor user interactions with service touchpoints including email open rates, push notification interactions, and in-app behavior

- **Loyalty Journey:** Analyze engagement with loyalty programs, track tier progression, and measure program effectiveness
- **Ancillary Journey:** Track engagement with ancillary services and cross-sell offers (baggage fees, seat upgrades, in-flight services) to optimize ancillary revenue through custom event tracking, conversion monitoring, and A/B testing
- **Post-Booking Journey:** Measure post-flight engagement including feedback collection, thank-you message interactions, and re-engagement campaign performance
- The platform enables tracking of passenger interactions across multiple devices to create a seamless journey from initial search to booking and beyond, with unified customer profiles that aggregate behavior across all touchpoints. Real-time reporting capabilities cover key airline-specific metrics including conversion rates, ancillary revenue, etc.
- The Behavior module provides comprehensive insights into user interactions within web and mobile apps, supporting both graphical and tabular reports for visualization and in-depth analysis of engagement patterns across all journey stages.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

5.1.6. Ability to analyse user behaviour across multiple application versions and releases.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive behavioral analytics capabilities that enable analysis of user behavior across multiple application versions and releases.
- The platform's Behavior module delivers insights into user interactions with web and mobile apps, allowing you to track events, actions, and engagement patterns across different app versions. You can segment users by app version and device attributes to compare behavior patterns between releases.
- The analytics engine also includes funnel analysis to understand conversion paths and drop-offs across versions, retention cohorts to measure user retention trends between releases, and user path analysis to visualize journey differences. Session and source analytics help track user acquisition and engagement metrics by version. All analytics can be filtered and segmented by app version, enabling direct comparison of user behavior before and after releases to identify performance improvements or issues introduced in specific versions.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/moengage-analytics/overview>

5.1.7. Ability to compare product adoption across customer cohorts, geographies, devices, operating systems, and application versions.

MoEngage Response | Compliance: C

- All five of these dimensions, customer cohort, geography, device type, operating system, and app version, exist as standard, always-available filters on every analysis type. IndiGo isn't limited to comparing one dimension at a time; multiple filters can be layered together in a single view
- In practice, this means a question like "how does seat selection adoption differ between Android users in Tier 2 cities on the latest app version versus iOS users in Tier 1 cities on an older version" is answerable

directly from the analytics interface, without needing a custom report built by engineering or a data analyst pulling raw exports into a spreadsheet

- This is particularly relevant for IndiGo given the geographic and device diversity of its traveler base across metro and non-metro routes, where adoption patterns for a feature like fare calendar or digital boarding pass may genuinely differ by region or device capability, and IndiGo needs to see that difference clearly rather than only looking at a blended national average that hides it
- <https://www.moengage.com/docs/user-guide/analyze/analytics/compare-mode-in-analytics>

5.1.8. Ability to measure customer engagement with newly launched features.

MoEngage Response | Compliance: C

- New feature tracking doesn't require a separate setup process distinct from regular analytics. The moment IndiGo defines a new event for a newly launched feature (say, a new self-service rebooking flow), engagement measurement begins immediately from day one of launch, using the exact same reporting tools already used for every other feature
- This means IndiGo can track a new feature's adoption curve day by day right from release, rather than waiting for a separate reporting cycle to catch up, and can catch early warning signs (for example, low first-week adoption, or high entry but low completion) quickly enough to make adjustments before a launch is judged a success or failure
- If IndiGo wants to benchmark a new feature's launch performance against previous launches (for example, comparing the seat-selection redesign's week-one adoption against last year's fare-calendar launch), that comparison is possible using the same version-based and time-series analysis, since past launch data remains available rather than being archived away
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/compare-mode-in-analytics>

5.1.9. Ability to analyse feature discovery, feature completion, and feature abandonment.

MoEngage Response | Compliance: C

- These three concepts map to three distinct analytical questions that MoEngage can answer using slightly different tools. **Discovery**, how travelers find and enter a feature in the first place, is best analyzed using **forward path analysis** starting from the feature's entry event, showing what travelers were doing right before they discovered it (a helpful signal for where in the app to promote the feature further)
- **Completion and abandonment** are best measured together using **funnel analysis**, which breaks the feature's internal steps into a sequence and calculates the conversion rate at each stage, showing exactly where travelers who started the feature stopped rather than seeing them
- **Reverse path analysis** anchored on the feature's completion event complements this by showing what a successful path through the feature typically looks like, which can then be compared against the paths of travelers who abandoned partway through, isolating the specific point or action where the two groups diverge
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>

5.1.10. Ability to monitor feature health using configurable KPIs.

MoEngage Response | Compliance: C

- **Custom dashboards** let IndiGo define exactly which metrics constitute "health" for a given feature rather than relying on a fixed, one-size-fits-all definition. For seat selection, that might mean completion rate and average time to complete; for check-in, it might mean completion rate and repeat usage across multiple flights
- Every KPI on these dashboards automatically calculates percentage change against the previous time period and against a baseline point, so IndiGo's team sees at a glance whether a metric is trending in the right direction without needing to manually calculate week-over-week or month-over-month differences each time they check
- Because these dashboards can be scoped to a specific team or feature area and shared with relevant stakeholders, different teams within IndiGo (say, the digital product team responsible for check-in versus the team responsible for ancillary sales) can each maintain their own health view without needing to sift through metrics irrelevant to their area
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

5.1.11. Ability to create custom product health scorecards.

MoEngage Response | Compliance: C

- MoEngage supports custom dashboards where you can track specific KPIs and metrics relevant to product health. You can create dashboards tailored to monitor key performance indicators, add custom reports from Analytics (User Analysis, Funnels, Retention, Behavior Analysis), and visualize product performance metrics.
- In practice, this means IndiGo could build something functioning exactly like a scorecard, for example, a "Check-in Health" dashboard that combines check-in completion rate, common drop-off points, week-over-week usage trend, and device/OS breakdown all in one place, and restrict who has access to view or edit it
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

5.1.12. Ability to identify behavioural patterns leading to successful booking completion.

MoEngage Response | Compliance: C

- MoEngage provides behavioral analytics capabilities to identify patterns leading to booking completion through:
- **Funnel Analytics:** Track multi-step booking flows, identify drop-off points, and analyze conversion rates at each stage
- **Behavior Analysis:** Examine user actions, sequences, and patterns across the booking journey
- **User Paths:** Visualize actual paths users take from initial interest to booking completion
- **Reverse path analysis** anchored on the "Booking Completed" event reconstructs the common sequence of actions that travelers who successfully booked took in the lead-up to that moment, for example, a pattern where travelers compare two to three fare options, check the fare calendar, then proceed directly to payment without revisiting seat selection
- The real analytical value comes from comparing this successful pattern directly against the behavior of travelers who did not complete a booking, using the same path analysis run against an "abandoned" or

"drop-off" anchor point instead. This turns a descriptive observation ("here's what successful travelers do") into a diagnostic one ("here's specifically what's different between travelers who convert and travelers who don't")

- This kind of pattern analysis can also be filtered by traveler segment, so IndiGo can check whether the pattern that predicts successful completion for a business traveler booking a same-day domestic route looks different from the pattern for a leisure traveler planning a trip months in advance, rather than assuming one universal "successful path" applies to every kind of traveler
- These analytics are actionable insights can be saved as custom segments for targeted campaigns.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

5.1.13. Ability to analyse user flows across different customer personas.

MoEngage Response | Compliance: C

- IndiGo defines each persona as a segment, built from a combination of attributes and behavior. For example, a "Frequent Business Traveler" persona might be defined as travelers who book within the same week as departure, fly a recurring set of routes, and rarely add checked baggage, while a "Leisure Traveler" persona might be defined by longer advance booking windows, weekend travel dates, and higher ancillary attach rates
- Once a persona is created as a segment, it can be applied as a filter across every analysis type covered in this response, using the same segment consistently rather than redefining the persona separately for each type of analysis
- In path analysis, applying the persona segment shows how that specific group navigates the app or website, for example, running a forward path starting from "App Opened" filtered to the Business Traveler segment reveals whether that persona jumps straight to a saved route and skips fare comparison, while the same path filtered to the Leisure Traveler segment might show heavier browsing across the fare calendar first
- In behavior analysis, the same persona filter shows how frequently and how deeply each group engages with specific features, letting IndiGo compare something like average ancillary purchases per booking between the two personas directly, side by side
- In funnel analysis, applying the persona segment to a defined conversion sequence (Fare Searched to Payment Completed) shows whether one persona drops off at a different stage than another, for example, if Leisure Travelers abandon more at seat selection while Business Travelers abandon more at payment
- In retention analysis, the persona segment can be used as the starting cohort, showing whether Business Travelers return and rebook at a different rate and cadence than Leisure Travelers over the following weeks or months
- Because the same persona segment is reused across all four analysis types rather than being redefined each time, IndiGo gets a consistent, comparable view of how each persona moves through the product, rather than four disconnected reports that each define "Business Traveler" slightly differently
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>

- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

5.1.14. Ability to measure customer lifetime engagement across all owned digital channels.

MoEngage Response | Compliance: C

- Lifetime-level metrics, total lifetime value, cumulative conversions, total sessions across the entire relationship, are calculated on the traveler's persistent profile and accumulate continuously across every owned digital channel that traveler touches. These numbers don't reset when a traveler moves from primarily using the app to primarily using the website, or vice versa
- This gives IndiGo a genuinely unified lifetime engagement view per traveler, rather than a fragmented picture where "lifetime value on app" and "lifetime value on web" have to be manually added together and reconciled by an analyst. If a traveler started as a website-only user years ago and has since shifted to being an app-first user, their full historical engagement is still visible as one continuous record
- This lifetime view is also usable as a segmentation input, meaning IndiGo could directly target travelers whose lifetime engagement has been high but who have shown no recent activity, a classic "high-value, at-risk" traveler segment, without needing to manually calculate lifetime value outside the platform first
- <https://www.moengage.com/docs/user-guide/analyze/analytics/users/analysis>
- <https://www.moengage.com/docs/user-guide/data/user-data/user-profile>

5.1.15. Ability to support event-based, user-based, and account-based analytics.

MoEngage Response | Compliance: C

- **Event-based analytics** (specific actions, sequences, outcomes) and **user-based analytics** (individual traveler profile, history, lifetime engagement) are both natively supported
- **Account-based analytics**, aggregating data at a corporate or enterprise account level rather than individual traveler level, is achieved using an Object data type: a corporate account is modeled as a parent profile, with individual employee-travelers linked to it via an object attribute (employee ID, designation, cost center). Each employee still exists as their own independent profile with their own booking history, while remaining queryable under the account
- This enables account-level rollups, total bookings, spend, or ancillary attach rate across all employees linked to one corporate account, without manually combining individual records
- <https://www.moengage.com/docs/user-guide/analyze/analytics/object-data-in-analytics#create-analytics-queries-with-object-data>

5.1.16. Ability to support airline-specific product analytics including Search, Fare Calendar, Flight Selection, Add-ons, Seat Selection, Payment, Check-in, Boarding Pass, Flight Status, Loyalty, and Customer Support.

MoEngage Response | Compliance: C

- Each area is modeled as its own set of trackable events, with attributes specific to that step (route/dates for Search, seat type/price for Seat Selection, payment method/status for Payment, channel/timing for Check-in, and so on)
- Funnel analysis measures conversion and drop-off within each area (for example, seat map opened to seat confirmed, or payment initiated to payment completed)

- Path analysis shows what travelers do before or after a specific step (for example, what happens after a failed payment, or what leads to a Fare Calendar view)
- Behavior analysis ranks usage patterns within each area (most-searched routes, most-attached add-ons, check-in timing patterns)
- Retention analysis applies to recurring behaviors like check-in across multiple flights or loyalty point activity over a traveler's lifetime
- Flight Status and other operational events (delays, schedule changes) sit on the same traveler timeline as product events, so the two can be cross-referenced directly
- Once this event taxonomy is defined across all eleven areas, the same funnel, path, behavior, retention, and dashboard tools apply uniformly across the entire product experience
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview>

Provide

- Maximum events supported per customer.

MoEngage Response | Compliance: C

- No fixed per-customer event cap at the product-analytics layer
- High-frequency users (e.g., daily-active loyalty members) supported without truncation via bucketed partition-key schema design (prevents any single user's history from creating an oversized data partition)

- Maximum customer profiles supported.

MoEngage Response | Compliance: C

- No limit to the number of customer profiles that can be stored on the platform
- This is a contractual point of discussion and MoEngage can easily support any scale

- Largest enterprise deployment.

MoEngage Response | Compliance: C

- Largest production Product Analytics deployments in the multi-hundred-million-profile range
- Reference precedent: T-Mobile (140M profiles), Garmin (global, 150+ locales), LIC, Tata Digital, Airtel, Soundcloud, T-mobile

- Product analytics latency.

MoEngage Response | Compliance: C

- All Product analytics dashboards are updated in near real-time

- Customer retention analysis capabilities.

MoEngage Response | Compliance: C

- Native Retention Analysis and Cohort Analysis — segment by acquisition date, behaviour, or channel; track retention curves over time
 - Predictive Segments (churn/dormancy models) proactively flag at-risk customers before they lapse
 - Affinity Segments group customers by common interaction patterns to inform retention campaigns
- Airline customer references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways, Akasa Air — active references for product-usage/engagement analytics in travel/airline vertical
- Typical product adoption improvement achieved.

MoEngage Response | Compliance: C

- MAU increase: typically 25-65%, with standout cases reaching 2-3X growth, driven by segmentation-based journeys and personalized cross-channel engagement
 - DAU increase: typically 45-50%, with strong cases reaching 2X, primarily through personalized content recommendations and behavior-triggered engagement
 - Cross-sell/upsell uplift: typically 35-55% improvement in cross-sell and upsell purchases, achieved through behavioral targeting (purchase history, browsing patterns, cart activity) powering personalized recommendation campaigns
 - Airline and travel-specific implementations have shown cross-sell/upsell uplifts in the 35-40% range specifically, alongside meaningful gains in in-app channel adoption for bookings and ancillary purchases
- Supported visualization capabilities.

MoEngage Response | Compliance: C

- Behaviour Analysis, Funnel Analysis, Retention/Cohort Analysis, Session and Source Analysis, User Analysis, User Path analysis,
- Custom dashboards: line, bar, funnel, cohort grid, pivot table chart types
- Formula-based and calculated metrics
- Split-analysis by any event or user attribute for cross-cutting comparisons
- One-click drill-down from any chart directly into the underlying user segment
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview>

6. Booking Funnel Analytics & Conversion Optimization

6.1 Capability Requirements

The proposed platform should provide specialized analytics capabilities for airline booking funnels enabling continuous optimization of customer conversion and revenue generation.

The solution should support:

6.1.1. Ability to analyse complete booking funnels from Search through Booking Confirmation.

MoEngage Response | Compliance: C

- The entire booking journey, Search, Flight Selection, Passenger Details, Ancillary Selection, Seat Selection, Payment, and Confirmation, can be modeled as one continuous funnel, with conversion rate and drop-off calculated at every single stage rather than only at the final outcome
- Beyond just conversion percentage, the time travelers spend between each stage is also captured, so IndiGo can see not just that travelers drop off between Seat Selection and Payment, but how long they typically linger there before doing so
- This full-funnel view can be filtered by any traveler attribute (route, fare class, loyalty tier), letting IndiGo isolate whether the funnel behaves differently for, say, a Gold-tier traveler booking a Tier 1 metro route versus a first-time flyer booking a smaller route
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>

6.1.2. Ability to identify customer abandonment across every booking stage.

MoEngage Response | Compliance: C

- MoEngage supports funnel analytics to identify customer drop-offs across booking stages. The Funnels module allows you to define a series of events leading to a goal (such as booking completion), visualize user journeys, and identify drop-off points at each stage. You can analyze time to convert, steps to convert, and how often a step is repeated before moving to the next one. The platform enables targeting users who drop off at any stage by creating messaging campaigns directly from the funnel interface.
- Funnel analysis pinpoints the exact stage where travelers exit, whether that's right after viewing fares, during passenger detail entry, or at the payment screen, rather than only reporting a single overall abandonment rate
- Any group of travelers who abandoned at a specific stage can be turned directly into a targetable segment with one action, so IndiGo can immediately follow up (for example, a reminder push to travelers who abandoned at payment) instead of only observing the abandonment in a report after the fact
- This stage-level granularity matters operationally: an abandonment concentrated at Ancillary Selection points to a pricing or UX issue there specifically, while abandonment concentrated at Payment points to a checkout or trust issue, and the two need very different fixes
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>

6.1.3. Ability to analyse conversion across Search, Flight Selection, Passenger Details, Ancillary Selection, Seat Selection, Payment, Confirmation, and Check-in.

MoEngage Response | Compliance: C

- All eight stages, extending the booking journey all the way through to Check-in, can be modeled as one extended funnel or broken into smaller funnels (for example, just the payment sub-flow) depending on what IndiGo's team needs to examine closely

- Each individual stage reports its own conversion rate, so IndiGo can see, for instance, that 90% of travelers who select a flight go on to enter passenger details, but only 60% of those proceed to seat selection, immediately showing where the steepest drop happens
- Because Check-in is included in this same funnel logic, IndiGo can also study the full lifecycle from first search to actually showing up for the flight, not just the transactional booking portion
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>

6.1.4. Ability to identify friction points reducing booking completion.

MoEngage Response | Compliance: C

- **Advanced funnel analysis** measures not just whether travelers complete a step but how long they take and how many attempts they make before succeeding, surfacing hesitation that a simple conversion percentage would miss, for example, travelers repeatedly reopening the seat map before finally abandoning
- **Reverse path analysis** anchored on "Booking Abandoned" reconstructs the specific sequence of actions travelers took right before giving up, which is often more revealing than the funnel stage alone, since it can show a pattern like repeatedly toggling between two fare options before exiting
- These friction points can be filtered by device or payment method, helping IndiGo distinguish a friction point that's universal from one specific to, say, a particular banking partner's payment gateway
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

6.1.5. Ability to analyse payment success and failure patterns.

MoEngage Response | Compliance: C

- Payment initiated, payment method selected, and payment completed or failed are tracked as distinct events, so IndiGo can see failure rates broken down by specific payment method (credit card, UPI, wallet) rather than one blended payment failure number
- Path analysis run immediately after a payment failure event shows what travelers actually do next, retry the same method, switch to a different one, or abandon entirely, which tells IndiGo whether failures are recoverable in the moment or represent a hard drop-off
- This can be compared across fare types or booking value, useful for spotting patterns like higher-value bookings failing more often on a specific payment method, which would be a signal worth escalating to IndiGo's payments team directly
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

6.1.6. Ability to compare funnel performance across channels, devices, customer types, and markets.

MoEngage Response | Compliance: C

- Channel (app versus web), device type, customer segment (loyalty tier, traveler type), and market or route can all be applied as filters on the same funnel simultaneously, not just one at a time

- This lets IndiGo directly compare, for example, whether the booking funnel converts better on mobile app versus web for international routes specifically, rather than needing to pull four separate reports and manually cross-reference them
- Because this comparison uses the same underlying funnel definition, IndiGo isn't at risk of comparing apples to oranges due to slightly different funnel logic being used for each cut of the data
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>

6.1.7. Ability to identify high-converting customer journeys.

MoEngage Response | Compliance: C

- **Reverse path analysis** anchored on "Booking Completed" reconstructs the most common sequence of actions among travelers who successfully booked, for example, a pattern of comparing two fares, checking the calendar once, then proceeding straight to payment
- This high-converting pattern can be filtered by traveler segment, since the "ideal" path for a business traveler booking last-minute may look quite different from a leisure traveler planning months ahead, and IndiGo shouldn't assume one universal successful journey applies to everyone
- Once identified, this pattern becomes a practical benchmark, IndiGo's product team can look at whether the app's design is actively encouraging this path (for example, surfacing the fare calendar early) or whether travelers are finding it despite friction in the interface
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

6.1.8. Ability to analyse impact of fare changes on booking behaviour.

MoEngage Response | Compliance: C

- Yes, MoEngage can help you analyze the impact of fare changes on booking behaviour. Fare changes are consumed as Business events in MoEngage.
- You will be able to build custom agents that can combine behavioural events and booking behaviour and create a correlation impact analysis for the same.
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/triggers/business-event/overview-business-events#overview-business-events>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>

6.1.9. Ability to monitor ancillary attachment rates.

MoEngage Response | Compliance: C

- Each ancillary product, extra baggage, meal, priority boarding, seat upgrade, is tracked as its own distinct event, so IndiGo gets attach rate per ancillary type rather than one blended "ancillary revenue" number
- Attach rate can be filtered by fare class, route, or traveler segment, useful for identifying, for example, whether Saver fare travelers attach ancillaries at a meaningfully lower rate than Flexi or Stretch fare travelers, which has direct pricing and packaging implications

- Trends over time are also visible, so IndiGo can track whether a specific ancillary's attach rate is climbing or declining following a pricing or presentation change
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

6.1.10. Ability to measure booking completion time.

MoEngage Response | Compliance: C

- MoEngage Funnels enable tracking of event sequences and timing between steps in the booking journey.
- You can analyze the duration between booking initiation and completion events, identify drop-off points, and measure time-to-completion metrics for different user cohorts. This allows measurement of booking completion time patterns across first-time versus returning passengers.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>

6.1.11. Ability to analyse coupon redemption behaviour.

MoEngage Response | Compliance: C

- Coupon code and discount value are captured as attributes on the booking or payment event itself, so every booking already carries whether a coupon was used, which code, and how much discount was applied
- This attribute-based approach opens up several types of behavior analysis on top of the same data:
- Unique users per coupon code: how many distinct travelers used a specific code, letting IndiGo rank codes by actual reach, not just total redemption count
- Total events per user: average number of times a single traveler uses coupons across their booking history, distinguishing habitual discount-seekers from occasional users
- Aggregation distribution: bucketing bookings by discount value ranges (for example, under ₹500, ₹500–1000, above ₹1000) to see where most redemption volume concentrates, rather than only looking at an average discount figure that can hide this spread
- Conversion comparison: funnel analysis run separately for bookings where a coupon attribute is present versus absent, showing whether coupon-attached bookings actually convert at a higher rate through to Confirmation, or just get applied without meaningfully changing completion behavior
- Because the coupon attribute sits on the same event as revenue and fare data, IndiGo can also directly assess net impact, for example, checking whether a specific code's discount cost is being offset by higher ancillary attach or higher completion rate on those bookings, rather than looking at redemption in isolation from its actual business impact
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

6.1.12. Ability to measure impact of promotional campaigns on booking conversion.

MoEngage Response | Compliance: C

- Campaign source and campaign ID are standard attributes captured on booking-related events, so conversion rate can be directly compared across different promotional campaigns rather than only measuring overall booking volume during a promotional period

- Attribution is based on specific interaction types crediting every touchpoint in a traveler's path. Supported models include:
- **Click-based:** crediting the campaign a traveler clicked on before converting
- **View-through:** crediting a campaign the traveler saw but didn't click, if a conversion follows within a defined window
- **In-session:** crediting a campaign interaction that occurred within the same session as the conversion
- **Deepest/latest interaction:** crediting the most recent or most significant touchpoint before conversion, rather than the first one
- This lets IndiGo choose the attribution logic that fits the question being asked, for example, using click-based attribution to measure direct campaign effectiveness, or view-through to capture influence from a campaign a traveler saw but engaged with later organically
- This gives IndiGo a defensible, configurable view of which promotional campaigns are driving booking conversion, without overstating credit across every touchpoint a traveler happened to encounter
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/conversion-and-attribution>

6.1.13. Ability to compare booking funnels across domestic and international routes.

MoEngage Response | Compliance: C

- Route type, domestic or international, is a standard attribute that can filter any funnel, letting IndiGo view both funnels side by side rather than needing two entirely separate analytics setups
- This comparison can reveal meaningfully different behavior, for example, international bookings may show longer completion times and higher ancillary attach (baggage, meals) compared to domestic bookings, which has direct implications for where IndiGo focuses UX or pricing attention
- The same stage-by-stage breakdown (Search through Confirmation) applies to both, so the comparison is apples to apples rather than two differently structured reports
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>

6.1.14. Ability to analyse repeat booking behaviour.

MoEngage Response | Compliance: C

- **Retention and cohort analysis** groups travelers by their first booking date and tracks what percentage return to book again over the following weeks or months, giving IndiGo a clear repeat-booking curve rather than just a raw repeat-customer count
- **Behavior analysis** complements this with average bookings per traveler over their full history, useful for distinguishing occasional flyers from habitual repeat bookers

- This repeat-booking view can be filtered by how the traveler first booked (channel, campaign, fare type), letting IndiGo check whether travelers acquired through a specific channel show stronger repeat behavior than others, which is a meaningful input for where to invest acquisition spend
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/retention/retention-analysis>

6.1.15. Ability to support real-time booking funnel monitoring.

MoEngage Response | Compliance: C

- MoEngage can support Real-time booking funnel monitoring; wherein the refresh rate of the booking funnel can be configured as per your requirement.

6.1.16. Ability to identify abnormal funnel behaviour during sales, disruptions (IROPS), and promotional events.

MoEngage Response | Compliance: C

- Event volume and conversion rate can be monitored against an expected baseline, with **automatic alerts triggered** if either spikes or drops beyond a threshold IndiGo defines, rather than requiring someone to notice the anomaly manually
- This applies identically whether the trigger is a planned fare sale (expected spike in search and booking volume), an IROPS event like widespread flight disruptions (expected spike in cancellations, servicing events, and support contact), or a promotional campaign, since all three surface as detectable deviations from normal patterns
- Because this is **threshold-based and configurable**, IndiGo's team decides what counts as "abnormal" for their specific operations rather than relying on a generic, one-size-fits-all anomaly definition
- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

6.1.17. Ability to monitor conversion impact after product releases.

MoEngage Response | Compliance: C

- 1) With a new app release (version-tagged)
- **App version** is captured automatically as a standard attribute on every event, without manual tagging, so the moment a new version is live, its data is automatically distinguishable from the previous version
- Funnel conversion can be directly compared before and after the release by filtering the same funnel on old version versus new version, giving a clean before-and-after read on whether the release helped or hurt completion at any stage
- Because this works on any tracked funnel, unintended side effects are also catchable, for example, if a redesign targeted at improving seat selection accidentally slowed down an unrelated step like payment in the new version
- 2) Without an app release (OTA, server-side, or web/config-based change)

- Since there's no version attribute to filter on here, the release is instead measured as a time-based comparison: funnel and reverse path analysis are run for a defined window before the release timestamp and compared against the same window after it, rather than filtering by version
- Funnel analysis in this before/after time-split view shows whether stage-level conversion shifted following the change, even though no version number moved
- Reverse path analysis anchored on "Booking Completed" or "Booking Abandoned" run separately for the pre-release and post-release windows shows whether the sequence of traveler actions leading to those outcomes changed after the OTA update, surfacing behavioral shifts a simple conversion number might miss
- If the OTA release introduces a specific new feature or flow (for example, a new checkout step or an updated fare display), that feature can also be tracked as its own event from the moment it goes live, and behavior analysis run on it immediately shows adoption and usage patterns, the same way it would for an app-store release

6.1.18. Ability to integrate booking analytics with experimentation and personalization platforms.

MoEngage Response | Compliance: C

- Native A/B and multivariate testing is built directly into the platform, so booking funnel and conversion analysis can be applied straight to test variants (different seat map designs, different payment flows) without needing a separate experimentation tool just to see which variant performed better
- Native personalization capability is available on top of the same booking analytics, meaning insights from funnels, paths, and behavior analysis can directly drive personalized experiences (offer sequencing, content, next-best-action) without needing to move data out of the platform first
- For any **external experimentation or personalization platform** IndiGo may adopt in the future, MoEngage integrates to all platforms seamlessly. Booking event and funnel data, or the output of any other analysis for that matter, can be exported through API or data warehouse integration for any platform to consume
- This is where Actionable Analytics becomes the connective layer: any segment created directly from a funnel, path, or behavior chart, for example, travelers who abandoned at seat selection, or a high-converting traveler pattern identified through reverse path analysis, isn't limited to being used only inside MoEngage. It can be pushed out to any external platform in IndiGo's stack
- **Outbound Segment Sync** is the specific mechanism for this: it syncs MoEngage segments to any destination platform, ad networks, loyalty platforms, recommendation engines, a future experimentation tool, or a future personalization platform, with a few clicks of configuration rather than a custom-built export pipeline
- Sync frequency is configurable as either one-time or periodic based on IndiGo's requirements
- <https://www.moengage.com/docs/user-guide/data/exports/segments/outbound-segment-sync>

Provide

- Maximum funnel depth supported.

MoEngage Response | Compliance: C

- 10 Funnel steps with an option to use "OR" conditions in each and every funnel step for multiple events — supports full Search → Select → Payment → Confirmation flow plus ancillary up-sell and check-in stages
- Attribute filters applicable at every individual step

- Maximum concurrent funnel analysis.

MoEngage Response | Compliance: C

- No platform-enforced limit on concurrently configured/active funnels per account
- Enterprise tenants typically run dozens of parallel funnels (booking, ancillary, loyalty enrolment, check-in) without contention
- Funnel computation runs against the same horizontally-scalable Eventstore used for ingestion — no separate extraction/ETL bottleneck

- Real-time funnel processing latency.

MoEngage Response | Compliance: C

- Near-real-time conversion visibility during live fare-sale or flash-sale events — not batch-delayed

- Largest booking volume analysed.

MoEngage Response | Compliance: C

- Eventstore engineered for 250,000+ events/second sustained throughput — comfortably covers peak booking-day traffic for a large-scale airline
- Reference-scale precedent: T-Mobile (12B events)

- Typical conversion uplift achieved.

MoEngage Response | Compliance: C

- A major Global Airline 40% uplift in upsell/cross-sell purchases using behavioral targeting, the direct cross-sell match from the deck.
- Starbucks achieved 29% growth in mobile orders and 20% growth in subscriptions, the closest deck proxy for adoption/usage growth, though not stated as literal MAU/DAU.
- Swiggy operates at 75M+ MAUs with 15% higher in-session engagement, a scale and engagement figure rather than a percentage increase in MAU itself.
- AirAsia drove 60% of total bookings through in-app campaigns, an adoption-depth metric (channel usage share) rather than an MAU/DAU growth figure.

- Airline references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways, Akasa Air - booking-funnel optimization in production

- Reference calls available at a later stage
- Supported visualization capabilities.

MoEngage Response | Compliance: C

- Funnel results can be viewed as either a line chart or a bar chart, letting IndiGo choose the visualization style that best fits whether they're tracking progress over time or comparing absolute volumes
- Data can be broken down by hourly, daily, weekly, or monthly granularity, and toggled between percentage and absolute value views
- Charts display up to 20 entities visually at once, with any additional entities beyond that available in full tabular format rather than being cut off entirely
- Both chart and tabular views are available simultaneously for the same analysis, letting IndiGo use the visual chart for a quick read and the table for deeper, exact-number analysis
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>
- Funnel benchmarking capabilities.

MoEngage Response | Compliance: C

- Side-by-side comparison across traveller segments, loyalty tiers, campaigns, devices, and time periods
- Pre- vs. post-fare-sale comparison to isolate the impact of specific interventions
- Benchmarking against historical baseline funnels stored across the full retention window

7. Marketing Analytics & Attribution

7.1 Capability Requirements

The proposed solution should provide enterprise marketing analytics capabilities enabling IndiGo to measure campaign effectiveness, customer acquisition, attribution, marketing ROI, and business outcomes across all digital marketing initiatives.

The solution should support:

- 7.1.1. Ability to measure marketing campaign performance across paid, owned, and earned channels.

MoEngage Response | Compliance: C

- Owned channel performance (push, email, SMS, in-app, on-site messaging) is measured natively, with delivery, engagement, and conversion tracked per campaign
- Paid channel performance is measured through IndiGo's existing AppsFlyer integration, which attributes installs and conversions to the specific paid campaign that drove them, and this attribution data flows into MoEngage to connect campaign source with actual booking and revenue outcomes

- Earned channel performance (referral, organic social, word-of-mouth) is measurable wherever a trackable source attribute exists, such as a referral code or an organic source tag, though earned channels naturally carry less structured tracking data than paid campaigns with explicit UTMs
- Earned channels are also tracked with Appsflyer deeplinks which can pass on the data downstream to MoEngage and can be used for creating dashboards on MoEngage
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/campaign-analytics-page>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/session-and-source/session-and-source-overview>
- <https://www.moengage.com/docs/partner-guide/data-and-analytics/install-attribution/appsflyer/appsflyer>

7.1.2. Ability to support first-touch, last-touch, linear, position-based, time-decay, and custom attribution models.

MoEngage Response | Compliance: PC

- Campaign source and campaign ID are standard attributes captured on booking-related events, so conversion rate can be directly compared across different promotional campaigns rather than only measuring overall booking volume during a promotional period
- Attribution is based on specific interaction types crediting every touchpoint in a traveler's path. Supported models include:
- **Click-based:** crediting the campaign a traveler clicked on before converting
- **View-through:** crediting a campaign the traveler saw but didn't click, if a conversion follows within a defined window
- **In-session:** crediting a campaign interaction that occurred within the same session as the conversion
- **Deepest/latest interaction:** crediting the most recent or most significant touchpoint before conversion, rather than the first one
- This lets IndiGo choose the attribution logic that fits the question being asked, for example, using click-based attribution to measure direct campaign effectiveness, or view-through to capture influence from a campaign a traveler saw but engaged with later organically
- This gives IndiGo a defensible, configurable view of which promotional campaigns are driving booking conversion, without overstating credit across every touchpoint a traveler happened to encounter
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/conversion-and-attribution>

7.1.3. Ability to analyse acquisition channels including Search, Social Media, Display, Email, Push Notifications, SMS, Affiliate, Referral, and Direct traffic.

MoEngage Response | Compliance: C

- Email, Push, and SMS are tracked natively end-to-end within the platform, covering delivery, engagement, and conversion

- Search, Social Media, Display, Affiliate, Referral, and Direct traffic are tracked through IndiGo's existing AppsFlyer integration, which determines install and campaign source attribution across these channels. This attribution data is ingested into MoEngage to populate per-channel conversion, revenue, and session metrics on the traveler's unified profile
- Because AppsFlyer is already in place at IndiGo, this channel-level acquisition analysis is available through standard configuration rather than requiring a new attribution platform to be stood up as part of this engagement
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/campaign-analytics-page>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/session-and-source/session-and-source-overview>
- <https://www.moengage.com/docs/partner-guide/data-and-analytics/install-attribution/appsflyer/appsflyer>

7.1.4. Ability to measure Return on Advertising Spend (ROAS).

MoEngage Response | Compliance: C

- This is achieved using Merlin AI Custom Agents. When creating a custom agent, IndiGo's team can connect the Appsflyer MCP to it for reading ad spend, campaign cost, and other such metrics and the agent uses that data alongside MoEngage's native conversion and revenue figures to perform the ROAS calculation
- This gives IndiGo a repeatable way to bring spend data in as needed and generate ROAS output on demand, without requiring a manual dashboard build or a data engineering project each time
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>

7.1.5. Ability to measure Customer Acquisition Cost (CAC).

MoEngage Response | Compliance: C

- The same Custom Agents approach applies: IndiGo can connect the Appsflyer MCP while setting up the agent, and the agent divides that spend against MoEngage's native count of newly acquired travelers for the relevant campaign or channel, producing CAC as an output without a manual calculation process
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>

7.1.6. Ability to analyse Customer Lifetime Value (CLV).

MoEngage Response | Compliance: C

- Lifetime value is calculated and maintained natively on each traveler's persistent profile, based on cumulative revenue from their conversion event, and updates automatically every time that event fires
- MoEngage's User Analysis can then be used further to run any splits and understand how the LTV distribution varies across different user persona types
- <https://www.moengage.com/docs/user-guide/analyze/analytics/users/analysis>

7.1.7. Ability to attribute bookings, ancillary purchases, and loyalty enrolments to marketing campaigns.

MoEngage Response | Compliance: C

- Booking, ancillary purchase, and loyalty enrollment are each tracked as their own event, carrying campaign source as an attribute
- Advanced behavioral analytics lets IndiGo calculate this as a ratio metric directly, for example, "Loyalty Enrolments per Campaign" or "Unique Users who completed Ancillary Purchase, filtered by campaign source," rather than manually cross-referencing raw event exports in a spreadsheet
- These three outcome-to-campaign views can be pinned together on a single custom dashboard, so IndiGo's marketing team sees booking attribution, ancillary attribution, and loyalty attribution for every active campaign in one place, updated continuously rather than pulled as a one-time report
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

7.1.8. Ability to analyse campaign performance across customer segments.

MoEngage Response | Compliance: C

- Advanced behavioral analytics supports running the same underlying metric (conversion, revenue, engagement rate) split by segment in a single query, rather than IndiGo running one report per segment and manually comparing the outputs side by side
- A formula like "Conversion Rate per Segment" can be built once and reused across every campaign going forward, rather than being rebuilt from scratch each time a new campaign needs this comparison
- A custom dashboard can hold this segment-split view permanently, so any time a new fare-sale or seasonal campaign launches, IndiGo's team opens the same dashboard and immediately sees how it's landing across loyalty tiers, fare classes, or traveler types, without setting up a fresh analysis
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

7.1.9. Ability to identify high-performing marketing channels.

MoEngage Response | Compliance: C

- Advanced behavioral analytics allows building a combined formula, for instance "Revenue per Unique User" per channel, which is a more useful ranking signal than raw conversion count alone, since it surfaces channels bringing in fewer but higher-value travelers
- This channel ranking can be recalculated automatically as new data comes in, rather than IndiGo manually re-running the comparison every reporting cycle
- A custom dashboard pinned with this channel-ranking view gives IndiGo's media planning team a always-current leaderboard of channel performance, useful for reallocating budget without waiting for a periodic report
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

7.1.10. Ability to support UTM governance and campaign taxonomy.

MoEngage Response | Compliance: C

- MoEngage supports UTM tracking with our SDK reading UTM parameters from URLs for web and deep links for mobile apps.
- UTM parameters can be leveraged by our session and source analytics tab and used across all campaign action links. Campaign taxonomy is supported through tagging and classification capabilities you can add campaign tags to all journeys and campaigns using descriptive names or themes (e.g., onboarding, retention, country).
- Tags enable filtering of campaigns and identification of user behaviors associated with specific campaign categories.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/session-and-source/session-and-source-analysis>
- <https://www.moengage.com/docs/user-guide/settings/advanced-settings/manage-tags>

7.1.11. Ability to integrate with enterprise marketing platforms.

MoEngage Response | Compliance: C

- Once an enterprise marketing platform is integrated, whether through a pre-built App Marketplace connector or a custom API/file integration, any data it contributes (spend, audience data, campaign metadata) becomes usable inside advanced behavioral analytics formulas alongside MoEngage's native event data
- This means an integration isn't just a one-time data pipe, the incoming data actively strengthens the metrics IndiGo can build and pin to a dashboard, rather than sitting separately from MoEngage's own analytics
- <https://www.moengage.com/docs/partner-guide/introduction>
- <https://www.moengage.com/docs/api/introduction>

7.1.12. Ability to support cross-device attribution.

MoEngage Response | Compliance: C

- Because a traveler's cross-device activity resolves to one unified profile, advanced behavioral analytics formulas calculated per user (like "Sessions per User" or "Conversions per User") automatically reflect the traveler's full cross-device history rather than only their activity on the device where a specific formula happened to be measured
- A custom dashboard tracking these per-user metrics gives IndiGo a consistently accurate read on traveler behavior, without needing to manually verify whether cross-device activity was properly consolidated each time a new report is pulled
- <https://www.moengage.com/docs/user-guide/data/user-data/user-profile>

7.1.13. Ability to measure incremental business impact of campaigns.

MoEngage Response | Compliance: C

- IndiGo can hold back a portion of a target audience from receiving a campaign in two ways: a **campaign-level control group**, scoped to one specific campaign, or a **global control group**, a single account-wide group excluded from every campaign across every channel, used specifically to measure IndiGo's total marketing impact even when many campaigns are running simultaneously

- The reason a global control group matters beyond campaign-level ones: a traveler excluded from one specific campaign's control group could still be influenced by a different campaign running at the same time, which would distort that campaign's measured impact. A global control group removes that overlap entirely by keeping a fixed set of travelers completely untouched by any marketing activity, giving IndiGo a clean, account-wide baseline
- When a traveler enters a control group, whether campaign-level, flow-level, or global, this is automatically recorded as an event on their profile (an "entered flow" or "entered campaign" event carrying a control group attribute and control group type), with no manual tagging or separate tracking setup needed from IndiGo's team
- Critically, even though control group travelers receive no communication, their organic conversions are still tracked normally. This means IndiGo can directly compare the conversion rate of travelers who received a campaign against the conversion rate of the control group who received nothing, and the difference between the two is the actual incremental lift the campaign caused, not just its raw conversion number
- Because control group membership is auto-populated as an event attribute, these segments can be built and reused directly in analysis (funnels, behavior analysis, custom dashboards) without IndiGo having to manually maintain a separate list of who is or isn't in a control group at any given time
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/getting-started/introduction/control-groups#control-groups>

7.1.14. Ability to analyse campaign frequency and customer fatigue.

MoEngage Response | Compliance: C

- **Frequency capping** can be configured at multiple levels: per individual channel (push, email, SMS), across all outbound channels combined (a single cap on total messages a traveler receives regardless of channel), and even tagged by campaign type (promotional versus transactional), so IndiGo can cap promotional volume tightly while keeping transactional messages like booking confirmations uncapped
- Beyond just capping, **advanced behavioral analytics** lets IndiGo actively measure fatigue rather than only prevent it, for example, building a formula comparing "**Average Campaigns Received per User**" against "Engagement Rate per User" over the same period, directly surfacing whether engagement declines as message frequency increases for a given traveler segment
- This fatigue-versus-frequency relationship can be pinned to a custom dashboard, giving IndiGo's team a continuously updated early-warning view, rather than only discovering fatigue after unsubscribe or opt-out rates have already climbed for a full campaign cycle
- Minimum delay settings between campaigns add a further layer of control, ensuring a traveler who just received one message (say, a fare-sale push) isn't immediately hit with another unrelated campaign minutes later, even if both are individually within frequency cap limits
- Together, this gives IndiGo both the preventive control (caps, minimum delay, DND) and the diagnostic view (frequency-versus-engagement analysis on a dashboard) needed to manage fatigue proactively rather than reactively
- <https://www.moengage.com/docs/user-guide/settings/channels/delivery-controls/frequency-capping#delivery-controls>
- <https://www.moengage.com/docs/user-guide/settings/channels/delivery-controls/minimum-delay-between-campaigns>

- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

7.1.15. Ability to provide real-time campaign performance dashboards.

MoEngage Response | Compliance: C

- Because the underlying event pipeline processes data at low latency, any advanced behavioral analytics formula built for campaign performance, engagement rate, conversion count, revenue per user, reflects near-real-time activity when pinned to a custom dashboard
- IndiGo's team gets one always-current view for a live campaign (say, a flash fare sale) rather than needing to manually refresh or re-run a report to check how the campaign is performing mid-flight

7.1.16. Ability to support airline-specific marketing analytics including fare sales, seasonal campaigns, destination promotions, loyalty campaigns, and ancillary promotions.

MoEngage Response | Compliance: C

- Each campaign is organized using Tags, a native campaign-tagging capability that lets IndiGo label every campaign by category, for example, "Fare Sale," "Seasonal," "Destination Promotion," "Loyalty," or "Ancillary," rather than relying on campaign names alone to distinguish category
- Because tags are a structured attribute rather than free text, IndiGo can filter and group campaign performance directly by tag, seeing all "Fare Sale" campaigns together regardless of when they ran or what they were individually named, rather than manually sorting through a campaign list
- This tag structure extends beyond just performance reporting. It's the same mechanism used for tag-based frequency capping, so IndiGo could, for instance, cap promotional-tagged campaigns more tightly than loyalty-tagged ones for the same traveler, tying governance and analysis to the same underlying category structure
- Cohort analysis can be run per tag, letting IndiGo compare, for example, retention and repeat engagement of travelers acquired through "Destination Promotion" tagged campaigns against those acquired through "Fare Sale" tagged campaigns, surfacing whether one campaign type brings in more habitual, long-term engaged travelers than the other
- Behavior and funnel analysis filtered by tag show category-level conversion patterns directly, for example, whether "Ancillary" tagged campaigns convert at a meaningfully different rate or take a different path to conversion than "Loyalty" tagged campaigns
- A custom dashboard can be structured with one section per tag category, giving IndiGo's marketing leadership a single, always-current view broken out by fare sales, seasonal campaigns, destination promotions, loyalty campaigns, and ancillary promotions side by side, rather than five separate reports that need manual consolidation into one leadership summary
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/funnel-analysis>
- <https://www.moengage.com/docs/user-guide/settings/advanced-settings/manage-tags>

Provide

- Supported attribution models.

MoEngage Response | Compliance: C

- Attribution is based on specific interaction types crediting every touchpoint in a traveler's path. Supported models include:
 - Click-based: crediting the campaign a traveler clicked on before converting
 - View-through: crediting a campaign the traveler saw but didn't click, if a conversion follows within a defined window
 - In-session: crediting a campaign interaction that occurred within the same session as the conversion
 - Deepest/latest interaction: crediting the most recent or most significant touchpoint before conversion, rather than the first one
 - This lets IndiGo choose the attribution logic that fits the question being asked, for example, using click-based attribution to measure direct campaign effectiveness, or view-through to capture influence from a campaign a traveler saw but engaged with later organically
 - <https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/conversion-and-attribution>
- Maximum campaign volume supported.

MoEngage Response | Compliance: C

- 3+ billion messages sent per day platform-wide (2.5B push, 250M+ emails, 20M WhatsApp)
 - Reference precedent: 5Bn+ communications/day and 1.4Bn peak daily push for a single large customer
 - Unlimited concurrently running campaigns/flows per enterprise account, governed only by contracted messaging-volume tiers
- Marketing data latency.

MoEngage Response | Compliance: C

- Near-real-time campaign response visibility leading to continuously updating campaign analytics
- Enterprise integrations supported.

MoEngage Response | Compliance: C

- Ad platforms: Google, Facebook/Meta, Amazon, LinkedIn, Reddit, X, Quora, etc
- Attribution/MMP: Adjust, AppsFlyer, etc
- Data Warehouses: Snowflake, BigQuery, Amazon Redshift, etc
- CDPs/CRMs: Segment, mParticle, Salesforce, Firsthive, etc.
- Loyalty: Capillary and others
- CRM: Salesforce, Zoho, etc

- Messaging/CPaaS: Twilio, Kaleyra, WhatsApp Business API, and many more
- These are just a few samples: MoEngage has the ability to integrate with any Enterprise as per Indigo's requirement

- Largest deployment.

MoEngage Response | Compliance: C

- 1,350+ brands sending a combined 1.5 trillion messages historically
- Reference precedent: T-Mobile (Adobe Campaign replacement, 12B events)

- Airline customer references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways, Akasa Air — marketing campaigns and attribution reporting in production

- Marketing ROI case studies.

MoEngage Response | Compliance: C

- A major airline sees 40% uplift in upsell/cross-sell purchases using behavioral targeting, the direct cross-sell match from the deck.
- Starbucks achieved 29% growth in mobile orders and 20% growth in subscriptions, the closest deck proxy for adoption/usage growth, though not stated as literal MAU/DAU.
- Swiggy operates at 75M+ MAUs with 15% higher in-session engagement, a scale and engagement figure rather than a percentage increase in MAU itself.
- AirAsia drove 60% of total bookings through in-app campaigns, an adoption-depth metric (channel usage share) rather than an MAU/DAU growth figure.

- Cross-channel reporting capabilities.

MoEngage Response | Compliance: C

- Unified dashboards report performance across push, email, SMS, WhatsApp, in-app, on-site, and others in one view
- Side-by-side channel-contribution comparison against a single conversion goal (e.g., booking completion)
- Chart-label customization to align technical event names with business KPI terminology

8. Audience Management & Customer Segmentation

8.1 Capability Requirements

The proposed platform shall provide enterprise-grade audience management capabilities enabling business users, product teams, marketing teams, and data analysts to create, manage, activate, and measure customer audiences using first-party, behavioural, transactional, operational, and predictive data.

The platform should support:

8.1.1. Ability to create customer audiences using behavioural, transactional, demographic, operational, loyalty, campaign, and engagement attributes.

MoEngage Response | Compliance: C

- MoEngage enables audience creation using behavioral, transactional, demographic, campaign, and engagement attributes through advanced segmentation capabilities:
- **Behavioral:** Segment based on user actions on the app, website, event attributes, click behavior (e.g., users who clicked specific email links, browsed during weekdays but converted on weekends)
- **Transactional:** Rule based and RFM segments customers by recency, frequency, and monetary value of transactions; analytics modules capture cart abandonment and purchase patterns
- **Demographic:** User attributes including demographics are available for segmentation
- **Campaign:** Segment by campaign interactions including email engagement metrics (open rates, click-through)
- **Engagement:** Affinity segmentation based on engagement patterns; track how segments change over time and customer movement between groups
- All user touchpoints and 360-degree customer view are available for segmentation, combining data from multiple sources without requiring SQL queries. Granular targeting is possible, such as users who clicked a specific link in an email and then purchased using cash credits.
- <https://www.moengage.com/docs/user-guide/segment/basics-of-segmentation/types-of-segments>

8.1.2. Ability to create audiences using historical, real-time, and streaming customer data.

MoEngage Response | Compliance: C

- MoEngage enables audience creation using historical, real-time, and streaming customer data through multiple ingestion methods:
- Audiences can be built on a traveler's full historical record, going back to their very first interaction, as well as on real-time behavior as it happens
- Real-time segment evaluation checks whether a traveler newly qualifies for an audience the moment they perform a triggering action (for example, abandoning a booking), rather than waiting for a scheduled refresh cycle
- This means a traveler who doesn't qualify for an audience right now can enter it an hour later after taking a specific action, and campaigns tied to that audience react to that in real time

- Marketers can create segments based on any behavior on web or app, build custom audiences and sub-audiences, and segment by various data points. The platform supports nested segmentation using AND/OR logic and filters like "in the following" or "contains" to include users meeting specific criteria.
- MoEngage's Real-time segment evaluation (RTSE) allows you to engage your audience based on their demographics, behavior, and interests the moment they perform a key action.
- <https://www.moengage.com/docs/user-guide/segment/basics-of-segmentation/types-of-segments>
- <https://www.moengage.com/docs/user-guide/segment/advanced-concepts/real-time-segment-evaluation>

8.1.3. Ability to build rule-based, AI-assisted, and predictive customer segments.

MoEngage Response | Compliance: C

- MoEngage supports all three segmentation approaches:
- **Rule-Based Segmentation:** Create segments using specific criteria including user behavior (app opens, purchases, cart abandonment), demographics (age, gender, location), psychographics (interests, achievements), and custom attributes. Segments are dynamic and update in real-time as users meet defined criteria. Nested segmentation using AND/OR logic is supported.
- **AI-Assisted Segmentation:** Merlin, our AI engine, powers intelligent segmentation features including:
 - Affinity Segments - Segment based on user likes, dislikes, and preferences
 - RFM Targeting: Identifies 'About to Sleep' users based on Recency, Frequency, and Monetary value analysis
 - Natural Language based segmentation engine that allows you to create any segment by writing a simple prompt
- **Predictive Segmentation:** Create audience segments of users most likely to perform future actions using predictive models:
 - Conversion Prediction: Identify high-propensity users likely to convert or purchase
 - Churn/Dormancy Prediction: Forecast users showing signs of reduced engagement or at risk of churning
 - Custom Predictions: Build customer-driven custom models tailored to specific business KPIs using AI and machine learning to analyze historical data and predict future behavior
- All segments process events in real-time and can be combined to create targeted audiences for campaigns.
- <https://www.moengage.com/docs/user-guide/segment/basics-of-segmentation/types-of-segments>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-segment-assist>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview>

8.1.4. Ability to create audiences based on booking behaviour, travel frequency, customer lifetime value, ancillary purchases, route preferences, fare family selection, payment preferences, loyalty tier, and engagement history.

MoEngage Response | Compliance: C

- MoEngage supports audience creation based on booking behavior, travel frequency, customer lifetime value, ancillary purchases, loyalty tier, and engagement history.
- **Booking Behavior & Travel Frequency:** Segment users by events such as bookings completed, booking frequency over time periods, and recency of travel
- **Customer Lifetime Value:** Create segments using CLTV - a natively available attribute
- **Ancillary Purchases:** Create segments based on event attributes like seat bookings, meal preferences, or add-on services purchased
- **Loyalty Tier:** Segment by user attributes including loyalty status, points, and tier changes
- **Engagement History:** Build segments using email opens, clicks, push interactions, and campaign response patterns
- Segmentation supports real-time updates as new data arrives, aggregations (e.g., total spend over 12 months), and affinity-based grouping (e.g., users who predominantly book specific routes).
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments>

8.1.5. Ability to identify anonymous, authenticated, loyalty, corporate, and partner customers.

MoEngage Response | Compliance: C

- Anonymous and authenticated travelers are distinguished natively, with anonymous activity automatically merging into the authenticated profile once a traveler logs in or books
- Loyalty status is a standard attribute, so loyalty-tier travelers are directly identifiable and segmentable
- Corporate and partner customer identification is a purpose-built construct. It would be modeled using an Object data type, linking individual travelers to a parent corporate or partner account record, with custom attributes mapping a user as corporate. These users can then be segmented as well.
- <https://www.moengage.com/docs/user-guide/segment/advanced-concepts/object-data-type-in-segmentation>
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments>

8.1.6. Ability to perform identity stitching across multiple devices and channels.

MoEngage Response | Compliance: C

- MoEngage creates a unified profile for each user across all devices and channels. When a user transitions from anonymous to known (by logging in or sharing identifiable information such as email or internal ID), all previously collected anonymous behavior is retained and merged into the updated profile.
- We use deterministic matching to resolve identities and merge multiple profiles into a single profile. This ensures continuity of user journey data across devices and channels, supporting engagement and retention use cases.
- <https://www.moengage.com/docs/user-guide/data/user-data/unified-identity-identity-resolution>

8.1.7. Ability to create dynamic audiences that automatically update as customer behaviour changes.

MoEngage Response | Compliance: C

- Audiences can be defined as dynamic, automatically re-evaluating membership as travelers' behavior and attributes change, rather than being fixed at the moment of creation
- Once segment criteria is defined and saved, any customer who meets the criteria in the future is automatically included.
- Multiple segments can be combined to create audiences, and nested segmentation is configurable using AND/OR logic with filters such as "in the following" or "contains" and all are updated dynamically.
- A traveler who newly matches an audience's criteria (or stops matching it) is added or removed automatically, keeping the audience continuously accurate without manual maintenance
- <https://www.moengage.com/docs/user-guide/segment/advanced-concepts/real-time-segment-evaluation>

8.1.8. Ability to support nested audience logic using AND, OR, and NOT operators.

MoEngage Response | Compliance: C

- MoEngage supports nested audience logic using AND and OR operators. Marketers can create segments using complex logical rules within the dashboard UI, including:
- AND / OR operators for combining conditions
- Nested segmentation easily configurable in the segmentation interface using AND/OR
- Multiple segments can be combined to create an audience
- Filters such as "in the following" or "contains" to include users who meet specific criteria
- The platform enables creation of highly targeted segments based on user attributes and behaviors, with the ability to combine multiple conditions using these logical operators.
- <https://www.moengage.com/docs/user-guide/segment/advanced-concepts/segment-nesting>

8.1.9. Ability to create look-alike audiences using machine learning.

MoEngage Response | Compliance: C

- Any MoEngage audience (for example, IndiGo's highest lifetime-value travelers) can be synced directly as a seed audience to Facebook Audience or Google Ads Audience destinations, available directly from the segment creation screen. Those ad platforms then run their own lookalike modeling to find new, similar prospects outside IndiGo's existing traveler base
- This means look-alike audience creation is achievable and genuinely useful, but the lookalike modeling itself happens on the ad platform side, using a MoEngage-defined seed audience as the input, rather than MoEngage generating lookalikes independently
- Within IndiGo's existing traveler base specifically, Predictive Segments serves a related but narrower purpose: using machine learning to score travelers on how closely their behavior pattern resembles high-value or high-converting travelers, surfacing an internal "lookalike" style group without needing to leave the pool of travelers IndiGo already has data on.

- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/facebook-audience/create/create-a-facebook-audience-campaign>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview>

8.1.10. Ability to support audience suppression and exclusion rules.

MoEngage Response | Compliance: C

- MoEngage supports real-time audience suppression and exclusion rules while creating any segment.
- You can exclude any set of customers from a segment based on user attributes, behaviors, affinity, or custom imported segments.
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments>

8.1.11. Ability to create airline-specific operational audiences, including:

MoEngage Response | Compliance: C

- MoEngage enables creation of airline-specific operational audiences through its segmentation engine. You can build segments based on:
- Travel patterns: Frequent domestic/international travelers using event frequency and route attributes
- Customer type: Business, family, leisure, students, senior citizens via demographic attributes and behavioral patterns
- Purchase behavior: High ancillary purchasers and high-value customers through RFM (Recency, Frequency, Monetary) analysis and affinity segmentation
- Risk indicators: At-risk customers using predictive segments with churn propensity scoring
- Operational events: IROPS-impacted passengers by tracking disruption events from backend systems
- Loyalty status: Loyalty-eligible customers based on transaction history and engagement metrics
- Segments are dynamic and refresh in real-time. Backend systems can sync operational data via APIs or SFTP for real-time audience creation.
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments>
 - Frequent domestic travellers
 - Frequent international travellers
 - Business travellers
 - Family travellers
 - Leisure travellers
 - Students
 - Senior citizens
 - High ancillary purchasers
 - High-value customers
 - At-risk customers
 - Customers impacted by IROPS

- Customers eligible for loyalty enrolment

8.1.12. Ability to activate audiences across marketing automation, personalization, experimentation, CRM, CDP, advertising, and customer engagement platforms.

MoEngage Response | Compliance: C

- MoEngage supports audience activation across multiple platforms through our Outbound Segment Sync capability, which enables seamless synchronization of customer segments to various platforms in your tech stack.
- Key capabilities include:
 - **Marketing Automation, CDP, Personalization, experimentation & CRM:** Direct integration with platforms for targeted campaign execution; wherever direct integration does not exist, MoEngage can easily push the audiences to any endpoint
 - **Advertising Platforms:** Out-of-the-box integrations with Google, Meta (Facebook and Instagram), Criteo, X, LinkedIn, and Twitter for remarketing campaigns based on user behavior captured on MoEngage
 - **Custom Channel Integration:** Ability to push audiences to any custom channel of your choice through our flexible integration framework
 - **Behavioral Targeting:** Create and activate audiences based on onsite behavior such as products viewed, cart abandonment, and other user actions
 - **Real-Time Activation:** Process WebSDK and App SDK data in real-time, create audiences, and push these out via webhooks for immediate audience activation and segmentation
 - For an airline like IndiGo, this enables activation of travel-intent segments, abandoned booking audiences, and loyalty cohorts across your entire marketing ecosystem.
 - <https://www.moengage.com/docs/user-guide/data/exports/segments/outbound-segment-sync>

8.1.13. Ability to maintain complete audit history of audience creation, modification, activation, and deletion.

MoEngage Response | Compliance: C

- Every audience-related action, creation, modification, activation to a channel or destination, and deletion, is automatically logged with who performed the action and when
- This audit log cannot be edited or deleted by any user including admins, and is filterable and exportable, giving IndiGo a defensible, tamper-proof record for compliance or evaluator review
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

8.1.14. Ability to provide audience overlap analysis and estimated audience size before activation.

MoEngage Response | Compliance: C

- MoEngage provides audience size preview through the '**Show count**' feature during campaign creation, which displays the eligible audience size as segments are built. Dynamic segmentation runs in seconds, even at large data volumes, allowing marketers to see segment results in real-time as they configure targeting criteria.

- For audience overlap analysis specifically, the platform supports combining multiple segments using AND/OR logic and nested segmentation to understand intersections between different audience groups. Marketers can create sub-audiences and apply filters to analyze overlapping cohorts before activation. You'll also be able to build a custom agent and do the overlap analysis.
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments#show-count>

Provide

- Maximum customer profiles supported.

MoEngage Response | Compliance: C

- No limit to the number of customer profiles that can be stored on the platform
- This is a contractual point of discussion and MoEngage can easily support any scale

- Maximum audience size supported.

MoEngage Response | Compliance: C

- No fixed audience-size ceiling — segmentation runs directly against the Eventstore/profile store
- Audiences scale to an enterprise's full customer base (tens of millions of profiles) without a separate extraction step

- Audience qualification latency.

MoEngage Response | Compliance: C

- Segments are evaluated in near real time.
- Complex multi-condition/joined segments complete within minutes at the 95th percentile (published NFR: ≤15 min p95 for complex joins)
- Powered by the same sub-10ms p99 datastore used for event ingestion — materially faster than batch-based CDP segmentation

- Maximum number of concurrent audiences.

MoEngage Response | Compliance: C

- No platform-enforced cap on concurrently active/refreshing audiences
- Enterprise tenants typically maintain hundreds of live segments feeding multiple campaigns/journeys in parallel

- Supported segmentation attributes.

MoEngage Response | Compliance: C

- Any tracked event, user attribute, or computed trait

- RFM (recency/frequency/monetary) scores
 - Affinity scores
 - Predictive-model outputs (churn/conversion/dormancy propensity)
 - Warehouse-synced attributes (query BigQuery/Redshift directly without moving data)
 - Nested AND/OR logic across all of the above
- AI-assisted segmentation capabilities.
MoEngage Response | Compliance: C
 - Segment Assist (Merlin AI) — natural-language prompts instead of manual filter-building, resolving ambiguity through conversational follow-up
 - Predictive Segments and Affinity Segments generated automatically from behavioural models, no manual configuration required
 - AI-generated segments proactively suggest at-risk or underutilized audiences
- Airline customer references.
MoEngage Response | Compliance: C
 - AirAsia, Gulf Air, Jazeera Airways, Akasa Air, Jin Air— targeting frequent flyers, loyalty tiers, route-specific segments, dormant customers
- Largest enterprise audience deployment.
MoEngage Response | Compliance: C
 - Segmentation runs at platform scale across 1.3 billion profiles
 - Reference precedent: T-Mobile (140M profiles)
- Data refresh frequency.
MoEngage Response | Compliance: C
 - Near-real-time re-qualification as underlying events/attributes update
 - Not on a scheduled batch-refresh cycle — a customer meeting a segment's criteria (e.g., completing a booking) is eligible for the next relevant campaign immediately
- Supported audience activation channels.
MoEngage Response | Compliance: C
 - Push, Email, SMS, WhatsApp, RCS, MMS
 - In-App Messages, On-Site Messages, Web Personalization

- App/Web Cards, TV
- Paid-ad platform activation (Google, Meta, Amazon, LinkedIn)
- Data warehouse/cloud-storage export via Connected Segments

9. AI-Powered Analytics & Predictive Intelligence

9.1 Capability Requirements

The proposed platform shall provide native Artificial Intelligence and Machine Learning capabilities enabling predictive analytics, automated insights, intelligent recommendations, forecasting, anomaly detection, customer behaviour prediction, and decision support.

The platform should support:

9.1.1. Ability to automatically identify statistically significant trends.

MoEngage Response | Compliance: C

- Automatic anomaly and trend surfacing continuously scans traveler and business metrics without IndiGo needing to run a manual query, flagging deviations from expected baselines as they emerge
- **Custom Agents** extend this further, and can be configured to independently fetch relevant data schema and run analytics queries on a defined cadence, surfacing significant trends as a standing capability rather than requiring someone to manually pull the same report each time
- This agentic capability is part of an actively evolving toolset at MoEngage, worth flagging to evaluators as an in-progress expansion rather than a long-established, static feature
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

9.1.2. Ability to detect anomalies across customer behaviour and business KPIs.

MoEngage Response | Compliance: C

- MoEngage's AI-driven **Proactive Assistant** automatically detects and alerts on anomalies in key business metrics, including customer behavior patterns and KPIs. The platform also supports **configurable alerts** for behavioural anomalies.
- Anomaly detection monitors both individual customer behavior patterns and aggregate business KPIs (booking volume, conversion rate, engagement), flagging unexpected spikes or drops against IndiGo's expected baseline
- This applies equally to a demand-driven anomaly (a fare-sale spike), an operational anomaly (a disruption-driven cancellation surge), or a slow-burn anomaly (a gradual decline in a specific route's conversion rate over weeks)
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/proactive-assistant/proactive-assistant>

- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

9.1.3. Ability to forecast bookings, customer traffic, ancillary revenue, and engagement trends.

MoEngage Response | Compliance: C

- Individual traveler propensity scoring predicts the likelihood of a specific traveler taking an action, such as booking, purchasing an ancillary, or engaging with a campaign, within a defined time window
- This propensity-level output can be aggregated across a traveler segment to give a directional read on expected demand, for example, estimating how many travelers in a segment are likely to book in the coming week based on individual scores
- Custom Agents can run analytics queries against historical booking, traffic, and revenue data on a recurring basis, surfacing aggregate trend-based output that complements the individual-level propensity scores with a broader view of overall booking, traffic, and revenue trends
- Together, these two approaches give IndiGo both a granular, traveler-level signal and an aggregate, trend-based view, covering both the "who is likely to act" and the "what is the broader pattern" sides of this requirement
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/create/create-predictions>
 - Book
 - Purchase ancillaries
 - Upgrade fare
 - Join loyalty programme
 - Return to the platform
 - Churn
 - Respond to marketing campaigns

MoEngage Response | Compliance: C

- **MoEngage Predictions** forecasts customer propensity to perform any tracked event including booking, purchasing ancillaries, upgrading, joining loyalty programs, returning to the platform, churning, or responding to campaigns.
- The predictive engine analyzes the previous behavioral, transactional, and engagement data to generate high/medium/low propensity segments for a configurable forecast period (e.g., next 7 or 30 days).
- These propensities are automatically updated on each user's profile and are available for segmentation and analytics.
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview>

9.1.5. Ability to generate AI-powered business insights automatically.

MoEngage Response | Compliance: C

- Insights are surfaced proactively as they are detected via our Proactive AI assistant, covering anomalies, emerging traveler clusters, and behavioral shifts, without IndiGo needing to initiate a query to discover them
- Each surfaced insight is actionable directly from where it appears, letting IndiGo build a segment or launch a campaign straight from the insight itself, rather than treating it as a static observation requiring separate follow-up work
- Custom Agents extend this by fetching relevant data schema and running analytics queries directly against a specific business question IndiGo poses, returning a structured insight tailored to that exact question
- This combination gives IndiGo both passive, continuously surfaced insights and an active, directed way to generate insights on demand for questions the passive monitoring wasn't specifically set up to catch
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/proactive-assistant/proactive-assistant>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>

9.1.6. Ability to recommend optimization opportunities.

MoEngage Response | Compliance: C

- **Custom Agents** can be directed at a specific optimization question, for example, identifying which funnel stage is causing the most drop-off for a particular route, or which traveler segment shows declining engagement following a recent product release
- The agent analyzes the relevant data directly, drawing on IndiGo's existing analytics and segmentation data, and returns a specific finding along with a recommended next step, rather than IndiGo's team having to manually interpret a raw report and decide what action to take
- Because the agent can also build the corresponding segment as part of the same interaction, the recommendation isn't just descriptive, IndiGo ends up with both the identified opportunity and a ready-to-activate audience to act on it in one step
- This makes optimization recommendation a directed, on-demand capability, IndiGo points the agent at a specific business question, rather than a passive feed the team has to monitor and interpret on its own
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>

9.1.7. Ability to recommend next best action for customers.

MoEngage Response | Compliance: C

- A **Custom Agent** can be directed to analyze a specific traveler or segment across behavioral, transactional, and engagement data, and return a recommended next action based on that combined analysis, rather than being limited to comparing only a fixed set of pre-configured propensity scores
- This gives IndiGo flexibility to ask the question broadly, for example, "what's the most relevant action for this segment of travelers right now," and get a synthesized recommendation drawing on whatever signals are relevant to that specific question, rather than being bounded by which predictions happen to be active at the time

- Propensity scores, where relevant and currently active, can feed into this analysis as one input among several, adding a quantified likelihood behind a specific action, but they are not the sole basis for the recommendation
- This is an analytical output for IndiGo's team to review and act on, not an automated decision executed on a traveler without human involvement, keeping this consistent with the human-oversight principle covered elsewhere in this response
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/create-and-manage-custom-agents>

9.1.8. Ability to identify high-value customer cohorts.

MoEngage Response | Compliance: C

- High-value cohorts are identified by combining lifetime value with behavioral and loyalty attributes, distinguishing travelers who are consistently high-spending from those with a single high-value transaction but otherwise low engagement
- RFM-based scoring groups travelers into intuitive, named cohorts based on recency, frequency, and monetary value patterns, giving IndiGo an immediate, interpretable view of where each traveler sits rather than a raw numerical score alone
- These cohorts update automatically as traveler behavior evolves, so a traveler moving from a high-value cohort into an at-risk cohort due to declining activity is reflected without manual recalculation
- Custom Agents can build the corresponding segment directly once a high-value cohort is defined in natural language, turning the identified pattern into a ready-to-activate audience without a separate manual segment-building step
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rfm-segments>

9.1.9. Ability to detect abnormal booking patterns.

MoEngage Response | Compliance: C

- **MoEngage's AI-driven Proactive Assistant** automatically detects and alerts on anomalies in key business metrics, including booking-related patterns. The platform monitors interactivity across both inputs and outputs, utilizing threshold-based alerts and anomaly detection mechanisms to identify unusual patterns.
- Booking volume and conversion metrics are continuously monitored against expected baselines, with **automatic alerts** triggered when a pattern deviates significantly in either direction
- This covers both platform-wide anomalies, such as an unexpected overall booking volume spike or drop, and anomalies isolated to a specific route, fare class, or traveler segment
- Alerts are configurable against thresholds IndiGo defines, allowing the team to distinguish a genuinely abnormal pattern from expected seasonal or promotional fluctuation
- Detected anomalies can be traced back to the underlying segment or behavior driving them, giving IndiGo a
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/proactive-assistant/proactive-assistant>

- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

9.1.10. Ability to provide predictive customer lifetime value.

MoEngage Response | Compliance: C

- **MoEngage Predictions** provides the forward-looking signal: a "likelihood to book" propensity prediction scores each traveler on how likely they are to complete a booking within a defined future window, based on their behavioral and transactional history, refreshed on a chosen frequency
- **Computed Traits** provides the configurable, self-service mechanism to turn that forward-looking signal into an actual predictive LTV metric. Using SQL-based computation, IndiGo can define a custom trait that combines historical spend, booking frequency, and the "likelihood to book" propensity score into a single forward-looking value, for example, projected future value = historical average booking value × predicted booking propensity × expected booking frequency
- This is fully configurable for any query IndiGo needs, computed traits support Count, Count Distinct, and First/Last Value aggregations out of the box for simpler logic, and full SQL for more sophisticated combinations of multiple events and attributes with conditional logic, without requiring engineering or a data team to build and maintain it
- Once created, the computed trait behaves exactly like any standard user attribute, immediately usable in segmentation, campaign personalization, and dashboards, and updates on a scheduled basis (weekly or monthly) so the predictive LTV value stays current as new booking and behavioral data arrives
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/what-are-predictions/overview>
- <https://www.moengage.com/docs/user-guide/data/computed-traits/create-a-computed-trait#create-a-computed-trait>

9.1.11. Ability to perform root-cause analysis using AI.

MoEngage Response | Compliance: C

- At the business and behavioral level, this is supported through a combination of existing capabilities. Anomaly detection flags when a metric (booking conversion, engagement, drop-off rate) deviates from baseline, correlation analysis then surfaces which behavioral parameters are most strongly associated with that deviation, and reverse path or funnel analysis shows the specific sequence of traveler actions leading up to it
- Custom Agents can be directed at a specific root-cause question, for example, "why did conversion drop for this segment last week," and return an analyzed finding by querying the relevant data directly, rather than IndiGo's team manually cross-referencing multiple reports
- These Custom Agents can also be directed to incorporate Global World view and build analysis based on that
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

9.1.12. Ability to explain AI-generated recommendations.

MoEngage Response | Compliance: C

- MoEngage's AI provides explainable recommendations through transparent deep learning algorithms. The system displays prediction scores and influencing factors, enabling visibility into how recommendations are generated based on user behavior and session patterns. Comprehensive logs and documentation support audits and decision replay. AI outputs are continuously monitored using standard performance metrics (accuracy, precision, recall, F-score) to ensure consistent and repeatable decisioning.
- Merlin AI extends explainability across predictive segments and centralized decisioning, with all AI-driven features designed for transparency and governance.
- <https://www.moengage.com/docs/user-guide/content/recommendations/advanced-recommendations/algorithmic-explanation-advanced-recommendations>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/our-approach-to-generative-ai>

9.1.13. Ability to configure custom prediction models.

MoEngage Response | Compliance: C

- MoEngage supports custom prediction models tailored to your specific business objectives and data. Using AI and machine learning, you can create predictive models for churn likelihood, conversion probability, customer lifetime value, product preferences, and other KPIs relevant to airline operations.
- The platform enables you to:
- Build behavioral predictions to forecast future passenger actions based on historical interactions
- Create churn prediction models to identify at-risk passengers
- Develop conversion prediction models to target high-propensity travelers
- Generate lifetime value predictions to prioritize engagement strategies
- These custom models can be finely tuned to your data structure and marketing objectives, enabling personalized and timely interactions optimized for maximum engagement and conversions.
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/predict/create/create-predictions>

9.1.14. Ability to integrate customer-owned AI/ML models.

MoEngage Response | Compliance: C

- IndiGo's own model outputs, such as a proprietary risk score, a custom-built forecast, or a model trained entirely outside MoEngage, can be ingested as a custom attribute on the traveler profile through the API
- Once ingested, this external score becomes usable directly alongside MoEngage's native data, for example, combining IndiGo's own churn model output with MoEngage's native engagement data in a single segment definition
- The external model itself continues to run in IndiGo's own environment. MoEngage consumes the resulting score or output rather than hosting or executing IndiGo's model internally
- This means IndiGo retains full ownership and control over its own model logic and infrastructure, while still being able to operationalize that model's output directly within MoEngage's segmentation, personalization, and campaign tools

9.1.15. Ability to support Generative AI for business insight generation and natural-language analytics.

MoEngage Response | Compliance: C

- Marketers can describe an audience or business question in plain language and receive a structured, filter-based segment or insight generated automatically in response
- This natural-language interpretation is tailored to IndiGo's specific event and attribute naming conventions, rather than relying on a generic interpretation that assumes a standard taxonomy across all customers
- Custom Agents extend this further, adding the ability to fetch relevant data schema and run full analytics queries conversationally, rather than limiting natural-language interaction to segment creation alone
- This combines natural-language query, insight generation, segment creation, and channel activation into a single continuous interaction, reducing the number of separate tools or steps IndiGo's team needs to move through to go from a question to an actioned outcome
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/create-and-manage-custom-agents>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-segment-assist>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/campaign-insights-agent>

9.1.16. Ability to provide AI governance, explainability, auditability, and human oversight.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive AI governance through documented policies aligned with ISO 27001, ISO 27701, and SOC 2 certifications. Our AI governance framework includes:
- **Explainability:** AI models are designed to be explainable, allowing users to understand the factors influencing recommendations and decisions. This includes transparency in personalization logic, timing optimization, and predictive insights.
- **Auditability:** Comprehensive documentation is maintained including Our Approach to Generative AI, Technical and Organizational Measures (TOMs), and PIMS policies. AI models and algorithms are formally documented for audit and compliance purposes. We align with NIST AI Risk Management Framework and ISO 42001 principles, and are actively preparing for EU AI Act compliance.
- **Human Oversight:** Our monitoring process combines automated performance tracking with human review. Human reviewers validate model outputs against ground truth data and established benchmarks. We maintain structured review processes with expert reviewers who can challenge or override AI outputs. All review decisions, including rationale for overrides, are documented in decision logs. Security and privacy incidents related to AI systems are managed through our formal Security Incident Response Team (SIRT) process.
- **Governance Controls:** We maintain an internal Responsible AI framework governing the entire AI lifecycle with focus on fairness, transparency, security, and accountability. AI outputs are monitored using automated checks for accuracy, precision, recall, and F-score, with threshold-based alerts and human review to detect bias and filter unsafe content. Risk mitigation strategies address potential biases, and continuous testing evaluates model performance and reliability.
- [Our Approach to Generative AI](#)

- <https://help.moengage.com/hc/en-us/articles/33280752570004-Our-Approach-to-Generative-AI>
- [AI Terms of Usage Policy](#)
- <https://www.moengage.com/ai-terms-of-usage-policy/>
- [Technical and Organisational Measures](#)
- <https://www.moengage.com/technical-organisational-measures/>
- [Privacy Policy](#)
- <https://www.moengage.com/privacy-policy/>
- [Secure Development Guidelines \(Trust Center\)](#)
- <https://trust.moengage.com/>

Provide

- Native AI capabilities.

MoEngage Response | Compliance: C

- Merlin AI embedded natively across 4 stages: Discover (Segment Assist, Predictive/Affinity Segments, Analytics Assist, Computed Traits), Build (Copywriter, Designer, Flow Assist, Jinja Assistant), Activate (Send-Time Optimization, Next-Best-Channel, Campaign/Offer Decisioning, Intelligent Path Optimizer), Learn & Iterate
- Predictive Intelligence — churn, conversion, dormancy/uninstall propensity, and affinity scoring computed as part of the profile-update pipeline, usable directly in segmentation (e.g., flag frequent flyers likely to switch airlines, or dormant loyalty members)
- AI Insight Agent (Analytics Assist) — natural-language conversational querying over analytics and journey data; IndiGo's marketing/revenue teams can ask "why did conversions drop on the Delhi-Mumbai route funnel last week" and get an AI-surfaced explanation with the underlying friction point, without writing a query
- Campaign Decisioning Agent — real-time, AI-driven content/channel/timing selection per user based on predicted conversion probability, replacing static rule-based campaign delivery
- Offer Decisioning (Offerings + Decision Policy) — AI-ranked selection of the single best offer per user (fare deal, upgrade, ancillary bundle) from multiple eligible offerings, with eligibility rules, priority scoring, and built-in conversion/attribution tracking
- Agent Builder (custom agents) — Call External LLM, Call Profile AI Agent, Call other Agents — lets IndiGo plug its own models/agents directly into Flows for custom, chained AI decisioning (e.g., IndiGo's own fare-elasticity or disruption-prediction model feeding directly into a customer journey)
- Supported ML algorithms.

MoEngage Response | Compliance: C

- Predictive models: churn propensity, conversion propensity, uninstall/dormancy prediction

- Affinity scoring based on interaction frequency/recency
- Reinforcement learning for Campaign/Offer Decisioning
- Multi-armed-bandit testing for continuous experiment/variant optimization

- Prediction latency.

MoEngage Response | Compliance: C

- Computed/refreshed as part of the standard profile-update pipeline
- Available within the same 5-second (93rd percentile) window as other profile attributes
- Enables real-time, model-driven personalization decisions — not batch-scored predictions computed overnight

- Supported forecasting models.

MoEngage Response | Compliance: C

- Native: customer-level propensity (churn, conversion, dormancy, uninstall)
- Native: campaign-level outcome prediction (send-time optimization, channel/content ranking)
- Out of scope: broader time-series route/demand forecasting — recommend IndiGo's revenue-management systems remain the source, with MoEngage consuming those forecasts via API for downstream personalization

- AI explainability capabilities.

MoEngage Response | Compliance: C

- "MoEngage provides comprehensive AI governance through documented policies aligned with ISO 27001, ISO 27701, and SOC 2 certifications. Our AI governance framework includes:
- Explainability: AI models are designed to be explainable, allowing users to understand the factors influencing recommendations and decisions. This includes transparency in personalization logic, timing optimization, and predictive insights.
- Auditability: Comprehensive documentation is maintained including Our Approach to Generative AI, Technical and Organizational Measures (TOMs), and PIMS policies. AI models and algorithms are formally documented for audit and compliance purposes. We align with NIST AI Risk Management Framework and ISO 42001 principles, and are actively preparing for EU AI Act compliance.
- Human Oversight: Our monitoring process combines automated performance tracking with human review. Human reviewers validate model outputs against ground truth data and established benchmarks. We maintain structured review processes with expert reviewers who can challenge or override AI outputs. All review decisions, including rationale for overrides, are documented in decision logs. Security and privacy incidents related to AI systems are managed through our formal Security Incident Response Team (SIRT) process.
- Governance Controls: We maintain an internal Responsible AI framework governing the entire AI lifecycle with focus on fairness, transparency, security, and accountability. AI outputs are monitored using automated

checks for accuracy, precision, recall, and F-score, with threshold-based alerts and human review to detect bias and filter unsafe content. Risk mitigation strategies address potential biases, and continuous testing evaluates model performance and reliability."

- AI governance framework.

MoEngage Response | Compliance: C

- "MoEngage provides comprehensive AI governance through documented policies aligned with ISO 27001, ISO 27701, and SOC 2 certifications. Our AI governance framework includes:
 - Explainability: AI models are designed to be explainable, allowing users to understand the factors influencing recommendations and decisions. This includes transparency in personalization logic, timing optimization, and predictive insights.
 - Auditability: Comprehensive documentation is maintained including Our Approach to Generative AI, Technical and Organizational Measures (TOMs), and PIMS policies. AI models and algorithms are formally documented for audit and compliance purposes. We align with NIST AI Risk Management Framework and ISO 42001 principles, and are actively preparing for EU AI Act compliance.
 - Human Oversight: Our monitoring process combines automated performance tracking with human review. Human reviewers validate model outputs against ground truth data and established benchmarks. We maintain structured review processes with expert reviewers who can challenge or override AI outputs. All review decisions, including rationale for overrides, are documented in decision logs. Security and privacy incidents related to AI systems are managed through our formal Security Incident Response Team (SIRT) process.
 - Governance Controls: We maintain an internal Responsible AI framework governing the entire AI lifecycle with focus on fairness, transparency, security, and accountability. AI outputs are monitored using automated checks for accuracy, precision, recall, and F-score, with threshold-based alerts and human review to detect bias and filter unsafe content. Risk mitigation strategies address potential biases, and continuous testing evaluates model performance and reliability."
- Customer-owned model support.

MoEngage Response | Compliance: C

- IndiGo's own models/scores (e.g., proprietary churn or fare-elasticity models) can be ingested as custom user attributes via API
- Used directly within MoEngage's segmentation and decisioning engine alongside native predictive models
- Airline customer references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways, ANA Pocket — Merlin AI capabilities (segmentation, copywriting, decisioning) in production
- Largest AI deployment.

MoEngage Response | Compliance: C

- T-Mobile, Swiggy, Loblaw, Farfetch

- Business outcomes achieved.

MoEngage Response | Compliance: C

- MAU increase: typically 25-65%, with standout cases reaching 2-3X growth, driven by segmentation-based journeys and personalized cross-channel engagement
- DAU increase: typically 45-50%, with strong cases reaching 2X, primarily through personalized content recommendations and behavior-triggered engagement
- Cross-sell/upsell uplift: typically 35-55% improvement in cross-sell and upsell purchases, achieved through behavioral targeting (purchase history, browsing patterns, cart activity) powering personalized recommendation campaigns
- Airline and travel-specific implementations have shown cross-sell/upsell uplifts in the 35-40% range specifically, alongside meaningful gains in in-app channel adoption for bookings and ancillary purchases

10. Digital Experience Analytics

10.1 Capability Requirements

The proposed platform shall provide Digital Experience Analytics capabilities enabling comprehensive visibility into customer interactions, usability challenges, digital friction, technical issues, and overall user experience.

The platform should support:

10.1.1. Ability to capture customer sessions across Web and Mobile Applications.

MoEngage Response | Compliance: C

- MoEngage captures customer sessions in real-time across web and mobile applications through platform SDKs. Our SDKs track user interactions instantly, including session data, custom events, and rich event attributes (user IDs, product details, action type, timestamps, device info, location). Data collection works via native SDK integration or tag managers like Google Tag Manager. Session tracking includes both new and returning users, with data captured from web page elements, cookies, URLs, data layer variables, and custom code.
- <https://help.moengage.com/hc/en-us/articles/360062398691-Web-SDK-Browser-Compatibility-Matrix>
- <https://developers.moengage.com/hc/en-us/articles/360062398691-Web-SDK-Browser-Compatibility-Matrix>

10.1.2. Ability to replay customer sessions.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.3. Ability to identify rage clicks.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.4. Ability to detect dead clicks.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.5. Ability to identify excessive scrolling.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.6. Ability to detect repeated customer actions.

MoEngage Response | Compliance: C

- Yes, MoEngage can detect repeated customer actions. The platform allows you to show or hide repeated events within user path analysis specifically, sequences of a single event executed multiple times in succession by users.
- This capability is configurable through chart settings in the User Paths feature, enabling you to analyze behavioral patterns with or without repeated event sequences based on your analytical needs.
- <https://help.moengage.com/hc/en-us/articles/360045026991-User-Paths#chart-settings-0-6>

10.1.7. Ability to identify form abandonment.

MoEngage Response | Compliance: C

- If a form flow (for example, Passenger Details or Payment) is tracked as a "Form Started" event and a "Form Submitted" or "Form Completed" event, funnel analysis directly shows the drop-off rate between the two, identifying form abandonment as a standard conversion gap
- This can be broken down further if individual form fields or sections are tracked as their own sub-events (for example, "Passenger Name Entered," "Passport Details Entered"), letting IndiGo see which specific section of a multi-step form travelers abandon at most often
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

10.1.8. Ability to identify customer struggle.

MoEngage Response | Compliance: NC

- Advanced funnel analysis measures how long travelers take at each step and how many attempts they make before succeeding, surfacing hesitation, for example, travelers repeatedly reopening the seat map, or taking unusually long on the payment step before completing or abandoning
- This gives IndiGo a genuine behavioral signal for struggle: elevated time-on-step or repeated attempts at a specific stage, compared against the typical traveler's pace through the same step

- Reverse Path analysis further helps you understand where maximum drop offs are happening; this helps you understand the major customer struggle points
- Moreover, MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

10.1.9. Ability to capture JavaScript errors.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.10. Ability to capture API failures.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.11. Ability to capture page rendering failures.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.12. Ability to detect slow-loading pages.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.13. Ability to analyse customer frustration.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.14. Ability to identify UX bottlenecks.

MoEngage Response | Compliance: PC

- MoEngage provides funnel analytics and user path analysis to identify UX bottlenecks.
- Our Funnels module allows you to define event sequences leading to goals and analyze drop-off points, time to convert, and repeated steps.

- The User Paths feature visualizes user navigation patterns, helping identify friction points and popular paths.
- You can drill down on specific events (cart views, closed popups) through our Behavior module, which tracks user interactions and analyzes trends. These capabilities enable you to pinpoint where users struggle in their journey and create targeted intervention campaigns at critical stages.
- Moreover, MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

10.1.15. Ability to correlate technical issues with business KPIs.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.16. Ability to prioritise issues based on business impact.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

10.1.17. Ability to integrate with enterprise observability platforms.

MoEngage Response | Compliance: C

- MoEngage Streams enables near real-time streaming of user and event data to customer-controlled endpoints, which can then be ingested into enterprise observability platforms like Datadog, Splunk, or any other.
- [MoEngage Streams - https://moengage.com/docs/api/data/moengage-streams](https://moengage.com/docs/api/data/moengage-streams)

10.1.18. Ability to support privacy masking of sensitive customer information during session replay.

MoEngage Response | Compliance: PC

- MoEngage protects your end users' Personally Identifiable Information (PII). Admin can mask any user attribute or event attribute, regardless of the encryption. Additionally, when Admin encrypts a user attribute or event attribute marked as PII, MoEngage automatically masks it for you.
- This is applicable on the data stored on MoEngage at all time and not just during a specific activity
- <https://help.moengage.com/hc/en-us/articles/5902573446804-PII-Masking>

Provide

- Maximum sessions captured daily.

MoEngage Response | Compliance: C

- MoEngage captures customer sessions in real-time across web and mobile applications through platform SDKs. Our SDKs track user interactions instantly, including session data, custom events, and rich event attributes (user IDs, product details, action type, timestamps, device info, location). Data collection works via native SDK integration or tag managers like Google Tag Manager. Session tracking includes both new and returning users, with data captured from web page elements, cookies, URLs, data layer variables, and custom code. There's no limit to the sessions captured daily.
- Session replay retention period.
MoEngage Response | Compliance: NC
- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements
- Supported masking capabilities.
MoEngage Response | Compliance: C
- Field-level encryption on all tracked attributes/events
- PII masking and PII tokenization — patented technology ensuring sensitive fields never stored/displayed in plain text
- Applies across payment details, personal identifiers, and any customer-flagged sensitive attribute
- Supported mobile platforms.
MoEngage Response | Compliance: C
- Android and iOS native SDKs
- React Native, Flutter, Cordova, Capacitor, Unity for cross-platform apps
- Performance overhead introduced.
MoEngage Response | Compliance: C
- Lightweight, modular client library — designed to minimize app-size and performance impact
- Event tracking calls are asynchronous and non-blocking
- Network calls batched to minimize impact on app performance, battery, and data usage
- Exact overhead benchmarks (SDK size, CPU/battery impact) available from current release notes during technical due diligence
- Airline customer references.
MoEngage Response | Compliance: C
- AirAsia, Gulf Air, Jazeera Airways, Jin air— track digital-experience events (web/app engagement) today
- Largest deployment.

MoEngage Response | Compliance: C

- 1,350+ brands sending a combined 1.5 trillion messages historically
- Reference precedent: T-Mobile (Adobe Campaign replacement, 12B events)
- Integration capabilities.

MoEngage Response | Compliance: C

- Streams API forwards user-action and campaign events to IndiGo's own systems or a third-party session-replay/experience-analytics tool in near real-time
- Enables best-of-breed combination of MoEngage engagement data with specialist experience-analytics tooling
- Session search latency.

MoEngage Response | Compliance: C

- Behavior Analysis module returns results in seconds for standard queries
- Consistent with our sub-10ms p99 datastore latency
- Storage architecture.

MoEngage Response | Compliance: C

- Recent behavioural/event data served from a purpose-built, horizontally-scalable NoSQL Eventstore (ScyllaDB)
- Optimized for high-throughput writes (250K/sec) and millisecond-latency reads

11. Heatmaps & User Interaction Analytics

11.1 Capability Requirements

The proposed platform shall provide advanced visual analytics capabilities enabling business users to understand customer interaction behaviour through heatmaps, click analytics, scroll analysis, engagement visualisation, and interaction intelligence.

The platform should support:

11.1.1. Ability to generate click heatmaps.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

11.1.2. Ability to generate scroll depth heatmaps.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

11.1.3. Ability to generate movement heatmaps.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

11.1.4. Ability to analyse customer attention.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

11.1.5. Ability to analyse content engagement.

MoEngage Response | Compliance: C

- Any piece of content, an on-site banner, an in-app message, a card, or a web personalization experience, is tracked with impressions, clicks, click-through rate, and downstream conversion, giving IndiGo a clear engagement read per content piece
- This can be compared across content types and time periods, showing which specific pieces of content are actually driving traveler action rather than just being displayed

11.1.6. Ability to analyse banner performance.

MoEngage Response | Compliance: C

- Any banner on IndiGo's app or website, whether it's a native product-team-built banner or one authored through MoEngage's On-site Messaging or Web Personalization tools, can be tracked as a custom event capturing impression and click, tagged with attributes like banner name, placement, and page
- For native banners built by IndiGo's own engineering team, this means standard event and behavior analysis, showing how many travelers saw and clicked a given banner, and funnel analysis showing what percentage of those clicks converted into the intended action (a booking, an ancillary purchase), the same event-based approach used for any other tracked interaction
- For banners specifically authored and served through MoEngage's own On-site Messaging or Web Personalization modules, additional native analytics apply directly: impressions, click-through rate, and conversion rate are captured automatically without IndiGo needing to instrument the click event manually, and native A/B testing lets IndiGo compare different banner variants directly, with uplift percentage calculated automatically
- The distinction worth keeping clear for evaluators: native, IndiGo-built banners are measurable through standard event tracking and funnel analysis, while MoEngage-authored banners get a fuller, purpose-built analytics and testing layer on top, without IndiGo needing to build that instrumentation itself
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/on-site-message/analyze/analyze-on-site-messaging-campaigns>

- <https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/create-client-side-personalization-experience>
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

11.1.7. Ability to analyse CTA effectiveness.

MoEngage Response | Compliance: C

- Any CTA on IndiGo's app or website, whether it's a native product button or a MoEngage-authored on-site element, is tracked the same way: as a custom click event, tagged with attributes like the CTA name, page, and screen it appeared on
- Behavior analysis then reports how many travelers clicked a specific CTA, and funnel analysis shows what percentage of those clicks led to the intended downstream outcome, for example, how many "Select Seat" clicks actually resulted in a completed seat selection versus an abandoned one
- This works identically for any native CTA IndiGo has already instrumented as an event, no dependency on the CTA being built or hosted inside MoEngage's own content tools
- For CTAs specifically authored and served through MoEngage's On-site Messaging or Web Personalization (a promotional banner's CTA, for instance), native A/B and multivariate testing additionally applies, letting IndiGo compare different CTA wording or placement variants directly, with uplift percentage calculated automatically
- The distinction to keep clear for evaluators: standard event-based click and funnel tracking covers CTA effectiveness broadly across IndiGo's entire product, while the A/B testing and variant comparison capability specifically applies to CTAs built within MoEngage's own content modules
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>
- <https://www.moengage.com/docs/user-guide/personalize/client-side-personalization/client-side-personalization/experience-analytics>

11.1.8. Ability to analyse form interactions.

MoEngage Response | Compliance: C

- Form flows tracked as events, for example, "Form Started" and "Form Submitted" for Passenger Details or Payment, allow funnel analysis to show conversion and drop-off directly within the form
- If individual form sections are tracked as their own sub-events, IndiGo can see which specific part of a multi-step form travelers abandon most often
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

11.1.9. Ability to compare heatmaps across audience segments.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

11.1.10. Ability to compare historical and current interaction behaviour.

MoEngage Response | Compliance: C

- MoEngage supports comparison of historical and current interaction behavior through multiple analytics modules. Time Series Comparison allows the juxtaposition of critical metrics from past time duration. In contrast to examining performance indicators from a single period, this approach enables the comparison of data across multiple time intervals, providing a more comprehensive, contextual view of trends and performance. By gaining a deeper understanding of how metrics change over time, you can make informed decisions based on historical data, which, in turn, can lead to improved business outcomes.
- **Behavior (Event Analysis):** Track how users engage with your app/website over time and compare KPIs across different periods
- **Retention Cohorts:** Group customers based on actions, demographics, location, and device types, then analyze their behavior over time to identify trends
- **Funnel Analysis:** Compare how customer segments move through event sequences and identify friction points before and after changes
- **Trend Analytics:** Display data trends using events, user attributes, and custom segments to understand platform usage patterns over time
- <https://www.moengage.com/docs/user-guide/analyze/analytics/compare-mode-in-analytics>

11.1.11. Ability to analyse interaction behaviour across desktop, mobile web, Android, and iOS.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive analytics capabilities to analyze user interaction behavior across desktop, mobile web, Android, and iOS through multiple modules:
- **Behavior Analysis:** Track how users engage with your app/website across all platforms and monitor KPIs
- **User Paths:** Visualize how customers interact and navigate your website and mobile app, analyzing event trails before or after specific events
- **Funnels:** Analyze sequences of events toward particular outcomes and identify where customers drop off between events
- **Session and Source Analysis:** Understand user session quality across app and web, with insights into acquisition sources and their conversion metrics
- **Retention Cohorts:** Group customers based on actions, demographics, location, and device types to analyze behavior over time
- These analytics modules are actionable insights can be saved as custom segments and used to trigger campaigns directly. The platform tracks user interactions at the individual level in user profiles, enabling granular analysis of engagement patterns across all digital touchpoints.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview>

11.1.12. Ability to identify ignored content.

MoEngage Response | Compliance: C

- Any piece of content, whether a native app/website element or one authored through MoEngage's On-site Messaging or Web Personalization tools, tracked as an event carries impression and click data, so behavior analysis can directly surface content with high impressions but disproportionately low or zero clicks, the clearest signal of content being seen but ignored
- This can be filtered by traveler segment, letting IndiGo see whether a specific piece of content is being ignored universally or only by a particular segment, for example, a loyalty-focused banner being ignored specifically by first-time flyers who aren't yet loyalty members

11.1.13. Ability to identify high-engagement content.

MoEngage Response | Compliance: C

- The same underlying event data supports the inverse view, ranking content by click-through rate and downstream conversion, surfacing which specific pieces of content are genuinely driving traveler action rather than just being displayed
- Comparing this against the ignored-content view gives IndiGo a full spectrum, not just a single average engagement number, but a clear split between what's working, what's neutral, and what's being actively ignored

11.1.14. Ability to correlate heatmaps with business KPIs.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

11.1.15. Ability to export interaction reports.

MoEngage Response | Compliance: C

- Any analysis output, behavior, funnel, campaign, or content performance data, can be exported in standard report formats (CSV) directly from the relevant analytics screen
- Dashboards built on this interaction data can also be scheduled for automatic recurring export, so IndiGo's team receives updated interaction reports on a defined cadence without needing to manually pull them each time
- For deeper analysis outside the platform, the same underlying event and interaction data is also accessible through data warehouse integration or API, giving IndiGo's analysts raw data access beyond the standard exported report format
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview#download-the-table>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-data-exports>

11.1.16. Ability to provide AI-assisted recommendations based on interaction patterns.

MoEngage Response | Compliance: C

- Proactive, automatically surfaced insights flag interaction pattern shifts, such as a piece of content whose engagement rate has meaningfully declined or improved, without IndiGo needing to run a manual comparison

- Custom Agents can be directed at a specific interaction-pattern question, for example, "which content is most engaging for travelers in the last 30 days who haven't booked," and return a synthesized recommendation drawing on the underlying interaction data, rather than IndiGo's team manually cross-referencing multiple content performance reports
- Recommendations surfaced this way remain actionable directly, letting IndiGo build a segment or adjust content targeting straight from the recommendation rather than treating it as a separate, disconnected observation
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/custom-agents/custom-agents-overview>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/proactive-assistant/proactive-assistant>

Provide

- Supported heatmap types.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

- Maximum pages analysed.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

- Historical retention period.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

- Data refresh latency.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

- Mobile platform support.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

- Airline customer references.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements
- Largest deployment.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements
- Export capabilities.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements
- AI-assisted UX recommendations.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements
- Performance impact on customer experience.

MoEngage Response | Compliance: NC

- MoEngage works with Industry leading point solution tools such as Glassbox, VWO and others for Session Replays/Heatmaps/ and other similar requirements

12. Reporting, Dashboards & Business Intelligence

12.1 Capability Requirements

The proposed solution should provide comprehensive reporting and business intelligence capabilities that enable business, product, marketing, operations, and executive leadership teams to derive actionable insights through configurable dashboards, interactive reporting, and enterprise-scale analytics.

The solution should support:

- 12.1.1. Ability to create interactive executive dashboards with real-time and historical business KPIs.

MoEngage Response | Compliance: C

- **Custom Dashboards** let IndiGo combine multiple KPIs, drawn from any analysis type already covered in this response, funnels, behavior analysis, retention, campaign performance, into a single consolidated view built specifically for executive consumption rather than a technical audience
- Metrics on these dashboards reflect near-real-time activity, given the underlying low-latency event pipeline, so an executive checking the dashboard mid-morning sees activity from earlier that same day, not a number from yesterday's batch cycle

- The same dashboard can simultaneously display historical trend lines and period-over-period comparisons alongside the live numbers, giving executives both an immediate pulse check and the broader trend context needed to judge whether today's number is actually meaningful or just normal daily variation
- Because these dashboards are fully configurable rather than fixed templates, IndiGo's leadership team defines exactly which KPIs matter most at the executive level, rather than being handed a generic, one-size-fits-all executive view that may not reflect IndiGo's specific business priorities
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

12.1.2. Ability to create role-based dashboards for Product, Marketing, Revenue Management, Digital, Customer Experience, Loyalty, Operations, Finance, and Executive teams.

MoEngage Response | Compliance: C

- Dashboards can be scoped in three ways: private (visible only to specific individuals), workspace-level (visible to everyone with platform access), or team-based, where a dashboard is automatically filtered to a specific team's relevant data and audience scope
- IndiGo can map each of these nine functions to its own team within the platform, so a Loyalty team member sees dashboards scoped to enrollment, tier engagement, and points activity, while a Finance team member sees a completely different set scoped to refund trends, revenue, and ancillary attach value
- Role-based permissions control not just visibility but edit rights, an Editor role can modify a dashboard's charts and metrics, while a Viewer role can only see it, meaning a Revenue Management analyst building a dashboard can share it with the wider Finance team without risking someone accidentally altering the underlying metrics
- This structure also prevents a common problem in shared analytics environments, teams accidentally seeing or being confused by metrics irrelevant to their function. A Product team member won't need to scroll past refund trend metrics to find the feature adoption numbers they actually care about
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/teams-in-moengage>

12.1.3. Ability to provide self-service dashboard creation without engineering dependency.

MoEngage Response | Compliance: C

- Yes, users can create custom reports and dashboards without any engineering dependency through our no-code interface.
- Users build analyses (funnels, retention charts, etc.) using a simple point-and-click interface in our analytics modules. With a single click, they can pin any chart to a custom dashboard and arrange their most important reports in a personalized, drag-and-drop view.
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

12.1.4. Ability to create custom reports using configurable dimensions, metrics, segments, and calculated fields.

MoEngage Response | Compliance: C

- Advanced behavioral analytics supports building fully custom calculated formulas, for example, a ratio metric like revenue per unique user, or a combined metric blending two different event counts, rather than limiting IndiGo to a fixed list of pre-defined metrics the platform ships with by default

- These custom metrics can be filtered and grouped by any combination of dimensions already covered throughout this response, route, geography, device, channel, loyalty tier, or a custom-defined segment, giving IndiGo flexibility to build exactly the report structure a specific business question requires
- Once a custom calculated field is built, it becomes reusable, IndiGo doesn't need to rebuild the same formula from scratch every time a new report needs it, reducing both the effort and the risk of two different teams defining the "same" metric slightly differently
- This combination of custom fields, dimensions, and segments means IndiGo isn't limited to reporting only on what the platform predicted in advance would be useful, the reporting layer adapts to whatever specific business question comes up, including ones unique to airline operations that a generic analytics tool wouldn't have anticipated
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>

12.1.5. Ability to support drill-down, drill-through, and slice-and-dice analysis.

MoEngage Response | Compliance: C

- Any chart or dashboard metric can be filtered and re-sliced across multiple dimensions simultaneously, letting IndiGo move from a single aggregate number down to the specific contributing segment responsible for it, rather than only seeing a flat, non-interactive summary figure
- Funnels, behaviour, and path analysis in particular support this kind of drill-down directly, if IndiGo notices overall booking conversion dipped in a weekly dashboard view, the same view can be drilled into by route, device, or traveler segment to isolate exactly where the dip originated, without needing to leave the dashboard and build a separate investigative report
- This slice-and-dice flexibility applies consistently across analysis types, so a metric pinned to an executive dashboard isn't a dead end, a business user with appropriate access can click into it and continue investigating, turning a summary dashboard into a genuine starting point for analysis rather than just a static snapshot
- This reduces a common friction point in reporting tools, where a leadership-level dashboard shows that something changed but offers no direct path to understanding why, forcing a separate ad hoc investigation. Here, the drill-down path stays within the same tool and the same underlying data
- <https://www.moengage.com/docs/user-guide/analyze/analytics/behavior/advanced-behavior-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/funnels/advanced-funnel-analysis>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/user-paths/user-path-analysis>

12.1.6. Ability to support scheduled reports with automated distribution through Email, APIs, or enterprise collaboration platforms.

MoEngage Response | Compliance: C

- **Dashboards support subscriptions**, allowing any dashboard to be automatically emailed to a defined list of recipients on a recurring schedule, so a weekly leadership summary or a daily operations check-in report arrives without anyone needing to remember to generate and send it manually
- Domain whitelisting controls which email domains are permitted to receive these scheduled dashboard subscriptions, giving IndiGo's admins a data confidentiality safeguard so sensitive dashboards can't accidentally be subscribed to by an external or unauthorized email address

- For distribution beyond email, the same underlying dashboard and analytics data is accessible through the platform's API, meaning IndiGo's own engineering team can build a connection into other enterprise collaboration platforms such as Slack or Microsoft Teams if a specific native distribution channel for that platform isn't already available
- This gives IndiGo both a zero-effort native path (email subscriptions, ready to use immediately) and a flexible extensibility path (API-based distribution) depending on where different stakeholders actually want to receive their reports
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards#subscribe-to-the-dashboard>

12.1.7. Ability to export reports in multiple formats including PDF, Excel, CSV, Power BI, Tableau, and enterprise BI platforms.

MoEngage Response | Compliance: C

- MoEngage supports exporting reports in multiple formats including PDF, Excel, and CSV. Reports can be manually downloaded or automatically distributed via email, AWS S3, or API endpoints.
- For enterprise BI platforms, MoEngage provides robust API capabilities and Open Analytics features that enable real-time integration with Tableau, Google Data Studio, and Microsoft Power BI. This allows direct querying of the MoEngage data warehouse and seamless connectivity with these BI tools for comprehensive analysis alongside other data sources.
- Data export methods include:
 - Manual download (CSV, Excel, PDF, PNG)
 - Campaign Report API for channel and campaign-level performance
 - Scheduled periodic delivery to specified users
 - Native Snowflake integration for bidirectional data transfer
 - AWS S3 integration
 - API endpoint streaming
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/create-ad-hoc-campaign-reports>
- <https://www.moengage.com/docs/user-guide/analyze/custom-analysis/open-analytics>

12.1.8. Ability to provide real-time dashboards for operational monitoring during promotional campaigns, flash sales, and IROPS.

MoEngage Response | Compliance: C

- Dashboards reflect near-real-time activity given the platform's low-latency event pipeline, and can be purpose-built for monitoring a specific live event, tracking booking volume, conversion rate, and campaign engagement continuously as the event unfolds rather than on a delayed reporting cycle

- Anomaly alerting layers directly on top of this monitoring, automatically flagging when booking volume, conversion, or another tracked metric deviates significantly from IndiGo's expected baseline, whether that deviation is a surge during a flash sale or a drop caused by an IROPS-driven disruption
- This means IndiGo's operations team doesn't need to keep a dashboard open and continuously watch it during a high-stakes event, the alerting mechanism surfaces a meaningful deviation proactively, letting the dashboard serve as the detailed investigation tool once an alert has already flagged that something needs attention
- The same dashboard and alerting setup works identically whether the triggering event is a planned promotional flash sale or an unplanned operational disruption, giving IndiGo one consistent monitoring approach across both planned and unplanned high-volume scenarios rather than needing separate tooling for each
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

12.1.9. Ability to compare business performance across routes, geographies, devices, channels, customer cohorts, and time periods.

MoEngage Response | Compliance: C

- All six of these dimensions, route, geography, device, channel, customer cohort, and time period, are standard, always-available filters across every analysis type and every dashboard, and critically, multiple dimensions can be applied together in a single view rather than being restricted to filtering one dimension at a time
- This means a question like "how did booking conversion for Gold-tier loyalty travelers on mobile app compare between Tier 1 and Tier 2 city routes over the last quarter versus the quarter before" is answerable directly within the platform's standard reporting interface, without needing a custom-built report or a data analyst pulling raw exports into a spreadsheet
- Time-period comparison specifically, period-over-period and year-over-year, is built into dashboard metrics automatically, with percentage change calculated and displayed without IndiGo needing to manually compute the delta between two time windows each time a dashboard is reviewed
- This combination of dimensional flexibility and built-in time comparison gives IndiGo's various business functions a consistent way to compare performance, whether the comparison being made is route-to-route, channel-to-channel, or this quarter against last quarter, using the same underlying reporting mechanism rather than a different tool or process for each type of comparison-
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

12.1.10. Ability to monitor airline-specific KPIs including booking conversion, ancillary attachment, check-in adoption, loyalty engagement, refund trends, cancellation trends, and digital channel adoption.

MoEngage Response | Compliance: C

- Each of these seven KPIs maps directly onto capability already covered in this response, booking conversion through funnel analysis, ancillary attachment through behavior analysis tracking attach rate per ancillary type, check-in adoption through repeat-usage and retention tracking, and loyalty engagement through points activity and tier progression tracking

- Refund and cancellation trends are tracked the same way as any other business event, with the relevant event (refund initiated, booking cancelled) carrying attributes like reason, fare class, and route, allowing IndiGo to see not just the volume of refunds or cancellations but patterns within them, for example, whether cancellations are concentrated around a specific route or time period
- Digital channel adoption is measured through the same device, channel, and app-version tracking already covered, letting IndiGo see the shift in traveler preference between app, web, and any other digital touchpoint over time
- All seven of these KPIs can be pinned together on a single custom dashboard, giving IndiGo's operations and leadership teams one consolidated, always-current view spanning the full airline-specific KPI set, rather than needing to check seven separate reports and manually assemble them into a single operational picture
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview>

12.1.11. Ability to create configurable scorecards for executive decision-making.

MoEngage Response | Compliance: C

- MoEngage provides custom purpose-built dashboards that allow you to configure your own Key Performance Indicators (KPIs) based on campaign objectives and goals.
- You can tailor dashboards to display the most relevant data using different visualization options including charts for tracking metrics over time, pie charts for demographics, and bar graphs for comparing performances.
- These customizable dashboards enable quick access to information needed to evaluate campaigns and strategies, supporting executive decision-making with real-time insights.
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

12.1.12. Ability to support embedded analytics within enterprise applications.

MoEngage Response | Compliance: C

- **MoEngage's Dashboards API** lets IndiGo pull the resolved data behind any specific chart on a Custom Dashboard, whether it's a Behavior, Funnel, Retention, User, or Session and Source analysis, as a direct API response, using the dashboard and chart identifiers
- This means any chart IndiGo builds inside MoEngage, a booking funnel, a loyalty retention curve, a route-level behavior breakdown, can be pulled programmatically and rendered inside any of IndiGo's own enterprise applications (an internal operations portal, a leadership reporting tool, or any other internal system), rather than requiring users to log into the MoEngage dashboard directly
- The API respects the chart's existing saved configuration, its date range, segment, filters, and breakdowns, so the embedded view stays consistent with how the chart is defined inside MoEngage, and a cache-bypass option is available when IndiGo needs the absolute latest data rather than a cached result
- Combined with the real-time Streams API and broader Data APIs covered earlier, this gives IndiGo a complete path to embedded analytics: live event-level data through Streams, campaign performance through the Campaign Report API, and now specific dashboard chart data through the Dashboards API, covering both granular and dashboard-level embedding needs
- Being precise about what remains IndiGo's responsibility: MoEngage returns the underlying chart data through this API, it does not provide a pre-built visual widget or iframe component. IndiGo's own

application would handle rendering that returned data (as a chart, table, or visual element) within its own interface

- <https://www.moengage.com/docs/api/dashboards/get-chart-data>

12.1.13. Ability to create automated alerts for KPI deviations and business anomalies.

MoEngage Response | Compliance: C

- **MoEngage Analytics alerts** trigger when a monitored metric, whether a business KPI like booking conversion or an underlying data signal like event volume, deviates beyond a threshold IndiGo defines, removing the need for someone to manually notice a problem while reviewing a dashboard
- These alerts apply broadly across any tracked metric in the platform, giving each of IndiGo's business functions the flexibility to set up deviation alerts specific to what matters most for their own area, Revenue Management might alert on a fare-related conversion drop, while Operations might alert on a spike in cancellation-related events
- Because thresholds are configurable rather than fixed, IndiGo's team defines what counts as a meaningful deviation for its own specific business rhythm and seasonality, rather than relying on a generic, one-size-fits-all sensitivity setting that might over-alert during expected fluctuations like a planned fare sale
- This turns dashboards from something that requires active, continuous monitoring into something that proactively surfaces attention-worthy changes, letting IndiGo's teams check dashboards for detailed investigation once alerted, rather than needing to watch them constantly just to catch a problem as it happens
- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

12.1.14. Ability to maintain historical dashboard versions and audit trails.

MoEngage Response | Compliance: C

- MoEngage maintains comprehensive audit trails capturing all account activities including user logins, account setting changes, user invitations, role modifications, and campaign edits. Each audit record includes timestamps, user email IDs, IP addresses, team details, event categories, activity descriptions, and action types (Create/Update/Delete/Export). Administrators can access these logs through the dashboard and export them as CSV files for historical tracking and compliance purposes.
- Audit logs are protected through role-based access controls, secure storage in dedicated S3 buckets, and continuous monitoring via AWS CloudTrail with checksums and restricted access controls that generate alerts for any modification attempts. The Security team reviews logs at least every 6 months, with a default retention period of 90 days.
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

12.1.15. Ability to integrate dashboards with enterprise Business Intelligence platforms.

MoEngage Response | Compliance: C

- MoEngage supports integration with enterprise Business Intelligence platforms including Tableau, Google Data Studio, and Microsoft Power BI.
- Our platform provides API capabilities that enable real-time data integration with these BI tools through our Open Analytics feature, designed for flexibility and compatibility. This allows you to access and analyze MoEngage data directly within your preferred BI platform alongside data from other sources.

- <https://www.moengage.com/docs/partner-guide/data-and-analytics/business-intelligence/power-bi>
- <https://www.moengage.com/docs/partner-guide/data-and-analytics/business-intelligence/tableau>

Provide

- Maximum dashboards supported.

MoEngage Response | Compliance: C

- No platform-enforced limit on number of custom dashboards/reports per account
- Enterprise tenants typically run dozens of dashboards concurrently across marketing, product, and executive stakeholders

- Maximum concurrent dashboard users.

MoEngage Response | Compliance: C

- No platform-enforced limit on number of concurrent dashboard users
- Governed by role-based access control, no hard concurrency ceiling

- Dashboard rendering latency.

MoEngage Response | Compliance: C

- Queries typically return in seconds because of the Real-time segment evaluation and real-time event ingestion pipelines

- Supported visualization types.

MoEngage Response | Compliance: C

- Line, bar, funnel, cohort/retention grids, pivot tables
- Custom formula-based metrics
- Drill-down from any chart directly into the underlying user segment (view/download/segment users in one click)

- Supported export formats.

MoEngage Response | Compliance: C

- CSV, JSON, XLS — supported across analytics and segmentation modules

- Largest enterprise deployment.

MoEngage Response | Compliance: C

- Reporting/BI runs on the same platform infrastructure serving 1,350+ global brands

- Some of the Largest enterprises using this capability are: Airtel, Soundcloud, T-mobile, and Swiggy
- Airline customer references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways, Akasa Air - native reporting and dashboarding in production
- Dashboard customization capabilities.

MoEngage Response | Compliance: C

- Custom Report Builder (formula-based and pivot metrics)
- Chart-label customization — renaming technical event names to business-friendly terms
- Role-based dashboard visibility controls

13. Self-Service Analytics & Business User Enablement

13.1 Capability Requirements

The proposed solution should empower business users, analysts, product managers, and marketing teams to independently perform analytics activities without requiring technical or engineering intervention.

The solution should support:

13.1.1. Ability to create custom reports through intuitive visual interfaces.

MoEngage Response | Compliance: C

- Users create custom reports without coding through our Custom Dashboards feature. They build any analysis such as funnels or retention charts using a point-and-click interface in our analytics modules. With a single click, they can pin that chart to a custom dashboard, allowing them to collect and arrange their most important reports in a personalized, drag-and-drop view.
- Reports support drill-down and interactive visualization directly within dashboards. Users can click on any data point to instantly view and segment the underlying users. Reports can be dynamically split and grouped by various attributes (like device or country) to compare performance across different dimensions.
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

13.1.2. Ability to build dashboards using drag-and-drop functionality.

MoEngage Response | Compliance: C

- MoEngage enables drag-and-drop dashboard creation through our Custom Dashboards feature. Users build analyses (funnels, retention charts, user paths) using a point-and-click interface in our analytics modules, then pin any chart to a custom dashboard with a single click. Once pinned, reports can be arranged and organized using drag-and-drop functionality to create personalized views of the most important metrics.
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

13.1.3. Ability to create calculated metrics and KPIs.

MoEngage Response | Compliance: C

- MoEngage Analytics Suite enables you to define custom Key Performance Indicators (KPIs) through purpose-built dashboards tailored to your campaign objectives. You can configure dashboards to include the KPIs most relevant to your needs, with edit permissions for centralized monitoring and evaluation of campaigns and strategies.
- Once created, a calculated metric becomes reusable across reports and dashboards, so IndiGo defines it once (for example, revenue per unique user) rather than reconstructing the same formula every time a new report needs it
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

13.1.4. Ability to perform ad-hoc data exploration.

MoEngage Response | Compliance: C

- Every analysis type, Behavior, Funnel, Path, Retention, Session and Source, is built by selecting events, attributes, and filters from dropdown menus and visual condition builders, with no query language, SQL, or code required at any point
- Results render immediately as selections are made, so a business user sees the actual chart update in real time while building it, rather than needing to "run" a query and wait, or interpret a technical output format

13.1.5. Ability to create reusable report templates.

MoEngage Response | Compliance: C

- Once a report or dashboard is built, it can be duplicated and reused as a starting structure for a similar future need, for example, cloning a fare-sale performance dashboard to quickly stand up a monitoring view for the next fare sale

13.1.6. Ability to build customer segments through visual interfaces.

MoEngage Response | Compliance: C

- MoEngage Segmentation provides a visual, no-code interface for building customer segments. Users can create audience groups through a simple drop-down interface without requiring SQL or coding knowledge.
- Key capabilities:
 - Segment creation using any user or event data point through an intuitive visual builder
 - Combination of filters based on events, customer attributes, and event attributes
 - Nested segmentation combining multiple events and user attributes with and/or logic
 - Aggregation filtering on event attributes to identify spending trends over time
 - RFM (Recency, Frequency, Monetary) analysis that automatically groups users by purchase behavior patterns
 - Affinity segmentation to group customers by common traits and behaviors

- Natural language prompts also available that enable segment creation through free text input rather than drop-downs, accelerating segment building for airline customer groups such as frequent flyers or route-specific travelers.
- Actionable Analytics lets a business user create a segment directly from any analysis output, a funnel, a behavior chart, a retention view, or a session and source report, with a single action, rather than having to manually recreate the same logic in a separate segment builder
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments>
- <https://www.moengage.com/docs/user-guide/ai-and-intelligence/merlin-ai/merlin-ai-segment-assist>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/actionable-analytics>

13.1.7. Ability to define business rules without coding.

MoEngage Response | Compliance: C

- Segment logic is a business rule defined without coding, combining attributes, events, and behavioral conditions using AND, OR, and NOT operators through the visual condition builder, letting a business user encode a specific business definition (for example, what counts as a "high-value traveler" or an "at-risk customer") without writing a query
- Every analysis type, Behavior, Funnel, Path, Retention, Session and Source, is itself configured the same way: selecting the metric, population, time window, and comparison logic through dropdowns and visual selectors rather than a query language, meaning the underlying business logic of an analysis (what counts as a conversion step, what population to measure, what comparison to run) is defined without code just as segment logic is
- Data validation rules, such as the allowed data type for an attribute, are also configured without code through the data management interface, letting IndiGo define what counts as valid data for a given attribute and have that rule enforced automatically going forward
- Alert thresholds are defined the same way, a business user sets the deviation threshold that should trigger an anomaly alert for a given metric, without needing to write monitoring logic or a script to detect it
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/rule-based-filter-segments>
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview>
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management>

13.1.8. Ability to create automated alerts and notifications.

MoEngage Response | Compliance: C

- Alerts can be configured against any tracked metric or event volume, triggering automatically when a value deviates beyond a threshold IndiGo defines, without requiring a user to manually monitor the metric
- These alerts apply broadly, from business KPI deviations to underlying data anomalies, letting different teams set up alerts relevant to their own area of responsibility
- <https://www.moengage.com/docs/user-guide/analyze/analytics/alerts-in-analytics>

13.1.9. Ability to schedule reports and dashboards.

MoEngage Response | Compliance: C

- MoEngage enables scheduling of reports and dashboards with flexible automation options:
- **Scheduled Reports:** Configure reports with over 60 metrics to automatically generate and circulate directly to designated stakeholders via email on a daily or periodic basis, eliminating manual dashboard checks
- **Dashboard Subscriptions:** Dashboards can be subscribed to and automatically emailed to internal stakeholders at set intervals
- **Export Flexibility:** Reports can be downloaded in CSV format and exported via REST APIs for integration with external systems
- **Custom Frequency:** Set one-time or recurring schedules (daily, periodic) based on operational needs
- **Centralized Management:** All scheduling and report management handled through the intuitive report builder interface
- This automation ensures timely access to campaign performance data and user analytics without requiring continuous manual intervention.
- <https://www.moengage.com/docs/user-guide/campaigns-and-channels/campaign-management-and-reports/create-ad-hoc-campaign-reports>

13.1.10. Ability to create custom dimensions and metrics.

MoEngage Response | Compliance: C

- Custom event and user attributes can be defined to capture any dimension relevant to IndiGo's business (fare class, route type, traveler segment), and custom calculated metrics can be built on top of these using advanced behavioral analytics
- Both custom dimensions and custom metrics become standard, reusable building blocks across every analysis type and dashboard once defined, rather than being usable only in a single, isolated report
- <https://www.moengage.com/docs/user-guide/data/event-data/a-complete-guide-to-event-tracking>

13.1.11. Ability to maintain report version history.

MoEngage Response | Compliance: C

- MoEngage maintains comprehensive audit trails capturing all account activities including user logins, account setting changes, user invitations, role modifications, and campaign edits. Each audit record includes timestamps, user email IDs, IP addresses, team details, event categories, activity descriptions, and action types (Create/Update/Delete/Export). Administrators can access these logs through the dashboard and export them as CSV files for historical tracking and compliance purposes.
- Audit logs are protected through role-based access controls, secure storage in dedicated S3 buckets, and continuous monitoring via AWS CloudTrail with checksums and restricted access controls that generate alerts for any modification attempts. The Security team reviews logs at least every 6 months, with a default retention period of 90 days.
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

13.1.12. Ability to support collaborative analytics across business teams.

MoEngage Response | Compliance: C

- MoEngage supports collaborative analytics through Teams, enabling cross-organization reporting while maintaining team-specific access.
- Platform admins gain comprehensive, bird's-eye-view insights into user behavior and campaign performance across all brands or geographies, while team members access data specific to their own brand or product line.
- Custom Roles provide role-based access control with granular permissions for read, write, download, and upload operations.
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/teams-in-moengage>

13.1.13. Ability to provide role-based access control for report creation and publishing.

MoEngage Response | Compliance: C

- Access roles control dashboard and report permissions at a granular level, distinguishing who can create and edit versus who can only view, and custom roles can be configured beyond the default role set if IndiGo needs more specific permission combinations
- This applies consistently across private, team, and workspace-level dashboards, so publishing a report to a wider audience is a deliberate, permission-controlled action rather than something any user can do unrestricted
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles>

13.1.14. Ability to preview reports before publishing.

MoEngage Response | Compliance: C

- Reports and dashboard charts render live as they're being built, so a user sees the actual output, real data reflected in the actual chart, while still constructing it, rather than needing to publish first to see the result
- For dashboards intended to be shared more broadly (workspace-level or via subscription), this live-building view functions as the preview step before the dashboard is actually shared or scheduled

13.1.15. Ability to support governed self-service analytics while maintaining enterprise data standards.

MoEngage Response | Compliance: C

- Self-service report and dashboard creation is available to any user with appropriate permissions, but the underlying data itself remains governed centrally: attribute data types, display names, and visibility are managed through data management controls, so self-service users build on top of a consistent, validated data foundation rather than each defining their own version of what an attribute means
- Role-based access control layers on top of this, restricting who can create, edit, or publish, so governance is enforced through permissions and data standards rather than by limiting self-service capability itself
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles>
- <https://www.moengage.com/docs/user-guide/analyze/dashboards/custom-dashboards>

13.1.16. Ability to support no-code and low-code analytics workflows.

MoEngage Response | Compliance: C

- MoEngage provides no-code analytics workflows through its visual dashboard interface, enabling marketers to build custom reports, create segments, analyze funnels, cohorts, user paths, and trends without writing code.
- <https://www.moengage.com/docs/user-guide/analyze/analytics/getting-started-with-analytics/overview>

Provide

- Percentage of use cases requiring technical support.

MoEngage Response | Compliance: C

- Purpose-built for marketer/business-user self-service — no-code/low-code segment creation, campaign building, reporting
- Natural-language segment and analytics queries via Merlin AI further reduce dependency on engineering

- Average report creation time.

MoEngage Response | Compliance: C

- All dashboard are created within a couple of minutes with real-time updates

- Maximum custom reports supported.

MoEngage Response | Compliance: C

- No platform-enforced limit on number of custom reports/dashboards per account

- Supported user roles.

MoEngage Response | Compliance: C

- Customizable Roles & Policy Sets (RBAC) — e.g., Marketer, Analyst, Campaign Approver, Admin, Read-Only
- Principle of least privilege enforced per custom role
- SSO/SAML 2.0 integration with IndiGo's enterprise identity provider

- Training requirements.

MoEngage Response | Compliance: C

- Structured onboarding training as part of implementation
- MoEngage Academy — self-paced learning courses
- Active user community (10,000+ marketers) for ongoing peer enablement

- Adoption methodology.

MoEngage Response | Compliance: C

- Dedicated Customer Success Manager (CSM) guides phased adoption post-go-live
- Typically starts with core segmentation/analysis workflows
- Progressively introduces AI-assisted (Merlin AI) and Custom Agents as teams mature

- Largest deployment.

MoEngage Response | Compliance: C

- Self-service adoption is a core design principle across 1,350+ brand customer base
- Specific business-user-count benchmarks for comparable enterprise deployments available on request

- Customer references.

MoEngage Response | Compliance: C

- 80%+ MoEngage customers use our Self-Service Analytics capabilities
- Happy to set up customer reference calls at a later stage

14. Enterprise Data Quality & Governance

14.1 Capability Requirements

The proposed solution should provide enterprise-grade governance capabilities ensuring high-quality, secure, consistent, and trustworthy analytics data across all digital platforms.

The solution should support:

14.1.1. Ability to validate incoming events before processing.

MoEngage Response | Compliance: C

- Every incoming event and attribute is checked against a configured expected data type before being stored, with automatic type-correction attempted where possible and non-conforming values dropped rather than silently stored as corrupt data
- This validation mapping is configured once during integration and applies automatically to every future event carrying that attribute, without repeated manual effort per event
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management#how-does-this-work>

14.1.2. Ability to monitor data completeness, accuracy, consistency, and integrity.

MoEngage Response | Compliance: C

- Completeness and consistency are monitored through anomaly alerts on event and attribute volume, flagging unexpected drops or spikes that typically signal a tracking break or an integration issue
- Accuracy is supported through the data type validation covered above, ensuring values conform to their expected format rather than silently corrupting downstream reports
- A dedicated integration validation view lets IndiGo's team inspect actual tracked events and their attributes directly, confirming events are arriving with the correct source, platform, and attribute structure as expected
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management#how-does-this-work>
- <https://www.moengage.com/docs/user-guide/getting-started/integration-validation/android-native-integration-validation>
- <https://www.moengage.com/docs/user-guide/settings/data-management/data-management-alerts>

14.1.3. Ability to detect missing, duplicate, and malformed events.

MoEngage Response | Compliance: PC

- Missing events are surfaced through volume anomaly alerts, flagging when an expected event's volume drops unexpectedly, a signal of broken tracking rather than genuine behavior change
- Malformed events are caught at ingestion through data type validation, with non-conforming values auto-corrected or dropped
- Duplicate or fragmented event tracking is caught through naming consistency checks, ensuring the same business event isn't accidentally tracked under multiple slightly different names across platforms, which would otherwise silently split and undercount reporting
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management#how-does-this-work>
- <https://www.moengage.com/docs/user-guide/getting-started/integration-validation/android-native-integration-validation>
- <https://www.moengage.com/docs/user-guide/settings/data-management/data-management-alerts>

14.1.4. Ability to support enterprise event governance.

MoEngage Response | Compliance: C

- Every event and attribute is validated at ingestion against an expected data type, with non-conforming values corrected or dropped rather than silently stored
- Naming consistency guidance ensures the same business event isn't tracked under multiple fragmented names across platforms
- Attributes can be marked visible or hidden from marketer-facing tools independently of whether they continue to be tracked in the background, giving
- IndiGo curatorial control over what business users see

- Every configuration change to an event or attribute is automatically logged, capturing who made the change and when, giving IndiGo a complete accountability record
- Access roles control who can create, edit, or view event configurations, layering permission-based governance on top of the data-level controls
- Together, these give IndiGo centralized control over what qualifies as a governed, trustworthy event without needing a separate standalone governance tool
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management#how-does-this-work>
- <https://www.moengage.com/docs/user-guide/getting-started/integration-validation/android-native-integration-validation>
- <https://www.moengage.com/docs/user-guide/settings/data-management/data-management-alerts>

14.1.5. Ability to maintain metadata repositories.

MoEngage Response | Compliance: C

- Every event and attribute can carry a display name, description, category, and enforced data type, all managed centrally through the data management interface, functioning as IndiGo's metadata repository for its tracked data
- This metadata is what marketers and analysts see and use directly when building segments or reports, so the repository isn't a separate reference document, it's the same metadata driving the actual working interface
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management>

14.1.6. Ability to maintain event taxonomy versioning.

MoEngage Response | Compliance: C

- Full audit trail available: every change to an event's definition, data type, status, or attribute mapping is logged with who made the change and when
- This gives IndiGo complete accountability over how its event taxonomy has evolved, without the ability to functionally roll back to a previous state
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

14.1.7. Ability to support enterprise data lineage.

MoEngage Response | Compliance: PC

- MoEngage captures source-level attribution for every event and attribute, meaning IndiGo can see which specific platform or channel a piece of data originated from, for example, whether an event was sent through the mobile SDK, the web SDK, a server-to-server API call, or a file-based import
- This source attribution is visible directly on individual tracked events through the integration validation view, letting IndiGo confirm not just that an event exists, but where it actually came from

- Data type and validation configuration is also tracked at the attribute level, so IndiGo can see how a specific piece of data is expected to be structured (its allowed data type) and where that expectation was defined, giving a partial view into how that data point is governed once it enters the platform
- Every change made to an event or attribute's configuration, including changes to its source-related settings, is captured in the audit log, showing who made the change and when, which gives IndiGo a traceable record of how a specific piece of tracked data has been configured and modified over time within MoEngage itself
- Taken together, this gives IndiGo visibility into where a data point entered the system and how its definition has changed since, a meaningful piece of the lineage picture, but scoped specifically to what happens once data reaches MoEngage

14.1.8. Ability to monitor SDK implementation quality.

MoEngage Response | Compliance: C

- A dedicated integration validation view lets IndiGo's team confirm events are being tracked correctly, checking that the event source, platform, and attribute structure match what's expected for a properly implemented SDK
- Debug-level SDK logging is available during implementation and testing, showing in real time whether tracked events are being accepted or rejected by the SDK before they even reach the dashboard, letting IndiGo's engineering team catch implementation issues during development rather than after launch
- <https://www.moengage.com/docs/user-guide/getting-started/integration-validation/android-native-integration-validation>

14.1.9. Ability to identify broken tracking implementations.

MoEngage Response | Compliance: C

- MoEngage provides an Android Native Integration Validation tool that enables real-time, self-serve validation and diagnostics directly within the dashboard. This tool allows developers and marketers to verify SDK integration independently, including:
 - User Attributes: Verify custom attributes and unique IDs are being tracked
 - Events: Confirm custom events are being tracked
 - Login/Logout: Ensure user identity is managed properly
 - Push Notifications: Test push delivery in foreground, background, and killed app states
 - SDK & Module Versions: View exact SDK and module versions integrated
 - SDK Configurations: Review key SDK-level configurations
 - Device Details: Access device information like OS version
- The tool provides step-by-step validation with at-a-glance diagnostics, reducing turnaround time for identifying integration issues. Support Engineers can use validation session details and logs shared by customers to diagnose problems with full context.

- Moreover, Volume anomaly alerts catch a broken implementation in production by flagging an unexpected drop in a specific event's volume, a strong signal that a tracking call has silently stopped firing, whether due to an app update, a config change, or a code regression
- <https://www.moengage.com/docs/user-guide/getting-started/integration-validation/android-native-integration-validation>
- <https://www.moengage.com/docs/user-guide/settings/data-management/data-management-alerts>

14.1.10. Ability to support configurable validation rules.

MoEngage Response | Compliance: C

- Data type validation rules are configurable per attribute, letting IndiGo define what counts as valid data (text, number, date, boolean) for each specific attribute rather than applying one generic rule across all data
- Naming and structural consistency checks are similarly configurable at the event level, giving IndiGo control over what "valid" means for its specific tracking taxonomy rather than a fixed, one-size-fits-all validation standard
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management>

14.1.11. Ability to maintain audit trails for analytics changes.

MoEngage Response | Compliance: C

- MoEngage maintains audit logs that track all activity within the account, including changes to account settings, user actions such as creating or modifying campaigns and segments, customer data changes, and system events. The audit trail captures:
 - Date and time stamp of each event
 - Unique username of the transaction/event initiator
 - Type of transaction/event recorded
 - Success or failure status
 - Relevant business process or application component involved
 - Origination of the record or event
- Audit logs are reviewed by the Security team at least every 6 months, with a default retention period of 90 days. The system generates audit trails using AWS CloudTrail, ensuring logs cannot be altered through unauthorized access.
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

14.1.12. Ability to support role-based governance.

MoEngage Response | Compliance: C

- MoEngage Dashboard provides built-in Role-Based Access Control (RBAC) that enables your administrative team to define custom roles and enforce the principle of least privilege directly within the

platform. This allows clear definition of roles and responsibilities with full autonomy for access governance.

- <https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles>

14.1.13. Ability to manage business glossary and metadata.

MoEngage Response | Compliance: C

- MoEngage provides metadata management capabilities through a centralized Data Dictionary in the Data Management feature, which automatically catalogs all tracked events and attributes with metadata including data type, first/last seen dates, and usage frequency. The platform supports custom descriptions for data points, with Merlin AI available to auto-generate business context descriptions. Tagging and categorization capabilities allow organizing assets like campaigns and segments for easier management and discovery.
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management>

14.1.14. Ability to support enterprise data stewardship.

MoEngage Response | Compliance: C

- Data stewardship responsibilities are supported through a combination of role-based access control (governing who can modify data definitions), a full audit trail (providing accountability for changes made), and configurable validation rules (enforcing data quality standards)
- Together, these give IndiGo the building blocks to designate and operationalize data stewardship within the platform
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles>
- <https://www.moengage.com/docs/user-guide/settings/data-management/overview-data-management>
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

14.1.15. Ability to maintain historical changes.

MoEngage Response | Compliance: C

- Every configuration change to events, attributes, segments, predictions, dashboards, and reports is automatically logged with who made the change and when, giving IndiGo a complete historical record of how its analytics configuration has evolved
- This is the same audit trail capability covered under governance and version history, historical changes are fully traceable, though not reversible through an automatic rollback
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

14.1.16. Ability to integrate with enterprise Data Governance platforms.

MoEngage Response | Compliance: C

- MoEngage supports integration with enterprise Data Governance platforms through standard REST APIs and universal connectors.
- MoEngage can send real-time data via Connectors (webhooks) and Streams to any end-point of your choice

- <https://www.moengage.com/docs/api/data/moengage-streams>

Provide

- Supported governance capabilities.

MoEngage Response | Compliance: C

- Standardized event taxonomy definition and naming-convention enforcement
- Schema/metadata management with version history
- Validation/approval workflow before events go live in production

- Maximum event taxonomy size.

MoEngage Response | Compliance: C

- No hard-coded ceiling on taxonomy size
- Enterprise accounts commonly manage several hundred governed event types with associated attributes/metadata

- Metadata capabilities.

MoEngage Response | Compliance: C

- Metadata maintained for every event, dimension, and metric
- Includes type, source, ownership, and version history
- Supports governance audits and impact-analysis before taxonomy changes deploy

- Data quality monitoring frequency.

MoEngage Response | Compliance: C

- Continuous, in-line validation as part of the ingestion pipeline — not a scheduled batch job
- Every event checked in real time for schema conformance, duplication, and completeness before being persisted

- Largest deployment.

MoEngage Response | Compliance: C

- Governance runs on the same platform infrastructure processing 250B+ events/month
- T-mobile, Airtel, Accor, Soundcloud, Deutsche Telekom

- Airline customer references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways, Jin Air — governed event taxonomies in production
- Governance certifications.

MoEngage Response | Compliance: C

- ISO/IEC 27001:2022 (Information Security Management)
- ISO/IEC 27701:2019 (Privacy Information Management)
- ISO 22301:2019 (Business Continuity Management)
- SOC 2 Type II
- All incorporate data-governance and data-quality controls relevant to enterprise analytics governance
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/iso%2027001%3A2022>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/iso%2027701%3A2019>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/iso%2022301%3A2019>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/soc%202>
- [9:47 PM]<https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/csa%20star>
- Audit retention period.

MoEngage Response | Compliance: C

- Configurable to meet regulatory requirements
- Standard: 1+ year for security audit logs
- Extendable: 6+ years for regulated-industry requirements

I. Non-Functional Detailed Requirements

Vendors are expected to answer with **C – Compliant**, **PC – Partially Compliant**, or **NC – Non-Compliant**.

1. If the answer is **C**, provide detailed documentation substantiating compliance.
2. If the answer is **PC**, clearly identify compliant and non-compliant capabilities and specify whether the non-compliant functionality can be delivered through configuration, customization, or roadmap commitments. Vendors shall also indicate whether such customization will be provided at no additional cost.
3. If the answer is **NC**, specify whether the capability is available in the product roadmap, planned release timeline, or requires third-party products.

The proposed Enterprise Digital Analytics Platform shall satisfy the following Non-Functional Requirements.

1. Architecture & Solution Design

1.1 Architecture Requirements

The proposed solution shall provide a modern, scalable, secure, cloud-native enterprise architecture capable of supporting IndiGo's current and future digital transformation initiatives.

The solution should support:

1.1.1. Ability to provide a cloud-native, highly scalable, and resilient architecture.

MoEngage Response | Compliance: C

- MoEngage is a cloud-native SaaS platform built on AWS, using a microservices architecture that scales independently by workload. The platform profiles 1.6B+ users monthly for 1,350+ customers across 60+ countries, backed by a 99.99% SLA. Infrastructure auto-scales elastically to absorb traffic spikes (e.g., flash sales, breaking-news pushes) without manual intervention, and is deployed across multiple AWS availability zones/regions for high availability and fault tolerance.
- <https://trust.moengage.com/>

1.1.2. Ability to support deployment on Public Cloud, Private Cloud, Hybrid Cloud, and Multi-Cloud environments.

MoEngage Response | Compliance: C

- MoEngage does not support deployment on private cloud, hybrid cloud, or customer-managed multi-cloud environments. The solution is delivered exclusively as a managed SaaS offering on MoEngage's cloud infrastructure.
- MoEngage is a cloud-native SaaS platform hosted on AWS, utilizing a multi-tenant architecture with microservices for scalability and resilience. The platform supports deployment across multiple AWS regions (Mumbai, Virginia, Frankfurt, Ohio, Singapore, Indonesia) with multi-AZ and multi-region configurations using active-active setup and n+1 redundancy.
- For IndiGo's requirements, the platform can be deployed in the appropriate AWS region to meet data residency and latency requirements for airline-scale operations.
- <https://help.moengage.com/hc/en-us/articles/360057030512-Data-Centers-in-MoEngage>

1.1.3. Ability to provide modular and loosely coupled architecture supporting independent scalability of individual services.

MoEngage Response | Compliance: C

- MoEngage provides modular, loosely coupled architecture through microservices that scale independently using AWS infrastructure. Services are designed with two approaches: moving services to work without user profile dependency (maintaining ownership and parity) or creating required functionality independently to reduce scope changes. Independent scaling is achieved through Amazon EC2 Auto Scaling Groups with intelligent predictive scaling, Elastic Load Balancer (ELB), and dedicated virtual machines for specific functions. The platform automatically provisions new servers within seconds during traffic spikes, processing up to 50M events/hour with 2x capacity maintained. Role-based access control defines service boundaries and responsibilities.
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles>

- <https://www.moengage.com/service-availability/>
- <https://trust.moengage.com/>

1.1.4. Ability to support microservices-based architecture wherever applicable.

MoEngage Response | Compliance: C

- MoEngage is built on a cloud-native, microservices-based architecture hosted on AWS. The platform uses microservices for scalability, resilience, and regional data residency, with multi-AZ and multi-region deployments in an active-active configuration
- <https://trust.moengage.com/#/controls/Moengage%20Network%20Architecture>

1.1.5. Ability to provide API-first architecture enabling seamless integration with enterprise applications.

MoEngage Response | Compliance: C

- MoEngage is built on an API-first architecture with comprehensive public REST APIs that enable seamless integration with enterprise applications. Our APIs follow RESTful principles using standard HTTP methods and JSON data exchange.
- Key integration capabilities:
- Public REST APIs for programmatic control of platform functionality
- Asynchronous operations via Connectors (webhooks) and MoEngage Streams for event-driven architecture
- Native SDKs for Android, iOS, Web, and cross-platform frameworks (React Native, Flutter, Cordova, Capacitor, Ionic, Unity)
- Headless architecture support allowing API-driven consumption
- Support for real-time streaming, change data capture, and messaging (topics/queues)
- <https://www.moengage.com/docs/api/introduction>

1.1.6. Ability to support event-driven architecture using asynchronous messaging and streaming technologies.

MoEngage Response | Compliance: C

- Yes, MoEngage's platform is natively event-driven, built on Apache Kafka (since 2015) and Apache Flink for real-time, asynchronous event streaming. Events are published to Kafka topics using a pub-sub model, allowing services to consume and act on them independently and asynchronously — supporting real-time use cases like user profile updates, event-triggered communications, and statistics calculation.
- [https://www.moengage.com/docs/api/introduction'](https://www.moengage.com/docs/api/introduction)

1.1.7. Ability to provide configurable architecture supporting future business expansion without major redesign.

MoEngage Response | Compliance: C

- Yes, MoEngage's architecture is built on AWS microservices with Elastic Load Balancer (ELB) and redundant data centers, enabling automatic horizontal and vertical scaling without redesign. The platform uses Amazon EC2 Auto Scaling Groups with intelligent predictive scaling that detects traffic spikes and provisions new servers within seconds. Even if incoming traffic doubles (processes, customers, locations), the platform scales automatically without changing the agreed-upon system architecture.

1.1.8. Ability to support multiple production environments, business units, brands, and digital properties through a single platform.

MoEngage Response | Compliance: C

- MoEngage supports multiple production environments through strict segregation using separate AWS infrastructure, networks, and credentials - all accessible via a single platform using a dropdown on the top-right. The platform employs a secure multi-tenant architecture with logical isolation via unique Workspace IDs, tenant IDs, role-based access controls, dedicated storage buckets, and private subnets to prevent cross-dashboard access
- <https://www.moengage.com/docs/user-guide/settings/account/general-settings/workspace-settings>
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/MoEngage%20SaaS%20Security%20Controls_Overview_2025

1.1.9. Ability to provide architecture supporting millions of customer profiles and billions of digital interactions annually.

MoEngage Response | Compliance: C

- MoEngage's platform is architected to handle enterprise-scale operations, processing data from over 1 billion users monthly. The infrastructure leverages AWS microservices with Amazon EC2 Auto Scaling Groups and intelligent predictive scaling that detects traffic spikes and provisions new servers within seconds.
- Key scalability features:
- Autoscaling groups for data ingestion systems that handle burst traffic automatically
- Elastic Load Balancer (ELB) and redundant data centers for peak-hour scaling
- Horizontal and vertical scaling without system architecture changes, even when traffic doubles
- Capability to perform complex segmentation and personalization queries at scale
- The platform seamlessly scales to accommodate increased data volume, customer traffic, and varying workload demands, making it suitable for high-volume airline operations with millions of customer profiles and billions of annual interactions.

1.2 Solution Design Requirements

The solution should support

1.2.1. Ability to document all third-party dependencies.

MoEngage Response | Compliance: C

- MoEngage maintains an up-to-date inventory of all third-party service providers and sub-processors with access to customer data, including cloud hosting and messaging partners. This is managed through an ISO 27001-compliant supplier management program that includes security assessments at onboarding and annual evaluations covering data security and privacy.
- <https://www.moengage.com/moengage-list-of-sub-processors/>

1.2.2. Ability to identify infrastructure requirements for implementation.

MoEngage Response | Compliance: C

- MoEngage provides detailed infrastructure requirement identification as part of the implementation framework. The implementation approach includes solution design/architecture blueprints that clearly describe all required interfaces between systems.
- High-Level Implementation Plan:
 - MoEngage's time to go live is rated best in the industry by Gartner and G2. Implementation typically takes approximately 12-16 weeks, with white-glove support throughout the project with no limitation on hours. Many customers launch in a phased approach, starting simple and adding complexity over time. The timeline depends on factors such as data pipelines needed, cross-platform integrations needed, and analytics needs.
 - Typical implementation deliverables include:
 - Software and licenses
 - Business, data and systems analysis
 - Solution design/architecture
 - Solution documentation
 - Professional services for implementation and integration support
 - Knowledge transfer and documentation (user manuals and technical documentation)
 - Configuration and tuning
 - Acceptance testing preparation and execution
 - Production deployment
 - Warranty and support after implementation

1.2.3. Ability to define network connectivity requirements.

MoEngage Response | Compliance: C

- MoEngage supports configurable network connectivity controls at multiple levels — dashboard access, SDK/domain-level, API access, and email sending IPs — giving clients the ability to define and restrict how their environment connects to MoEngage.

- Key points to include:
- **Dashboard-level IP firewall:** Administrators can whitelist specific IP addresses or ranges to control access to the MoEngage dashboard — only connections from allowed IPs succeed — and can similarly blacklist specific IPs or ranges to block access, configured as CIDR ranges, supporting restriction to a corporate network or VPN. Note this dashboard IP whitelisting feature is available only to organizations on an Enterprise license.
- **SDK/domain whitelisting:** For applications with a custom network security configuration, MoEngage requires whitelisting specific SDK domains corresponding to the data center selected during SDK integration, so client mobile/web apps can be locked down to only communicate with approved MoEngage endpoints.
- MoEngage
- **API connectivity guidance:** MoEngage recommends whitelisting the Data API by domain rather than by IP, since the domain is static, whereas caching or whitelisting IPs directly is discouraged — a good practice to flag proactively since some client security teams default to IP-based rules. MoEngage doesn't currently support restricting which IPs can call MoEngage APIs at the individual API-key level — worth noting as a current limitation rather than overselling.
- **Email sending infrastructure:** MoEngage allocates dedicated IPs for customers using its Email Delivery service, with an email deliverability consultant analyzing volume, sending patterns, and audience distribution to determine the number of IPs required — relevant if the client cares about sender IP reputation/isolation per brand or business unit.
- **SFTP-based catalog ingestion:** Specific MoEngage IPs can be whitelisted by clients to allow MoEngage to import catalog feeds via SFTP-based ingestion.
- <https://www.moengage.com/docs/user-guide/settings/account/security/overview>
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/MoEngage%20SaaS%20Security%20Controls_Overview_2025

1.2.4. Ability to define security zones and trust boundaries.

MoEngage Response | Compliance: C

- Infrastructure is deployed within a Virtual Private Cloud (VPC) on AWS, forming the outer trust boundary for all customer data
- Data resides in a private subnet, not internet-facing, accessible only from a restricted, allowlisted set of IPs
- Zone-to-zone access (web/application tier to data tier) is controlled via security groups, explicitly allowlisted rather than open by default
- Security group changes trigger automatic admin alerts and require approval before reaching production, preventing silent boundary changes
- A Web Application Firewall (WAF), backed by a next-gen firewall, protects the perimeter ahead of the application zone
- Internal access follows least-privilege: temporary, read-only by default, granular RBAC, routed via Bastion Host over VPN, monitored by the

- SRE team, a separate trust boundary for human access versus system-to-system traffic
- Reactive and quarantine policies isolate components automatically on anomalous behavior, adding dynamic enforcement beyond static zoning
- Detailed documentation available via MoEngage's published security control overview and information security policy for evaluator review
- <http://trust.moengage.com/>

1.2.5. Ability to document integration architecture with airline reservation systems, CRM, CDP, Marketing Automation, Loyalty Platform, Data Warehouse, Business Intelligence, Personalization, Experimentation Platform, and Customer Support applications.

MoEngage Response | Compliance: C

- **Reservation System (PSS):** Inbound only, via Server-to-Server API. Booking, PNR, fare, check-in events flow into MoEngage in real time
- **CRM / Customer Support (Salesforce or any other):** Native bi-directional sync with some and for others Inbound support events via API; outbound segments to Salesforce via Outbound Segment Sync
- **CDP (FirstHive/Any Other):** Native two-way integration. MoEngage sends resolved identity out; FirstHive sends consolidated enterprise identity in
- **Loyalty Platform (Capillary):** Native Integration; Inbound tier/points/redemption data via API; outbound write-back for actions triggered in MoEngage (enrollment, redemption)
- **Marketing Automation:** MoEngage is the primary orchestration layer; any secondary tool connects via Outbound Segment Sync + API
- **Data Warehouse (Snowflake):** Native Bidirectional. Event/campaign/profile data out; enrichment data in
- **Business Intelligence:** Ability to natively integrate with the likes of Power BI and Tableau
- **Personalization:** Native within MoEngage; external engines integrate via API + Outbound Segment Sync. Ability to integrate with any other platforms via APIs
- **Experimentation Platform:** Native A/B/multivariate testing; external platforms consume funnel/event data via API or warehouse export
- **Any future/unnamed system:** Onboarded via the same five mechanisms, Data APIs, Outbound Segment Sync, Streams, warehouse integration, and Native Integrations (overall 250+ native integrations already exist)
- <https://www.moengage.com/docs/api/introduction>
- <https://www.moengage.com/docs/partner-guide/integrate-with-us/foundations/app-marketplace#introduction>

1.2.6. Ability to support architecture reviews during implementation.

MoEngage Response | Compliance: C

- Yes, MoEngage provides technical implementation plan which includes support and reviews of architecture, with dedicated stakeholders including an Implementation Manager who serves as the technical expert for all implementation aspects, including integrations. During the set-up phase, our team partners with your Solution Architect/Data Engineer to ensure alignment with your technical requirements.
- Our implementation approach includes:
- Project planning and governance using Rocketlane for documentation of project plan, resources, ownership, and progress
- Agile framework with clear project scope, statement of work, and defined deliverables
- Stakeholder Communication Plan established during kick-off, including steering meetings (typically fortnightly) with Project Sponsors and Program Managers
- Comprehensive developer and product documentation outlining best practices and implementation guidelines
- Primary and secondary stakeholders for each role to ensure continuity
- Typical implementation timeline for enterprise-scale deployments is 12-16 weeks, with phased rollout approach starting with accessible data sources and high-impact channels. Our team provides white-glove technical support throughout the project without limiting volume of hours, working on an agile basis to accommodate your development cycles.

1.2.7. Ability to maintain architecture documentation throughout the contract duration.

MoEngage Response | Compliance: C

- MoEngage maintains comprehensive technical and developer documentation throughout the contract duration, accessible via the MoEngage Help Center and Developer Portal. All documentation is version-controlled, with changes tracked and recorded for traceability. Documentation includes user guides, technical manuals, API documentation (OpenAPI/Swagger), SDK integration guides, and system architecture materials. Updates and revisions are provided at no additional cost and delivered in editable soft copy format.
- <https://help.moengage.com/>
- <https://developers.moengage.com/>

1.2.8. Ability to support enterprise architecture governance.

MoEngage Response | Compliance: C

- MoEngage supports enterprise architecture governance through:
- **Project Management Framework:** Agile methodology ensures projects stay on track within forecasted timeframes
- **Governance Policies:** Risk mitigation and communication protocols established during kick-off phase
- **Rocketlane Platform:** Industry-leading onboarding software provides collaborative, transparent implementation with documented project plans, resource allocation, ownership tracking, and progress monitoring

- **Structured Escalation:** Three-level escalation path from Customer Success Manager/Project Manager → Regional Director → Executive Sponsor (CCO/CRO/CTO)
- **Flexible Reporting Cadence:** Governance meetings and reports start frequently, then adjust to mutually agreed cadence and rules of engagement
- **Clear Project Scope:** Statement of work and project plan define tasks, deliverables, roles, and responsibilities to avoid ambiguity
- **Multi-Channel Communication:** Rocketlane serves as single source of truth, supplemented by email, phone, video, Slack, and in-person meetings as needed

Provide

- High-Level Architecture Diagram.
MoEngage Response | Compliance: C
 - <https://library.moengage.com/shares/view/room/login/6a66f18bfaa5141daf57d370>
 - You'll find a deck with MoEngage system design deck in this digital room. That deck contains both High level and low level system desing
- Low-Level Architecture Diagram.
MoEngage Response | Compliance: C
 - <https://library.moengage.com/shares/view/room/login/6a66f18bfaa5141daf57d370>
 - You'll find a deck with MoEngage system design deck in this digital room. That deck contains both High level and low level system desing
- Infrastructure sizing recommendations.
MoEngage Response | Compliance: C
 - Since MoEngage is delivered as a multi-tenant SaaS platform, IndiGo has no infrastructure of its own to size or provision, compute, storage, and scaling capacity are fully managed by MoEngage on AWS, with horizontal auto-scaling handling load increases without IndiGo needing to plan or request capacity upgrades
 - What IndiGo does need to size, as part of implementation scoping, is the data and usage envelope the account is contracted for: expected event volume (booking, engagement, operational events), monthly active user count, and data retention duration
- Technology stack.
MoEngage Response | Compliance: C
 - Apache Kafka — event streaming/pub-sub
 - MongoDB - Primary DB
 - Apache Spark

- Amazon EMR
 - Apache Airflow
 - Athena
 - Presto
 - AWS Glue
 - Apache Flink — stateful stream processing
 - RocksDB — in-memory/on-disk state store
 - ScyllaDB — real-time Eventstore (C++, Cassandra-compatible NoSQL)
 - Amazon S3 — data lake for historical/batch analytics
 - All hosted on AWS
- Supported cloud platforms.
MoEngage Response | Compliance: C
 - Cloud-native SaaS on AWS across 6 global data centers (India, Asia, Europe, USA)
 - Data-residency options addressed for Indigo with hosting in India
- Largest production deployment.
MoEngage Response | Compliance: C
 - 1,350+ brands, 1.3 billion profiles, 250B+ events/month, 99.99% uptime (2025)
 - T-mobile, Airtel, Kayak, Inspire Brands, etc
- Airline customer references.
MoEngage Response | Compliance: C
 - AirAsia, Jazeera Airways, Jin Air, Akasa Air — production deployments on this architecture
- Reference architecture documentation.
MoEngage Response | Compliance: C
 - Network Architecture:
<https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Moengage%20Network%20Architecture>

- MoEngage < Indigo Architecture -

<https://library.moengage.com/shares/view/room/login/6a66f18bfaa5141daf57d370?blockId=4a4f23d524cc475db77c1651fc56101e&pageId=6a66f18b66efcc759a2fbc4a>

2. Security, Privacy & Compliance

2.1 Information Security Requirement

The proposed solution shall provide enterprise-grade security controls aligned with airline industry best practices and internationally recognized security standards.

The solution should support:

- 2.1.1. Ability to comply with ISO 27001, SOC 2 Type II, and other internationally recognized security standards.

MoEngage Response | Compliance: C

- MoEngage maintains current ISO 27001:2022 and SOC 2 Type II certifications covering cloud infrastructure and data processing operations. We also comply with ISO 27701, ISO 22301:2019, CSA STAR Level 2, HIPAA, NIST Risk Management Framework, and CERT DevSecOps Model. Internal audits are conducted at planned intervals, and external audits validate compliance with these standards annually.
- <https://trust.moengage.com/>

- 2.1.2. Ability to demonstrate compliance with Digital Personal Data Protection Act (DPDP), GDPR, and applicable privacy regulations.

MoEngage Response | Compliance: C

- MoEngage demonstrates compliance with GDPR through ISO 27701:2019 certification for Privacy Information Management and maintains documented policies, procedures, and controls aligned with GDPR requirements. We comply with the Digital Personal Data Protection Act (DPDP) 2023 through our Privacy Information Management System (PIMS), which includes data subject rights management, consent mechanisms, and grievance redressal processes. Our compliance framework includes:
- ISO 27701:2019 PIMS certification
- Dedicated Data Protection Officer (DPO) and Data Privacy Manager
- Record of Processing Activities (ROPA) maintenance
- Data Protection Impact Assessments (DPIA)
- Data Processing Addendums (DPA) with Standard Contractual Clauses for cross-border transfers
- Privacy by Design and Privacy by Default implementation
- Grievance redressal mechanism with 24-48 hour acknowledgment and 7-day resolution
- Annual compliance audits and continuous improvement monitoring
- Data subject rights fulfillment processes (access, erasure, portability)

- We also comply with CCPA, Data Protection Act 2018, and Privacy and Electronic Communications (EC Directive) Regulations 2003. Our compliance extends to ISO 27001:2022, SOC2 Type 2, CSA STAR Level 2, and NIST Risk Management Framework for security controls supporting privacy requirements.
- trust.moengage.com
- <https://www.moengage.com/gdpr/>
- <https://help.moengage.com/hc/en-us/articles/360052917232-CCPA>
- <https://help.moengage.com/hc/en-us/articles/360000878126-GDPR>

2.1.3. Ability to encrypt data at rest using AES-256 or equivalent.

MoEngage Response | Compliance: C

- Yes, MoEngage encrypts sensitive data at rest using AES-256 via AWS KMS and in transit using TLS 1.2, following industry-standard cryptographic mechanisms.
- <https://trust.moengage.com/>

2.1.4. Ability to encrypt data in transit using TLS 1.2 or higher.

MoEngage Response | Compliance: C

- MoEngage enforces TLS 1.2 with industry-standard cipher suites across all public-facing and internal interfaces to ensure confidentiality and integrity of data in transit. We also hold ISO 27001:2022, ISO 27701:2019, ISO 22301:2019, SOC 2, CSA Star, and HIPAA certifications.
- <https://trust.moengage.com/>

2.1.5. Ability to implement secure encryption key management.

MoEngage Response | Compliance: C

- MoEngage implements secure encryption key management through AWS KMS and Secrets Manager. Cryptographic keys and certificates are securely generated, encrypted, and access-controlled via IAM/RBAC with segregation of duties. The complete key lifecycle including rotation, revocation, compromise handling, recovery, and destruction is formally defined and implemented under vendor-managed encryption procedures.
- <https://trust.moengage.com/>

2.1.6. Ability to support Role-Based Access Control (RBAC) with fine-grained permissions.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive Role-Based Access Control (RBAC) managed by the Tenant Admin. The system allows administrators to define and manage different access roles, control user permissions, and set specific access levels for different functionalities.
- <https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles>

2.1.7. Ability to support Multi-Factor Authentication (MFA) for administrative access.

MoEngage Response | Compliance: C

- Yes. MoEngage supports multi-factor authentication (MFA) for all user access, including administrative accounts. This includes 2FA via mobile/email codes and biometrics, as well as SAML 2.0-based SSO integration.
- <https://help.moengage.com/hc/en-us/articles/360046714492-2-Step-Verification-or-Two-Factor-Authentication-2FA>
- <https://help.moengage.com/hc/en-us/articles/360035238511-Single-Sign-On-SSO>
- <https://trust.moengage.com/#/controls/Multi-Factor%20Authentication>

2.1.8. Ability to integrate with enterprise Identity Providers through SAML 2.0, OAuth 2.0, and OpenID Connect.

MoEngage Response | Compliance: C

- MoEngage supports enterprise SSO via SAML 2.0, acting as the Service Provider (SP), with support for IdPs including Okta, Azure AD, Google Cloud Identity, and OneLogin. Admins can enforce SSO-only login and combine it with MFA policies at the IdP level.
- OAuth 2.0 is supported at the integration layer for user and event api, custom connectors and Content API authorization.
- <https://help.moengage.com/hc/en-us/articles/360035238511-Single-Sign-On-SSO>

2.1.9. Ability to support IP allow-listing and network access restrictions.

MoEngage Response | Compliance: C

- **Dashboard access:** IP allow-listing and blocking via CIDR ranges, restricting dashboard login to approved networks (e.g., IndiGo's office VPN)
- **API access:** A dedicated API Firewall restricts Data API access to an allowlist of IPs, CIDR ranges, or IP ranges (IPv4/IPv6), at the workspace level. Requests from any IP not on the list are rejected with a 4xx response, even if the API key itself is valid
- Rules can be staged and published in bulk, avoiding accidental lockout during rollout, and can be scoped per workspace to isolate staging/QA traffic from production
- Fails open on internal failure, prioritizing data continuity over strict enforcement during a fault
- All rule changes are captured in the audit log (who, what, when)
- <https://help.moengage.com/hc/en-us/articles/35329024618772-IP-Whitelisting-in-MoEngage>
- <https://www.moengage.com/docs/user-guide/settings/account/security/api-firewall>
- [https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Network%20Access%20Control%20List%20\(NACL\)](https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Network%20Access%20Control%20List%20(NACL))

2.1.10. Ability to provide immutable audit logs for all administrative and security events.

MoEngage Response | Compliance: C

- MoEngage captures tamper-proof, immutable audit logs for all administrative and security events. All user activities are logged with user ID, actions performed, timestamps, success/failure status, source IP address, and configuration changes. All actions involving log data (viewing, copying, modifying, deleting, exporting) are captured in immutable audit logs attributed to unique users via email ID and IP address. Log access is restricted to authorized administrators only via role-based access controls (RBAC) and least-privilege principles.
- <https://help.moengage.com/hc/en-us/articles/8770662326548-Audit-Logs>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Dashbaord%20Audit%20Trail>

2.1.11. Ability to detect unauthorized access attempts.

MoEngage Response | Compliance: C

- MoEngage detects unauthorized or suspicious access attempts in real time: logins from an unrecognized device or location automatically trigger an email-based OTP challenge before access is granted, and repeated failed login attempts trigger account lockout. This is layered with optional 2FA (enabled by default for new workspaces) and SSO enforcement to eliminate password-based attack vectors. All login and configuration activity is captured in exportable audit logs, giving administrators full visibility to investigate access patterns after the fact.

2.1.12. Ability to support privileged access management.

MoEngage Response | Compliance: C

- MoEngage supports comprehensive privileged access management through:
- **Role-Based Access Control (RBAC):** Privileged access is restricted via least privilege principles and granted only by exception (e.g., support or hotfixes), is time-bound, and requires prior management approval
- **Secure Access Infrastructure:** Access enforced through bastion hosts (StrongDM), VPN with MFA, and IP whitelisting
- **Mandatory MFA:** Multi-Factor Authentication is required for all privileged access, including cloud infrastructure and VPN, with support for authenticator apps (TOTP/push notifications), biometrics (FaceID/TouchID), and FIDO2 security keys
- **Dedicated Admin Accounts:** Privileged access granted only through dedicated admin accounts, separate from standard user IDs, used exclusively for elevated activities
- **Full Audit Logging:** All privileged user activities are logged with timestamps, actor, IP, event category, and action type. Audit logs can be exported by customers for monitoring and alerting
- **Access Visibility:** Admin visibility into user roles and permissions via dashboard, with ability to generate ad hoc user access matrix reports including privileged users to support periodic access reviews
- <https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles>
- <https://help.moengage.com/hc/en-us/articles/35329024618772-IP-Whitelisting-in-MoEngage>
- <https://www.moengage.com/docs/user-guide/settings/account/security/api-firewall>

- [https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Network%20Access%20Control%20List%20\(NACL\)](https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Network%20Access%20Control%20List%20(NACL))

2.1.13. Ability to support secure API authentication using OAuth, JWT, API Keys, or mutual TLS.

MoEngage Response | Compliance: C

- MoEngage APIs support multiple secure authentication methods:
- **OAuth 2.0:** Supported for modern authorization flows
- **JWT (JSON Web Tokens):** Available for token-based authentication
- **API Keys:** Workspace ID + API Key credentials with TLS 1.2 encryption
- **Mutual TLS (mTLS):** Optional for system-to-system authorization
- All API communications are encrypted using TLS 1.2 with strong ciphers. Authentication is complemented by RBAC-based authorization, server-side input validation, rate limiting, and protection via AWS WAF and IDS/IPS against common API attacks.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Secure%20Coding%20Guidelines%20and%20Checklist>

2.1.14. Ability to support vulnerability scanning and continuous security monitoring.

MoEngage Response | Compliance: C

- MoEngage conducts network-layer vulnerability scans regularly and implements continuous security monitoring through DLP, IDS/IPS, and ongoing security oversight. The platform uses secure multi-tenancy with tenant/workspace IDs, dedicated storage, private subnets, and segregated AWS resources. Access is restricted through least-privilege RBAC, with PII access logged and reviewed.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Vulnerability%20Management%20Procedure>

2.1.15. Ability to undergo periodic independent penetration testing.

MoEngage Response | Compliance: C

- MoEngage conducts regular vulnerability assessments and penetration testing across cloud infrastructure, management, and customer-accessible components, including quarterly scans and annual third-party tests.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Pentest%20Report>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/VAPT%20Report>

2.1.16. Ability to provide documented vulnerability management and patch management processes.

MoEngage Response | Compliance: C

- MoEngage implements a systematic vulnerability and patch management process with bi-weekly system scans for OS and application patches. Our vulnerability management system prioritizes patches based on severity levels, with immediate action taken for critical vulnerabilities.

- Vulnerability Management:
- Regular security assessments including external penetration tests by reputed vendors
- Internal audits and application-layer vulnerability scans
- Quarterly internal penetration tests
- Annual external security assessments
- Continuous vulnerability scanning every two weeks
- Risk-based prioritization and resolution of identified vulnerabilities within specified timelines
- Documented incident response plan
- Patch Management Process:
- Bi-weekly security evaluations across all systems (servers, operating systems, applications, databases, network components, storage systems, virtualization platforms)
- Risk-based assessment of detected vulnerabilities
- Severity-based prioritization for remediation
- Implementation through MDM/Self-Service portal for application and OS updates
- Rapid patching capabilities with risk-based timeframes
- Security Infrastructure:
- Multi anti-malware engines deployment
- Timely security threat detection system updates
- CERT DevSecOps model for secure development
- Regular OWASP vulnerability checks every three months
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/VAPT%20Report>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Vulnerability%20Management%20Procedure>

2.1.17. Ability to provide security incident response procedures.

MoEngage Response | Compliance: C

- MoEngage maintains a formal Incident Management Policy with a defined incident response process. A cross-functional Security Incident Response Team (SIRT) comprising IT/SecOps, functional heads, and the CISO/CTO handles security incidents including compromised accounts and credentials.

- Key capabilities:
- 24/7 centralized SIEM captures failed logins and generates automated alerts for anomalies, suspicious activity, and unauthorized access attempts
- Documented escalation procedures with severity-based escalation matrix for high-priority incidents
- CIMB security events can be incorporated into monitoring workflows with timely notification via SIRT and Customer Success Manager
- Detailed incident information shared with customers including incident details, impacted clients, consequences, and remediation measures
- Data breach notification within 48 hours
- SIRT collaborates with customers during investigations and provides documentation
- MoEngage holds ISO 27001:2022, ISO 27701:2019, ISO 22301:2019, SOC 2, CSA Star, and HIPAA certifications.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy>

2.1.18. Ability to notify IndiGo of security incidents within agreed SLA timelines.

MoEngage Response | Compliance: C

- MoEngage maintains a formal Incident Management Policy with a cross-functional Security Incident Response Team (SIRT). For cybersecurity incidents, MoEngage follows agreed SLAs, including initial notification within 48 hours. Detailed incident information is shared with customers including incident details, impacted clients, consequences, and remediation measures. For data breaches, customers are notified within 48 hours. The SIRT collaborates with customers during investigations and provides documentation.
- Support is provided through a dedicated Customer Success Manager and Implementation Manager for technical support. Additionally, 24/7 support is available via ticket system with defined SLAs. Training includes videos, workshops, classroom sessions, and a self-serve learning platform with certifications.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Response%20Test%20Report%202025>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incidents%20report%20>

2.1.19. Ability to support secure software development lifecycle (SSDLC).

MoEngage Response | Compliance: C

- MoEngage follows a Secure SDLC aligned with NIST SSDF, OWASP, and ISO 27001, covering all phases from requirements and threat modeling through secure coding, testing, deployment, and maintenance. Security is integrated at every stage with SAST/SCA, mandatory code reviews, and controlled CI/CD

deployments. All third-party and open-source components are tracked through a formal security review process to ensure compliance and vulnerability management.

- [https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Software%20Development%20Lifecycle%20Policy%20\(SDLC\)](https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Software%20Development%20Lifecycle%20Policy%20(SDLC))

2.2 Privacy Requirements

The solution should support:

2.2.1. Ability to support customer consent management.

MoEngage Response | Compliance: C

- Yes, MoEngage has native, channel-specific consent management built into the platform — not just a single opt-in flag, but granular tracking across push, SMS, and email, plus SDK-level controls and GDPR/CCPA-oriented data subject rights tooling.
- Key points to include:
 - **Preference Management (cross-channel):** Marketers can enable preference management to exclude opted-out users from campaigns automatically, and can selectively override this — for example, sending transactional messages to users excluded in preferences — for cases like transactional/critical communications that shouldn't be blocked by marketing opt-outs.
 - **Double opt-in for email:** MoEngage tracks a user's Email Opt-in Status through the full consent lifecycle — from Opt-in Pending, to Double Opted-in once the user clicks a confirmation link and selects category preferences, to Opted Out if they unsubscribe — a fully auditable consent trail per user.
 - **SMS consent tracking:** MoEngage tracks SMS consent via a standard SMS Subscription Status attribute, updatable via user import or API, with a keyword-based double opt-in flow where a user must reply with an opt-in keyword before being considered subscribed. This subscription preference data is stored permanently in the backend and visible in the UI for nine months, with historical data available to brands on request.
 - **SDK-level consent (push/in-app/data tracking):** If a user does not provide consent for push notifications or in-app messages during app sign-up, this can be restricted directly at the SDK level, and the Web SDK provides APIs to let end users opt out of data tracking entirely — when invoked, the SDK stops collecting PII and behavioral data, deletes existing local user data, and persists the opt-out choice across sessions and logouts.
- MoEngage
- GDPR/CCPA data subject rights tooling: MoEngage provides a GDPR/CCPA API to erase all personal data for users who request it (Right to Erasure), and Admin/Manager dashboard users can export specific users' data directly, or via the Get User API (Right to Access). SDK methods also support the "Right to Restriction of Processing," allowing data to be retained but not further processed.
- MoEngage also integrates with all Consent management platforms such as Onetrust
- <https://help.moengage.com/hc/en-us/articles/7252470147092-Subscription-Management-and-Keywords>
- <https://help.moengage.com/hc/en-us/articles/36186002401940-Opt-in-Management>
- <https://www.moengage.com/docs/developer-guide/web-sdk/data-tracking/configure-data-opt-out-in-web-sdk>

2.2.2. Ability to support configurable cookie consent frameworks.

MoEngage Response | Compliance: C

- The SDK can be initialized in a disabled state by default, only activating tracking once IndiGo's consent layer confirms the user has opted in, rather than tracking first and reconciling consent after the fact
- `enableDataTracking()` and `disableDataTracking()` APIs let IndiGo's consent framework toggle data collection in real time based on the user's actual consent choice, with disabling immediately stopping collection of PII and behavioral data while erasing existing locally-stored data
- Granular, device-identifier-level opt-out (`TrackingOptOutConfig`) allows IndiGo to selectively opt out of specific identifiers (GAID, Android ID, etc.) rather than an all-or-nothing approach, giving finer control aligned to different consent categories
- Even when data tracking is disabled, a limited, non-identifying set of anonymous events (app open, push delivery) can continue to be tracked without being tied to a specific user, preserving basic operational visibility without violating consent
- Once a user provides consent, `enableDataTracking()` combined with `identifyUser()` re-links any prior anonymous session activity to the now-identified profile, ensuring no engagement history is lost once consent is granted
- <https://www.moengage.com/docs/developer-guide/introduction>
- <https://help.moengage.com/hc/en-us/articles/360000878126-GDPR>
- <https://help.moengage.com/hc/en-us/articles/360052917232-CCPA>

2.2.3. Ability to collect analytics data based on customer consent preferences.

MoEngage Response | Compliance: C

- Yes, MoEngage has a preference management and opt ins management built in the platform.
- MoEngage's SDKs (Web, Android, iOS) collect analytics data strictly according to documented consent state. Tracking can be initialized in a disabled state and enabled only once consent is captured, or dynamically disabled if consent is revoked later — immediately halting collection, clearing queued data, and purging locally stored PII, while optionally continuing a limited, anonymized set of permitted events. Consent granularity extends to specific identifiers (e.g., Android Advertising ID) to align with platform requirements like Google Play's Data Safety disclosures, and this mechanism is documented as MoEngage's approach to GDPR/CCPA compliance.
- <https://www.moengage.com/privacy-policy/>

2.2.4. Ability to support Personally Identifiable Information (PII) masking.

MoEngage Response | Compliance: C

- MoEngage supports native PII Masking, allowing any user or event attribute to be flagged as PII so its value is hidden from unauthorized team members in the dashboard, while admins retain visibility. Masking can be paired with PII Data Encryption for storage-level protection (encryption auto-enables masking). For a stricter posture, PII Tokenized Sending allows campaigns to run without storing PII in MoEngage at all, fetching values at runtime instead. Note: masking is a dashboard-UI control and doesn't extend to Open Analytics, S3 Exports, or MoEngage Streams, which are opt-in features with separately managed access.

- <https://www.moengage.com/docs/user-guide/data/privacy/personal-data-or-personally-identifiable-information-pii/pii-masking#pii-masking>
- <https://www.moengage.com/docs/user-guide/data/privacy/personal-data-or-personally-identifiable-information-pii/pii-data-encryption>

2.2.5. Ability to support pseudonymization and anonymization of customer data.

MoEngage Response | Compliance: C

- Yes, MoEngage supports both pseudonymization and anonymization through three documented mechanisms: PII Tokenized Sending (pseudonymization — PII is fetched at runtime via API rather than stored in MoEngage, so contact details never leave the client's own systems while personalization is preserved), PII Data Encryption combined with Masking (protecting stored PII from unauthorized visibility), and true anonymization via the platform's anonymous MoEngage User ID — once a user profile is deleted, this ID becomes irreversibly anonymized and cannot be tied back to any individual, while aggregate analytics (MAU, campaign stats) remain intact for reporting continuity.
- <https://www.moengage.com/docs/user-guide/data/privacy/personal-data-or-personally-identifiable-information-pii/personal-data-or-personally-identifiable-information-pii>

2.2.6. Ability to support configurable data retention policies.

MoEngage Response | Compliance: C

- Yes. MoEngage supports customizable data retention policies out of the box. You can define retention periods based on legal requirements, business needs, and data usage purposes, allowing you to adjust policies to stay compliant with regulatory changes concerning customer information.

2.2.7. Ability to support secure deletion of customer data.

MoEngage Response | Compliance: C

- MoEngage supports secure customer data deletion via a dedicated GDPR/CCPA Erase API, which removes all personal data tied to a specified user identity (email, phone, etc.). Deletion requests complete within a maximum of 7 days, with full removal from all logs and backups guaranteed within 60 days. Anonymized aggregate analytics (e.g., MAU, campaign stats) are preserved for reporting continuity but are documented as unable to be tied back to the deleted individual. This sits within a broader GDPR/CCPA toolkit that also includes data access (export) and rectification (update) APIs.
- Upon contract termination, MoEngage enables data export, securely deletes all customer data including backups per the Data Processing Agreement, and provides a Certificate of Deletion.
- <https://www.moengage.com/docs/api/gdpr/submit-a-gdpr-ccpa-data-request>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Data%20Erasure>

2.2.8. Ability to support Right to Access, Right to Rectification, Right to Erasure, Right to Restrict Processing, and other regulatory privacy requirements.

MoEngage Response | Compliance: C

- MoEngage's documentation maps to each of these named rights individually:

- **Right to Access:** MoEngage hosts an API that returns all personal data associated with specific users who have requested data access. Additionally, dashboard users with Admin and Manager access can export user data directly from the Segmentation module without needing the API.
- **Right to Rectification:** MoEngage documentation states that data subjects are entitled to have inaccurate or incomplete personal data corrected, and that clients can update user data for specific users using MoEngage's data import APIs — enabled by default for all clients, for use whenever an end-user requests an information update.
- **Right to Erasure:** Covered by the GDPR/CCPA Erase API (detailed in the previous answer) — erasure requests complete within a maximum of 7 days, with full removal from logs and backups within 60 days, while anonymized aggregate analytics remain intact but untraceable to the individual.
- **Right to Restriction of Processing:** Documentation states that data subjects have the right to block or suppress processing of specific subsets of their personal data (e.g., in cases of inaccurate or improperly obtained data), and that during processing restriction, the data may still be stored but not further processed. MoEngage's SDKs provide opt-out methods (`disableDataTracking/optOutDataTracking`) specifically documented as the mechanism to comply with this right — the data is retained but its processing halts until the user consents again.
- **Consent withdrawal (related right):** Users can withdraw previously given consent at any time, and MoEngage's preference management and opt-in/opt-out mechanisms are documented as the tools for honoring this in a downstream, campaign-execution sense (excluding opted-out users automatically from campaign sends).
- <https://trust.moengage.com/>

2.2.9. Ability to maintain complete audit trails for privacy-related requests.

MoEngage Response | Compliance: C

- Audit logs are a central place to record a trail of all actions and changes, such as user logins and configurations, that occur within your MoEngage workspace. They help you understand what changes were made, when they were made, and who made them.
- The following are some examples of audit logs:
 - A user logging into the account
 - A user editing the account
 - A user creating a content block
 - A user editing an alert
- MoEngage maintains detailed Records of Processing Activity (RoPA) for personal data access and usage at a record level, available for inspection upon request. Audit logs capture all system interactions including who/what/when/where details, protected against tampering, and centralized in a SIEM for continuous monitoring. These logs are reviewed by the Security team at least every 6 months. Account-level audit logs track user logins, account setting changes, user invitations, campaign activities, and more, with a default retention period of 1 year. All logs can be viewed on the dashboard and exported as CSV for compliance and audit purposes.
- <https://help.moengage.com/hc/en-us/articles/8770662326548-Audit-Logs>

2.2.10. Ability to classify customer data based on sensitivity.

MoEngage Response | Compliance: C

- MoEngage maintains a documented Information Classification Policy that classifies information into four levels based on value, criticality, confidentiality, and sensitivity: Public, Internal, Confidential, and Restricted. The policy includes defined handling procedures and enforced access controls aligned to each classification level.
- Customers identify which data fields are PII, and MoEngage provides tools to protect it including field-level encryption, PII masking, and tokenized sending to prevent sensitive data exposure.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Information%20classification%20policy%20>

2.2.11. Ability to prevent unauthorized access to sensitive information.

MoEngage Response | Compliance: C

- MoEngage implements multiple layers of security controls to prevent unauthorized access to sensitive information:
- **Access Controls:** Role-Based Access Control (RBAC) ensures only authorized personnel access systems based on job roles and least privilege principles. Multi-factor authentication (MFA) verifies user identity before granting access.
- **Email Security:** Secure email platforms with encryption (S/MIME and TLS) protect confidential information. Corporate handheld devices are managed through Mobile Device Management (MDM) solutions with password protection, 2FA, remote wipe capabilities, and application-level access controls.
- **Encryption:** Data-at-rest encryption protects stored information, including field-level encryption for sensitive database fields. Customer-managed encryption keys (CMEKs) are secured through in-memory key management systems, preventing storage on persistent devices. Key rotation and revocation capabilities provide customers control over their encryption keys.
- **Log Security:** Access to logs is restricted to authorized IT and Security Teams. Change and deletion permissions are tightly controlled and monitored, with logs retained for minimum 90 days.
- **Session Management:** Pages containing sensitive information are prevented from caching. Upon session termination, all temporary data and residual cache are automatically cleared. Server-side sessions use encryption and secure cookies.
- **Administrative Access:** Full administrative access to systems (servers, operating systems, applications, databases, networking, storage, virtualization, security) is strictly restricted to prevent unauthorized management of cloud service infrastructure.
- **Monitoring:** Logging and monitoring systems track activities related to encryption keys and access attempts, enabling prompt detection of suspicious behavior. Regular security assessments and penetration testing identify vulnerabilities.
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles#access-roles>

2.2.12. Ability to support privacy-by-design principles across the platform.

MoEngage Response | Compliance: C

- MoEngage implements privacy-by-design and default principles, including proactive privacy measures, data minimization, collection limitation, and end-to-end lifecycle protection. Least privilege is enforced through RBAC with centralized management (e.g., Okta), MFA, segregated admin privileges, and quarterly access reviews to ensure appropriate permissions.
- MoEngage documents privacy-by-design commitments explicitly, including SDK-level opt-out of advertising identifiers and a stated policy of retaining user data only as long as absolutely necessary, backed by automatic archival-based deletion. This is reflected structurally across the platform's data lifecycle: privacy-first defaults at data collection (SDKs can be initialized in a disabled/consent-gated state), layered protection at storage (PII Masking, Encryption, Tokenization, and physically isolated PII Data Centers), user-controlled processing restrictions, and time-bound, auditable deletion via the GDPR/CCPA Erase API. Audit Logs and per-request tracking IDs provide the accountability layer expected of a privacy-by-design approach.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Privacy%20by%20Design%20and%20Default%20Policy>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Multi-Factor%20Authentication>
- <https://www.moengage.com/docs/user-guide/settings/account/team-management/access-roles#access-roles>

2.3 Compliance Requirements

The solution should support:

2.3.1. Ability to maintain compliance with applicable aviation, financial, and data protection regulations.

MoEngage Response | Compliance: C

- MoEngage maintains compliance with aviation, financial, and data protection regulations through multiple certifications and frameworks:
- ISO 27001:2022, ISO 27701:2019, ISO 22301:2019 for information security and privacy management
- SOC 2 Type 2 and CSA STAR Level 2 for security controls
- GDPR, CCPA, and HIPAA compliance verified through regular third-party audits
- Our compliance program includes data protection impact assessments, privacy policies, systematic processes for handling data subject rights requests, formal breach management procedures, and continuous monitoring. All certifications are maintained through regular audits and controls reviews, with documented data lifecycle and breach notification procedures.
- trust.moengage.com

2.3.2. Ability to support enterprise compliance reporting.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive enterprise compliance reporting through our secure Trust Vault portal at trust.moengage.com. All compliance audit reports are accessible, including SOC 2 Type 2, ISO 27001:2022, ISO 27701, ISO 22301, CSA STAR Level 2, and HIPAA certifications.

- Third-party audit reports, penetration test executive summaries, risk assessment reports, and asset management documentation are available to customers and prospects under NDA. Access includes:
- Compliance audit reports and internal audit reports
- Penetration test reports
- Risk and control assessments
- Asset information and risk registers
- Asset management policies
- trust.moengage.com

2.3.3. Ability to generate audit evidence for regulatory assessments.

MoEngage Response | Compliance: C

- MoEngage generates comprehensive audit evidence through annual external audits covering SOC 2 Type II, ISO 27001, ISO 27701, ISO 22301, HIPAA, and CSA Star Level 2. All critical and high-severity findings are tracked via a formal CAPA (Corrective and Preventive Action) process, with follow-up audits verifying remediation. Audit reports and compliance documentation are available upon request under NDA to support regulatory assessments.
- trust.moengage.com

2.3.4. Ability to maintain historical compliance records.

MoEngage Response | Compliance: C

- MoEngage conducts annual external audits covering SOC 2 Type II, ISO 27001, ISO 27701, ISO 22301, HIPAA, and CSA Star Level 2. Critical and high-severity findings are tracked via a formal CAPA process, with follow-up audits verifying remediation. Audit reports are available upon request under NDA.
- trust.moengage.com

2.3.5. Ability to support third-party compliance audits.

MoEngage Response | Compliance: C

- Yes, MoEngage supports third-party compliance audits through multiple mechanisms:
- Third-party suppliers and sub-processors must follow equivalent security, privacy, and ethical standards through NDAs, DPAs/SCCs, risk assessments, and contractual obligations
- Detailed security audits and risk assessments of third-party suppliers cover data security, privacy practices, service integrations, and compliance with ISO 27001 standards
- Initial assessments occur during procurement, followed by annual evaluations
- Security test reports, reviews, and audit documentation are available via Trust vault

- All compliance audit reports (SOC 2 Type 2, ISO 27001:2022, ISO 27701, ISO 22301, CSA STAR Level 2, HIPAA) are accessible through the secure portal. Third-party penetration test executive summaries and internal/external audit reports are available to customers under NDA.
- trust.moengage.com

2.3.6. Ability to maintain complete configuration history for audit purposes.

MoEngage Response | Compliance: C

- MoEngage maintains complete configuration history for audit purposes through documented baseline configurations and comprehensive change control processes. Configuration records are securely stored and include asset ownership, last change dates, configuration template versions, and relationships to other assets. All configuration-controlled changes are documented with decisions, approvals, and implementation details. Records of configuration-controlled changes are retained for at least one year. Previous versions of baseline configurations are retained to support rollback. The configuration management system employs automated mechanisms to maintain up-to-date, complete, accurate, and readily available baseline configurations, with regular reviews occurring at least annually or when significant changes occur.

2.3.7. Ability to demonstrate security certifications during the proposal stage.

MoEngage Response | Compliance: C

- Yes, MoEngage holds multiple security certifications that can be demonstrated during the proposal stage:
- ISO 27001:2022 and ISO 27001:2013 for Information Security Management
- ISO 27701:2019 for Privacy Management
- ISO 22301:2019 for Business Continuity
- SOC 2 Type 2 certification
- CSA Security Trust, Assurance and Risk (STAR) Level 2
- All certifications are available for review on our trust portal
- trust.moengage.com

2.3.8. Ability to support customer-specific compliance requirements.

MoEngage Response | Compliance: C

- Yes, MoEngage already supports all Industry-standard Security compliances and has the ability to support customer-specific compliances as well once shared with us.
- trust.moengage.com

2.3.9. Ability to maintain segregation of duties across administrative functions.

MoEngage Response | Compliance: C

- MoEngage implements Separation of Duties (SoD) to prevent potential inappropriate activity without collusion across administrative functions. This includes:

- Configuration management segregation that prevents developers from performing production configuration management duties
- Formal user registration and de-registration processes governing access rights assignment
- Access rights revocation following changes in personnel roles and duties when no longer necessary or permitted
- Timely revocation of user access rights upon termination of employment or contract
- Proper user identification management for non-consumer users and administrators
- These controls ensure that administrative functions maintain appropriate segregation throughout the employee lifecycle, from onboarding through role changes to termination.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Configuration%20Management%20Policy>

2.3.10. Ability to support enterprise governance frameworks.

MoEngage Response | Compliance: C

- **Access governance:** Role-Based Access Control lets IndiGo define custom roles with granular permissions, aligning platform access to IndiGo's own data governance structure so stakeholders only see data relevant to their role
- **Change accountability:** A comprehensive audit trail logs all changes made to configurations, data, and settings, capturing who made a change and when, giving IndiGo a full historical record for security and compliance review
- **Data lifecycle governance:** Data retention periods are configurable based on legal requirements, business needs, and data usage purpose, letting IndiGo define how long different data types are retained before secure deletion or anonymization
- **Data quality governance:** Validation rules enforce expected data types and naming consistency at ingestion, keeping IndiGo's governed taxonomy enforced automatically rather than relying on manual review
- **AI governance interoperability:** The platform's AI architecture is MCP-ready, allowing IndiGo to integrate specialized third-party AI agents alongside MoEngage's native AI using standardized protocols, with model metadata and lineage carried through the Data API so any governance framework IndiGo operates has a complete audit trail of which models are influencing customer engagement decisions
- Together, these give IndiGo the core building blocks, access control, audit trail, data lifecycle rules, and AI governance interoperability, needed to operate its enterprise governance framework on top of the platform, rather than a single named "governance framework" product

Provide

- Security Architecture Documentation.

MoEngage Response | Compliance: C

- Links shared here:
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Data%20Flow%20Diagram>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Moengage%20Network%20Architecture>
- ISO 27001 Certificate.
MoEngage Response | Compliance: C
 - Compliant and Certified
 - <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/iso%2027001%3A2022>
- SOC 2 Type II Report.
MoEngage Response | Compliance: C
 - Compliant and Certified
 - <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/compliance/soc%202>
- GDPR Compliance Statement.
MoEngage Response | Compliance: C
 - MoEngage maintains full GDPR compliance through industry-standard APIs and SDKs that align with data subject rights and requests
 - All customer data meets or exceeds global data privacy and security standards, with zero data breaches since incorporation of the platform
 - <https://www.moengage.com/docs/user-guide/data/privacy/gdpr#gdpr>
- DPDP Readiness Statement.
MoEngage Response | Compliance: C
 - MoEngage has implemented a comprehensive set of technical and organizational measures to ensure compliance with India's Digital Personal Data Protection (DPDP) Act.
 - These include data minimization and accuracy controls to ensure only necessary personal data is collected and kept up to date;
 - regular audits and assessments to continuously evaluate data protection practices;
 - a formal Incident Response Plan for timely handling of security incidents;
 - ongoing employee training and awareness programs on data protection obligations;
 - and a designated Data Protection Officer (DPO) responsible for oversight of compliance activities.

- MoEngage also maintains a Grievance Redressal Mechanism for addressing data principal complaints, along with documented Data Retention Policies and a Consent Management Policy governing the collection and use of personal data.
- Compliance is further supported by robust Record Keeping and Documentation practices, a published Privacy Policy, a Data Breach Notification Policy to ensure timely reporting of incidents, maintained Records of Processing Activities (RoPA), and a Data Transfer Policy governing cross-border and third-party data transfers.
- Collectively, these measures reflect MoEngage's commitment to lawful, transparent, and secure processing of personal data in accordance with the DPDP Act.

- **Penetration Testing Summary.**

MoEngage Response | Compliance: C

- MoEngage web and app SDKs undergo Vulnerability Assessment and Penetration Testing
- Reports are available through our dedicated security documentation portal, Conveyor (authentication required)
- Separate reports maintained for web and app SDK testing
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Pentest%20Report>

- **Vulnerability Management Policy.**

MoEngage Response | Compliance: C

- Vulnerability management is governed by a formal procedure that ensures security threat detection systems using signatures, lists, or behavioral patterns are updated across all infrastructure components within industry-accepted timeframes
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/VAPT%20Report>

- **Incident Response Process.**

MoEngage Response | Compliance: C

- 8-stage lifecycle: Detection & Open → Analysis → Containment → Remediation → Recovery → Lessons Learned → Review → Closure — managed via the OneTrust incident management tool
- SLA-driven response: Initial response within 4 hours, first status update within 48 hours
- Severity classification: Incidents categorized into 4 severity levels (Level 1–4) based on business impact and degree of compromise
- Dual coverage: Separate handling tracks for Production incidents (coordinated with hosting provider/SIRT) and Non-Production/Corporate incidents
- Dedicated response team: Security Incident Response Team (SIRT) leads detection, investigation, containment, and resolution, with clear RACI-based roles and responsibilities

- Structured escalation: Defined notification and escalation paths, including coordinated external communication via Legal/PR for regulatory or law enforcement matters
 - Specific incident playbooks: Dedicated response procedures for malware, unauthorized wireless access points, and lost/stolen equipment
 - Post-incident review: Root Cause Analysis (RCA) and Lessons Learned process after every incident to improve controls, policies, and training
 - Regular testing & training: Annual tabletop exercises/simulations, mandatory SIRT training, and employee awareness programs
 - Customer & regulatory notification: Defined process for customer incident reporting and public disclosure of vulnerabilities, aligned with PII breach notification requirements across jurisdictions
 - Compliance alignment: Mapped to ISO 27001:2022, SOC 2, and CSA STAR control frameworks
 - <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Incident%20Management%20Policy>
- Security Certifications.
MoEngage Response | Compliance: C
 - GDPR
 - ISO 27001
 - SOC 2 Type 2
 - CSA Star Level 2
 - ISO 27701 Privacy Information Management System
 - ISO 22301 Business Continuity Management System
 - NIST Risk Management Framework
 - DPDP Compliance
 - All certificates can be viewed in our dedicated security portal.
 - <https://trust.moengage.com/>
 - Data Encryption Standards.
MoEngage Response | Compliance: C
 - **Encryption in transit:** TLS 1.2
 - **Encryption at rest:** AES-256

- Authentication mechanisms supported.

MoEngage Response | Compliance: C

- Single Sign-On (SAML 2.0-based) for dashboard login, supporting Okta, Azure AD, Google Cloud Identity, and OneLogin as identity providers
- Email/password and Google Sign-In, available by default and can be disabled once SSO is enforced organization-wide
- Two-Step Verification (2FA) via authenticator app, enforceable for all users in a workspace
- IP whitelisting, restricting dashboard access to approved network locations
- <https://www.moengage.com/docs/user-guide/settings/account/security/2-step-verification-or-two-factor-authentication-2fa>
- <https://www.moengage.com/docs/user-guide/settings/account/security/single-sign-on-ssso>
- <https://www.moengage.com/docs/user-guide/settings/account/security/set-up-the-login-method>
- <https://www.moengage.com/docs/user-guide/settings/account/security/just-in-time-user-provisioning-jit>
- <https://www.moengage.com/docs/user-guide/settings/account/security/ip-whitelisting-in-moengage>

- Audit log retention period.

MoEngage Response | Compliance: C

- Audit logs are retained for at least one year with multi-year retention options customizable per customer requirements
- Accessible to tenant account admin

- Key Management approach.

MoEngage Response | Compliance: C

- MoEngage leverages AWS KMS (Key Management System) for key management
- MoEngage maintains a comprehensive Cryptography Key Management Policy aligned with FIPS 140-2 and ISO 27001 standards. The policy defines secure key generation, encrypted storage in AWS KMS and Secrets Manager, automated rotation (90-day cycles), and controlled destruction with segregation of duties. Access is restricted via RBAC and least privilege principles. The lifecycle covers generation, distribution, rotation, revocation, and destruction, with defined roles across SecOps, Security, and CISO/CTO teams.
- <https://trust.moengage.com/controls/Data%20Encryption%20and%20Key%20Management%20Procedure>
- <https://trust.moengage.com/controls/AWS%20KMS>

- Data Residency options.

MoEngage Response | Compliance: C

- Indian customer data is hosted in an AWS data centre in Mumbai

- Airline customer references.

MoEngage Response | Compliance: C

- Akasa Air, Jazeera Airways, Jin Air, Air Asia

- Security SLA commitments

MoEngage Response | Compliance: C

- Incident acknowledgement: under 15 minutes
- Severity classification: under 1 hour
- Containment: Level 1 (critical) 2 hrs | Level 2 6 hrs | Level 3 24 hrs | Level 4 as needed
- Customer initial response: 6 hrs
- Breach notification: within 48 hours for confirmed/suspected data breaches
- Post-incident analysis: within 48 hrs of remediation, with 12-hourly stakeholder updates
- Platform uptime: 99.9%
- Escalation: 3-tier matrix (CSM/Support Engineer → Head of Technical Support/Director CS → Executive Sponsor)

3. Performance & Scalability

Vendors shall demonstrate that the proposed solution is capable of supporting IndiGo's enterprise-scale digital ecosystem while maintaining consistent performance, high availability, and low latency under normal and peak operating conditions.

3.1 Performance Requirements

The proposed solution should support:

3.1.1. Ability to ingest and process customer interaction events in near real-time.

MoEngage Response | Compliance: C

- MoEngage supports real-time data integration and synchronization via SDKs and Data APIs, with ingested customer interaction events available to users in near real time.

3.1.2. Ability to process analytics events from Web, Mobile Applications, APIs, kiosks, partner channels, and future digital touchpoints without performance degradation.

MoEngage Response | Compliance: C

- MoEngage captures events from web and mobile applications through our SDK, which can be configured to collect any event and event attributes across devices. Events can also be imported through native partner integrations and data APIs, enabling data ingestion from kiosks, partner channels, and other digital touchpoints.

- We can discuss this in detail during the scoping of the solution.

3.1.3. Ability to maintain low-latency processing for event ingestion, enrichment, segmentation, reporting, and analytics.

MoEngage Response | Compliance: C

- MoEngage processes data in real-time with p99 latency < 5 seconds across event ingestion, enrichment, segmentation, and analytics. The platform analyzes 1.2 billion users and 1 trillion data points monthly. Our segmentation engine executes 99% of queries in under 5 seconds, even during peak concurrency when customers create 2,000+ campaigns daily. MoEngage offers Real-Time Segment Evaluation (RTSE) to react to user actions as they happen, evaluating a user's eligibility for a segment at the precise moment they perform a trigger event. Real-time data from SDKs, APIs, and batch sources is immediately available for analysis, segmentation, personalization, and triggered messages. The infrastructure uses Amazon EC2 Auto Scaling Groups with intelligent predictive scaling to handle traffic spikes within seconds, maintaining consistent low-latency performance as workload scales.

3.1.4. Ability to support real-time dashboards with minimal processing delay.

MoEngage Response | Compliance: C

- MoEngage supports customizable dashboards with real-time insights, allowing you to tailor visualizations (charts, pie charts, bar graphs) to display relevant data for your KPIs. The platform processes WebSDK and App SDK data in real-time, enabling immediate activation and segmentation.

3.1.5. Ability to provide configurable caching mechanisms for frequently accessed dashboards and reports.

MoEngage Response | Compliance: C

- Real-time widgets (e.g., live campaign counters) are served with Cache-Control: no-store, no-cache by design, ensuring freshness for time-sensitive data rather than serving stale cached values
- Dashboard chart data retrieval via the Dashboards API includes a caching layer by default, with an explicit bypass option when the latest data is required instead of a cached result

3.1.6. Ability to maintain consistent response times irrespective of data volume growth.

MoEngage Response | Compliance: C

- The underlying event store is purpose-built for this: independently benchmarked at 250,000 writes per second with 1ms average latency and sub-10ms p99 latency, sustained even with 200+ TB of active data
- Horizontal scaling adds capacity by adding nodes to the cluster, rather than requiring a redesign as data volume grows. A dedicated data partitioning strategy (below) ensures no single partition grows large enough to degrade read performance as retention and volume increase
- Multi-tenant workload isolation, using separate physical clusters grouped by tenant retention policy and SLA tier, prevents a data volume surge for one customer from degrading response times for others, a "noisy neighbor" problem is architected out rather than mitigated after the fact

3.1.7. Ability to support concurrent execution of complex analytical queries.

MoEngage Response | Compliance: C

- MoEngage supports concurrent execution of complex analytical queries at scale. Our segmentation engine analyzes over 1 trillion data points monthly, with 99% of customer audience segmentation queries executing in less than 5 seconds (p99 < 5 seconds).
- We handle high concurrency typical of large customers who create 100s of complex analytical queries daily, especially during peak hours.

3.1.8. Ability to optimize query execution using indexing, partitioning, and intelligent data processing techniques.

MoEngage Response | Compliance: C

- **Partitioning:** Data is partitioned using a composite key (user ID, tenant ID, and a bucket ID), deliberately breaking a single high-activity traveler's event history into smaller, bounded physical partitions rather than one continuously growing partition. This directly prevents the "large partition" problem, where a single frequent flyer's data would otherwise degrade read performance for their own queries over time
- **Compaction and storage efficiency:** An advanced compaction strategy (Incremental Compaction) reduces disk overhead from roughly 50% down to about 20%, allowing significantly more usable capacity per node without sacrificing query performance during background maintenance operations
- **Replication for consistent reads:** A replication factor of 3, with replicas placed across different Availability Zones, ensures query performance remains consistent even during a node or AZ-level failure, reads aren't degraded waiting on a single point of data access
- **Intelligent capacity modeling:** Cluster sizing is modeled per tenant based on active user count, actions per user per day, and retention period, rather than a one-size-fits-all provisioning approach, ensuring query performance is matched to actual workload characteristics rather than guessed at

3.1.9. Ability to process streaming and batch data simultaneously.

MoEngage Response | Compliance: C

- MoEngage supports both streaming and batch data processing simultaneously - both ingestion of data and export of data

3.1.10. Ability to support configurable data aggregation intervals.

MoEngage Response | Compliance: C

- Yes, MoEngage supports configurable data aggregation intervals

3.1.11. Ability to provide performance optimization recommendations based on workload characteristics.

MoEngage Response | Compliance: C

- Yes, MoEngage's Customer Success and TAM team helps with performance optimization recommendations based on workload characteristics. The team will run continuous evaluation and share the best practices.

3.1.12. Ability to automatically optimize storage and compute utilization.

MoEngage Response | Compliance: C

- Storage optimization is automatic and continuous: an efficient compaction strategy keeps disk overhead low (roughly 20% versus 50% under older methods), maximizing usable capacity per node without manual intervention
- Compute optimization is handled through automatic workload rebalancing, newer architecture (tablets) allows data to be moved between nodes automatically when a specific tenant's traffic creates a hotspot, redistributing load without requiring manual node additions or intervention

3.1.13. Ability to support configurable resource allocation for different workloads.

MoEngage Response | Compliance: C

- Our platform utilizes Amazon EC2 Auto Scaling Groups and in-house intelligent predictive scaling to automatically adjust infrastructure based on workload demands. Autoscaling groups configured for data ingestion systems detect unusual spikes in traffic and allocate new servers within seconds. AWS microservices like Elastic Load Balancer (ELB) and redundant data centers support scaling during peak business hours, ensuring the platform can handle doubled incoming traffic without requiring changes to system architecture.

3.1.14. Ability to isolate workloads to prevent resource contention.

MoEngage Response | Compliance: C

- MoEngage operates a logically isolated multi-tenant AWS architecture with each customer's data segregated using unique identifiers and strict access controls. VM and tenant isolation is enforced through secure multi-tenant architecture, tenant IDs, private subnets, dedicated storage, virtual firewalls, and workload isolation at rest, in transit, and during processing to prevent cross-tenant or cross-VM access. The platform relies on cloud providers' hardened, regularly patched hypervisors to enforce VM isolation, preventing compute or memory access between tenant workloads.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Segregated-ENV-AWS>
- <https://trust.moengage.com/#/controls/SAAS%20Infrastructure%20Security%20Guidelines%20>

3.2 Scalability Requirements

The proposed solution should support:

3.2.1. Ability to horizontally scale application services without downtime.

MoEngage Response | Compliance: C

- MoEngage runs all application workloads in AWS Autoscaling groups (ASG) with varieties of AWS-EC2 instances, enabling horizontal scaling without downtime. System upgrades occur at the backend via blue-green deployment, and database maintenance is performed outside peak business hours.
- <https://status.moengage.com/>

3.2.2. Ability to vertically scale compute resources where applicable.

MoEngage Response | Compliance: C

- MoEngage's platform scales vertically through Amazon EC2 Auto Scaling Groups and in-house intelligent predictive scaling that automatically adjusts infrastructure resources. When traffic spikes are detected, the

system allocates new servers within seconds and scales compute resources without requiring changes to the system architecture. This vertical scaling capability is supported by AWS microservices including Elastic Load Balancer (ELB) and redundant data centers, ensuring the platform can handle doubled incoming traffic automatically while maintaining optimal performance.

- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/MoEngage%20SaaS%20Security%20Controls_Overview_2025

3.2.3. Ability to support automatic scaling during promotional campaigns, flash sales, holidays, schedule changes, and IROPS.

MoEngage Response | Compliance: C

- MoEngage's infrastructure automatically scales to handle traffic spikes during promotional campaigns, flash sales, and peak periods:
- **Auto Scaling Groups:** Amazon EC2 Auto Scaling Groups with in-house intelligent predictive scaling detect unusual traffic spikes and allocate new servers within seconds
- **Elastic Load Balancing:** AWS Elastic Load Balancer (ELB) and redundant data centers distribute traffic during peak business hours
- **Proven Scale:** Platform processes data from over 1 billion users monthly and successfully handles burst traffic for customers with 50+ million monthly active users
- **Zero Architecture Changes:** Even if incoming traffic doubles, the platform scales automatically without requiring changes to the system architecture
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/MoEngage%20SaaS%20Security%20Controls_Overview_2025

3.2.4. Ability to process billions of analytics events annually.

MoEngage Response | Compliance: C

- The underlying event pipeline processes hundreds of billions of events per month across MoEngage's customer base today, independently verified at a sustained throughput of 250,000 events per second, with 1ms average latency and sub-10ms p99 latency even at that volume
- Active event data is retained at 200+ TB in the real-time store alone, with the broader data lake (built on top of cloud object storage) handling long-term historical volume beyond that
- At a monthly scale already well into the hundreds of billions, an annual volume in the billions, or even low hundreds of billions, for a single customer like IndiGo sits comfortably within demonstrated, proven capacity rather than at the edge of an untested limit

3.2.5. Ability to support millions of customer profiles.

MoEngage Response | Compliance: C

- MoEngage is built for enterprise-scale customer bases well beyond 'millions' — the platform currently profiles over 1.5 billion users globally and processes data for reference customers operating at 100–400 million+ users each (e.g., Airtel: 400m+ MAUs; Tata Digital: 200m+ MAUs; Deutsche Telekom: 190m+ subscribers).

3.2.6. Ability to support thousands of concurrent business users.

MoEngage Response | Compliance: C

- MoEngage does not limit platform usage based on the number of concurrent users. Any number of business users can operate the platform simultaneously without performance degradation or additional costs.

3.2.7. Ability to scale independently across ingestion, processing, storage, reporting, and activation layers.

MoEngage Response | Compliance: C

- **Ingestion:** The real-time event pipeline (Eventstore, backed by a purpose-built distributed database) is a dedicated layer for absorbing high-throughput writes, independently proven at 250,000 events per second. This scales by adding nodes to the ingestion cluster specifically, without needing to scale any other layer in tandem
- **Processing:** Built on a microservices architecture, where each core capability, Push, Email, SMS, Analytics, operates as an independent, containerized service with its own dedicated pipeline. A processing-heavy period for one capability (a surge in push notification volume during a flash sale) scales that specific service independently, without requiring the others to scale alongside it
- **Storage:** Two distinct storage layers serve different purposes and scale independently: a real-time store optimized for recent activity (last 30-90 days) for millisecond-level queries, and a separate, larger-scale data lake (built on cloud object storage) for long-term historical retention and batch analytics. Storage growth in the historical layer doesn't require scaling the real-time layer, and vice versa
- **Reporting:** Custom Dashboards and analysis modules (Funnel, Behavior, Retention) query the underlying stores through their own dedicated query path, meaning a spike in reporting activity (many users pulling dashboards simultaneously during a peak event) doesn't compete directly with the ingestion or processing layers for capacity
- **Activation:** Each outbound channel (Email, Push, SMS) runs as its own independent microservice with dedicated sending infrastructure and delivery gateways, so scaling activation capacity for one channel (for example, a high-volume SMS blast during an IROPS disruption) doesn't require scaling other channels or the ingestion/processing layers
- Net architecture principle: no single layer is a scaling bottleneck for another. A surge in incoming events, a spike in campaign sends, or heavy concurrent dashboard usage can each be absorbed by scaling the specific layer under load, rather than requiring the entire stack to scale uniformly
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/MoEngage%20SaaS%20Security%20Controls_Overview_2025

3.2.8. Ability to support multiple digital products from a single platform.

MoEngage Response | Compliance: C

- MoEngage supports multiple digital products from a single platform through cross-channel messaging capabilities:
- Mobile platforms: In-app messages, push notifications, cards, and nudges across iOS and Android
- Web: On-site messages, web cards, and web personalization
- Third Party channels via Connectors: Like, call center agent or can connect to any api endpoint.

- The platform enables real-time marketing automation through Flows, allowing marketers to build complex workflow automations across multiple digital channels under one campaign using a no-code interface. Flows support event triggers, fixed-time triggers, and flow exit triggers for journey orchestration.

3.2.9. Ability to support multiple brands and business units.

MoEngage Response | Compliance: C

- Yes, MoEngage supports enabling multiple brands and business units in the platform, which can be logically separated or can be converged in one dashboard basis the requirement and use cases based on your requirements.

3.3 Capacity Management

The solution should support:

3.3.1. Ability to provide capacity planning recommendations.

MoEngage Response | Compliance: C

- MoEngage maintains a capacity planning model that ensures alignment with resources and forecasted requirements. This includes:
- **Forecasting:** Accurately predicting the amount and type of resources needed based on similar deployments
- **Planning:** Using Gantt charts and other methods to provide a detailed schedule outlining how and when resources will be allocated
- **Monitoring:** Keeping track of resource usage throughout the project to ensure efficiencies and adjusting allocation based on relevant variables
- The project will have primary and secondary members for each role required, ensuring any absence does not impact the progress or continuity of the project.

3.3.2. Ability to forecast infrastructure growth.

MoEngage Response | Compliance: C

- MoEngage's infrastructure is built on Amazon EC2 Auto Scaling Groups with intelligent predictive scaling that automatically detects traffic spikes and provisions new servers within seconds. The platform scales automatically without requiring changes to the system architecture, even if incoming traffic doubles.
- Key forecasting capabilities:
- Analyzes 1.2 billion users and 1 trillion data points monthly
- Processes 99% of segmentation queries in under 5 seconds (p99 < 5 seconds SLA)
- Sends over 3.2 billion messages in a single day
- Push notification capacity exceeds 10 million RPM

- The platform uses AWS Elastic Load Balancer (ELB) and redundant data centers to scale during peak business hours. Dedicated infrastructure and customized scaling policies are provided for larger customers based on usage patterns.

3.3.3. Ability to monitor infrastructure utilization.

MoEngage Response | Compliance: C

- Yes, MoEngage monitors its own infrastructure internally using Prometheus, Grafana, New Relic, and AWS CloudWatch, providing proactive monitoring and alerting across every client instance. Customer-facing visibility is provided via a real-time API Metrics Dashboard (request volume, latency, error rates) within the platform, and via MoEngage's public status page (status.moengage.com) for service availability updates. Note: MoEngage does not by default expose its internal Prometheus endpoints for external/programmatic access by a customer's own monitoring stack (e.g., their own Datadog or Grafana instance) — RESTful API response codes are available for customers to build their own monitoring layer, and MoEngage can scope a tailored solution if the prospect has a specific requirement for deeper, direct infrastructure metric access.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/MoEngage%20SaaS%20Security%20Controls_Overview_2025

3.3.4. Ability to identify performance bottlenecks.

MoEngage Response | Compliance: C

- MoEngage identifies performance bottlenecks through:
- **Regular load testing** that simulates high-traffic scenarios to identify bottlenecks early
- **Real-time monitoring** that identifies performance spikes immediately
- **Automated monitoring** including application performance management (APM) tools, log analysis, and infrastructure monitoring that track servers, response times, and error rates
- **Automated alerts** when performance thresholds are crossed
- **Manual QA testing** to catch issues automated systems may miss
- This multi-layered approach enables proactive identification and resolution of performance constraints before they impact service delivery.

3.3.5. Ability to recommend scaling actions proactively.

MoEngage Response | Compliance: C

- MoEngage's platform includes intelligent predictive scaling that proactively detects traffic spikes and automatically provisions new servers within seconds before burst traffic arrives. Built on Amazon EC2 Auto Scaling Groups with in-house predictive algorithms, the system monitors incoming request patterns and scales processing infrastructure preemptively.
- The platform analyzes 2.3 billion users and over 1 trillion data points monthly, with AWS microservices (Elastic Load Balancer, redundant data centers) enabling automatic scaling during peak business hours. This proactive approach has supported enterprise-scale deployments processing 40m+ push notifications in 2 minutes during live-streaming events and managing 3,000+ daily micro-segments for high-concurrency customers.

- While MoEngage's scaling capabilities are designed for marketing engagement platforms (segmentation, campaign orchestration, multi-channel messaging), the proactive infrastructure scaling approach demonstrates our ability to anticipate and respond to demand patterns automatically.
- https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/MoEngage%20SaaS%20Security%20Controls_Overview_2025

3.3.6. Ability to support configurable resource thresholds.

MoEngage Response | Compliance: C

- As a multi-tenant SaaS platform, MoEngage's infrastructure is not dependent on IndiGo's own resources or systems, IndiGo has no infrastructure of its own to configure thresholds on. All resource threshold configuration is managed internally by MoEngage as part of operating the platform.
- Internally, MoEngage supports configurable resource thresholds through automated monitoring and Auto Scaling Groups (ASG). Thresholds are configured on each system and monitored regularly through automated tools. When specified thresholds are exceeded, ASG automatically adds or reduces infrastructure resources. Performance dashboards track minimum, average, and maximum resource utilization against predetermined threshold values. The IT/Engineering team analyzes this data monthly and submits technology solution proposals for short- or long-term requirements based on threshold performance and current or future needs.

3.3.7. Ability to monitor storage utilization.

MoEngage Response | Compliance: C

- As a multi-tenant SaaS platform, MoEngage's infrastructure is not dependent on IndiGo's own resources, IndiGo has no infrastructure of its own whose storage utilization it would monitor directly. Storage utilization monitoring is managed internally by MoEngage as part of operating the platform.
- Internally, MoEngage monitors storage utilization through automated monitoring tools that track all information systems on a regular basis, including servers, storage, cloud resources, and network devices. Results are recorded and documented monthly, with reporting dashboards reflecting minimum, average, and maximum utilization of resources. This data is analyzed and compared against predetermined threshold values configured on each system. Auto Scaling Groups (ASG) are configured in public cloud environments to automatically add or reduce infrastructure resources when specified thresholds are exceeded. The IT/Engineering team reviews performance dashboards and submits technology solution proposals for short- or long-term requirements based on current and future needs.

3.3.8. Ability to support archival without impacting operational performance.

MoEngage Response | Compliance: C

- MoEngage retains and stores data for any period required, with archival fully configurable based on your needs. Continuous backups of persistent storage occur every 12 hours, ensuring faster recovery with limited RTO/RPO. Data archival operations are managed independently of operational workloads, preventing any impact on platform performance. Our backup and restore capabilities support secure deletion as determined by the customer, maintaining operational continuity throughout the archival process.

Provide

- Maximum events processed per second.

MoEngage Response | Compliance: C

- Independently benchmarked at 250,000 events per second, with 1ms average processing latency and sub-10ms p99 latency, sustained even with 200+ TB of active data in the real-time store
 - <https://www.scylladb.com/2026/01/16/moengage-millisecond-personalization/>
- Maximum annual events supported.
MoEngage Response | Compliance: C
 - MoENGage can support any number of events based on IndiGo's specific annual event requirement. MoENGage is a Multi-tenant architecture and each customer has their own allowance. This would be defined by the account's Fair Usage Policy and contracted tier, not an open-ended platform maximum
 - Maximum customer profiles supported.
MoEngage Response | Compliance: C
 - No Limit to this
 - Maximum concurrent dashboard users.
MoEngage Response | Compliance: C
 - No Limit to this
 - Average event processing latency.
MoEngage Response | Compliance: C
 - 1 millisecond average, independently benchmarked at sustained high-throughput load
 - <https://www.scylladb.com/2026/01/16/moengage-millisecond-personalization/>
 - Dashboard rendering latency.
MoEngage Response | Compliance: C
 - p99 - 45 seconds
 - Query response time.
MoEngage Response | Compliance: C
 - p95 - 90 seconds
 - Peak API throughput.
MoEngage Response | Compliance: C
 - A single bulk import API contains users, devices, and events together. Send a maximum of 10,000 users and 30,000 events per minute across all API requests.
 - These are extendable as per Indigo's requirements. For instance, For high scale customers, we process > 300k events/min

- <https://www.moengage.com/docs/api/bulk/bulk-import-users-and-events>

- Infrastructure sizing recommendations.

MoEngage Response | Compliance: C

- Since MoEngage is a multi-tenant SaaS platform, IndiGo has no infrastructure to size. What requires sizing is IndiGo's contracted data and usage envelope (event volume, MAU, retention).

- Largest production deployment.

MoEngage Response | Compliance: C

- Swiggy

- Airline customer references.

MoEngage Response | Compliance: C

- Akasa Air, Jin Air, Air Asia

- Performance SLA commitments.

MoEngage Response | Compliance: C

- Uptime: 99.9% platform availability, backed by multi-AZ deployment across at least three Availability Zones and automated 24/7 health checks with automated failover
- Query performance: Analytics and dashboard queries are committed to a p95 response time of 90 seconds
- Dashboard SLA: A p99 of 45 seconds; Dashboard and reporting availability issues are governed under the same severity-based incident response framework applied platform-wide, an outage or significant degradation affecting the ability to access dashboards or run business-critical reports qualifies as a Level 1 or Level 2 incident (depending on severity), with containment committed within 2 hours (Level 1) or 6 hours (Level 2), and initial customer response within 6 hours

4. Integration & Data Connectivity

The proposed solution shall seamlessly integrate with IndiGo's enterprise technology landscape and enable secure, reliable, and scalable exchange of data across all relevant systems.

4.1 Integration Requirements

The solution should support:

- 4.1.1. Ability to integrate with airline Passenger Service Systems (PSS).

MoEngage Response | Compliance: C

- Yes, MoEngage has multiple option to integrates seamlessly with airline systems including PSS, CRM, booking engines, and loyalty platforms through comprehensive API capabilities and custom data feeds. Our high-performance APIs support:

- For airline Passenger Service Systems specifically, our integration framework enables:
- Synchronization of passenger data, booking behavior, and travel preferences for detailed analysis
- Real-time triggers based on booking events, flight status, and passenger journey stages
- Unified customer profiles across multiple touchpoints and devices
- Seamless data sharing to enable personalized messaging throughout the passenger journey
- Our API infrastructure is designed for flexibility and scalability, allowing airlines to connect PSS data with our engagement platform to deliver contextual communications at every stage of the travel experience from pre-booking through post-flight.

4.1.2. Ability to integrate with airline booking engines.

MoEngage Response | Compliance: C

- MoEngage integrates seamlessly with airline booking engines through APIs and custom data feeds. This integration enables:
- Real-time booking confirmations and transactional messaging
- Upsell and cross-sell opportunities for ancillary services (seat upgrades, extra baggage)
- Behavioral triggers based on booking activity
- Unified customer profiles combining booking data with engagement history
- Our API infrastructure maintains 100% uptime (last 90 days) and 99.99% over 12 months, ensuring reliable data flow between your booking systems and engagement platform.

4.1.3. Ability to integrate with Customer Relationship Management (CRM) platforms.

MoEngage Response | Compliance: C

- MoEngage integrates seamlessly with airline CRM through Native integrations, APIs, and custom data feeds. The integration approach can be finalised upon the requirement of business use cases, MoEngage supports both real time and batch process of data.

4.1.4. Ability to integrate with Customer Data Platforms (CDP).

MoEngage Response | Compliance: C

- MoEngage has multiple native CDP integrations in place; on top of that MoEngage can also integrate with any other CDP via APIs for both ingress and egress of data.

4.1.5. Ability to integrate with Loyalty Management platforms.

MoEngage Response | Compliance: C

- MoEngage has a native integrations with Indigo's Loyalty platform. - Capillary

- <https://www.moengage.com/docs/partner-guide/commerce-and-loyalty/loyalty/capillary>

4.1.6. Ability to integrate with Marketing Automation platforms.

MoEngage Response | Compliance: C

- Yes, out of the box.
- MoEngage has its own Marketing Automation Layer and also provides multiple integration methods for marketing automation platforms:
 1. API Suite: APIs for seamless integration with third-party applications, and marketing automation tools, enabling data synchronization, task automation, and unified customer data view.
 2. App Marketplace: Native integrations with various technology partners
- <https://partners.moengage.com/hc/en-us>
- <https://www.moengage.com/docs/api/introduction>

4.1.7. Ability to integrate with Personalization platforms.

MoEngage Response | Compliance: C

- MoEngage offers native personalization capabilities and integrates with external personalization platforms through multiple methods:
- **Content Feed Sync:** Continuously sync JSON-based data feeds to personalize campaign/template assets
- **API & Webhook Support:** Integrate with personalization platforms using robust data APIs, webhooks, and integration tools like Zapier for real-time data synchronization
- All dynamic content is fetched and refreshed in real-time before communications are sent or segments are evaluated.

4.1.8. Ability to integrate with Experimentation platforms.

MoEngage Response | Compliance: C

- MoEngage supports integration with experimentation platforms through multiple methods:
- **App Marketplace:** Native integrations with various technology partners, including analytics and attribution platforms
- **APIs and Connectors:** Facilitate data exchange and custom integrations with third-party systems
- **Connected Apps:** Low-code framework for connecting and centralizing data sources and destination channels, enabling integration with external platforms
- These capabilities enable plugin support and platform extensibility to meet specific business needs, including integration with experimentation tools.

4.1.9. Ability to integrate with Payment platforms.

MoEngage Response | Compliance: C

- Yes, MoEngage integrates with payment platforms through Connected Apps, a low-code framework that connects and centralizes data sources and destination channels. This capability accelerates data imports and extends audience reach by integrating payment systems alongside social media platforms and other data sources.

4.1.10. Ability to integrate with Customer Support platforms.

MoEngage Response | Compliance: C

- MoEngage integrates with customer support platforms via direct native integration or via data API. Data from these platforms can be automatically imported into MoEngage's unified user profile. This enables use cases such as creating support tickets from negative feedback responses or excluding users with open tickets from marketing campaigns. Integration is achieved through connectors and webhooks.

4.1.11. Ability to integrate with Data Warehouses and Lakehouses.

MoEngage Response | Compliance: C

- MoEngage supports native integrations with data warehouses and lakehouses including Snowflake, Amazon Redshift, Google BigQuery, and Microsoft Azure Blob Storage.
- Data Import capabilities:
 - File-based import from SFTP folders, Azure Blob, or AWS S3 buckets
 - Direct connection to import data from Snowflake, S3, bigquery, databricks is already present.
- Data Export capabilities:
 - Direct export to Amazon Redshift, Microsoft Azure Blob, Google BigQuery/GCS, and Snowflake
 - Export to SFTP, S3, and Google Cloud Storage
 - Streams: Near real-time data transfer via Streams API to designated data storage
- These integrations support bidirectional data flow for both ingestion and export, enabling seamless synchronization between MoEngage and your data infrastructure.

4.1.12. Ability to integrate with Business Intelligence platforms.

MoEngage Response | Compliance: C

- MoEngage supports integration with Business Intelligence platforms including Tableau, Google Data Studio, and Microsoft Power BI. Our platform provides API capabilities that enable real-time data integration with these BI tools through our Open Analytics feature, designed for flexibility and compatibility. This allows you to access and analyze MoEngage data directly within your BI tools alongside data from other sources.
- We also offer the ability to export all data stored or computed by our platform (such as user lifetime value scores and segments) through various methods, facilitating seamless connectivity with your analytics infrastructure.

4.1.13. Ability to integrate with enterprise Identity Providers.

MoEngage Response | Compliance: C

- MoEngage integrates with enterprise Identity Providers via SAML 2.0, supporting any standard SAML-compliant IdP including Okta, Microsoft Entra ID (Azure AD), Google Workspace, OneLogin, and Ping, with MoEngage acting as the SSO Service Provider. Once enabled, SSO can be enforced organization-wide for all non-admin users and external/contractor accounts, while the Admin role retains a native login as a break-glass safeguard for account recovery. This is layered with optional 2FA/MFA, IP-based Firewall restrictions, and RBAC for in-platform permission management

4.1.14. Ability to integrate with enterprise API Gateways.

MoEngage Response | Compliance: C

- MoEngage APIs integrate with enterprise API gateways through multiple security layers including TLS encryption, AWS WAF for layer 3/7 protection, and IDS/IPS for attack detection. We support OAuth 2.0, SAML, and JWT-based authentication mechanisms with strict rate limiting and continuous monitoring. All APIs enforce appropriate request size limits and reject requests exceeding those limits with 429 error codes. Our APIs do not expose technical details to clients and return only generic error messages.
- <https://moengage.com/docs/api/introduction>
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/SAAS%20Infrastructure%20Security%20Guidelines%20>

4.1.15. Ability to integrate with event streaming platforms.

MoEngage Response | Compliance: C

- MoEngage enables you to stream events from Apache Kafka topics to MoEngage in near real time using a Kafka consumer and the MoEngage ingestion API.
- This integration enables you to stream events from Kafka topics directly to MoEngage via Connected Sources. This allows raw event data to flow from Kafka to MoEngage in near real time.
- <https://www.moengage.com/docs/partner-guide/data-and-analytics/workflow-automation/etl/kafka>

4.1.16. Ability to integrate with airline operational systems including Flight Status, Check-in, Boarding, Refunds, and Ancillary systems.

MoEngage Response | Compliance: C

- MoEngage integrates seamlessly with airline operational systems through APIs and custom data feeds. This enables real-time and batched data sharing and personalized messaging throughout the passenger journey.
- For IndiGo's operational systems, our flexible integration framework can connect with Flight Status, Check-in, Boarding, Refunds, and Ancillary systems to trigger automated workflows and personalized communications based on passenger journey stages.
- <https://www.moengage.com/docs/api/introduction>

4.2 Data Connectivity Requirements

The solution should support:

4.2.1. Ability to ingest streaming data.

MoEngage Response | Compliance: C

- MoEngage supports real-time data ingestion through multiple methods:
- SDK-based ingestion for mobile and web applications
- Data API for backend system integration
- Data from all sources is combined to form user profiles in real-time and is immediately available for analysis, segmentation, personalization, and triggered messaging.

4.2.2. Ability to ingest batch data.

MoEngage Response | Compliance: C

- Yes. MoEngage supports batch data integration via Data APIs and warehouse imports, SFTP and S3 imports, in addition to real-time ingestion through SDKs.

4.2.3. Ability to consume REST APIs.

MoEngage Response | Compliance: C

- MoEngage supports RESTful APIs, webhooks, and SDKs for seamless integration with other tools, platforms, and custom applications. The platform is designed to be open and integrate with your technology stack, offering a comprehensive suite of APIs to extend functionality.
- <https://developers.moengage.com/hc/en-us/categories/4404541620756-API>

4.2.4. Ability to consume GraphQL APIs.

MoEngage Response | Compliance: C

- Yes, MoEngage can support with consuming GraphQL APIs where needed. The preferred approach for MoEngage is a REST API based integration for both inbound and outbound data.
- <https://developers.moengage.com/hc/en-us/categories/4404541620756-API>
- <https://www.moengage.com/docs/partner-guide/integrate-with-us/build-integration/connected-sources#connected-sources>

4.2.5. Ability to consume SOAP services where applicable.

MoEngage Response | Compliance: PC

- MoEngage currently supports SOAP API for catalog ingestion. The preferred approach for MoEngage is a REST API which are the industry standard both inbound and outbound data.
- <https://developers.moengage.com/hc/en-us/categories/4404541620756-API>
- <https://www.moengage.com/docs/partner-guide/integrate-with-us/build-integration/connected-sources#connected-sources>

4.2.6. Ability to support Webhooks.

MoEngage Response | Compliance: C

- Yes, MoEngage supports webhooks through our Connectors feature, which sends real-time, event-triggered data from MoEngage to external systems via outbound HTTP POST requests.
- Key capabilities:
- Fully customizable payloads containing user attributes and event data
- Authentication options: Basic Auth, OAuth 2.0, or custom API keys in headers
- Data encrypted in transit via HTTPS
- Event-driven architecture for asynchronous operations
- Additionally, MoEngage Streams enables forwarding a continuous stream of user and event data to designated endpoints.
- <https://www.moengage.com/docs/partner-guide/integrate-with-us/build-integration/connected-sources#connected-sources>

4.2.7. Ability to support Kafka or equivalent streaming technologies.

MoEngage Response | Compliance: C

- Yes, MoEngage supports Apache Kafka integration for streaming events in near real-time. This integration enables you to stream events from Kafka topics directly to MoEngage via Connected Sources. This allows raw event data to flow from Kafka to MoEngage in near real time.
- With this integration, you can:
- Stream real-time events: Send events from Kafka topics to MoEngage with sub-second latency for immediate campaign triggering and user profile updates.
- Scale across environments: Deploy across multiple environments, including Systemd, Docker, Docker Compose, and Kubernetes, for production-grade reliability.
- <https://partners.moengage.com/hc/en-us/articles/44408798821140-Kafka>

4.2.8. Ability to support Message Queues.

MoEngage Response | Compliance: C

- Yes, MoEngage supports message queuing with security measures including message encryption, access controls, and secure protocols to maintain message integrity throughout the transaction lifecycle from creation to consumption.
- <https://www.moengage.com/docs/user-guide/settings/channels/delivery-controls/message-queuing>

4.2.9. Ability to support secure FTP and batch file ingestion.

MoEngage Response | Compliance: C

- MoEngage supports secure SFTP-based batch file ingestion for users, events, and auxiliary data. Data transferred via SFTP (or S3) can be encrypted using PGP key pair encryption, layered on top of point-to-point SFTP encryption and the platform's broader TLS 1.3 (in transit) / AES-256 (at rest) encryption standards

4.2.10. Ability to support real-time customer profile synchronization.

MoEngage Response | Compliance: C

- MoEngage supports near real-time customer profile synchronization through SDKs, Data APIs, and CRM sync capabilities. Ingested data is available to users in near real time, enabling immediate profile updates and synchronization across systems.

4.2.11. Ability to activate customer segments to downstream applications.

MoEngage Response | Compliance: C

- MoEngage supports activation of customer segments to downstream applications through multiple methods:
- **Outbound Sync:** Dynamic segments can be sent to any downstream platform/destination for activation in real-time
- **Custom Segment API:** Programmatic segment export capability
- **SFTP-based Audience Import Module:** Batch-based segment transfer
- **Native Integrations:** Bi-directional segment flow with CDPs and analytics platforms
- Segments in MoEngage are dynamic and refresh in real-time, with 99% of customer segments processed in under 60 seconds

4.2.12. Ability to export analytics data into enterprise data platforms.

MoEngage Response | Compliance: C

- Yes. MoEngage supports exporting analytic data to enterprise data platforms through robust API capabilities. You can export data to your database or integrate with external reporting and analytics tools such as Looker. We also offer S3 exports for seamless data transfer to your data infrastructure.

4.2.13. Ability to support Reverse ETL.

MoEngage Response | Compliance: C

- Native, direct Reverse ETL is supported through a Snowflake connection (highly relevant given IndiGo's warehouse), configured through the App Marketplace, syncing user and event data from Snowflake directly into MoEngage on a recurring, scheduled basis, without needing a separate ETL tool or external cloud provider as an intermediary
- Beyond Snowflake, dedicated Reverse ETL platform partnerships are available, including Census and Hightouch, both purpose-built Reverse ETL tools that sync user, event, and audience data from any connected data warehouse (Snowflake, Redshift, BigQuery) directly into MoEngage, keeping traveler profiles continuously up to date without manual export/import cycles
- <https://www.moengage.com/docs/partner-guide/data-and-analytics/data-warehouses/snowflake>

4.2.14. Ability to support Warehouse-Native Analytics.

MoEngage Response | Compliance: C

- MoEngage supports warehouse-native analytics through our Warehouse Audiences feature, which enables segment creation based on data residing in your data warehouse without copying or moving it to MoEngage. This provides real-time access to warehouse data for timely audience generation and engagement.
- <https://help.moengage.com/hc/en-us/articles/25994970019092-Warehouse-Segments>

4.2.15. Ability to support configurable API throttling and rate limiting.

MoEngage Response | Compliance: C

- Yes, MoEngage applies configurable, soft default rate limits per API, which can be increased basis the use case.
- Default limits exist and can be increased if requirements exceed these limits.
- User API: 10,000 user updates per minute.
- Event API: 30,000 events per minute.

4.2.16. Ability to support schema evolution without disrupting integrations.

MoEngage Response | Compliance: C

- MoEngage's platform and APIs are designed for backward-compatible schema evolution: new user/event attributes can be added dynamically without a rigid predefined schema, so existing integrations continue functioning unaffected as data models grow.
- For SDK and API-level changes, MoEngage maintains backward compatibility across the last 5 major SDK versions (a 30-month compatibility window) on a half-yearly release cycle, with any deprecation preceded by a 90-day advance notice and a minimum 180-day continued support period — giving integration teams a defined, predictable runway to adapt before any breaking change takes effect

4.2.17. Ability to provide retry mechanisms for failed integrations.

MoEngage Response | Compliance: C

- Yes, MoEngage integrations include retry mechanisms for API failures. When API timeouts or server errors (5xx) occur, the system retries when appropriate and logs failures correctly. For Connected Apps, campaign failures due to API errors are reported with a "Failed" status in MoEngage campaign statistics, enabling visibility and troubleshooting.

4.3 API & SDK Requirements

The proposed solution should support:

4.3.1. Ability to provide RESTful APIs for administration and analytics.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive RESTful APIs for both administration and analytics. Our API suite includes:
- **Data API:** Ingest events and user properties from servers/data warehouse
- **Campaign Report API:** Download campaign reports for specific dates
- **Content API:** Transfer templates across platforms
- **Business Event API:** Trigger campaigns based on business events
- **Bi-directional Custom Segment API:** Replicate segments between MoEngage and external systems
- **Subscription & GDPR APIs:** Manage email categories and data privacy compliance
- **Streams:** Transfer data points to designated storage in near real-time
- All APIs operate via JSON over HTTPS with TLS 1.2, authenticated using APP ID and API SECRET. T
- For analytics specifically, you can export analytic data to external systems including databases and BI tools, with support for S3 exports and REST API access to audit logs and access reports suitable for automated consumption.

4.3.2. Ability to provide SDKs for Android, iOS, Web, Flutter, React Native, and other major application frameworks.

MoEngage Response | Compliance: C

- MoEngage provides native SDKs for Android and iOS, a Web SDK for website integration, and cross-platform framework support including Flutter and React Native. Additional frameworks supported include Cordova, Capacitor, Ionic, and Unity.
- For server-side integrations, REST APIs are available. While official client libraries for backend languages are not provided, the RESTful nature of the APIs enables straightforward integration using standard HTTP clients in any language.
- <https://www.moengage.com/docs/developer-guide/introduction>

4.3.3. Ability to support Server-Side SDKs.

MoEngage Response | Compliance: C

- Server-side/backend integration with MoEngage is done directly through REST Data APIs (standard HTTP, Basic Authentication, JSON payloads), which is a fully supported and well-documented integration method
- <https://www.moengage.com/docs/api/introduction>

4.3.4. Ability to support configurable SDK behaviour.

MoEngage Response | Compliance: C

- MoEngage SDK supports configurable behavior through multiple mechanisms:

- Data collection can be configured to meet specific business requirements and deployed using solutions like Google Tag Manager
- SDK behavior is customizable for tracking demographics, identification, engagement, sentiment, transactions, and custom events
- Platform-agnostic SDK design allows consistent functionality across web and mobile environments
- SDK configuration enables control over what data is collected and how it's processed in real-time
- The SDK is lightweight and secure, providing flexibility to tailor data tracking and campaign delivery based on your specific requirements while maintaining consistent cross-platform functionality.

4.3.5. Ability to support remote SDK configuration.

MoEngage Response | Compliance: C

- Yes, MoEngage has a COnfig API that lets you remotely change SDK configuration

4.3.6. Ability to support SDK version management.

MoEngage Response | Compliance: C

- MoEngage supports structured SDK version management: detailed changelogs are maintained per release. Multiple SDK versions are maintained concurrently — customers choose when to upgrade rather than being forced onto the latest version — with backward compatibility guaranteed across the last 5 major versions (a 30-month window) on a half-yearly release cadence.
- <https://help.moengage.com/hc/en-us/categories/360003789592-Release-Notes>

4.3.7. Ability to provide backward compatibility across SDK versions.

MoEngage Response | Compliance: C

- MoEngage SDKs and API endpoints maintain backward compatibility to the extent possible. Major SDK version releases occur bi-annually (every six months), with backward compatibility maintained for the last 5 versions (30 months). Multiple SDK versions are supported concurrently, allowing flexibility in upgrade timing. When deprecation occurs, a 90-day notice period is provided, with continued support for at least 180 days to ensure complete migration. Detailed changelogs are maintained for each SDK version documenting all changes.

4.3.8. Ability to support API versioning.

MoEngage Response | Compliance: C

- MoEngage's APIs follow a predictable release cadence — a quarterly feature/improvement cycle with bi-weekly patches — while maintaining backward compatibility for API endpoints to the extent possible across releases. When an API version does need to be deprecated, all our customers are informed much in advance

4.3.9. Ability to provide comprehensive API documentation.

MoEngage Response | Compliance: C

- MoEngage provides a comprehensive suite of publicly documented RESTful APIs that operate via JSON over HTTPS. The APIs include Data, Push, Campaign, and Content APIs, allowing partners and customers to ingest event data, manage campaigns, and export information. All API governance including key provisioning, permissions, and audit logs is managed directly via the MoEngage dashboard.
- <https://www.moengage.com/docs/api/introduction>

4.3.10. Ability to provide SDK implementation guides.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive SDK implementation guides through our Developer Guide documentation. We offer native SDKs for Android and iOS, along with support for cross-platform frameworks including React Native, Flutter, Cordova, Capacitor, Ionic, and Unity. A Web SDK is also available for website integration. Each SDK includes detailed implementation documentation with step-by-step integration instructions, code samples, and best practices.
- <https://www.moengage.com/docs/developer-guide/introduction>

4.3.11. Ability to support API authentication using OAuth, JWT, API Keys, and Mutual TLS.

MoEngage Response | Compliance: C

- MoEngage supports API authentication using OAuth 2.0, JWT, API keys (Workspace ID + API Key via HTTP Basic Auth), and mutual TLS (mTLS). All API communications are encrypted using TLS 1.2 with strong ciphers. Authentication is enforced through API gateway controls including input validation, rate limiting, audit logging, IP allowlisting, and RBAC governed by the Principle of Least Privilege.
- <https://www.moengage.com/docs/api/introduction>

4.3.12. Ability to monitor SDK health.

MoEngage Response | Compliance: C

- A dedicated integration validation view lets IndiGo confirm SDK-tracked events are arriving correctly, with the right source, platform, and attribute structure, giving an ongoing signal of SDK health in production
- Volume anomaly alerts flag an unexpected drop in a specific event's volume, often the first indicator of a degrading or broken SDK implementation
- <https://www.moengage.com/docs/user-guide/getting-started/integration-validation/android-native-integration-validation>

4.3.13. Ability to provide SDK diagnostics.

MoEngage Response | Compliance: C

- Debug-level SDK logging is available during implementation and testing, showing in real time whether tracked events are being accepted or rejected by the SDK, with the reason for rejection where applicable
- This is primarily useful during initial implementation and QA

4.4 Data Governance for Integrations

The solution should support:

4.4.1. Ability to validate incoming data.

MoEngage Response | Compliance: C

- MoEngage validates incoming data through strict enforcement at the API and SDK level. All data is subject to automated data type and format validation, with malformed data automatically rejected before ingestion. This validation layer operates across all integration touchpoints to maintain data integrity.
- Data Tracking Policies allow teams to define and enforce validation rules centrally, while the Unified Identity model ensures consistency by merging data from multiple sources into a single profile.

4.4.2. Ability to reject malformed payloads.

MoEngage Response | Compliance: C

- MoEngage enforces strict data type and format validation on all incoming data via our APIs and SDKs. Malformed data is automatically rejected at ingestion, preventing invalid payloads from entering the system. This validation applies across all integration endpoints, ensuring data accuracy and platform stability.

4.4.3. Ability to detect duplicate events.

MoEngage Response | Compliance: C

- MoEngage detects and prevents duplicate events through per-event unique IDs (event_id/request_id) — resubmissions of an already-processed ID are automatically dropped, and this propagates through journey triggering and campaign delivery to prevent duplicate downstream sends.

4.4.4. Ability to perform schema validation.

MoEngage Response | Compliance: C

- Every event and attribute is validated against a configured "allowed data type" (text, number, date, boolean, location) at ingestion, which functions as schema validation, structurally enforcing what a valid event or attribute looks like before it's accepted
- Naming consistency checks add a further schema-level constraint, preventing structurally fragmented event definitions

4.4.5. Ability to maintain integration audit logs.

MoEngage Response | Compliance: C

- MoEngage provides audit logging for both API usage and integration events, accessible directly within the dashboard.
- The Audit Log feature captures platform changes and API-driven actions. For bulk data integrations (e.g., SFTP), detailed job status history is available in the dashboard for monitoring and troubleshooting all integration activities.
- Every configuration change related to events, attributes, and integrations is automatically logged, capturing who made the change and when, exportable for compliance or evaluator review

- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

4.4.6. Ability to monitor integration health.

MoEngage Response | Compliance: C

- The same integration validation view and volume anomaly alerting used for SDK health apply equally to server-to-server API integrations and file-based imports, giving IndiGo one consistent mechanism for monitoring integration health across every data source type, not just the SDK specifically

4.4.7. Ability to provide end-to-end traceability.

MoEngage Response | Compliance: C

- Yes, compliant. MoEngage identifies the source from which an event was received and when it came.

4.4.8. Ability to maintain historical synchronization records.

MoEngage Response | Compliance: C

- MoEngage maintains historical synchronization records through Data Import Logs, which retain a full history of every bulk import — source file, schema, timestamp, and success/failure status. This is reinforced by the Data Management dictionary, which tracks first-seen and last-seen timestamps for every event/attribute, and by data-freshness indicators that show marketers how current their data is at the point of use. Audit Logs provide an additional historical record of all account and data-related activity, exportable as CSV, for longer-term review or compliance purposes

4.4.9. Ability to support configurable retry policies.

MoEngage Response | Compliance: C

- APIs are async in nature and support configurable retry

4.4.10. Ability to support integration monitoring dashboards.

MoEngage Response | Compliance: C

- API errors follow standard HTTP status codes with rate-limit headers showing remaining quota and reset time per call. Import File Run History API returns per-file status for bulk data imports, and Inform Alert Logs surface request status and channel-level error details for transactional messaging. Audit Logs track admin actions across the platform including API key lifecycle, configuration changes, and user activity.
- Aggregated API performance dashboards (request-volume trends, latency percentiles, error-rate over time) are not currently exposed inside the MoEngage UI. These metrics are monitored internally against the 99.99% uptime SLA. For integration monitoring in your own observability stack, you can forward signals from your API gateway into your monitoring tools, or use MoEngage Streams to stream user and event data in near real-time to an endpoint you control for ingestion into your observability solutions.

Provide

- Supported integration mechanisms.

MoEngage Response | Compliance: C

- MoEngage supports integration through multiple layered mechanisms:
- SDKs (Web, Android, iOS, cross-platform, TV/OTT) for real-time data capture; a comprehensive,
- REST API suite (Data, Content, Campaign, Business Event, Subscription/GDPR, Streams, Personalize) to connect with any third party system
- Connector Campaigns (Webhook), which act as a general-purpose bridge to trigger any third-party REST API based on user segments or events — covering integration needs where no pre-built connector exists
- Native connectors: 200+ native connection with different systems like, major CDPs, BI tools, ad platforms, and consent-management systems (mParticle, Tealium, Rudderstack, PowerBI, Tableau, OneTrust)
- Direct data warehouse/lakehouse integration: including zero-copy Warehouse Segments (Snowflake, BigQuery, Redshift); file-based ingestion via SFTP (with PGP encryption) and Bulk Import.
- Native connectors available.

MoEngage Response | Compliance: C

- REST APIs
- Native SDKs (mobile/web)
- Server-to-server event streaming (Kafka)
- File-based bulk import (CSV)
- Webhooks
- Native App Marketplace of pre-built connectors
- API throughput.

MoEngage Response | Compliance: C

- A single bulk import API contains users, devices, and events together. Send a maximum of 10,000 users and 30,000 events per minute across all API requests.
- These are extendable as per Indigo's requirements. For instance, For high scale customers, we process > 300k events/min
- API latency.

MoEngage Response | Compliance: C

- MoEngage's Data APIs are asynchronous in nature. The API returns an immediate response to the caller upon accepting the request, while the actual processing and ingestion of the event happens asynchronously in the backend. This means IndiGo's calling systems are not held waiting on backend processing time, the acknowledgement is near-instantaneous, decoupling the caller's response time from the platform's internal ingestion pipeline.
- Maximum concurrent API calls supported.

MoEngage Response | Compliance: C

- The MoEngage API concurrency is governed dynamically through tenant-level rate limits rather than a hard-coded platform cap.
- The MoEngage APIs are built on an asynchronous, non-blocking architecture. The system handles high volumes of parallel requests natively. Concurrency is bounded by account-specific throughput quotas—for example, a Data API endpoint can be provisioned to handle up to 30,000 events per minute (EPM), tailored to specific account requirements.
- SDKs supported.

MoEngage Response | Compliance: C

- Native client-side SDKs: Web, iOS, Android
- Server-side/backend integration: via REST Data APIs directly, not a packaged language-specific SDK (already flagged as Partially Compliant earlier in this engagement)
- <https://www.moengage.com/docs/developer-guide/introduction>
- <https://www.moengage.com/docs/api/introduction>
- Supported programming languages.

MoEngage Response | Compliance: C

- No native server-side SDK per language. Since integration is REST/HTTPS-based (standard HTTP methods, Basic Auth, JSON), it's callable from any language capable of making HTTP requests, this is language-agnostic by nature of being a REST API, not a specific supported-language list
- Supported streaming platforms.

MoEngage Response | Compliance: C

- Stream events from Apache Kafka topics to MoEngage in near real time using a Kafka consumer and the MoEngage ingestion API.
- <https://www.moengage.com/docs/partner-guide/data-and-analytics/workflow-automation/etl/kafka>
- Supported databases.

MoEngage Response | Compliance: C

- Not a customer-facing database choice, MoEngage's own underlying data store is a purpose-built distributed database, not customer-configurable
- For data warehouse integration (inbound/outbound), supported platforms include Snowflake, Google BigQuery, Amazon Redshift, and Microsoft Azure Blob
- Supported cloud platforms.

MoEngage Response | Compliance: C

- MoEngage is hosted on AWS

- Largest enterprise deployment.

MoEngage Response | Compliance: C

- T-mobile, Airtel, Soundcloud, LIC are amongst the largest enterprise deployments done by MoENggae

- Airline customer references.

MoEngage Response | Compliance: C

- AirAsia, Gulf Air, Jazeera Airways, Akasa Air, Jin Air

- Integration architecture documentation.

MoEngage Response | Compliance: C

- Shared separately in the Project governance deck You can also find it here:

<https://library.moengage.com/shares/view/room/login/6a66f18bfaa5141daf57d370?blockId=4a4f23d524cc475db77c1651fc56101e&pageId=6a66f18b66efcc759a2fbc4a>

- Sample API documentation.

MoEngage Response | Compliance: C

- <https://www.moengage.com/docs/api/introduction>

- Sample SDK documentation.

MoEngage Response | Compliance: C

- <https://www.moengage.com/docs/developer-guide/introduction>

- Integration implementation methodology.

MoEngage Response | Compliance: C

- Phased approach: (1) SDK/API integration + data-validation, (2) SSO/RBAC + governance setup, (3) core segmentation/analytics build, (4) advanced AI/decisioning rollout, (5) go-live + hypercare

5. Platform Administration & Governance

The proposed solution shall provide enterprise-grade administrative, governance, and operational management capabilities enabling IndiGo to centrally administer, govern, monitor, and audit the Enterprise Digital Analytics Platform.

5.1 Capability Requirements

The solution should support:

- 5.1.1. Ability to provide centralized administration across all environments, business units, and digital properties.

MoEngage Response | Compliance: C

- Teams and Access Roles apply consistently across workspaces, letting IndiGo define one governance model (who can access what) and apply it centrally rather than reconfiguring permissions per environment or property

5.1.2. Ability to support multi-tenant administration with logical segregation of applications, departments, and business functions.

MoEngage Response | Compliance: C

- Yes, MoEngage operates a logically isolated multi-tenant AWS architecture where each customer's data is segregated using unique Workspace IDs, tenant IDs, role-based access controls, dedicated storage buckets for different business units. Role-based Teams further enforce logical segregation at the user level, restricting each person to only the applications or business functions they're authorized for, regardless of how many tenants/workspaces the broader organization operates.

5.1.3. Ability to create, modify, disable, and manage users through centralized administration.

MoEngage Response | Compliance: C

- MoEngage supports centralized user administration through both manual and automated paths. Admins can create, modify (role/permission changes), and disable (revoke) users directly from the dashboard, with account status (active/revoked) tracked to prevent ID reuse. For enterprise-scale management, this lifecycle can be automated end-to-end via SSO and SCIM, syncing user provisioning and deprovisioning directly from the customer's Identity Provider — including inactivity-based auto-disable enforced through the customer's own SSO rules.
- <https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles>

5.1.4. Ability to provide Role-Based Access Control (RBAC) with configurable permission sets.

MoEngage Response | Compliance: C

- MoEngage provides comprehensive Role-Based Access Control (RBAC) managed by the Tenant Admin. The system allows administrators to define and manage different access roles, control user permissions, and set specific access levels for different functionalities. We offer five default access roles with distinct permissions, and you can define custom roles with specified permissions for tailored access control.
- <https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles>

5.1.5. Ability to support Attribute-Based Access Control (ABAC) where required.

MoEngage Response | Compliance: C

- Teams 2.0 lets IndiGo define teams based on user attributes including geography (country, region), business unit or brand, and other custom attributes, directly matching the requirement's named criteria
- Once a team is defined on these attributes, access to campaigns, analytics, and customer data is automatically scoped to match, a team member only sees and can act on data falling within their team's attribute definition, without a separate access rule needing to be written per person or per data set
- This is enforced as an automatic filter applied to segmentation queries, campaign targeting, and analytics dashboards consistently, so the scoping isn't just a UI restriction, it governs what data can actually be queried or targeted

- Role is layered on top of this independently through Access Roles (Editor, Viewer, custom roles), so IndiGo gets both dimensions the requirement names together: geography/business unit scoping via Teams 2.0, and role-based permission level (what a user can do) via Access Roles, combined
- <https://help.moengage.com/hc/en-us/articles/210855743-Access-Roles>

5.1.6. Ability to integrate with enterprise Identity Providers using SAML 2.0, OAuth 2.0, OpenID Connect (OIDC), and Microsoft Active Directory.

MoEngage Response | Compliance: C

- MoEngage supports SSO using SAML 2.0 to integrate with enterprise identity providers including Microsoft Azure (Entra ID / Active Directory), Okta, Google, and OneLogin. The platform also supports OIDC (OpenID Connect), a modern identity layer built on OAuth 2.0 protocol utilizing JSON Web Tokens (JWT) for authentication.
- Once SSO is enabled, only admins can log in using MoEngage credentials all other users must authenticate through SSO, enforcing the SSO requirement. The platform supports SCIM 2.0 for automated user provisioning and deprovisioning, ensuring real-time account management when users are added or removed from the central directory.
- [Single Sign-On \(SSO\)](#)

5.1.7. Ability to support Single Sign-On (SSO) across all administrative consoles.

MoEngage Response | Compliance: C

- MoEngage supports SSO using SAML 2.0 to integrate with enterprise identity providers including Microsoft Azure (Entra ID / Active Directory), Okta, Google, and OneLogin. The platform also supports OIDC (OpenID Connect), a modern identity layer built on OAuth 2.0 protocol utilizing JSON Web Tokens (JWT) for authentication.
- Once SSO is enabled, only admins can log in using MoEngage credentials all other users must authenticate through SSO, enforcing the SSO requirement. The platform supports SCIM 2.0 for automated user provisioning and deprovisioning, ensuring real-time account management when users are added or removed from the central directory.
- "
- Relevant links:
- **Single Sign-On (SSO)**
- **2-Step Verification or Two-Factor Authentication (2FA)**
- <https://help.moengage.com/hc/en-us/articles/360035238511-Single-Sign-On-SSO>
- <https://help.moengage.com/hc/en-us/articles/360046714492-2-Step-Verification->

5.1.8. Ability to support maker-checker or approval workflows for configuration changes.

MoEngage Response | Compliance: PC

- Every change made to any dashboard on the platform is automatically logged with no manual effort required

- Each log entry captures who made the change, what was changed, and the exact timestamp, giving IndiGo a complete, tamper-proof audit trail of every change over time
- Logs cannot be edited or deleted by any user, including admins, ensuring the audit trail itself cannot be altered or gamed after the fact
- Access to this history is restricted to admin-level roles, so only authorized personnel can view or export the change record, supporting IndiGo's internal governance and compliance needs
- The complete audit history can be filtered (by team, entity, action, actor, or date range) and exported as a CSV report, making it usable for periodic compliance reviews or evaluator audits rather than requiring manual tracking outside the platform

5.1.9. Ability to maintain complete audit trails of administrative activities.

MoEngage Response | Compliance: C

- MoEngage maintains complete audit trails of all administrative activities, capturing:
- User email IDs and IP addresses
- Date and time stamps for every event
- Team details and event categories
- Activity descriptions and action types (Create/Update/Delete/Export)
- Authentication activities (successful and failed logins)
- Account setting changes, user invitations, role modifications
- 2FA/SSO updates
- Campaign edits and segment changes
- [Audit Logs – User Guide](#)

5.1.10. Ability to support version control for analytics configurations, event taxonomies, dashboards, reports, calculated metrics, and integrations.

MoEngage Response | Compliance: C

- Every change made to an event definition or its attributes, including data type mapping, status (allowed/blocked), visibility, display name, and description, is automatically logged with no manual effort required
- Each log entry captures who made the change, what was changed, and the exact timestamp, giving IndiGo a complete, tamper-proof audit trail of every event definition change over time
- Logs cannot be edited or deleted by any user, including admins, ensuring the audit trail itself cannot be altered or gamed after the fact

- Access to this history is restricted to admin-level roles, so only authorized personnel can view or export the change record, supporting IndiGo's internal governance and compliance needs
- The complete audit history can be filtered (by team, entity, action, actor, or date range) and exported as a CSV report, making it usable for periodic compliance reviews or evaluator audits rather than requiring manual tracking outside the platform"
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

5.1.11. Ability to support rollback to previous configurations without service disruption.

MoEngage Response | Compliance: C

- We have established rollback procedures for any unsuccessful releases. All releases and changes are accompanied by a rollback strategy to maintain service continuity. We utilize AWS code-deploy and blue-green upgrade methodologies, which are designed to handle upgrades with minimal or zero downtime. This approach allows us to quickly revert to a stable version if needed without service disruption.
- [Data Backup Plan](#)

5.1.12. Ability to maintain environment-specific configurations for Development, QA, UAT, Pre-Production, Disaster Recovery, and Production.

MoEngage Response | Compliance: C

- MoEngage provides dedicated AWS SaaS environments for Development, UAT, and Production, with no data sharing between environments. Each environment maintains its own configuration settings.

5.1.13. Ability to support delegated administration for different business units.

MoEngage Response | Compliance: C

- MoEngage supports role-based access control (RBAC) that can be deployed independently for each business unit operating on the platform. Administrators can configure and assign access at the workspace level, ensuring that dashboards, campaigns, and data relevant to a specific business unit are shared only with the users authorized to view or act on them.
- This is achieved through a combination of default roles (fixed, pre-defined permission sets such as Admin, Manager, Marketer, and Developer) and custom roles (fully configurable permission sets tailored to a business unit's specific requirements). A central administrator retains the ability to grant, adjust, or revoke dashboard access for individual users at any time, ensuring each business unit's team sees only the data, campaigns, and configurations relevant to their scope — while overall administrative oversight remains centralized.
- This approach allows enterprises with multiple business units, brands, or regional teams to maintain clear segregation of access and responsibility, without compromising the ability of a central admin team to manage user permissions consistently across the organization.
- [Access Roles](#)

5.1.14. Ability to provide centralized license and subscription management.

MoEngage Response | Compliance: C

- MoEngage's commercial model is based on usage entitlements (Monthly Tracked Users and event volumes) rather than traditional per-seat software licensing. Centralized visibility into usage against contracted entitlements is provided through a usage dashboard, with configurable threshold alerts (e.g., at 80%/95% of contract limits) to proactively manage consumption.
- This helps with centralized subscription management
- [MoEngage Usage Dashboard](#)

5.1.15. Ability to monitor platform utilization and license consumption.

MoEngage Response | Compliance: C

- MoEngage's subscription management works based on volumes and not based on number of licences. MoEngage's settings provides a detailed Usage Dashboard to track platform consumption and usage in real-time. The dashboard enables you to Monitor consumption metrics
- [MoEngage Usage Dashboard](#)

5.1.16. Ability to support enterprise governance policies and approval workflows.

MoEngage Response | Compliance: C

- Yes. MoEngage supports this through a combination of documented organizational governance and configurable platform controls:
- **Governance framework:** ISO/IEC 27001:2022-aligned information security and data governance policies, reviewed annually and approved by the ISMS Steering Committee and senior leadership
- **Access governance:** Access Roles and Teams control who can create, edit, approve, or view configurations, segments, and dashboards
- **Approval workflows:** Campaign Approval Workflow requires designated sign-off before any campaign goes live; scopeable by role or Team so different markets or business units can have their own approver
- **Change governance:** formal Change Management Policy requiring risk classification, pre-production testing, management approval, and documented rollback procedures for platform changes
- **Program-level governance for IndiGo:** structured RACI matrix, steering committees, and milestone/variance tracking through the implementation and ongoing partnership

5.1.17. Ability to maintain administrative dashboards.

MoEngage Response | Compliance: C

- MoEngage provides a centralized administrative dashboard experience through its Settings > Account area, giving admins a single hub for Team Management (user/role administration, SSO/SCIM configuration), Security (Firewall/IP allow-listing), Usage (real-time consumption tracking against contracted entitlements with configurable threshold alerts), Data Management (visibility into all tracked events/attributes), and Audit Logs (a centralized, filterable, exportable record of all account activity, restricted to Admin-level users). Together these give administrators comprehensive oversight and control across access, usage, data, and security from a consistent administrative interface.
- [Access Roles](#)

5.1.18. Ability to support policy-based administration.

MoEngage Response | Compliance: C

- MoEngage supports policy-based administration through Role-Based Access Control (RBAC), enabling tenant administrators to manage access controls according to the least privilege principle. The platform includes:
- Configurable roles and granular permissions managed by tenant administrators
- 2-Factor Authentication (2FA) for enhanced security
- SAML 2.0 support for single sign-on integration
- IP whitelisting to restrict access to trusted addresses
- Password-based and SSO authentication protocols
- These capabilities allow organizations to enforce policy-driven access management aligned with their security requirements.
- [Access Roles](#)

5.1.19. Ability to automate administrative tasks using APIs.

MoEngage Response | Compliance: C

- MoEngage provides a comprehensive API suite that enables automation of administrative tasks. Administrative and configuration actions, user/attribute data management, segment creation, campaign triggering, are exposed through Data, Content, and Campaign APIs, allowing IndiGo to automate routine administrative workflows rather than performing them manually through the dashboard

5.1.20. Ability to maintain historical configuration repositories.

MoEngage Response | Compliance: C

- MoEngage maintains baseline configuration repositories with version control. Previous versions of baseline configurations are retained to support rollback. Configuration records are securely stored and include version of configuration template and date of last change. Records of configuration-controlled changes are retained for at least one year.

5.1.21. Ability to support scheduled configuration backups.

MoEngage Response | Compliance: C

- MoEngage performs automated, encrypted backups of service data and configurations every 12 hours. The backup restoration process includes documented procedures with verification steps to ensure data integrity, and restoration testing is performed at least annually.
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Business%20Continuity%20Management%20Plan>

Provide

- Maximum supported users.

MoEngage Response | Compliance: C

- No Limit to the number of users using MoEngage platform

- Maximum supported administrative roles.

MoEngage Response | Compliance: C

- No limit to the number of supported administrative roles

- Authentication mechanisms supported.

MoEngage Response | Compliance: C

- Single Sign-On via SAML 2.0, supporting Okta, Azure AD, Google Cloud Identity, and OneLogin as identity providers
- Email/password and Google Sign-In, available by default and disable-able once SSO is enforced
- Two-Step Verification (2FA) via authenticator app, enforceable account-wide
- IP allow-listing/blocking at the dashboard level, and a separate API Firewall restricting Data API access to an approved IP allowlist
- OAuth 2.0 is supported for outbound integration authentication (Custom Connectors, Content APIs), not as a dashboard login method
- OpenID Connect (OIDC) is not supported as an SSO protocol; SAML 2.0 is the documented standard
- <https://www.moengage.com/docs/user-guide/settings/account/security/overview>

- Governance workflow capabilities.

MoEngage Response | Compliance: C

- Broader governance (data definition changes, segment creation, dashboard publishing) relies on access control and audit logging rather than a dedicated pre-publish approval gate

- Version control capabilities.

MoEngage Response | Compliance: C

- MoEngage's own platform configuration and deployment artifacts are managed through change management and version tracking internally. Customer-facing analytics configurations (events, dashboards, reports) rely on audit trail rather than version-diff/rollback

- Configuration rollback capabilities.

MoEngage Response | Compliance: C

- At the infrastructure level, automated configuration monitoring (an in-house CSPM tool) detects and remediates unauthorized deviations from baseline automatically
- Audit retention period.
MoEngage Response | Compliance: C
 - Audit logs are retained for at least one year with multi-year retention options customizable per customer requirements

- License management capabilities.

MoEngage Response | Compliance: C

- MoEngage's subscription management works based on volumes and not based on number of licences. MoEngage's settings provides a detailed Usage Dashboard to track platform consumption and usage in real-time. The dashboard enables you to Monitor consumption metrics

- Airline customer references.

MoEngage Response | Compliance: C

- Jazeera Airways, Jin Air, Akasa Air, Air Asia

- Largest enterprise deployment.

MoEngage Response | Compliance: C

- T-mobile, Airtel, Swiggy, Soundcloud, LIC

6. SDK & Implementation Requirements

The proposed solution shall provide enterprise-grade Software Development Kits (SDKs), implementation frameworks, deployment methodologies, and lifecycle management capabilities.

6.1 Capability Requirements

The solution should support:

6.1.1. Ability to provide native SDKs for Android, iOS, Web, Flutter, React Native, and future application frameworks.

MoEngage Response | Compliance: C

- MoEngage provides native SDKs for:
 - Android SDK
 - iOS SDK
 - Web SDK
 - Flutter

- React Native
- Additional frameworks supported:
- Cordova
- Unity
- Xamarin
- Ionic
- Capacitor
- <https://moengage.com/docs/developer-guide/introduction>

6.1.2. Ability to provide Server-Side SDKs.

MoEngage Response | Compliance: C

- MoEngage does not provide official server-side SDKs or client libraries for backend languages (such as Python, Java, Node.js, etc.). However, the platform offers extensive REST APIs that are RESTful in nature, allowing for straightforward integration using standard HTTP clients in any server-side language.
- For client-side platforms, MoEngage provides native SDKs for Android and iOS, as well as support for cross-platform frameworks including React Native, Flutter, Cordova, Capacitor, Ionic, and Unity. A Web SDK is also available for website integration.
- <https://moengage.com/docs/api/introduction>

6.1.3. Ability to support lightweight SDK architecture with minimal impact on application performance.

MoEngage Response | Compliance: C

- MoEngage SDKs are optimized for minimal performance impact across platforms:
- **iOS:** Core SDKs (Data Tracking, Analytics, Push Notifications) add 432 KB to IPA size and 1.42 MB to install size
- **Android:** Core SDK with In-app modules is 280 KB
- All SDK calls execute asynchronously in the background, ensuring zero impact on page load times. The SDKs perform well even in poor network conditions without affecting overall application performance.
- <https://www.moengage.com/docs/developer-guide/android-sdk/performance/sdk-size-impact>

6.1.4. Ability to support asynchronous event collection.

MoEngage Response | Compliance: C

- MoEngage supports asynchronous event collection at both the client and server layers. Client SDKs (web, mobile) batch and queue events locally, transmitting them asynchronously via HTTPS without blocking the

user's real-time app/website interaction — including support for offline queuing when connectivity is intermittent. Server-side event submission via the Data/Event API is similarly asynchronous from the producing system's perspective. Once received, events are processed in real time and reflected in user profiles for immediate segmentation and campaign triggering. This asynchronous pipeline is backed by automated retries with exponential backoff, a Dead Letter Queue for persistent failures, and idempotency keys to prevent duplicate processing

6.1.5. Ability to queue events during network failures.

MoEngage Response | Compliance: C

- MoEngage uses asynchronous queue-based processing where inbound data is placed into durable message queues before processing. This decouples ingestion from processing, so if a backend service fails, data remains safely in the queue and processing resumes automatically once the service recovers, preventing data loss during network or component failures.

6.1.6. Ability to retry failed events automatically.

MoEngage Response | Compliance: C

- If a sync attempt fails due to connectivity loss, the SDK retains queued events and automatically retries on the next flush cycle, rather than dropping them after one failed attempt

6.1.7. Ability to support configurable event batching.

MoEngage Response | Compliance: C

- MoEngage offers configurable settings for batch operations, allowing you to define specific batch sizes when setting up the stream process. This enables effective management of load on your infrastructure while maintaining near real-time data flow. The platform supports both near real-time streaming (continuous) and bulk processing options, with batch intervals configurable based on your operational requirements.

6.1.8. Ability to support offline event storage and synchronization.

MoEngage Response | Compliance: C

- Events generated while offline are queued locally on the device and synced automatically once connectivity is restored, with no manual intervention required

6.1.9. Ability to remotely configure SDK behaviour without application redeployment.

MoEngage Response | Compliance: C

- Yes, natively supported. The `a_s` (Account/App Status) key in the Config API controls this at the account/app-ID level, set to allowed or blocked. When set to blocked, all SDK-to-backend API calls are halted except the Config API itself, effectively acting as a remote kill switch for the entire SDK's data operations, without requiring an app update or redeployment. This is synced to the device automatically (on app foreground, hourly by default; in background, every 7 days on Android; in background-only apps like widgets, every 12 hours), so the kill switch takes effect on the client without any release cycle involved.

6.1.10. Ability to remotely enable or disable SDK functionality.

MoEngage Response | Compliance: C

- Yes, natively supported, and extensively so. The Config API allows a wide range of SDK behavior to be controlled remotely from the backend, including:

- Sync intervals for foreground and background data flush (p_f_t, d_s_r_i, b_m_d_s_i)
- Maximum events cached before triggering a sync (e_b_c), and retry attempts on failure (r_a_b_m_r_c)
- Event-level control: which events to reject (b_e), which to flush immediately (f_e), which to track even if data tracking is opted out (d_t_w_e), and event whitelisting (w_e)
- User attribute caching duration (u_a_c_t) and attribute rejection rules (b_ua)
- Session inactivity duration (s_i_d) and additional source-identification keys (src_ext)
- Remote logging level and status (log_level, s_log), and gzip compression (gzip)
- Push-specific behavior like campaign ID cache expiry and Push-Amp sync intervals
- All of this is delivered without an app release: the SDK syncs this configuration automatically on a schedule, and if the API hasn't succeeded even once, the SDK falls back to sensible defaults, ensuring behavior remains predictable even before the first successful sync.

6.1.11. Ability to support backward compatibility across SDK versions.

MoEngage Response | Compliance: C

- MoEngage SDKs maintain backward compatibility to the extent possible. In the event of deprecation of any SDKs or APIs, a 90-day notice period is provided and support continues for at least 180 days to ensure complete migration. Multiple SDK versions are maintained concurrently, with backward compatibility supported for the last 5 versions (30 months). Major SDK version releases occur bi-annually, allowing ample time for testing and integration of new features while maintaining stability.

6.1.12. Ability to support SDK version management.

MoEngage Response | Compliance: C

- MoEngage supports structured SDK version management: detailed changelogs are maintained per release, SDK code is publicly available for review via GitHub, and customers can subscribe to proactive alerts for both minor and major releases. Multiple SDK versions are maintained concurrently — customers choose when to upgrade rather than being forced onto the latest version — with backward compatibility guaranteed across the last 5 major versions (a 30-month window) on a half-yearly release cadence. A sandbox environment with full production feature parity lets engineering teams validate a new SDK version safely before go-live, and MoEngage support engineers are available to assist with upgrade implementation
- [Release Notes](#)

6.1.13. Ability to support feature flags within SDKs.

MoEngage Response | Compliance: C

- Yes, supported through MoEngage Server-side Personalization, which functions as a genuine feature-flagging and remote-config mechanism, not just the module-level toggles covered earlier.
- Percentage-based rollout: Traffic can be split across up to 5 variations per targeted audience, with configurable percentage distribution, enabling a controlled, gradual rollout of a new feature to a defined slice of users rather than an all-or-nothing switch

- Typed variables per variation: Each variation can define variables of type Number, String, Boolean, Float, or JSON, letting engineering teams gate feature behavior (a boolean flag), pass configuration values, or return structured JSON config, entirely through an API response, without modifying and redeploying code
- Audience targeting: Flags can be scoped to specific user segments (behavioral, attribute-based, geolocation, device type, in-session behavior), so a feature can be flagged on only for a specific traveler segment rather than the entire user base
- API-based retrieval: The experience is fetched via an API call using a unique experience key, meaning this isn't limited to the mobile/web SDK's own module toggles, it can be consumed by any system, including backend services, making it usable for both client-side feature gating and server-side conditional logic
- Priority-based conflict resolution: If multiple experiences target the same context, an assigned priority (Low, Medium, High, Critical) determines which one is served, giving IndiGo control over precedence when flags overlap
- Built-in measurement: Conversion goals (up to 5) and revenue tracking can be attached directly to a flagged experience, so IndiGo can measure the actual impact of a flagged rollout without needing a separate analytics setup

6.1.14. Ability to isolate SDK failures from the host application.

MoEngage Response | Compliance: PC

- MoEngage SDK operations run on background threads and never block the host application's main thread. All network calls are asynchronous and batched, meaning any MoEngage network failure has zero impact on app responsiveness or user-facing functionality. SDK internal errors are caught and logged within the SDK's own error boundary — they do not surface as unhandled exceptions to the host app's crash reporter. This is the functional equivalent of failure isolation for a same-process SDK

6.1.15. Ability to prevent SDK failures from crashing the application.

MoEngage Response | Compliance: C

- "MoEngage SDKs implement a dual-mode safety model. In DEBUG builds, misconfigurations throw explicit exceptions to help developers catch integration issues during development. In production (Release) builds, the same conditions are handled silently — invalid configurations and premature API calls are dropped and logged rather than propagated as crashes. This ensures MoEngage SDK errors cannot crash the IndiGo app in a live production environment.
- MoEngage is compatible with Firebase Crashlytics, which IndiGo likely already uses. Any exception originating from the MoEngage SDK would be visible in Crashlytics with full stack traces, giving IndiGo's engineering team full observability into SDK behavior."

6.1.16. Ability to support configurable timeouts.

MoEngage Response | Compliance: C

- MoEngage SDK network requests use platform-standard HTTP timeout defaults (Android OkHttp / iOS URLSession), which are configurable at the host application's network layer. For enterprise deployments with specific timeout requirements, MoEngage's implementation team can work with IndiGo's engineering team to configure these during the technical onboarding. MoEngage's support SLA includes direct SDK-level engineering access for enterprise accounts.

6.1.17. Ability to provide SDK diagnostics.

MoEngage Response | Compliance: C

- Debug-level SDK logging is available during implementation and testing, showing in real time whether tracked events are being accepted or rejected, with reasons for rejection where applicable

6.1.18. Ability to monitor SDK performance.

MoEngage Response | Compliance: C

- MoEngage operates 24x7 internal monitoring covering logs, events, resource consumption, and API performance across its own infrastructure, which is MoEngage's own internal APM capability
- For IndiGo specifically, performance insights (API response times, transaction volumes, resource-level signals) are shared through MoEngage dashboards, reports, and regular governance or performance review meetings
- At the SDK level specifically (mobile/web client performance, as distinct from backend API performance), integration validation and volume anomaly alerting give IndiGo indirect visibility, an unexpected drop in a specific event's volume, or a mismatch in expected attribute structure, often signals a degrading SDK implementation

6.1.19. Ability to support remote kill switch functionality.

MoEngage Response | Compliance: C

- Yes, natively supported at the individual feature/module level, not just the account-wide kill switch. Each major SDK module has its own independent allowed/blocked toggle in the Config API

6.1.20. Ability to provide implementation validation tools.

MoEngage Response | Compliance: C

- MoEngage provides implementation validation tools through:
- **Rocketlane:** Industry-leading specialist onboarding software that documents project plans, resources, ownership, and progress, enabling transparent tracking and validation throughout implementation
- **Data Management Dashboard:** Complete catalog of all tracked events and attributes with data types and usage statistics for data profiling and validation
- **Input Validation:** Strict validation at the point of data ingestion to ensure data quality
- **Configurable Alerts:** Technical anomaly detection including data import failures
- **Integration Testing:** Dedicated testing phase covering integration and business testing with user training before go-live
- **UAT Support:** Data flow validation during User Acceptance Testing

- Governance meetings can start on a frequent basis before mutually agreeing on preferred cadence. The escalation structure includes Customer Success Manager/Engagement Manager (Level 1), Regional Director of Customer Success (Level 2), and Executive Sponsor (Level 3).
- Typical implementation timeline for enterprise-scale deployments is 12-16 weeks, with phased rollout approach starting simple and adding complexity over time.

6.1.21. Ability to support automated SDK testing.

MoEngage Response | Compliance: C

- The integration validation view provides an automated backend layer: incoming events are automatically checked against expected data type and naming consistency rules as they arrive, without a human needing to trigger that check manually
- This means implementation correctness is being automatically validated on an ongoing basis, not just monitored passively, incorrect data types or naming drift are automatically flagged rather than requiring someone to run a manual test

6.1.22. Ability to maintain comprehensive implementation documentation.

MoEngage Response | Compliance: C

- MoEngage maintains user guides and technical/developer documentation accessible via the MoEngage Help Center.
- All changes are tested in pre-production environments with formal UAT and sign-off per our change management process before go-live.
- <https://www.moengage.com/docs/developer-guide/introduction>
- <https://www.moengage.com/docs/api/introduction>

6.1.23. Ability to provide migration utilities for SDK upgrades.

MoEngage Response | Compliance: C

- MoEngage maintains detailed changelogs for every SDK release, documenting all changes made across multiple SDK versions. When SDK deprecation occurs, we provide 90 days advance notice and continue support for at least 180 days to ensure complete migration. Our SDKs maintain backward compatibility to the extent possible, minimizing disruption during upgrades.
- Engineers can access SDK code through our public GitHub repositories for review and troubleshooting.
- A sandbox environment with isolated data and feature parity to production is available for testing SDK updates before production deployment.

6.1.24. Ability to provide install, uninstall, crashes information for Android and iOS.

MoEngage Response | Compliance: C

- MoEngage provides install and uninstall tracking for both Android and iOS platforms. Uninstall analytics includes detailed information on user uninstalls with timestamps and event details.

- For crash reporting, these events are generated by Firebase and CLoudkit. MoEngage can ingest these events against each user and help you set up Dashboards on top of that. This is the Gold standard for doing crash analytics.
- <https://help.moengage.com/hc/en-us/articles/209986613-Uninstall>

6.2 Implementation Requirements

The solution should support:

6.2.1. Ability to provide implementation methodology.

MoEngage Response | Compliance: C

- MoEngage provides a structured implementation methodology with defined phases:
- **Approach:** Phased rollout starting with MVP and scaling complexity over time. Implementation covers preparation, design, integration, testing, and go-live phases.
- **Timeframe:**
- Enterprise/complex: 12-16 weeks for enterprise scale mplementations - similar to Indigo
- **Project Governance:**
- Dedicated Project Manager from MoEngage with overall responsibility
- Weekly/monthly progress reports covering implementation status, risks/issues, mitigation plans, and next steps
- Regular cadence meetings throughout implementation and post go-live
- Ad-hoc reporting available on request
- **Roles & Responsibilities:**
- MoEngage provides dedicated team including Project Manager, Customer Success Manager, and Implementation Manager. Client team typically includes Project Manager, CRM Manager, Product Manager, Solution Architect/Data Engineer, App Developer, and QA Team.
- **Modular Implementation:** Can be executed on modular basis by:
 - Business unit (single unit as proof of concept)
 - Data sources (starting with most accessible)
 - Campaign types and complexity
 - Channels (e.g., push and email first, then in-app and SMS)
 - User segments

- **Key Pillars:** Preparation (stakeholder intro, project plan, governance), Design (use cases, data taxonomy), Integration (SDKs, APIs, partners), Testing (integration and business testing, user training), Go-Live (production environment with hypercare support)
- **Training:** Unlimited free training sessions including videos, workshops, classroom sessions, and self-serve learning platform with certifications throughout contract duration.
- A more detailed plan has been shared in the Corporate deck sent separately in the RFP submission.

6.2.2. Ability to provide event taxonomy design support.

MoEngage Response | Compliance: C

- MoEngage provides event taxonomy design support during the implementation phase. Our team collaborates and guide you to establish a comprehensive data taxonomy structure that maps user data to the correct profile using unique identifiers. We work with organizations using different data ingestion methods, ensuring the platform accommodates your specific data architecture and maximizes the impact of your data across all touchpoints.

6.2.3. Ability to provide implementation accelerators.

MoEngage Response | Compliance: C

- AI-assisted Migration Program, explicitly named in the deck, with 350+ brands having migrated through it already, positioned as a structured program rather than ad hoc engineering effort each time
- Threefold Migration framework: a structured, repeatable methodology spanning Data Migration (audit, mapping, transformation, phased import, validation), Technology (platform configuration, SDK integration, channel setup, third-party integrations), and Campaigns (audit of existing campaign performance, replication of campaign logic, A/B testing, phased launch), rather than each migration being built from scratch
- Use Case Blueprint & Partner Playbook: pre-built frameworks for use case ideation and data mapping (defining data taxonomy, sources, and periodicity) used to jumpstart the Customer Lifecycle Strategy conversation rather than starting that scoping exercise cold
- Design Workshops: 2 weeks of on-site design workshops at project start, covering campaign and journey design best practices, run collaboratively rather than delivered as generic templates
- Demonstrated migration speed from prior engagements, relevant given IndiGo is migrating from Adobe Campaign specifically: T-Mobile (Adobe Campaign, AEP, Adobe Target replaced with one platform), and other named migrations from complex, multi-platform stacks completed in 12-14 weeks with 50% faster migration timelines and up to 70% reduction in engineering bandwidth in one case

6.2.4. Ability to support phased rollout.

MoEngage Response | Compliance: C

- MoEngage supports phased pilot deployments, allowing organizations to start with a single business unit, specific user segments, or limited channels before scaling. Customers with high agility have launched pilots in 2-4 weeks, while a conservative pilot timeline is 6-8 weeks.

6.2.5. Ability to support pilot deployments.

MoEngage Response | Compliance: C

- MoEngage supports phased pilot deployments, allowing organizations to start with a single business unit, specific user segments, or limited channels before scaling. Customers with high agility have launched pilots in 2-4 weeks, while a conservative pilot timeline is 6-8 weeks.
- Pilot deployment approach includes:
 - Starting with the most accessible and influential data sources
 - Selecting a single business unit or sub-group as early adopter/proof of concept
 - Rolling out simple campaign types before adding complexity
 - Beginning with high-impact channels (push notifications, email) before introducing others
 - Targeting small, receptive user segments (e.g., digital-savvy early adopters) or large groups with simple calls to action
 - Implementation involves a dedicated MoEngage team (Implementation Manager, Implementation Director, Data Consultant, Email Delivery Consultant, Engagement Manager) working alongside your internal team or third-party partner. The phased approach allows validation and learning before full-scale deployment across all business units and channels.

6.2.6. Ability to support blue-green deployment strategies.

MoEngage Response | Compliance: C

- Yes, MoEngage uses Blue-Green deployment at least once a week, enabling planned system upgrades and patches to be delivered with minimal or zero downtime and generally no customer impact. This is reinforced by flag-driven rollout with built-in rollback for every release, running across separate test and live environments.
- MoEngage supports zero-downtime maintenance via multi-AZ high-availability architecture and blue-green deployments, ensuring single component failures do not impact overall operations.
- [SLA](#)

6.2.7. Ability to support implementation validation.

MoEngage Response | Compliance: C

- MoEngage supports implementation validation through multiple mechanisms:
 - **System Integration Testing:** QA teams validate integration between MoEngage, FTP, and data warehouse systems during UAT and pre-production testing phases.
 - **Unit Testing:** Dedicated testing validates individual components and functionality.
 - **Implementation Validation:** Data engineers and QA teams work with the implementation manager to validate SDK integration, API setup, and data pipeline configuration.
 - **Dashboard Configuration Validation:** Platform configuration is validated to ensure proper setup before go-live.

- **Stakeholder Review Checkpoints:** Regular review sessions with project and CRM managers occur throughout implementation phases to validate progress and alignment.
- The implementation follows a phased approach with validation gates at each stage, typically spanning 6-8 weeks for standard implementations or 12-16 weeks for complex enterprise deployments. Your assigned implementation manager coordinates all validation activities with your QA and data engineering teams.

6.2.8. Ability to provide implementation health checks.

MoEngage Response | Compliance: C

- MoEngage provides implementation health checks through multiple mechanisms:
- **Stakeholder Review Checkpoints:** Regular stakeholder review/check-in sessions are conducted throughout the implementation lifecycle at the end of each major phase (Preparation, Integration, UAT, Campaign Migration, and Deploy phases). These are led by the Implementation Manager and Director of Implementation.
- **Validation Activities:** Dedicated validation tasks are built into the implementation plan:
- Data sanity checks covering user identity, attributes, and real-time events
- App channel configuration checks (push, in-app, cards) including token registration, payload handling, and tracking
- System integration testing across MoEngage, FTP, and data warehouse
- Unit testing and dashboard configuration validation
- Implementation validation conducted jointly by your QA team and MoEngage Implementation Manager
- **Governance Structure:** The implementation follows a RACI model with clearly defined roles (Responsible, Accountable, Consulted, Informed) across all tasks, ensuring accountability and oversight at every stage.
- **Project Pillars:** Health checks are organized around five key pillars - Preparation, Design, Integration, Testing, and Go-Live - with specific validation criteria for each.
- Typical roles from your team involved include Project Manager, CRM Manager, Solution Architect/Data Engineer, App Developer, and QA Team, working alongside MoEngage's Implementation Manager, Email Delivery Consultant, and Data Consultant.

6.2.9. Ability to support knowledge transfer.

MoEngage Response | Compliance: C

- Yes. All customers receive access to learning, training, and community resources as part of our change management process.
- Training is delivered through multiple sessions by our CSM team (live, not recorded) covering:
- Module 1: Platform overview, user profiles, segmentation, basic channel setup (SMS, Email, WhatsApp, Push)

- Module 2: Smart Trigger campaigns, recurring campaigns, in-app messages, geo-fence push
- Module 3: Campaign and product analytics, advanced email options (A/B testing, localization, frequency capping)
- Module 4: Flows setup and performance metrics
- Total training duration: No limitaiton; Paced to your team's learning curve.
- Additional resources include:
 - Pre-recorded videos via #GROWTH Academy (on-demand portal for all users)
 - Monthly group training sessions by senior CSMs covering new launches and product updates
 - Online help documentation and tutorials for self-service support
 - Post-implementation, your dedicated Customer Success Manager provides ongoing strategic support, product training, and adoption guidance. CSM calls occur weekly/bi-weekly as needed (higher frequency during implementation).

6.2.10. Ability to provide implementation best practices.

MoEngage Response | Compliance: C

- MoEngage provides implementation best practices through multiple channels:
 - **Project Governance & Methodology**
 - Dedicated Project Manager assigned to oversee complete implementation
 - Weekly/monthly progress reports covering implementation status, risks/issues, mitigation plans, and next steps
 - Ad-hoc progress reports available upon request
 - Early notification of any delivery slippages with alternative recommendations
 - Dedicated team of Customer Success Manager, Implementation Manager, and Project Manager working as extension to your team
 - **Implementation Approach**
 - Phased rollout methodology starting simple and adding complexity over time
 - Typical timeline: 6-8 weeks for conservative approach; 12-16 weeks for complex enterprise implementations
 - Modular implementation by product groups supported
 - Project plan includes approach, timeframe, RACI, resource allocation, governance structure, and roles/responsibilities

- **Training & Knowledge Transfer**
- Unlimited free training sessions throughout contract duration (classroom, workshops, video courses)
- On-site training available when needed
- Self-serve learning platform with certifications: <https://www.hashgrowth.org>
- Tailored recommendations for segments, content, and scheduling
- Training documentation provided in hardcopy and softcopy formats
- **Best Practices Delivery**
- Strategic & Technical Services resources provide tailored recommendations
- Data strategy support including taxonomy, historical data import, field mapping, and validation
- Custom onboarding plans accounting for send volume and domain preferences
- Detailed scope of work plan shared during implementation phase

Provide

- Supported SDK platforms.

MoEngage Response | Compliance: C

- **Web SDK:** JavaScript, for websites and web apps
- **Android SDK:** Native, Kotlin and Java, supporting Push (FCM, HMS), in-app messaging, cards, push templates, push amplification, notification center, location triggers, and Android TV
- **iOS SDK:** Native, Swift/Objective-C, supporting iOS 11 and above
- **React Native:** Plugin-based, including Expo managed workflow support via a config plugin (push, in-app, and cards; requires EAS Build for native module linking)
- **Flutter:** Dart plugin with native bindings for iOS, Android, and Web, supporting push, in-app, cards, geofence, and notification center; null-safe (Dart 2.12+)
- **Cordova:** Apache Cordova plugin, supporting push, in-app, and data tracking (requires cordova-ios 4.3+ for CocoaPods support)
- **Capacitor:** Capacitor 3+ plugin, supporting push, in-app, data tracking, and geofence, with a TypeScript API
- **Ionic:** No separate Ionic-specific SDK, Ionic apps integrate via whichever native runtime they use underneath, Cordova or Capacitor
- **Unity:** Plugin with native bindings for iOS and Android, supporting push, in-app messaging, data tracking, push templates, and location-triggered campaigns

- **TV/OTT platforms:** Android TV (via the Android SDK), Apple TV (via the iOS SDK), and Smart TV (via the Web SDK), rather than separate dedicated TV SDKs
- **Server-side/backend:** Not a packaged SDK, integration is via REST Data APIs directly, language-agnostic, callable from any backend language capable of making HTTP requests

- SDK size.

MoEngage Response | Compliance: C

- iOS: Core SDK (MoEngage-iOS-SDK + rich notification module) adds approximately 432 KB to IPA download size and 1,424 KB to install size on a reference device. Adding the optional In-App module adds a further 160 KB (IPA) and 492 KB (install size)
- Android: Documented per-artifact size impact table available (exact figures vary by which optional modules IndiGo includes: Push, In-App, Cards, etc.), measured against a defined version catalog baseline

- SDK latency.

MoEngage Response | Compliance: C

- Once an event is sent from the SDK (after any configured local flush/batching interval), it's processed by MoEngage's real-time Eventstore at an independently benchmarked average latency of 1ms, with sub-10ms latency at the 99th percentile, even under sustained high-throughput load (250,000 events/second) and with 200+ TB of active data in the store
- This means the meaningful latency in the pipeline isn't sitting in a slow backend, once data leaves the device, it's reflected in the platform in near real time, which is what makes real-time segmentation, personalization, and analytics genuinely real-time rather than delayed by a batch-processing lag downstream

- Offline storage capacity.

MoEngage Response | Compliance: C

- Events generated offline are queued locally on the device, with a periodic flush syncing them once connectivity resumes
- No limitation to the storage capacity; auto-scaled based on requirement

- Supported programming languages.

MoEngage Response | Compliance: C

- Client-side: Swift/Objective-C (iOS), Kotlin/Java (Android), JavaScript (Web), plus React Native and Flutter
- Backend: language-agnostic via REST Data APIs, callable from any language capable of making HTTP requests

- SDK release frequency.

MoEngage Response | Compliance: C

- SDKs are versioned and released on an ongoing basis as features and fixes are added, with multiple major versions maintained concurrently rather than following a strict release schedule
- Major SDK version releases occur bi-annually, allowing ample time for testing and integration of new features while maintaining stability.
- Backward compatibility policy.

MoEngage Response | Compliance: C

- MoEngage supports structured SDK version management: detailed changelogs are maintained per release, SDK code is publicly available for review via GitHub, and customers can subscribe to proactive alerts for both minor and major releases. Multiple SDK versions are maintained concurrently — customers choose when to upgrade rather than being forced onto the latest version — with backward compatibility guaranteed across the last 5 major versions (a 30-month window) on a half-yearly release cadence. A sandbox environment with full production feature parity lets engineering teams validate a new SDK version safely before go-live, and MoEngage support engineers are available to assist with upgrade implementation
- Largest SDK deployment.

MoEngage Response | Compliance: C

- Airtel, Loblaw's, Soundcloud, Swiggy, kayak, T-Mobile
- Airline customer references.

MoEngage Response | Compliance: C

- Akasa Air, Air Asia, Jin Air, Jazeera Airways
- Sample implementation documentation.

MoEngage Response | Compliance: C

- Platform-specific integration guides available at <https://developers.moengage.com>, covering SDK installation, initialization, data tracking, push/in-app configuration, and troubleshooting, versioned per SDK release, with sample apps available for Android, React Native, and Flutter

7. Data Management & Retention

The proposed solution shall provide secure, governed, and compliant data management capabilities supporting enterprise analytics, regulatory compliance, and long-term scalability.

7.1 Capability Requirements

The solution should support:

- 7.1.1. Ability to manage structured and semi-structured analytics data.

MoEngage Response | Compliance: C

- MoEngage natively supports both structured (string, numeric, boolean, date, geo-location) and semi-structured data (Array and Object types, including JSON/array-of-JSON attributes), with nesting supported up to two levels in user profiles.. Segmentation and Analytics support advanced querying across nested levels using dedicated operators.

7.1.2. Ability to support configurable data retention policies.

MoEngage Response | Compliance: C

- MoEngage supports customizable data retention policies out of the box. You can define retention periods based on legal requirements, business needs, and data usage purposes, allowing you to adjust policies to stay compliant with regulatory changes concerning customer information.

7.1.3. Ability to support configurable archival policies.

MoEngage Response | Compliance: C

- MoEngage supports configurable archival policies with automatic archival/purging and privacy-by-design controls to minimize unnecessary data storage. Retention policies can be configured based on organizational requirements, and unneeded data can be removed via secure deletion and Erase/Delete User APIs, automatable by attribute or time window, in line with GDPR and global privacy requirements.
- [MoEngage Archival Policy](#)

7.1.4. Ability to support automated lifecycle management.

MoEngage Response | Compliance: C

- MoEngage automates data lifecycle management at the profile level: user profiles are created automatically on first interaction, continuously enriched with derived attributes (e.g., predicted best-send-time, dormancy propensity), and archived according to a default, policy-driven schedule — anonymous profiles after 60 days of inactivity, and registered profiles after 1 year without an outbound message. This archival policy is fully customizable to match specific retention requirements. Throughout this lifecycle, MoEngage acts strictly as a data processor — customer data remains the sole property of the customer, who retains full rights to access, modify, and delete it at any stage

7.1.5. Ability to support historical analytics.

MoEngage Response | Compliance: C

- MoEngage integrates with existing data storage solutions to import and analyze historical data, including behavioral data, personal identifiable information (PII), user preferences for marketing, and registration dates. Our platform enables Analysts to access historical data to identify patterns and trends, forming a benchmark for comparison with current trends. This historical data analysis capability supports continuous assessment and data-driven improvements over time.

7.1.6. Ability to support point-in-time recovery.

MoEngage Response | Compliance: C

- MoEngage's data protection model is based on scheduled automated backups every 12 hours (AES-256 encrypted, S3 with object versioning, multi-region replication for critical data sets), with a documented Recovery Point Objective (RPO) of 12 hours and Recovery Time Objective (RTO) of 6 hours.
- This is configurable as per your requirements.

7.1.7. Ability to maintain data lineage.

MoEngage Response | Compliance: C

- Yes. Data lineage is tracked at the feature level through:

- Data Import Logs: Detailed history showing source files and status for all bulk data imports
- Feature Configurations: Setup for features like Computed Traits and Predictive Segments explicitly documents which source data is used to derive new attributes or predictions
- Lineage transparency is built into the Data Management feature, which automatically catalogs all tracked events and attributes with metadata including data type, first/last seen dates, and usage frequency.
- [Data Management](#)

7.1.8. Ability to maintain metadata repositories.

MoEngage Response | Compliance: C

- Yes. We maintain metadata records that capture relevant information about data, including creation timestamps, versioning, and data lineage. This documentation establishes the lineage and provenance of data, facilitating transparency and accountability in our data management processes.
- [Data Management](#)

7.1.9. Ability to support enterprise data catalogues.

MoEngage Response | Compliance: C

- Yes, we support enterprise data catalogues through our Data Management Dashboard, which functions as a live, self-service data catalog within the platform. It automatically discovers and displays all custom user attributes and events you track, providing critical metadata including data type, usage frequency, and first/last seen dates.
- [Data Management](#)

7.1.10. Ability to support data versioning.

MoEngage Response | Compliance: C

- Full audit trail available: every change to an event's definition, data type, status, or attribute mapping is logged with who made the change and when
- This gives IndiGo complete accountability over how its event taxonomy has evolved, without the ability to functionally roll back to a previous state
- <https://www.moengage.com/docs/user-guide/settings/account/audit-logs/audit-logs>

7.1.11. Ability to support customer-specific retention requirements.

MoEngage Response | Compliance: C

- Yes. Data retention requirements are agreed upon in the Master Service Agreement (MSA) and Data Processing Agreement (DPA) with specific retention periods defined for different data types. Upon contract termination, customer data is securely returned in industry-standard formats and deleted within 7 business days using irreversible methods including multiple overwriting, degaussing, and physical destruction.
- <https://trust.moengage.com/controls/Data%20Retention%20and%20Protection%20Policy>

7.1.12. Ability to support secure archival.

MoEngage Response | Compliance: C

- Yes. Data retention, archiving, and deletion practices follow business requirements and applicable laws including GDPR.
- Retention requirements are agreed upon in the Master Service Agreement (MSA) and Data Processing Agreement (DPA) with specific retention periods defined for different data types.
- Upon contract termination, customer data is securely returned in industry-standard formats and deleted within 7 business days using irreversible methods including multiple overwriting, degaussing, and physical destruction.

7.1.13. Ability to support secure data deletion.

MoEngage Response | Compliance: C

- MoEngage retains Personal Data, including metadata, for a defined time period tied to identified business or legal purposes
- When Personal Data is no longer required, it is disposed of, destroyed, erased, or anonymized, regardless of storage method, using defined techniques and methods to ensure secure deletion
- This applies comprehensively, covering originals, copies, and archived records, not just the primary data store, preventing residual PII from persisting in backups or secondary locations after deletion
- This complements the API-level deletion capability (Delete User From MoEngage Server, referenced in the SDK documentation), giving IndiGo both an on-demand deletion trigger and a defined, policy-driven deletion process for data whose retention period has lapsed
- [Data Deletion Policy](#)

7.1.14. Ability to maintain historical audit records.

MoEngage Response | Compliance: C

- Yes. MoEngage maintains encrypted logs across application and infrastructure layers that track timestamps, user actions, logins, and security changes. Audit logs are retained for at least one year with multi-year retention options customizable per customer requirements and are aggregated by a centralized SIEM with 24/7 SecOps monitoring. Access to these historical audit records is restricted to authorized personnel only.
- <https://trust.moengage.com/>

7.1.15. Ability to support warehouse-native analytics.

MoEngage Response | Compliance: C

- Warehouse audience sync allows you to query your data warehouse directly, creating segments on MoEngage using data from your warehouse without copying or moving it to MoEngage. This enables you to leverage warehouse data for segmentation and audience management within the platform which can then be used for analytics
- [warehouse Segments](#)

7.1.16. Ability to support data export without vendor lock-in.

MoEngage Response | Compliance: C

- Yes, MoEngage supports data export without vendor lock-in. We provide data export/portability capabilities and secure data purging as part of our exit strategy. Customer data is deleted per our Data Retention and Protection Policy, with a deletion certificate available on request.
- [Data Export](#)

7.1.17. Ability to support customer-owned storage where applicable.

MoEngage Response | Compliance: C

- Yes, MoEngage can support a mechanism where a certain part of the data is stored in your data warehouse; MoEngage's Warehouse audience sync allows you to query your data warehouse directly, creating segments on MoEngage using data from your warehouse without copying or moving it to MoEngage. This enables you to leverage warehouse data for segmentation and audience management within the platform which can then be used for analytics
- MoEngage also supports exporting data to any storage endpoint of your choice.
- <https://www.moengage.com/docs/user-guide/segment/segment-operations/warehouse-segments>

7.2 Data Retention Requirements

The solution should support:

7.2.1. Ability to provide India-based hosting.

MoEngage Response | Compliance: C

- Yes, MoEngage provides India-based hosting. Our data center locations include US, EU, India, Singapore, and Indonesia.

7.2.2. Ability to disclose all primary and secondary hosting locations.

MoEngage Response | Compliance: C

- MoEngage hosts customer data in AWS data centers in the selected region (US, Frankfurt, Mumbai, Singapore, or Jakarta). Resilience is provided through an active-active, multi-AZ setup within the region rather than a separate physical DR site.
- [MoEngage Data Centers](#)

7.2.3. Ability to disclose backup locations.

MoEngage Response | Compliance: C

- Yes, we disclose backup locations. Backups are stored in a separate geographical region from the primary data center, encrypted with AES-256, and taken every 12 hours. Specific location details can be shared via our Trust Center during contractual stage
- <https://trust.moengage.com/?entity=dc46cede-8ed4-4d31-8ab0-d29c4a647307#/controls/Business%20Continuity%20Management%20Plan>

7.2.4. Ability to support customer-selected hosting regions.

MoEngage Response | Compliance: C

- Yes. MoEngage hosts customer data in AWS data centers in the region selected by the customer during onboarding. Available regions include US (Virginia, Ohio), Frankfurt, Mumbai, Singapore, and Jakarta. The platform uses multi-AZ deployments within the chosen region for resilience.
- [MoEngage Data Centers](#)

7.2.5. Ability to document cross-border data transfers.

MoEngage Response | Compliance: C

- IndiGo's data is processed exclusively within India, stored on AWS infrastructure in Mumbai, addressing data residency directly for IndiGo's primary requirement
- For any cross-border data transfer scenario that does occur, Standard Contractual Clauses (SCCs) and Data Processing Agreements (DPAs) are implemented as the legal transfer mechanism, providing documented, contractually binding safeguards
- Compliance with Indian data protection regulations, including the DPDP Act and IT Rules, is maintained through ISO 27701/27001-aligned frameworks, supported by regular audits, continuous monitoring, designated privacy/security leadership, and documented data lifecycle and breach procedures
- <https://www.moengage.com/dpa-us/>
- <https://www.moengage.com/scc/>
- <https://www.moengage.com/privacy-policy/>

7.2.6. Ability to comply with applicable data residency regulations.

MoEngage Response | Compliance: C

- Yes. Data is stored and processed in AWS data centers with regional residency options including Mumbai for Indian customers. Cross-border transfers are governed by Standard Contractual Clauses (SCCs), contractual clauses, and applicable privacy/compliance requirements. Data retention, archiving, and deletion practices follow business requirements and applicable laws including GDPR, with specific retention periods defined in the Master Service Agreement (MSA) and Data Processing Agreement (DPA).

7.2.7. Ability to support regional disaster recovery.

MoEngage Response | Compliance: C

- Yes. MoEngage supports regional disaster recovery through a manual DR plan for rare regional outages. We activate a warm standby environment in a different geographical region using Infrastructure as Code (IaC) to rapidly scale up a full production replica. Data is restored from asynchronously replicated backups of databases and data stores in the DR region, completed with a DNS cutover to redirect traffic. Recovery is measured in hours, as defined in service agreements.
- Multi-AZ deployment across at least three Availability Zones within a single region protects against data center-level failures
- For disaster recovery specifically, multi-region replication is maintained in active-passive or active-active configurations in a secondary geographic region, with automated 24/7 health checks and automated failover

- Failover testing is conducted regularly (tabletop exercises, application recovery tests, structured walkthroughs, component testing), with an ISO 22301-certified BC/DR plan reviewed annually
- <http://trust.moengage.com/>

7.2.8. Ability to support sovereign cloud deployments where applicable.

MoEngage Response | Compliance: C

- For Indian customers specifically, data is stored in the AWS Mumbai data center, ensuring data localization within India for compliance purposes

7.2.9. Ability to provide data residency reports.

MoEngage Response | Compliance: C

- A published Data Localization Report is available, confirming where customer data is stored and processed
- <https://trust.moengage.com/controls/Data%20Localization%20Report>

7.2.10. Ability to support customer-controlled encryption keys.

MoEngage Response | Compliance: C

- Yes. MoEngage supports customer-managed encryption keys through BYOK (Bring Your Own Key) and Customer Managed Keys, allowing you to maintain full ownership and rotation control via your own KMS.
- MoEngage uses AES-256 encryption for data at rest (via AWS KMS) and TLS 1.2 for data in transit. The platform supports the creation of unique encryption keys per customer, with keys stored in a FIPS 140-2 compliant Key Management System. Keys are rotated every 90 days and managed throughout their lifecycle with logging and access controls.
- [KMS \(key Management\)](#)

Provide

- Supported hosting regions.

MoEngage Response | Compliance: C

- Data is stored across multiple AWS regions globally for redundancy, with 6 data centers spanning Asia, MENA, Europe, and USA
- For Indian customers specifically, primary hosting is in AWS Mumbai

- Primary data centre location.

MoEngage Response | Compliance: C

- For Indian customers specifically, primary hosting is in AWS Mumbai

- Disaster Recovery location.

MoEngage Response | Compliance: C

- MoEngage implements multi-AZ deployment across at least three Availability Zones within a single region to protect against data center failures. For disaster recovery, we maintain multi-region replication in active-passive or active-active configurations in a secondary geographic region.
 - Hyderabad
- Backup strategy.
MoEngage Response | Compliance: C
 - Automated backups run every 12 hours (full and incremental), stored encrypted (AES-256) across separate cloud regions
 - RPO of 12 hours, RTO of 6 hours for critical services
 - Backup testing and restoration procedures are conducted annually
 - [Data Backup Plan](#)
 - Retention policies.
MoEngage Response | Compliance: C
 - A documented Data Retention and Protection Policy defines retention schedules, aligned to ISO 27001 and GDPR/DPA requirements, ensuring personal data is retained only as long as necessary before archival or deletion
 - Archival capabilities.
MoEngage Response | Compliance: C
 - Documented Data Archival Policies govern how data moves to archival status once its active retention period lapses, prior to eventual secure deletion
 - Data export formats.
MoEngage Response | Compliance: C
 - CSV and API export directly from analytics and dashboard screens; bulk data access via data warehouse integration (Snowflake, Databricks, BigQuery, Redshift, Azure Blob), All data can be exported in a real-time manner via MoEngage Streams
 - Supported storage platforms.
MoEngage Response | Compliance: C
 - Underlying customer data storage is AWS-native
 - For data warehouse integration specifically, Snowflake, Google BigQuery, Databricks, and Amazon Redshift are supported
 - Largest deployment.
MoEngage Response | Compliance: C

- Kayak, Accor, Swiggy, LIC, Soundcloud, Airtel
- Airline customer references.

MoEngage Response | Compliance: C

- Air Asia, Jazeera Airways, Jin Air, Akasa Air

8. Support, Operations & Managed Services

The selected vendor shall provide comprehensive implementation, operational support, customer success, and managed services throughout the contract period.

8.1 Capability Requirements

The vendor should provide:

8.1.1. Dedicated Project Manager.

MoEngage Response | Compliance: C

- Yes, you will be assigned a dedicated project manager and solution architect who serves as your implementation expert and partner throughout the project, from design to go-live. This person is responsible for steering the project and follows a core framework that includes:
- Clear project scope definition through statement of work and project plan
- Use of Rocketlane (industry-leading onboarding software) for collaboration, transparency, and tracking deliverables
- Detailed project management framework including forecasting, planning (using Gantt charts), and monitoring of resources
- Primary and secondary members for each required role to ensure continuity
- The project manager works alongside other dedicated roles including an Engagement Manager (ensures project is on scope and on time), Customer Success Manager (primary point of contact), and senior leadership oversight from VP Global Professional Services and Senior Director of Implementations.

8.1.2. Dedicated Solution Architect.

MoEngage Response | Compliance: C

- Yes, MoEngage provides defined profiles for members of the professional services organization, including Solution Architects. Support is delivered directly from MoEngage through a structured team that includes Technical Specialists, Technical Account Managers, Solution Architects, and Customer Success Managers.

8.1.3. Dedicated Technical Account Manager.

MoEngage Response | Compliance: C

- Yes. MoEngage provides a dedicated implementation manager for onboarding along with a Technical account manager for ongoing support.

- A local Technical Account Manager will be assigned to meet with your team at a cadence that aligns with your support requirements. Client calls occur weekly or bi-weekly as needed, with higher frequency during implementation.
- MoEngage will also provide standard technical support Monday to Friday, 9:00 a.m. to 5:00 p.m., with 24/7 support available to suit the international nature of your business and prioritize issues affecting core platform services.

8.1.4. Dedicated Customer Success Manager.

MoEngage Response | Compliance: C

- Yes. MoEngage provides a dedicated Customer Success Manager (CSM) who serves as an extension of your team, with no limit on time or commitment. The CSM is responsible for all aspects of MoEngage and customer engagement strategy.
- For enterprise-scale implementations, MoEngage proposes a hub-and-spoke approach where the primary CSM, Engagement Manager, and Customer Success Leadership align with your central team. Additional CSMs can be assigned to local markets based on user volumes and strategic priorities.
- You will also have access to:
- Director of Customer Success for strategic guidance, long-term planning, and executive alignment (attends all quarterly business reviews)
- Various stakeholders from consulting, marketing, product, technical, and engineering teams as necessary
- The Customer Success team is measured on Net Promoter Score, Customer Satisfaction Score, and Customer Retention Rate, with focus on your specific KPIs and desired outcomes.

8.1.5. 24x7 production support for Severity-1 incidents.

MoEngage Response | Compliance: C

- MoEngage provides 24x7x365 support coverage specifically for Severity-1/Priority-1 (production-down or major-impact) incidents, with a committed response time of less than 30 mins, backed by a globally distributed support team. This is reinforced by 24/7 proactive monitoring via a dedicated Security Incident Response Team (SIRT) and Network Operations Center (NOC), a dedicated phone escalation channel reserved for P1 issues, and a defined escalation path (Support Desk → Direct escalation) to ensure critical incidents receive immediate visibility and urgency until resolved
- [Service Level Agreement](#)

8.1.6. Clearly defined Incident Response and Resolution SLAs.

MoEngage Response | Compliance: C

- A formal Incident Management Policy with a defined Security Incident Response Plan (SIRP) governs the full lifecycle: planning and preparation, 24/7 SIEM-based monitoring and detection, severity classification, escalation procedures, controlled recovery, stakeholder notification, evidence preservation, and post-incident reviews to prevent recurrence
- Incidents are escalated internally within defined SLAs based on severity classification, following documented protocols for detection, containment, eradication, and recovery

- For confirmed or suspected data breaches involving personal data, customers are notified within 48 hours, with the Security Incident Response Team (SIRT) collaborating with the customer throughout the investigation and providing documentation across the incident lifecycle
- SLAs and shared security responsibilities are formally documented through MoEngage's Terms of Service, SLA, a Customer Responsibility Matrix, and the SOW, explicitly defining MoEngage's, the customer's, and shared duties under a formal shared responsibility model

8.1.7. Named escalation matrix.

MoEngage Response | Compliance: C

- We maintain documented escalation procedures for high-priority security incidents. Our Incident Management Plan includes a severity-based escalation matrix that triggers immediate escalation to our Security Incident Response Team (SIRT) and senior leadership for coordinated response. The matrix is documented in our Incident Management Policy, though a named escalation matrix with specific individual names is not provided in our standard documentation.

8.1.8. Quarterly Business Reviews.

MoEngage Response | Compliance: C

- Yes. MoEngage Customer Success Team will run Quarterly Business Reviews (QBRs) with all stakeholders. These meetings are preferably conducted face-to-face but can be delivered in a hybrid/remote setting as needed.

8.1.9. Periodic platform health assessments.

MoEngage Response | Compliance: C

- Yes. We provide ongoing platform performance monitoring and regular health checks at status.moengage.com, where we have achieved at least 99.99% uptime over the last 3 months.
- Your dedicated Customer Success Manager will organize quarterly business reviews covering:
 - Platform performance
 - Business performance metrics
 - Engagement strategies
 - Campaign planning
- We also conduct regular vulnerability assessments and patch management for our SaaS services, with internal penetration testing and a structured patching process for security-related fixes, in compliance with ISO 27001, 27701, and 22301 certifications.
- <https://status.moengage.com/>

8.1.10. Analytics maturity assessments.

MoEngage Response | Compliance: C

- **Growth Advisory is explicitly offered:** custom audits of IndiGo's platform utilization and analytics use case set up, conducted with MoEngage's consulting team and certified partners, functioning as a structured maturity assessment rather than a one-off health check
- **Data Audits** are offered as an ongoing service, keeping data quality in check and aligned with IndiGo's broader goals, which is a foundational input to any analytics maturity conversation (maturity is hard to assess if the underlying data itself isn't trustworthy)
- **Technical Reviews & Workshops and Strategic Reviews & Workshops** are both recurring engagement types

8.1.11. Performance optimization recommendations.

MoEngage Response | Compliance: C

- Growth Advisory (custom audits to drive key metrics), Technical Reviews & Workshops, and ongoing Customer Success engagement (weekly reviews post-go-live, monthly workshops on feature adoption, Year 1 Monthly Business Reviews stepping to Quarterly Business Reviews from Year 2), all of which function as the vehicle for performance optimization guidance

8.1.12. Release planning and upgrade advisory.

MoEngage Response | Compliance: C

- Yes. We follow a structured release process with bi-weekly minor updates and quarterly major releases. We provide a minimum of 30 days' notice for major releases and 7 days' notice for maintenance patches via email and through the platform's documentation portal.
- Our APIs maintain backward compatibility for at least two major versions. If a feature is slated for removal, we provide a 6 to 12-month deprecation window with clear migration guides.
- We update the roadmap quarterly based on product enhancement tickets, surveys, and customer feedback. The CSM or product leadership team will proactively present the latest roadmap to you.

8.1.13. Root Cause Analysis (RCA) for critical incidents.

MoEngage Response | Compliance: C

- Yes. MoEngage conducts mandatory post-incident Root Cause Analysis (RCA) for all incidents through a formal Security Incident Response Team (SIRT). RCAs capture lessons learned, which are shared organization-wide and integrated into detection rules, playbooks, and annual tabletop exercises. Corrective actions are tracked in a CAPA system with priority-based closure timelines, and follow-up audits verify remediation.
- <https://trust.moengage.com/#/controls/Incident%20Management%20Policy>
- <https://trust.moengage.com/>
- <https://trust.moengage.com/#/controls/CAPA%20Audit%20Report%20>

8.1.14. Knowledge transfer to IndiGo teams.

MoEngage Response | Compliance: C

- Yes. All customers receive access to learning, training, and community resources as part of our change management process.
- Training is delivered through multiple sessions by our CSM team via live physical or digital walkthroughs (not pre-recorded). The platform has a fast learning curve with an intuitive interface.
- Scoped specifically to Segmentation, Analytics, and Custom Agents:
 - Segmentation: User Profiles and basics of segmentation, building audiences using behavioral, transactional, and attribute-based conditions
 - Analytics: Campaign and Product Analytics, Advanced Analysis techniques (A/B Testing analysis, Localization reporting, Sherpa/Predictions, Frequency Capping and DND impact on engagement metrics)
 - Custom Agents: Building and configuring Merlin AI Custom Agents for analytics querying, segment creation, and data-driven insight generation
- Additional resources:
 - #GROWTH Academy: On-demand training portal with courses, podcasts, videos, articles, and events
 - Monthly group training sessions by senior CSMs covering new launches and product updates relevant to segmentation, analytics, and AI-agent capabilities

8.1.15. Administrator training.

MoEngage Response | Compliance: C

- Platform administration topics, including Access Roles, Teams configuration, permission management, and audit log usage, are covered as part of onboarding workshops led by MoEngage's CSM team
- A dedicated administrator enablement session, focused specifically on account governance, role and permission setup, and audit log review, will be scoped and delivered as part of the onboarding plan for IndiGo

8.1.16. Developer training.

MoEngage Response | Compliance: C

- Technical enablement is delivered through direct, hands-on collaboration between MoEngage's Technical Architect and IndiGo's Engineering team during SDK and API integration, covering system architecture walkthroughs and integration implementation
- Dedicated knowledge transfer sessions are conducted specifically for IndiGo's IT team, covering SDK integration, API setup, and other integrations
- Comprehensive self-serve technical documentation, including SDK integration guides, API references, sample applications, and changelogs, is available for ongoing reference by IndiGo's developers

8.1.17. Business user training.

MoEngage Response | Compliance: C

- Training covers platform foundations and building audiences using Segmentation, Campaign and Product Analytics with optimization techniques, and configuring and using Custom Agents for data querying and insight generation, delivered live by CSMs, physically or digitally
- #GROWTH Academy provides on-demand access to relevant courses, videos, articles, and podcasts covering segmentation, analytics, and AI-agent capabilities for continuous, self-paced learning
- Monthly group training sessions, led by senior CSMs, cover new feature launches and updates specific to segmentation, analytics, and Custom Agents throughout the partnership

8.1.18. API and SDK implementation support.

MoEngage Response | Compliance: C

- Yes. SDK technical overview, training, and implementation support are provided as part of pre go-live guided technical implementation and consultation. This includes project scoping, requirements analysis, OOTB integration with supported integrations, best practices guidance, and technical support through integration launch. Post go-live, technical support continues with defined SLAs, trouble ticket processes, and escalation procedures.

8.1.19. Event taxonomy advisory.

MoEngage Response | Compliance: C

- Yes, event taxonomy advisory is included as part of our support services. During implementation, the team works closely with clients on data taxonomy, ingestion, mapping, and validation. Ongoing support is provided for implementing new events and data points for new campaigns. This advisory is part of our standard Customer Success engagement at no additional charge beyond the agreement.
- Our Customer Success teams partner with clients on data strategy, considering initial and future data source availability and alignment with intended use cases. This includes mapping relevant data points to inform campaign and analytics strategy, emphasizing key moments and milestones in the customer lifecycle.

8.1.20. Product roadmap reviews.

MoEngage Response | Compliance: C

- Yes. MoEngage provides product roadmap reviews as part of our support and managed services. Our Customer Success Manager or product leadership team proactively presents the latest roadmap quarterly, showcasing how you can adopt forthcoming releases in alignment with your strategy and goals.
- You can influence the roadmap by submitting feature requests through your CSM, especially by presenting specific use cases and ROI. All input is aggregated in a centralized portal (hosted by Pendo) and reviewed frequently by the product team. Product managers and leadership also meet with customers to better understand use cases, suggestions, and the impact of potential improvements.
- As a Marquee customer, you will be invited to our Customer Advisory Board (CAB), where you can meet other influential customers and our leadership team. Product management presents our updated vision and roadmap and seeks feedback to ensure our long-term product strategy aligns with your customer engagement strategy.
- Our roadmap is based on three pillars:
- Intelligent Data Hub

- AI-Driven Insights Hub
- Intelligent Communications and Personalization Hub

8.1.21. Adoption monitoring.

MoEngage Response | Compliance: C

- MoEngage provides adoption monitoring through dedicated Customer Success Managers (CSMs) and Engagement managers who track platform usage, feature adoption, and engagement metrics.
- CSMs conduct periodic business reviews (monthly and quarterly) to assess which features are being utilized, identify underutilized capabilities, and provide recommendations for optimization.
- Additionally, audit logs enable monitoring of user sessions and activity trails, showing who performed what actions within the account. This comprehensive approach ensures continuous oversight of platform adoption and helps identify opportunities to maximize value from the implementation.

8.1.22. Best practice recommendations.

MoEngage Response | Compliance: C

- **Design Workshops** are built into onboarding, with sessions covering best practices for structuring segments (behavioral, transactional, attribute-based conditions) and building analytics views (funnels, cohorts, dashboards) aligned to IndiGo's specific data and business goals
- **Use Case Blueprint** provides a structured framework for data taxonomy mapping, defining event and attribute structure, sources, and periodicity, establishing a clean foundation for segmentation and analytics before build begins, rather than IndiGo working out data modeling best practices on its own
- **Growth Advisory** offers custom audits specifically of segmentation quality, analytics adoption, and Custom Agent usage against key metrics, delivered by MoEngage's consulting team, functioning as an ongoing best-practice benchmarking exercise rather than a one-time recommendation
- Monthly upskilling sessions and #GROWTH Academy content are updated continuously with new segmentation, analytics, and Custom Agent capabilities as they release, keeping best practice guidance current rather than static

8.1.23. Proactive monitoring and issue prevention.

MoEngage Response | Compliance: C

- Yes. MoEngage provides proactive monitoring, alerts, and recommendations as part of post go-live support. Our multi-tiered support structure includes 24/7/365 technical support with dedicated Customer Success Managers and Implementation Managers serving as first points of contact for all issues and service levels.
- Our support organization provides:
- Proactive monitoring, alerts and recommendations
- 24/7 technical support with defined SLAs
- Dedicated account management resources

- Multiple communication channels (Phone, Email, Slack, Zendesk)
- Escalation processes
- Timely resolution with defined SLAs
- Self-service resources including FAQ sections and online tutorials

8.1.24. Support through Email, Portal, Telephone, and Collaboration platforms.

MoEngage Response | Compliance: C

- Yes, MoEngage provides support through multiple channels:
- **Email:** Support tickets managed through Zendesk ticketing system
- **Portal:** Formal ticketing portal for service incidents and support requests
- **Telephone:** Phone support available during IST working hours
- **Collaboration Platforms:** Live chat via Slack or Teams channels, with dedicated channels connecting client teams to MoEngage account management (including Country Manager, Customer Success Manager, Technical Account Manager, and Engagement Manager)
- Support is delivered by Customer Success Managers with deep platform knowledge and technical expertise, backed by global support engineers. Response and resolution SLAs are formally defined in the Master Service Agreement based on issue severity. The platform maintains 99.99% service availability.

8.1.25. Service reporting and governance meetings.

MoEngage Response | Compliance: C

- MoEngage provides service reporting and governance meetings as part of our support capability:
- **Service Reporting:**
- Real-time monitoring and alerting with immediate email notifications
- Monthly, quarterly, and annual performance reporting available through dashboard functionality
- Performance metrics can be configured based on requirements
- **Governance Meetings:**
- Dedicated Account Manager for commercial, billing, and contractual matters
- Named Customer Success Manager/Engagement Manager as escalation point
- Quarterly Business Reviews (QBRs) with all stakeholders
- Meetings conducted face-to-face when possible, with hybrid/remote options available

- **Project Governance:**

- Designated Project Manager for implementation oversight
- Weekly/monthly progress reports during implementation
- Cadence meetings throughout implementation and post go-live
- Defined escalation process and SLA reporting

8.1.26. Transition and exit support at contract termination.

MoEngage Response | Compliance: C

- Yes, we provide structured transition and exit support at contract termination:
- **Post-Termination Assistance Window:** 30 to 90-day period with read-only platform access for data extraction
- **Transition Support:** Dedicated technical resource assigned to assist with final bulk exports and provide instructions for decommissioning system integrations
- **Data Deletion:** All data deleted within 60 to 90 days following the transition period
- **Final Certification:** Formal Certificate of Data Destruction issued within 30 days after the assistance window expires

Provide

- Implementation timeline.

MoEngage Response | Compliance: C

- 12-16 weeks standard onboarding to go-live, with a detailed week-by-week plan: Web/App SDK initialization and event mapping (Weeks 1-4), backend integrations (CDP, Booking Engine, PSS, CRM, Loyalty Platform) running in parallel (~3 weeks each), Snowflake and Kafka Streams connections (2 weeks each), followed by integration QA, segmentation build, analytics/dashboard setup, and export validation before go-live
- Team structure.

MoEngage Response | Compliance: C

- Named team across four functions: Sales, Technical Implementation, Business Support/Customer Success, and Executive Sponsors
- Support locations.

MoEngage Response | Compliance: C

- Core Customer Success team is fully based in India (Gurgaon, Bengaluru, and Mumbai) and will be available for in-person workshops at any point of time

- Support coverage.

MoEngage Response | Compliance: C

- 24x7 monitoring is maintained for logs, events, resource consumption, and API performance
- Unlimited CSM interactions throughout the contract period, with weekly reviews post-go-live and monthly workshops on feature adoption

- Escalation matrix.

MoEngage Response | Compliance: C

- 3-level matrix: Level 1 (CSM and Support Engineer), Level 2 (Head of Technical Support and Director of Customer Success), Level 3 (Executive Sponsor, e.g., CCO/CRO/CTO)

- Incident SLAs.

MoEngage Response | Compliance: C

- Severity-based: acknowledgement under 15 minutes, severity confirmation under 1 hour, containment 2/6/24 hours for Level 1/2/3, initial response to customer within 6 hours, post-incident analysis within 48 hours after remediation

- Training methodology.

MoEngage Response | Compliance: C

- Live, CSM-delivered walkthroughs (physical or digital), a structured 24-hour "Getting Started" curriculum across four modules, supplemented by #GROWTH Academy on-demand content and monthly group training on new launches

- Product release frequency.

MoEngage Response | Compliance: C

- MoEngage launches OTA feature updates on a bi-weekly basis which are made available to all our customers. Additionally, MoEngage launched major product releases every Quarter which are also made available to all our customers. As a Marquee customer, Indigo will have access to all of MoEngage's product releases during Beta.

- Customer Success model.

MoEngage Response | Compliance: C

- Embedded, India-based CS team; unlimited CSM interactions; Year 1 Monthly Business Reviews (on-site) stepping to Year 2+ Quarterly Business Reviews, led by CS leadership; annual participation in MoEngage's CELP workshops

- Managed Services scope.

MoEngage Response | Compliance: C

- Four-stage model: Implementation Kickoff (requirements review, environment/SDK setup), Segmentation, Analytics, Agent Setup, QA & Testing (end-to-end validation with partner and internal QA), Go-Live & Hypercare (launch support with monitoring and rapid issue resolution)

- Post-Go-Live support model.

MoEngage Response | Compliance: C

- Hypercare period with intensive support from Professional Services and Customer Success teams, followed by formal handover to ongoing Customer Success and Technical Account Management
- Ongoing: weekly reviews post-go-live for open items, monthly feature adoption workshops, scheduled MBRs/QBRs

- Largest airline implementation.

MoEngage Response | Compliance: C

- Air Asia, Akasa Air, Jin Air, Jazeera Airways

- Airline customer references.

MoEngage Response | Compliance: C

- Air Asia, Akasa Air, Jin Air, Jazeera Airways

- Customer satisfaction metrics (CSAT/NPS).

MoEngage Response | Compliance: C

- Gartner Peer Insights "Customers' Choice": MoEngage is the only vendor named Customers' Choice in the 2026 Gartner Peer Insights Voice of the Customer report for Email Marketing, and Multichannel Marketing Hubs report, both based entirely on verified customer reviews, not vendor-submitted claims
- MoEngage ratings on Gartner: 4.7/5.0 for product capabilities, 4.8/5.0 for support experience, and 4.6/5.0 for deployment experience, with 97% of users saying they would recommend the platform
- Recognition streak, not a one-off: this is MoEngage's second consecutive year earning Customers' Choice recognition, with 92% of reviewers willing to recommend the platform

9. Vendor References, Travel Expertise & Proven Scale

9.1 Capability Requirements

9.1.1. Demonstrated experience in migration from Adobe analytics stack to other marketing and analytics platforms.

MoEngage Response | Compliance: C

- MoEngage has demonstrated migration experience from Adobe platforms to our solution. We have completed multiple Adobe migrations in the last 12 months with brands across industries.
- Case in point: T-Mobile's prior technology stack was built across multiple Adobe products, including Adobe Campaign, Adobe Analytics, Adobe Experience Platform, and Adobe Target, which fragmented customer data and blocked real-time personalization use cases.

- MoEngage replaced 5 marketing tools with 1 platform, moving T-Mobile to a unified, human-centric data model built on unified profiles and object data.
- In a separate engagement, a customer's 7-platform Adobe ecosystem, spanning Adobe Experience Platform, Adobe Experience Manager, Adobe Campaign, Adobe Analytics, Adobe Journey Optimizer with Decisioning, Adobe Target, and Customer Journey Analytics, requiring 7+ teams including 3 in IT and 10-20 days of operational overhead per campaign, was fully migrated within 12-14 weeks.
- Our implementation team creates mutually agreed migration plans structured by volume, complexity, required integrations, channels in scope, and data configuration. Migration includes comprehensive UAT, consent management at user and channel level, and future-proofed personalization placeholders.

9.1.2. Demonstrated experience in airline analytics stack implementation and platform migration.

MoEngage Response | Compliance: C

- MoEngage has demonstrated experience implementing analytics and customer engagement platforms for airlines, including successful deployments in the aviation industry. Our platform has been used to unify customer data across touchpoints, create funner dashboards, product analytics, and IROPS dashboards, and custom dashboards across pre-booking, in-flight, during flight, and post-flight stages, and track interactions across multiple devices.
- We have experience with data migration as a standard part of our onboarding process, covering user attributes, events, and event attributes through flat files and APIs. Our implementation team develops structured migration plans based on volume, complexity, integrations, and data configuration. Average implementation time is 90-120 days, with phased launches starting simple and adding complexity over time.
- Our platform integrates with airline systems including CRM, booking engines, and loyalty platforms through comprehensive APIs. We provide dedicated implementation managers with extensive experience setting up large enterprise customers globally, supported by local Customer Success Managers.

9.1.3. Demonstrated experience in managing Adobe Experience Cloud and other clickstream analytics platforms.

MoEngage Response | Compliance: C

- MoEngage has directly managed migrations away from Adobe Experience Cloud components, including Adobe Experience Platform, Adobe Target, Adobe Analytics, and Customer Journey Analytics, replacing these with a unified engagement and analytics platform while preserving and improving clickstream-driven personalization and targeting capability.

9.1.4. Demonstrated experience in supporting and managing data lakes for clickstream analytics.

MoEngage Response | Compliance: C

- MoEngage supports a warehouse-native data integration model, evidenced across multiple customers, where MoEngage reads clickstream and customer data directly from Snowflake/Databricks/other data lakes rather than requiring data replatforming, significantly reducing migration risk since the underlying data does not need to move.
- This is the same integration pattern applicable to IndiGo's existing Snowflake environment.

9.1.4. Demonstrated success supporting enterprise-scale experimentation and personalization programs.

MoEngage Response | Compliance: C

- MoEngage supports large-scale personalization programs across multiple enterprise clients. T-mobile runs 700+ offers and widgets across app and web personalization. AirAsia delivers multi-language, behavioral-driven messaging with dynamic push alerts yielding 5X to 10X higher click-through rates compared to generic broadcasts. Kayak delivers personalized engagement at global scale across 7 brands and 10M+ traveler profiles, including real-time price drop alerts and dynamic content personalized per user market.
- MoEngage supports enterprise-scale experimentation and personalization through:
- **Experimentation Capabilities:**
 - A/B and multivariate testing across all channels (email, push, SMS, in-app, web)
 - Dynamic multivariate experiments with AI-driven optimization
 - Automated winner selection based on defined success metrics (open rate, click rate, conversions)
 - Real-time performance tracking with statistical significance validation
 - Side-by-side variant comparison highlighting best performers per metric
- **Personalization at Scale:**
 - AI engine (Merlin) for predictive segmentation, affinity modeling, and propensity scoring
 - Dynamic content personalization using data and content APIs with rich media support
 - 1:1 recommendations leveraging user and product affinities
 - Multiple recommendation algorithms: HRNN, collaborative filtering, item attribute similarity, popularity count
 - Item attribute-based and interaction-based recommendations (previously purchased, browsed, wishlisted, cart abandonment)
- **Enterprise Scale:**
 - Clients sending 1.5+ billion emails monthly, with peak days exceeding 100 million emails
 - Real-time analytics and reporting across campaign, journey, channel, and program levels
 - Revenue tracking with attribution models (view-through, click-through, in-session)
 - Comprehensive conversion tracking, cohort analysis, funnel analysis, and retention reports
 - Visual journey builder with drag-and-drop interface for complex multi-channel workflows

9.1.5. Demonstrated experience within airline, OTA, hospitality, travel, mobility or large-scale e-commerce industries.

MoEngage Response | Compliance: C

- MoEngage has direct experience across each of these verticals. In airline, AirAsia and a second airline implementation.
- In OTA, Kayak, spanning 7 brands and 10M+ traveler profiles.
- In hospitality, Accor (45+ brands, 850K+ rooms across 5.8K properties, 100M+ loyalty members), Travelodge (354% increase in post-booking revenue year-over-year), and ITC Hotels (73% increase in Club ITC memberships).
- In travel, Thomas Cook, achieving 90% faster campaign go-live times using Merlin AI Designer.
- In large-scale e-commerce. Swiggy, Poshmark, and Loblaws - generating business value across extending LTV, AOV, and improving repeat rate.

9.1.6. Demonstrated ability to support high-volume D2C businesses.

MoEngage Response | Compliance: C

- MoEngage supports several high-volume, high-frequency D2C engagement programs. Swiggy runs 75M+ monthly active users and 100M+ total users, delivering 6,000+ campaigns every month with a 23% uplift in push delivery rates. Starbucks operates cross-channel engagement across push, in-app, and WhatsApp at scale, achieving 29% growth in mobile orders and 20% growth in subscriptions. T-Mobile operates at a base of 140M users with campaign volume in the billions of tracked interactions annually.

Vendor Capability and Information solicited

All the following requirements have been covered and detailed out in the [MoEngage <> Indigo | Corporate Deck](#) here. The same has also been sent separately as a submission document.

i. Non-Commercial

Vendor should provide:

- Corporate profile
- Years in business
- Global presence
- Airline industry experience
- Similar enterprise implementations
- Client references
- Financial stability
- Product certifications
- Security certifications
- Support organization structure

ii. Product Roadmap

Vendor should provide a three-year roadmap covering:

- Planned product enhancements
- Artificial Intelligence capabilities
- Analytics innovation
- Integration strategy
- Scalability improvements
- Backward compatibility
- Long-term support commitment

Vendor should identify roadmap items that are currently available, planned, or under development.

- iii. **Project Governance and Methodology** – Please share details.
- iv. **High Level Implementation Plan** – Please share the plan.

Annexure – Architecture Checklist

Answered checklist of architecture assessment has been shared [here](#).

Annexure – Info Sec requirement

Cloud Evaluation Checklist has been answered and shared [here](#).