

Título do trabalho
um subtítulo

Lucas de Sousa Rosa

REPORT PRESENTED TO THE
INSTITUTE OF MATHEMATICS,
STATISTICS, AND COMPUTER SCIENCE
OF THE UNIVERSITY OF SÃO PAULO
FOR THE DOCTOR OF SCIENCE
QUALIFYING EXAMINATION

Program: Computer Science

Advisor: Prof. Dr. Alfredo Goldman

During the development of this work, the author received financial support from FAPESP under grant #2023/09048-8. This study was also financed in part by the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior – Brasil (CAPES) – Finance Code 001.

São Paulo
September, 2026

Título do trabalho
um subtítulo

Lucas de Sousa Rosa

This is the original version of the
qualifying text prepared by candidate
Lucas de Sousa Rosa, as submitted
to the Examining Committee.

*The content of this work is published under the CC BY 4.0 license
(Creative Commons Attribution 4.0 International License)*

Contents

1	Introduction	1
2	The Environmental Footprint of HPC	5
3	What the Field Measures: A Systematic Mapping	7
4	Preliminary Results	9
4.1	Accounting for Environmental Cost in HPC Operations	9
4.2	Sufficiency-Aware Evaluation of HPC Systems	9
5	Research Plan	11
5.1	Accounting for Environmental Cost in HPC Operations	11
5.2	Sufficiency-Aware Evaluation of HPC Systems	11
6	Schedule and Expected Contributions	13
	References	15

Chapter 1

Introduction

High-performance computing (HPC) has become essential to modern science, and its capability has grown by drawing more power, packing more hardware, and cycling through that hardware ever faster (PORTEGIES ZWART, 2020; ALLEN, 2022). The environmental cost of this growth has traditionally been equated with operational energy consumption (KOOMEY *et al.*, 2011), yet operational energy is only one facet of the footprint. Manufacturing the processors, memory, and interconnects that populate a machine emits carbon long before the system is switched on, and this embodied share is rising as fabrication grows more complex (GUPTA *et al.*, 2021; PIRSON *et al.*, 2023). Cooling those systems and generating the electricity that feeds them consumes freshwater at scales large enough to matter regionally (MYTTON, 2021). The semiconductor supply chain draws on scarce materials and discharges hazardous waste (SANDHU *et al.*, 2025), while the shortening replacement cycles that keep systems competitive turn still-functional hardware into electronic waste. Across its full lifecycle, then, an HPC system carries costs in carbon, water, and materials and leaves electronic waste behind, well beyond the operational energy it draws.

Visibility into this broader footprint has only recently begun to grow, and the established ways of evaluating and operating HPC systems still capture only part of it. The Green500 ranks systems by performance per watt under a single benchmark (FENG and CAMERON, 2007), reducing sustainability to an efficiency ratio measured on Linpack. Job schedulers decide when and where computation runs, yet they have conventionally been designed to prioritize performance above all else (KOCOT *et al.*, 2023; CZARNUL *et al.*, 2019), leaving environmental cost outside the optimization objective. Procurement and hardware-replacement decisions weigh performance and acquisition cost while treating lifecycle impact as an afterthought (LI *et al.*, 2023). Each of these approaches sharpens a single dimension of a problem whose full extent remains only partially charted, and the gains they deliver are repeatedly absorbed by growing demand, so the best-measured dimension does not improve in absolute terms (YORK *et al.*, 2022). Attention to the dimensions these approaches leave out is a comparatively recent and still-emerging area of interest.

A systematic mapping study of sixteen years of research turns this emerging interest into a concrete gap. Classifying 62 reports across environmental impacts, lifecycle stages, system loci, and management levers, it finds the literature concentrated in a single corridor

of that classification: carbon among the impacts, operations among the lifecycle stages, facility infrastructure among the system loci, and measurement among the management levers (Rosa *et al.*, 2026). The dimensions outside that corridor sit in sparsely populated cells, studied rarely and in isolation: water beyond cooling, materials beyond what carbon accounting already captures, biodiversity, and end-of-life processing. Chapter 3 develops this classification and the coverage behind it. This work sets out to fill the gaps the map identifies, and it currently runs along two branches.

The first branch focuses on HPC systems' operation. The batch scheduler decides when and where jobs run on performance grounds, users submit work without seeing its environmental cost, and hardware-replacement decisions weigh performance and price while overlooking embodied and end-of-life impacts. This work responds by building simulation infrastructure to test a range of mechanisms: scheduling heuristics that react to a time-varying grid, user-facing accounting that makes cost visible, platform controls that trade performance for a smaller footprint, and lifecycle-aware policies that tie hardware aging and replacement to an environmental budget. A first result along this line is Greenfilling, a small change to EASY backfilling (Skovira *et al.*, 1996) that holds back opportunistic job starts when grid carbon intensity runs above its recent average. Evaluated across three national grids and two production machines, it bought certain delay for uncertain environmental return, which sets a lower bound on how sophisticated such an intervention has to be (Section 4.1).

The second branch focuses on HPC systems' impacts as a whole. The Green500 ranks systems by performance per watt, but this is just one side of the real impacts of using those platforms. Two systems can rank side by side while drawing very different absolute power, sitting on grids whose water and carbon intensity differ by orders of magnitude, carrying different embodied impacts, and consuming water at rates that do not match the regional scarcity. The aim is not to replace the Green500 but to use it as a reference point, showing what a sufficiency-aware lens reveals: cases where efficiency improves while absolute burden grows, where embodied costs dominate but stay invisible, and where regional context changes which system is actually less harmful. A first result along this line is an initial literature analysis that identified four candidate layers for such a lens and mapped the evidence coverage across them (Section 4.2).

The work so far spans both branches. The systematic mapping gives a shared account of what the HPC sustainability literature does and does not measure. The simulation infrastructure and its footprint model track operational carbon, water, and embodied impact, which makes it possible to study environmental mechanisms without access to a production system. Greenfilling is the first operational mechanism evaluated against that infrastructure, and an initial literature analysis has identified four candidate layers for a sufficiency-aware lens. The remaining work extends each of them. On the first, it adds user modeling, platform controls, and lifecycle-aware policies to complete a set of scheduling, accounting, and lifecycle mechanisms. On the second, it develops a sufficiency-aware framework and builds an empirical case, from modeled and real systems, for asking whether and how much additional computation is environmentally justified. Chapter 5 details this plan and Chapter 6 gives its schedule and expected contributions.

The remainder of this document is organized as follows. Chapter 2 reviews the envi-

ronmental footprint of HPC across its lifecycle. [Chapter 3](#) presents the systematic mapping study and the classification behind the gap this work addresses. [Chapter 4](#) reports preliminary results on both branches, and [Chapter 5](#) sets out the research plan that extends them. [Chapter 6](#) closes with the schedule and the expected contributions of the completed work.

Chapter 2

The Environmental Footprint of HPC

Chapter 3

What the Field Measures: A Systematic Mapping

Chapter 4

Preliminary Results

4.1 Accounting for Environmental Cost in HPC Operations

4.2 Sufficiency-Aware Evaluation of HPC Systems

Chapter 5

Research Plan

5.1 Accounting for Environmental Cost in HPC Operations

5.2 Sufficiency-Aware Evaluation of HPC Systems

Chapter 6

Schedule and Expected Contributions

References

- [ALLEN 2022] Michael ALLEN. “The huge carbon footprint of large-scale computing”. *Physics World* 35.3 (Aug. 2022), pp. 46–50. ISSN: 0953-8585, 2058-7058. DOI: [10.1088/2058-7058/35/03/32](https://doi.org/10.1088/2058-7058/35/03/32) (cit. on p. 1).
- [CZARNUL *et al.* 2019] Pawel CZARNUL, Jerzy PROFICZ, and Adam KRZYWANIAK. “Energy-Aware High-Performance Computing: Survey of State-of-the-Art Tools, Techniques, and Environments”. *Scientific Programming* 2019 (Apr. 2019), pp. 1–19. ISSN: 1058-9244, 1875-919X. DOI: [10.1155/2019/8348791](https://doi.org/10.1155/2019/8348791) (cit. on p. 1).
- [FENG and CAMERON 2007] Wu-chun FENG and Kirk CAMERON. “The Green500 List: Encouraging Sustainable Supercomputing”. *Computer* 40.12 (Dec. 2007), pp. 50–55. ISSN: 0018-9162. DOI: [10.1109/MC.2007.445](https://doi.org/10.1109/MC.2007.445) (cit. on p. 1).
- [GUPTA *et al.* 2021] Udit GUPTA *et al.* “Chasing Carbon: The Elusive Environmental Footprint of Computing”. In: *2021 IEEE International Symposium on High-Performance Computer Architecture (HPCA)*. Seoul, Korea (South): IEEE, Feb. 2021, pp. 854–867. ISBN: 978-1-6654-2235-2. DOI: [10.1109/HPCA51647.2021.00076](https://doi.org/10.1109/HPCA51647.2021.00076) (cit. on p. 1).
- [KOCOT *et al.* 2023] Bartłomiej KOCOT, Paweł CZARNUL, and Jerzy PROFICZ. “Energy-Aware Scheduling for High-Performance Computing Systems: A Survey”. *Energies* 16.2 (Jan. 2023), p. 890. ISSN: 1996-1073. DOI: [10.3390/en16020890](https://doi.org/10.3390/en16020890) (cit. on p. 1).
- [KOOMEY *et al.* 2011] Jonathan KOOMEY, Stephen BERARD, Marla SANCHEZ, and Henry WONG. “Implications of Historical Trends in the Electrical Efficiency of Computing”. *IEEE Annals of the History of Computing* 33.3 (Mar. 2011), pp. 46–54. ISSN: 1058-6180, 1934-1547. DOI: [10.1109/MAHC.2010.28](https://doi.org/10.1109/MAHC.2010.28) (cit. on p. 1).
- [LI *et al.* 2023] Baolin LI *et al.* “Toward Sustainable HPC: Carbon Footprint Estimation and Environmental Implications of HPC Systems”. In: *Proceedings of the International Conference for High Performance Computing, Networking, Storage and Analysis*. Denver CO USA: ACM, Nov. 2023, pp. 1–15. ISBN: 979-8-4007-0109-2. DOI: [10.1145/3581784.3607035](https://doi.org/10.1145/3581784.3607035) (cit. on p. 1).
- [MYTTON 2021] David MYTTON. “Data centre water consumption”. *npj Clean Water* 4.1 (Feb. 2021), p. 11. ISSN: 2059-7037. DOI: [10.1038/s41545-021-00101-w](https://doi.org/10.1038/s41545-021-00101-w) (cit. on p. 1).

- [PIRSON *et al.* 2023] Thibault PIRSON *et al.* “The Environmental Footprint of IC Production: Review, Analysis, and Lessons From Historical Trends”. *IEEE Transactions on Semiconductor Manufacturing* 36.1 (Feb. 2023), pp. 56–67. ISSN: 0894-6507, 1558-2345. DOI: [10.1109/TSM.2022.3228311](https://doi.org/10.1109/TSM.2022.3228311) (cit. on p. 1).
- [PORTEGIES ZWART 2020] Simon PORTEGIES ZWART. “The ecological impact of high-performance computing in astrophysics”. *Nature Astronomy* 4.9 (Sept. 2020), pp. 819–822. ISSN: 2397-3366. DOI: [10.1038/s41550-020-1208-y](https://doi.org/10.1038/s41550-020-1208-y) (cit. on p. 1).
- [ROSA *et al.* 2026] Lucas de Sousa ROSA *et al.* *The Environmental Impacts of High-Performance Computing: A Systematic Mapping Study*. 2026 (cit. on p. 2).
- [SANDHU *et al.* 2025] Sofia SANDHU, Ayoub ZUMEIT, Zhenyu TIAN, Vincenzo VINCIGUERRA, and Ravinder DAHIYA. “Semiconductor manufacturing wastewater challenges and the potential solutions via printed electronics”. *iScience* 28.10 (Oct. 2025), p. 113576. ISSN: 25890042. DOI: [10.1016/j.isci.2025.113576](https://doi.org/10.1016/j.isci.2025.113576) (cit. on p. 1).
- [SKOVIRA *et al.* 1996] Joseph SKOVIRA, Waiman CHAN, Honbo ZHOU, and David LIFKA. “The EASY — LoadLeveler API project”. In: *Job Scheduling Strategies for Parallel Processing*. Ed. by Gerhard GOOS, Juris HARTMANIS, J. VAN LEEUWEN, Dror G. FEITELSON, and Larry RUDOLPH. Vol. 1162. Berlin, Heidelberg: Springer Berlin Heidelberg, 1996, pp. 41–47. ISBN: 978-3-540-61864-5 978-3-540-70710-3. DOI: [10.1007/BFb0022286](https://doi.org/10.1007/BFb0022286) (cit. on p. 2).
- [YORK *et al.* 2022] Richard YORK, Lazarus ADUA, and Brett CLARK. “The rebound effect and the challenge of moving beyond fossil fuels: A review of empirical and theoretical research”. *WIREs Climate Change* 13.4 (July 2022), e782. ISSN: 1757-7780, 1757-7799. DOI: [10.1002/wcc.782](https://doi.org/10.1002/wcc.782) (cit. on p. 1).