Pontificia Universidad Católica Madre y Maestra
PUCMM

Asignatura
Programación Web Avanzada

Grupo
5490

Asunto
Practica de Docker Básico

Estudiante
Fernando Rodríguez

ID
1014-9894

Fecha de entrega
16/02/2025

Para esta práctica se usa el proyecto final de web que trataba sobre acortar links. Las modificaciones al proyecto fueron las siguientes:

- Cambiar el puerto estático a que pueda recibirlo por parámetro en el file “Main.java”
- Agregar los files de dockerfile, Docker-compose y .dockerignore.

Link de la imagen en Docker Hub:

https://hub.docker.com/layers/firnex/final_web/latest/images/sha256:c821725056bdea9c7bbffc95284f6ae5197c27ad25a68f28688126e282cfcc72?uuid=98D658F9-8E0C-446C-908B-3D90238E1C48

Dockerfile:

```
# Multi-stage build Dockerfile

# Stage 1: Build stage
# Using Debian-based image for build compatibility with protoc and gRPC
FROM eclipse-temurin:21-jdk-jammy AS builder

# Set working directory
WORKDIR /build

# Copy Gradle wrapper and build files
COPY gradlew .
COPY gradlew.bat .
COPY gradle gradle
COPY settings.gradle .
COPY app/build.gradle app/build.gradle

# Copy source code
COPY app/src app/src

# Make gradlew executable
RUN chmod +x gradlew

# Build the application
RUN ./gradlew shadowJar --no-daemon

# Stage 2: Runtime stage
FROM eclipse-temurin:21-jre-alpine

# Set working directory
WORKDIR /app

# Create logs directory and set as volume
RUN mkdir -p /app/logs
VOLUME /app/logs

# Copy the built JAR from builder stage
COPY --from=builder /build/app/build/libs/app.jar /app/app.jar

# Environment variables for ports
ENV PORT=7000
ENV GRPC_PORT=5000

# Expose the ports
EXPOSE ${PORT}
EXPOSE ${GRPC_PORT}

# Run the application
ENTRYPOINT ["java", "-jar", "/app/app.jar"]

```