



In This article I'm going to show you manage field or we can say that manage display suite field.


1. Go to structure > Display Suite > Field.



2. Click on that field.
3. In Next screen you can see the four options. You can manage all kinds of fields from here.




4. You can manage fields from another place.
 - a) Go to structure > display suite select **manage** field for **article**.
 - b) Scroll down the page.
 - c) You can see that there is link called **Custom fields** click on it.
 - d) You can see same fields as we show above as a buttons.



e) We will access it from here.

5. Let's create custom fields.

- a. Click on add a code field button.
- b. Give it label (e.g. Custom display field).
- c. I will attach a node under Entities Title.
- d. There is one important section called **Field code** we can add our custom text it will become output text. We can also use php code `<?php ?>`.
- e. And there is a new input format Called Display **suite code** under **Text format** dropdown box.
- f. And there is also entity object is available we can use it.
- g. So let's create field by passing code under Field code section I shown in below picture.




- h. Save the settings.
6. You can see that new field is created under manage display section. You can Drag and drop into the four region (header, Left, Right, footer). To display custom code.

FIELD	REGION	LABEL	FORMAT	
Header				
<i>No fields are displayed in this region</i>				
Left				
+ Image	Left	<Hidden>	Image 1	Image style: Medium (220x220) Field template: Drupal default
Right				
+ Body	Right	<Hidden>	Default	Field template: Drupal default
Footer				
+ Comments	Footer	<Hidden>	Default	
Hidden				
<i>No fields are displayed in this region</i>				
Disabled				
+ Post date	Disabled	<Hidden>	Long	
+ Last modified	Disabled	<Hidden>	Long	
+ Submitted by	Disabled	<Hidden>	Time ago	
+ User picture	Disabled	<Hidden>	Thumbnail	
+ Author	Disabled	<Hidden>	Author	
+ Read more	Disabled	<Hidden>	Default	
+ Custom display field	Disabled	<Hidden>	Default	


7. Let's we move out custom code to **Header**.

FIELD	REGION	LABEL	FORMAT	
Header				
+ Custom display field	Header	<Hidden>	Default	Field template: Drupal default
Left				
+ Image	Left	<Hidden>	Image 1	Image style: Medium (220x220) Field template: Drupal default
Right				
+ Body	Right	<Hidden>	Default	Field template: Drupal default
Footer				
+ Comments	Footer	<Hidden>	Default	
Hidden				


8. Save the Settings.
9. Go to Home page click on any article you can see that custom field displaying on the page.



10. You can edit it just go to Structure > Display suite > Fields Click on the edit link.



11. Now disable custom field go to Structure > display suite click on manage display link for article.



12. Disable it by selecting Disabled from dropdown box for Custom field.

The screenshot shows the 'Article' Manage Display page in Drupal. At the top, there are tabs for 'EDIT', 'MANAGE FIELDS', 'MANAGE DISPLAY' (active), 'COMMENT FIELDS', and 'COMMENT DISPLAY'. Below the tabs, there's a breadcrumb trail: 'Home > Administration > Structure > Content types > Article'. On the right, there are buttons for 'Default' and 'Teaser'. A red warning box states: 'There are security updates available for one or more of your modules or themes. To ensure the security of your server, you should update immediately! See the [available updates](#) page for more information and to install your missing updates.' Below this, a paragraph explains content view modes: 'Content items can be displayed using different view modes: Teaser, Full content, Print, RSS, etc. *Teaser* is a short format that is typically used in lists of multiple content items. *Full content* is typically used when the content is displayed on its own page. Here, you can define which fields are shown and hidden when *Article* content is displayed in each view mode, and define how the fields are displayed in each view mode.' A link 'Show row weights' is on the right. The main table has columns: FIELD, REGION, LABEL, and FORMAT. It lists fields for 'Header', 'Left', 'Right', and 'Footer'. The 'Custom display field' under 'Header' is highlighted, and its 'REGION' dropdown is open, showing options: 'Header', 'Left', 'Right', 'Footer', 'Hidden', and 'Disabled'. The 'Disabled' option is selected. Other fields like 'Image' and 'Body' are also listed with their respective regions and formats. A 'Hidden' section at the bottom states 'No fields are displayed in this region'.

FIELD	REGION	LABEL	FORMAT
Header			
Custom display field	Header	<Hidden>	Default
Left			
Image	<Hidden>	Image	1
Right			
Body	Right	<Hidden>	Default
Footer			
Comments	Footer	<Hidden>	Default
Hidden			
No fields are displayed in this region			

13. Go to article page refresh the page you can see that custom field is disabled.

Now we will add Block field to the page.

1. Go to Structure > Display suite click on manage display of article, Scroll down the page select **custom fields** Click on **Add a block field**.

Submitted by	Disabled ▼	<Hidden> ▼	Time ago ▼
User picture	Disabled ▼	<Hidden> ▼	Thumbnail ▼
Author	Disabled ▼	<Hidden> ▼	Author ▼
Read more	Disabled ▼	<Hidden> ▼	Default ▼
Custom display field	Disabled ▼	<Hidden> ▼	Default ▼
Title	Disabled ▼	<Hidden> ▼	Default ▼
Links	Disabled ▼	<Hidden> ▼	Default ▼
Category	Disabled ▼	Above ▼	Link ▼
Tags	Disabled ▼	Above ▼	Link ▼ #

Layout for article in default
Custom display settings
Custom wrappers
Custom classes
Custom fields

Click on one of the buttons to create a new field.
Add a code field Add a dynamic field **Add a block field** Add a preprocess field
Manage fields

Save

- Give the label.(e.g. A block field)
- Select Node under **Entities *** title
- Scroll down the page Select a block in which block you want to display custom block. Click on dropdown box under **Block** title select “Who’s online”
- And then select layout how you want render the block we select default.

Add a block field
Close Window

☐ Comment
☒ Node
☐ Taxonomy term
☐ User
☐ Ds views
Select the entities for which this field will be made available.

Limit field

Limit this field on field UI per bundles and/or view modes. The values are in the form of \$bundle|\$view_mode, where \$view_mode may be either a view mode set to use custom settings, or 'default'. You may use * to select all, e.g article|*, *|full or *|*. Enter one value per line.

Block *
Who's online ▼


Layout *
Default ▼

Save

- e) Save the settings.
- f) Now we have new field called **a block field** move it to right region from dropdown box beside title.

FIELD	REGION	LABEL	FORMAT
Body	Right	<Hidden>	Default
Footer			
Comments	Footer	<Hidden>	Default
Hidden			
No fields are displayed in this region			
Disabled			
Post date	Disabled	<Hidden>	Long
Author	Disabled	<Hidden>	Author
Last modified	Disabled	<Hidden>	Long
Submitted by	Disabled	<Hidden>	Time ago
User picture	Disabled	<Hidden>	Thumbnail
Read more	Disabled	<Hidden>	Default
Links	Disabled	<Hidden>	Default
A block field	Disabled	<Hidden>	Default
Custom display field	Header Left Right Footer Hidden Disabled	<Hidden>	Default
Title	<Hidden>	<Hidden>	Default
Category	Disabled	Above	Link
Tags	Disabled	Above	Link

- g) Save the settings.
2. Now go to article page refresh it and see our new block is displaying on the page.



Drupal Article
My account Log out

Home

Home

Navigation
[Add content](#)

Get trained on brand new open source Activiti BPM
 View Edit Manage display



Who's online
 There is currently 1 user online.
 • [admin](#)

Make business process more efficient with Attune Infocom – Activiti training
 Activiti is a brand new Open Source BPM Platform added in Attune Infocom expertise list as one of the offering in BPM solution. Comparing other Open Source Workflow Engines Activiti targets not only the technical execution of processes, but the Business-IT-Alignment as well. Activiti builds on top of the global Standard BPMN 2.0, while staying developer friendly. We are one of the pioneer offering Activiti BPM training in global market.

3. Now disable it from manage display section.

Now we will add Preprocess field.

There one is little bit trickiest to use. So, it's not going to use a lot and variable available in drupal we can access them using preprocess field.

1. Again go to custom field from manage display field click on **Add a preprocess field**.

The screenshot shows the 'Manage display field' interface in Drupal. On the left, a sidebar contains several links: 'Layout for article in default', 'Custom display settings', 'Custom wrappers', 'Custom classes', and 'Custom fields'. The 'Custom fields' link is highlighted with a red rectangular box. The main content area displays a table of fields with columns for field name, status, visibility, and format. Below the table, there is a section titled 'Click on one of the buttons to create a new field.' which contains four buttons: 'Add a code field', 'Add a dynamic field', 'Add a block field', and 'Add a preprocess field'. The 'Add a preprocess field' button is highlighted with a red rectangular box. At the bottom left of the main content area, there is a 'Save' button.

Field	Status	Visibility	Format
Submitted by	Disabled	<Hidden>	Time ago
User picture	Disabled	<Hidden>	Thumbnail
Read more	Disabled	<Hidden>	Default
Links	Disabled	<Hidden>	Default
A block field	Disabled	<Hidden>	Default
Custom display field	Disabled	<Hidden>	Default
Title	Disabled	<Hidden>	Default
Category	Disabled	Above	Link
Tags	Disabled	Above	Link

Click on one of the buttons to create a new field.

[Add a code field](#) [Add a dynamic field](#) [Add a block field](#) [Add a preprocess field](#)


[Manage fields](#)

[Save](#)

- a) Give the label called **Node url**
 - b) Also select node under Entities.
 - c) Save the settings.
2. Now you can see that there is a new field available (node url) move it to left region by selecting from dropdown box.

Field	Region	Label	Format
Hidden			
No fields are displayed in this region			
Disabled			
Post date	Disabled	<Hidden>	Long
Author	Disabled	<Hidden>	Author
Last modified	Disabled	<Hidden>	Long
Submitted by	Disabled	<Hidden>	Time ago
User picture	Disabled	<Hidden>	Thumbnail
Read more	Disabled	<Hidden>	Default
Links	Disabled	<Hidden>	Default
A block field	Disabled	<Hidden>	Default
Custom display field	Disabled	<Hidden>	Default
Node url	Disabled	<Hidden>	Default
Title	Header	<Hidden>	Default
Category	Right	Above	Link
Tags	Footer	Above	Link

3. Save the settings.
4. Go to article page refresh the page.
5. You can see the url of current page.


Drupal Article
My account Log out

Home

Home

Navigation
 Add content

Get trained on brand new open source Activiti BPM
 View Edit Manage display

/drupal-article/article/get-trained-brand-new-open-source-activiti-bpm.html

Make business process more efficient with Attune Infocom – Activiti training
 Activiti is a brand new Open Source BPM Platform added in Attune Infocom expertise list as one of the offering in BPM solution. Comparing other Open Source Workflow Engines Activiti targets not only the technical execution of processes, but the Business-IT-Alignment as well. Activiti builds on top of the global Standard BPMN 2.0, while staying developer friendly. We are one of the pioneer offering Activiti BPM training in global market.

Add new comment
 Your name Admin

6. You can print other preprocess variable available in drupal.
7. Now we will disable it from manage display section.

Now we will add Dynamic field

1. Go to the custom field from manage display section. Click on Add a dynamic field button.

The screenshot shows the 'Manage display' interface. At the top is a table with columns: FIELD, REGION, LABEL, and FORMAT. The table lists several fields: User picture, Read more, Links, A block field, Custom display field, Node url, Title, Category, and Tags. Each field has a 'Disabled' region, a '<Hidden>' label, and a 'Default' format. Below the table is a sidebar with links: Layout for article in default, Custom display settings, Custom wrappers, Custom classes, and Custom fields (highlighted with a red box). To the right of the sidebar, there are buttons: 'Add a code field', 'Add a dynamic field' (highlighted with a red box), 'Add a block field', and 'Add a preprocess field'. A 'Save' button is at the bottom left.

FIELD	REGION	LABEL	FORMAT
+ User picture	Disabled	<Hidden>	Thumbnail
+ Read more	Disabled	<Hidden>	Default
+ Links	Disabled	<Hidden>	Default
+ A block field	Disabled	<Hidden>	Default
+ Custom display field	Disabled	<Hidden>	Default
+ Node url	Disabled	<Hidden>	Default
+ Title	Disabled	<Hidden>	Default
+ Category	Disabled	Above	Link
+ Tags	Disabled	Above	Link #

Layout for article in default
Custom display settings
Custom wrappers
Custom classes
Custom fields

Click on one of the buttons to create a new field.
Add a code field Add a dynamic field Add a block field Add a preprocess field

Manage fields

Save

- a) Give the title
- b) Create a node by selecting node under Entities title.

The screenshot shows the 'Add a dynamic field' dialog box. It has a title bar 'Add a dynamic field' and a 'Close Window' button. The main content area has a 'Label' section with a text input 'Dynamic field' and a 'Machine name: dynamic_field [Edit]' label. Below this is an 'Entities' section with checkboxes for 'Comment', 'Node' (checked), 'Taxonomy term', 'User', and 'Ds views'. A 'Limit field' section has a large text area for entering limits. At the bottom is a 'Save' button.

Add a dynamic field Close Window

The content of this field is configurable on the "Manage display" screens.

Label *
Dynamic field Machine name: dynamic_field [Edit]
The human-readable label of the field.

Entities *
☐ Comment
☒ Node
☐ Taxonomy term
☐ User
☐ Ds views
Select the entities for which this field will be made available.

Limit field

Limit this field on field UI per bundles and/or view modes. The values are in the form of \$bundle|\$view_mode, where \$view_mode may be either a view mode set to use custom settings, or 'default'. You may use * to select all, e.g article|*, *|full or *|*. Enter one value per line.

Save

- c) Save the settings.
- d) Now you can see new field called Dynamic field mode it to right region, there is already one field called body disable it.

- e) Save the settings.
- f) Go to article page refresh the page there is nothing to display because we disable body field and we have not configured dynamic field yet.
- g) So, let's configure it.
- h) Go to manage display section find Dynamic field and on right site there is icon for configuration click on it.

Here, you can define which fields are shown and hidden when *Article* content is displayed in each view mode, and define how the fields are displayed in each view mode.

[Show row weights](#)

FIELD	REGION	LABEL	FORMAT	
Header				
<i>No fields are displayed in this region</i>				
Left				
+ Image	Left ▼	<Hidden> ▼	Image ▼ 1	Image style: Medium (220x220) Field template: Drupal default
Right				
+ Dynamic field	Right ▼	<Hidden> ▼	Default ▼	Not configured yet. Field template: Drupal default
Footer				
+ Comments	Footer ▼	<Hidden> ▼	Default ▼	
Hidden				
<i>No fields are displayed in this region</i>				
Disabled				

- i) So there is section opened for configuration.
 - i. You can select content.
 - ii. You can select title by selecting checkbox.
 - iii. You can give wrapper
- j) Let's click on select content.

- i. In next screen you can see all kinds of contents.
You can select activity, forms, menus, nodes, page element, content and widgets.
- ii. We select node.
- iii. By clicking node all kinds of node displayed.
- iv. Select node body.

- v. Click on Finish button to save settings.
 - vi. Click on update button
 - vii. Again save the whole settings.
2. Go to article page refresh the page you can see the body content on the page.

Dynamic field is very power full feature because by using it you can add any type of dynamic content, activity, menus and all kinds of stuffs available in drupal.