

Nama Kelompok : **SevenSky**

Matakuliah : Pemrograman Web II 20 DX

Dosen Pembimbing : A. Ferico Oktaviansyah, S.Kom., M.Kom.

### ***Anggota***

1. Firstito Rahman Abdillah (20312002)

Devisi : Front end

Branch : (main)

2. Yoga Pratama (20312008)

Devisi : Back end

Branch : (YogaPratama)

3. Risal Syahwaluddin (20312024)

Devisi : Back end


Branch : (Risal)

# HASIL PROGRES SESI 2

## Pemrograman Web II

### A. Hasil Codingan


#### 1. Susunan Folder “SevenSky”



The screenshot shows a code editor window with the following details:

- File Path:** TA-20DX-SEVEN-SKY\page\beranda.php
- Code Content:** The code is a PHP script for a homepage. It includes session handling, a welcome message for logged-in users, and a table displaying product data from a database. The code uses PDO for database interaction.
- Editor Features:** The editor has syntax highlighting for PHP and HTML. A status bar at the bottom indicates the file is 79% complete and shows system information like date and time.
- File Explorer:** On the left, the file structure is shown with files like 127.0.0.1 (3).sql, content.php, index.php, README.md, and style.css.
- Bottom Bar:** Shows various system icons and the date 06/01/2023.


## 2. Codingan “index.php”



The screenshot shows a code editor window titled "TA-20DX-Seven-Sky". The left sidebar displays a file tree for "TA-20DX-SEVEN-SKY" containing files like css, img, lib, page, 127.0.0.1 (3).sql, content.php, index.php (which is selected), README.md, and style.css. The main pane shows the content of the "index.php" file:

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>SEVEN SKY STORE</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<div class="header">
| <p>SEVEN SKY STORE</p>
</div>
<nav>
| <ul> <?php include("page/navbar.php") ?> </ul>
</nav>
<?php include("content.php") ?>
<?php include("page/user/keranjang.php") ?>
<div class="footer">
| <p>copyright by SEVEN SKY STORE</a></p>
</div>
</body>
</html>
```


## 3. Codingan “content.php”




The screenshot shows a code editor window titled "TA-GAB2-SevenSky". The left sidebar displays a file tree for "TA-GAB2-SEVENSKY" containing various PHP files and configuration files. The main pane shows the content of the "Mpegawai.php" file:

```
35     "nik" => $nik,
36     "nama" => $nama,
37     "telepon" => $telepon,
38     "alamat" => $alamat,
39   );
40
41   // simpan data
42   $this->db->insert("tb_pegawai", $data);
43   $hasil = 0;
44
45 } // jika nik ditemukan
46 else
47 {
48   $hasil = 1;
49 }
50
51 // fungsi untuk update data
52 function update_data($nik, $nama, $telepon, $alamat, $token)
53 {
54   // cek apakah nik ada atau tidak
55   $this->db->select("nik");
56   $this->db->from("tb_pegawai");
57   $this->db->where("TO_BASE64(nik) != '$token' AND nik = '$nik'");
58   // $this->db->where("nik = '$nik'");
59   // eksekusi query
60   $query = $this->db->get()->result();
61   // jika nik tidak ditemukan
62   if(count($query) == 0)
63   {
64     // isi nilai untuk masing" filed
65     $data = array(
66       "nik" => $nik,
67       "nama" => $nama,
68       "telepon" => $telepon,
69       "alamat" => $alamat,
70     );
71   }
```

#### 4. Codingan “style.css”



```
# style.css > ↗ .header
1 .header {
2   border: 3px solid #22bb6d;
3   border-radius: 10px 10px 0px 0px;
4   width: 70%;
5   min-height: 100px;
6   margin: auto;
7 }
8 .header p {
9   font-family: sans-serif;
10  font-size: 50px;
11  text-align: center;
12  background: #22bb6d;
13  padding: 5px;
14  color: #f3f5f4;
15 }
16 .link {
17  color: #22bb6d;
18  text-decoration: none;
19 }
20 .link:hover {
21  background: #22bb6d;
22  border-radius: 4px;
23  color: #fff;
24  padding: 2px;
25 }
26 nav {
27  margin: auto;
28  text-align: center;
29  width: 70%;
30  font-family: sans-serif;
31 }
32 nav ul {
33  background: #22bb6d;
34  padding: 0px;
35  list-style: none;
36  position: relative;
37 }
```



```
37  position: relative;
38  display: inline-table;
39  width: 100%;
40 }
41 nav ul li {
42  float: left;
43 }
44 nav ul li.login {
45  float: right;
46  padding: 0px;
47  background: #2c97df;
48  border-left: 4px solid #2a80b9;
49 }
50 nav ul li.login:hover {
51  background: #2a80b9;
52 }
53 nav ul li.logout {
54  float: right;
55  padding: 0px;
56  background: #e41f49;
57  border-left: 4px solid #d0163d;
58 }
59 nav ul li.logout:hover {
60  background: #d0163d;
61 }
62 nav ul li:hover {
63  background: #15a95e;
64 }
65 nav ul li a {
66  display: block;
67  padding: 15px;
68  color: #fff;
69  text-decoration: none;
70 }
71 .box-title {
72  background: #22bb6d;
73  width: 70%;
```

VS Code interface showing the style.css file content:

```
# style.css > header
71 .box-title{
72 background: #22bb6d;
73 width: 70%;
74 height: 30px;
75 margin: auto;
76 border: 3px solid #22bb6d;
77 }
78 .box-title p {
79 color: #3f5f4;
80 margin: 5px 5px;
81 font-family: sans-serif;
82 }
83 #box {
84 border-bottom: 0px;
85 border-left: 3px solid #22bb6d;
86 border-right: 3px solid #22bb6d;
87 width: 70%;
88 margin: auto;
89 min-height: 200px;
90 overflow: hidden;
91 }
92 table.news {
93 border-collapse: collapse;
94 width: 100%;
95 }
96 .news td {
97 padding: 15px;
98 border: 1px solid black;
99 }
100 .news th {
101 background-color: #22bb6d;
102 color: white;
103 height: 50px;
104 }
105 .news tr:hover {
106 background-color: #d9d9d9;
```

VS Code interface showing the style.css file content with additional styling:

```
106 .news tr:hover {
107 background-color: #d9d9d9;
108 }
109 table.article {
110 border-collapse: collapse;
111 border: 0px;
112 width: 100%;
113 }
114 .article td {
115 border: 0px;
116 padding: 10px;
117 }
118 .article tr:hover {
119 background-color: #e1e1e1;
120 }
121 .paging {
122 text-align: center;
123 margin: 20px;
124 }
125 .paging span {
126 padding: 5px 20px;
127 margin-right: 5px;
128 background: #eee;
129 border-radius: 10px;
130 }
131
132
133
134
135 #box p,h1,h2,table,tr,td,img {
136 font-family: sans-serif;
137 padding: 20px;
138 text-align: justify;
139 }
140 table tr td.list:hover{
141 background: #22bb6d;
142 border-radius: 5px;
```

The screenshot shows the Visual Studio Code interface with the title bar "TA-20DX-Seven-SKY". The Explorer sidebar on the left lists files: "127.0.0.1 (3).sql", "content.php", "index.php", and "# style.css". The "# style.css" file is open in the editor, showing CSS code for a header, a title section, a main container, and a footer. The code includes background colors (#22bb6d, #FF7416, #f3f5f4), border styles, and font families (sans-serif). The status bar at the bottom shows "In 1, Col 1" and "06/01/2023".

```
# style.css > header
141 .keranjang {
142     background: #22bb6d;
143     border-radius: 5px;
144 }
145 .keranjang-title {
146     background: #FF7416;
147     width: 76px;
148     height: 30px;
149     margin: auto;
150     border: 3px solid #FF7416;
151 }
152 .keranjang-title p {
153     color: #f3f5f4;
154     margin: 5px 5px;
155     font-family: sans-serif;
156     text-align: center;
157 }
158 #keranjang {
159     border-bottom: 3px solid #FF7416;
160     border-left: 3px solid #FF7416;
161     border-right: 3px solid #FF7416;
162     width: 76px;
163     margin: auto;
164     min-height: 100px;
165     overflow: hidden;
166 }
167 #keranjang p {
168     font-family: sans-serif;
169     padding: 20px;
170     text-align: justify;
171 }
172 .footer {
173     background: #22bb6d;
174     border-radius: 0px 0px 10px 10px;
175     border: 3px solid #22bb6d;
176     width: 76px;
177     margin: 10px auto;
```

This screenshot shows the same VS Code setup as the first one, but the "# style.css" file now includes styling for three buttons: ".tombol-biru", ".tombol-biru:hover", and ".tombol-merah". These buttons have a blue background (#2C97DF), white text, rounded corners, and a hover effect that changes the background to #2A8B09. The status bar at the bottom shows "In 1, Col 1" and "06/01/2023".

```
# style.css > header
177     margin: 10px auto;
178 }
179 .footer p {
180     font-family: sans-serif;
181     color: #f3f5f4;
182     margin: auto;
183     padding: 5px;
184     text-align: center;
185 }
186 .tombol-biru {
187     background: #2C97DF;
188     color: white;
189     border-top: 0;
190     border-left: 0;
191     border-right: 0;
192     border-bottom: 4px solid #2A8B09;
193     border-radius: 5px;
194     padding: 5px 20px;
195     text-decoration: none;
196     font-family: sans-serif;
197     font-size: 11pt;
198     margin: 10px;
199 }
200 .tombol-biru:hover {
201     background: #2A8B09;
202     color: white;
203     border-radius: 5px;
204     padding: 5px 20px;
205     text-decoration: none;
206     font-family: sans-serif;
207     font-size: 11pt;
208 }
209 .tombol-merah {
210     background: #ef4162;
211     color: white;
212 }
```

The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. The title bar reads "File Edit Selection View Go Run Terminal Help < > TA-20DX-Seven-Sky". The left sidebar includes icons for Explorer, Search, Problems, and Outline/Timeline. The Explorer view shows a folder structure for "TA-20DX-SEVEN-SKY" containing files like "127.0.0.1 (3).sql", "content.php", "index.php", "README.md", and "# style.css". The main editor area displays the following CSS code:

```
background: #ef4162;
color: white;
border-top: 0;
border-left: 0;
border-right: 0;
border-bottom: 4px solid #da2648;
border-radius: 5px;
padding: 5px 20px;
text-decoration: none;
font-family: sans-serif;
font-size: 11pt;
/* align-items: center; */

.tombol-merah:hover {
background: #da2648;
color: white;
border-radius: 5px;
padding: 5px 20px;
text-decoration: none;
font-family: sans-serif;
font-size: 11pt;
}

.jersey {
background: #e0e0e0;
width: 200px;
}

.pesan {
background: #ef4162;
margin: 10px;
border-radius: 5px;
}

.pesan p {
color: #FFF;
}
```

The status bar at the bottom shows "Line 1, Col 1", "Spaces: 2", "UTF-8", "CRLF", "CSS", and a file icon. The bottom right corner shows the date "06/01/2023" and time "20:56".

## 5. Codingan “Page->admin->barang”

File Edit Selection View Go Run Terminal Help ↶ ↷ TA-20DX-Seven-Sky

edit\_barang.php    hapus\_barang.php    barang.php    edit\_barangpro.php    edit\_barangpro.php

```
page > admin > barang > edit_barang.php
1 <div class="box-title">
2   <b>Barang / </b>Manajemen Barang Jualan</b>
3 </div>
4 <div id="box">
5
6
7 <?php
8   include 'lib/koneksi.php';
9
10  $id = $_GET['id'];
11  $result = $conn->prepare("SELECT * FROM tbl_
12  $result->bindparam(':id', $id);
13  $result->execute();
14  $row=$result->fetch(PDO::FETCH_OBJ);
15 >>
16
17 <h1>Barang Jualan Ubah</h1>
18
19 <form name="edit" method="post" action="?page=ed
20
21   <table class="table table-bordered table-striped">
22     <tr>
23       <td>Gambar</td>
24       <td>
25         | <input type="hidden" name="id_barang" va
26         | 
28       </td>
29     </tr>
30
31   <tr>
32     <td>Deskripsi</td>
33     <td>
34       | <input type="text" name="deskripsi" size
35     </td>
36   </tr>
37 
```

YogaPratama\* 79°F Berawan

edit\_barangpro.php

```
page > admin > barang > edit_barangpro.php
1 <div class="box-title">
2   <b>Barang / </b>Manajemen Barang Jualan</b>
3 </div>
4 <div id="box">
5
6 <h1>Barang Jualan Ubah</h1>
7
8 <?php
9
10  include 'lib/koneksi.php';
11
12  $id = $_POST['id_barang'];
13  $desk = $_POST['deskripsi'];
14  $harga = $_POST['harga'];
15  $stok = $_POST['stok'];
16
17  $name_image = $_FILES['gambar'][name];
18  $loc_image = $_FILES[gambar][tmp_name];
19  $type_image = $_FILES[gambar][type];
20
21  $date = date('Ymd');
22
23  $cek      = array('png','jpg','jpeg','gif');
24  $x        = explode('.',$name_image);
25  $extension = strtolower(end($x));
26  $size_image = $_FILES['gambar'][size];
27
28
29  if ($loc_image != ""){
30
31    if (in_array($extension, $cek) === TRUE){
32      if ($size_image < 5044070){
33
34        $query = $conn->prepare("SELECT * FROM
35        $query->bindparam(':id', $id);
36        $query->execute();
37        $row=$query->fetch(PDO::FETCH_OBJ); 
```

edit\_barangpro.php

```
page > admin > barang > edit_barangpro.php
1 <div class="box-title">
2   <b>Barang / </b>Manajemen Barang Jualan</b>
3 </div>
4 <div id="box">
5
6 <h1>Barang Jualan Ubah</h1>
7
8 <?php
9
10  include 'lib/koneksi.php';
11
12  $id = $_POST['id_barang'];
13  $desk = $_POST['deskripsi'];
14  $harga = $_POST['harga'];
15  $stok = $_POST['stok'];
16
17  $name_image = $_FILES['gambar'][name];
18  $loc_image = $_FILES[gambar][tmp_name];
19  $type_image = $_FILES[gambar][type];
20
21  $date = date('Ymd');
22
23  $cek      = array('png','jpg','jpeg','gif');
24  $x        = explode('.',$name_image);
25  $extension = strtolower(end($x));
26  $size_image = $_FILES[gambar][size];
27
28
29  if ($loc_image != ""){
30
31    if (in_array($extension, $cek) === TRUE){
32      if ($size_image < 5044070){
33
34        $query = $conn->prepare("SELECT * FROM
35        $query->bindparam(':id', $id);
36        $query->execute();
37        $row=$query->fetch(PDO::FETCH_OBJ); 
```

Int. Col. Tab Size 4 UTF-8 CR LF PHP JS 21:00 06/01/2023

## 6. Codingan “page->pesan->pesan.php”

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** On the left, it displays the project structure:
  - TA-20DX-SEVEN-SKY
  - page > admin > pesan > pesan.php
  - css
  - img
  - lib
  - page
    - admin
      - barang
      - barang.php
      - edit\_barang.php
      - hapus\_barang.php
      - tambah\_barang.php
      - tambah\_barangpro.php
    - pesan
    - pesan.php
  - user
  - beranda.php
  - daftar.php
  - login.php
  - logout.php
  - navbar.php
  - 127\_0\_0\_1 (3).sql
  - content.php
  - index.php
  - README.md
  - # style.css
- Editor:** The main editor area shows the content of pesan.php:

```
<div class="box-title">
    <p>Pesan / Daftar Pesan & Komentar</p>
</div>
<div id="box">
    <h1>Pesan</h1>
</div>
```
- Bottom Bar:** Includes tabs for YogaPratama\*, search, file operations, and status indicators (Ln 1, Col 1, Spaces: 2, UTR-B, CRLF, PHP, 21:02, 06/01/2023).
- Bottom Icons:** Standard Windows-style icons for file operations.

## 7. Codingan "page,"

```

beranda.php
1 <div class="box-title bg-info">
2   <p>Beranda / <b>Produk Jualan</b></p>
3 </div>
4 <div id="box">
5
6   <?php
7     if (isset ($_SESSION['username'])) == ""( ?>
8       <div class="pesan">
9         <p>Masuk dengan <b>akun</b> terlebih dahulu<br>
10        <a href="page/daftar.php" class="tombol-biru">Daftar</a>
11      </div>
12    <?php } ?>
13
14 <table>
15   <tr>
16     <?php
17       include "/lib/koneksi.php";
18       $no = 1;
19       $query = $conn->prepare("SELECT * FROM tb_barang");
20       $query->execute();
21
22       $data = $query->fetchAll();
23
24       foreach ($data as $value) { ?>
25         <td class="list">
26           | bindParam(':id', $id);
35         $query->execute();
36         $data = $query->fetch(PDO::FETCH_OBJ);
37         $hasil = $data->jumlah;

```

```

daftar.php
1 <!DOCTYPE html>
2 <html>
3
4   <head>
5     <title>Daftar Akun</title>
6     <link rel="stylesheet" type="text/css" href="style.css">
7   </head>
8
9   <body>
10    <div class="login">
11      <h2 class="login-header">DAFTAR AKUN</h2>
12      <form class="login-container" action="daftar.php">
13
14        <?php
15          include "../lib/koneksi.php";
16          session_start();
17
18          if (isset($_POST['submit'])) {
19            $namalengkap = $_POST['nama_lengkap'];
20            $email = $_POST['email'];
21            $shop = $_POST['no_hp'];
22            $alamat = $_POST['alamat'];
23            $username = $_POST['username'];
24            $password = $_POST['password'];
25            $status = 'user';
26
27            try {
28              $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
29              $pdo = $conn->prepare('INSERT INTO tb_user (name_lengkap, email, no_hp, alamat, username, password, status) VALUES (:name_lengkap, :email, :shop, :alamat, :username, :password, :status)');
30              $pdo->execute(array(':name_lengkap' => $namalengkap, ':email' => $email, ':shop' => $shop, ':alamat' => $alamat, ':username' => $username, ':password' => $password, ':status' => $status));
31              $insertdata = array('name_lengkap' => $namalengkap, 'email' => $email, 'no_hp' => $shop, 'alamat' => $alamat, 'username' => $username, 'password' => $password, 'status' => $status);
32              $pdo->execute($insertdata);
33
34              echo "<center>Data berhasil ditambahkan!</center>";
35            } catch (PDOException $e) {
36              echo "<center>Error: " . $e->getMessage() . "</center>";
37            }
38
39          }
40
41        </form>
42      </div>
43    </body>
44  </html>

```

```

login.php
1 <!DOCTYPE html>
2 <html>
3
4   <head>
5     <title>Login</title>
6     <link rel="stylesheet" type="text/css" href="style.css">
7   </head>
8
9   <body>
10    <div class="login">
11      <h2 class="login-header">LOGIN</h2>
12      <form class="login-container" action="login.php">
13
14        <?php
15          include "../lib/koneksi.php";
16          session_start();
17
18          if (isset($_POST['submit'])) {
19            $user = $_POST['username'];
20            $pwd = $_POST['password'];
21
22            $pdo = $conn->prepare("SELECT * FROM tb_user WHERE username = :user AND password = :pwd");
23            $pdo->execute(array(':user' => $user, ':pwd' => $pwd));
24            $count = $pdo->rowCount();
25            $row = $pdo->fetch(PDO::FETCH_OBJ);
26
27            if ($count == 0) {
28              echo "<center>Anda salah masuk!</center>";
29            } else {
30              $_SESSION['username'] = $user;
31              $_SESSION['password'] = $pwd;
32              $_SESSION['status'] = $row->status;
33              echo "<center>Anda berhasil masuk!</center>";
34              echo "<meta http-equiv='refresh' content='0;url=beranda.php'>";
35            }
36
37          }
38
39        </form>
40      </div>
41    </body>
42  </html>

```

```

navbar.php
1 <?php
2 session_start();
3 if (isset ($_SESSION['username'])) {
4   if ($_SESSION['status'] == 'user') {
5     $user = $_SESSION['username'];
6     $title = $_SESSION['status'];
7
8     echo "<li><a href='page-beranda'>Beranda</a></li>";
9     echo "<li><a href='page-belanja'>Pesanan</a></li>";
10    echo "<li><a href='page-profil'>Profil</a></li>";
11    echo "<li><a href='page-tentang'>Tentang</a></li>";
12    echo "<li class='logout'><a href='page/logout.php'>Keluar</a></li>";
13    echo "<li class='login'><a href='page/login.php'>Masuk</a></li>";
14
15  } elseif ($_SESSION['status'] == 'admin') {
16    $user = $_SESSION['username'];
17    $title = $_SESSION['status'];
18
19    echo "<li><a href='page-beranda'>Beranda</a></li>";
20    echo "<li><a href='page-barang'>Barang</a></li>";
21    echo "<li><a href='page-transaksi'>Transaksi</a></li>";
22    echo "<li><a href='page-user'>User</a></li>";
23    echo "<li><a href='page-profiladmin'>Profil</a></li>";
24    echo "<li class='logout'><a href='page/logout.php'>Keluar</a></li>";
25    echo "<li class='login'><a href='page/login.php'>Masuk</a></li>";
26  }
27 } else {
28   echo "<li><a href='page-beranda'>Beranda</a></li>";
29   echo "<li><a href='page-tentang'>Tentang</a></li>";
30   echo "<li class='login'><a href='page/login.php'>Masuk</a></li>";
31 }
32 ?>

```

```

login.php
1 <?php
2 session_start();
3 session_destroy();
4 echo "<script>alert('Anda telah keluar');window.location='..';</script>";
5
6

```

## 8. Codingan “page->user”

TA-20DX-Seven-Sky

```

belanja_detailpro.php
page > user > belanja_detailpro.php
1 <div class="box-title">
2 | | <p>Beranda / <b>Produk</b></p>
3 </div>
4 <div id="box">
5 <h1>Detail Barang</h1>
6 </php>
7 // code by muh iriansyah putra pratama
8 | | include 'lib/koneksi.php';
9 // code by muh iriansyah putra pratama
10 |
11 $iduser = $_POST['id_user'];
12 $idbarang = $_POST['id_barang'];
13 $harga = $_POST['harga'];
14 $date = date('Y-m-d');
15 $bonus = $_POST['bonus'];
16 $qty = $_POST['qty'];
17 $kurir = $_POST['kurir'];
18 $total = $harga * $qty;
19 $sisa = $_POST['sisa'];
20 // code by muh iriansyah putra pratama
21 |
22 if ($qty > $sisa){
23 | echo "<script>alert('Kuantitas pesanan melebihi sisa stok barang');window."
24 } elseif ($qty <= 0){
25 | echo "<script>alert('Keliru dalam menginputkan kuantitas');window.location."
26 } else {
27 |
28 try {
29 | $conn ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
30 | $pdo = $conn->prepare("INSERT INTO tbl_keranjang (id_user, id_barang, t
31 | | values (:id_user, :id_barang, :bonus, :qty, :kurir, :date_j
32 | $insertdata = array(':id_user' => $iduser, ':id_barang' => $idbarang,
33 | | ':bonus' => $bonus, ':qty' => $qty, ':kurir' => $kurir, ':date_j
34 | | $pdo->execute($insertdata);
35 |
36 // code by muh iriansyah putra pratama
37

```

TA-20DX-Seven-Sky

```

belanja.php
page > user > belanja.php
1 <div class="box-title">
2 | | <p>Pesanan / <b>Daftar Pesanan</b></p>
3 </div>
4 <div id="box">
5 <h1>Pesanan</h1>
6 </?php
7 | | include 'lib/koneksi.php';
8 |
9 if (isset($_SESSION['username'])) $user = $_SESSION['username'];
10 $ambiluser = $conn->prepare("SELECT * FROM tbl_users WHERE username =:user");
11 $ambiluser->bindParam(':user', $user);
12 $ambiluser->execute();
13 $data = $ambiluser->fetch(PDO::FETCH_OBJ);
14 if (isset($_SESSION['username'])) $id = $data->id_user;
15 |
16 $query = $conn->prepare("SELECT * FROM tbl_pesanan
17 JOIN tbl_barang ON tbl_pesanan.id_barang=tbl_barang
18 WHERE tbl_pesanan.id_user=:id
19 GROUP BY tbl_pesanan.id_pesanan");
20 |
21 $query->bindParam(':id', $id);
22 $query->execute();
23 $data = $query->fetchAll();
24 $count = $query->rowCount();
25 |
26 |
27 <table class="news">
28 | <tr>
29 | | <th>No</th>
30 | | <th>Id Pesanan</th>
31 | | <th align="center">Barang</th>
32 | | <th align="center">Harga</th>
33 | | <th align="center">Bonus</th>
34 | | <th align="center">Qty</th>
35 | | <th align="center">Kurir</th>
36 | | <th align="center">Tanggal Masuk</th>
37 | | <th align="center">Total</th>

```

YogaPratama\* 79°F Berawan

TA-20DX-Seven-Sky

```

keranjang.php
page > user > keranjang.php
1 <?php
2 |
3 | include 'lib/koneksi.php';
4 |
5 if (isset($_SESSION['username'])) $user = $_SESSION['username'];
6 $ambiluser = $conn->prepare("SELECT * FROM tbl_users WHERE username =:user");
7 $ambiluser->bindParam(':user', $user);
8 $ambiluser->execute();
9 $data = $ambiluser->fetch(PDO::FETCH_OBJ);
10 if (isset($_SESSION['username'])) $id = $data->id_user;
11 |
12 $query = $conn->prepare("SELECT id,deskripsi,harga,bonus,qty,kurir,total
13 | | FROM tbl_keranjang
14 | | JOIN tbl_barang ON tbl_keranjang.id_barang=tbl_barang
15 | | WHERE tbl_keranjang.id_user=:id
16 | | GROUP BY tbl_keranjang.id");
17 $query->bindParam(':id', $id);
18 $query->execute();
19 $data = $query->fetchAll();
20 $count = $query->rowCount();
21 |
22 |
23 <div class="keranjang-title">
24 | | <p>Keranjang Belanja :a class="tombol-biru"><?php echo $count; ?></a></p>
25 </div>
26 <div id="keranjang">
27 <table class="news">
28 | <tr>
29 | | <th>No</th>
30 | | <th>Id Pesanan</th>
31 | | <th align="center">Deskripsi</th>
32 | | <th align="center">Harga</th>
33 | | <th align="center">Bonus</th>
34 | | <th align="center">Qty</th>
35 | | <th align="center">Kurir</th>
36 | | <th align="center">Total</th>
37

```

TA-20DX-Seven-Sky


```

keranjang_hapus.php
page > user > keranjang_hapus.php
1 <?php
2 | | include('lib/koneksi.php');
3 |
4 | | $id = $_GET['id'];
5 // code by muh iriansyah putra pratama
6 try {
7 | | $conn ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
8 | | $pdo = $conn->prepare("DELETE FROM tbl_keranjang WHERE id =:id");
9 | | $deletedata = array(':id' => $id);
10 | | $pdo->execute($deletedata);
11 // code by muh iriansyah putra pratama
12 | echo "<script>alert('Barang dalam keranjang berhasil dihapus');window."
13 // code by muh iriansyah putra pratama
14 | } catch (PDOException $e) {
15 | | print "hapus berita gagal: " . $e->getMessage() . "<br/>";
16 | | die();
17 | }
18 |?
19

```


YogaPratama\* 79°F Berawan

## 9. Codingan “lib->koneksi.php”



```
<?php
try {
    $conn = new PDO("mysql:host=localhost;dbname=paceshop","root","");
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (Exception $e) {
    print "koneksi atau query bermasalah" . $e->getMessage() . "<br>";
    die();
}
?>
```

## 10. Codingan “css->loginstyle.css”



```
body {
    background: #455;
    font-family: 'Open Sans', sans-serif;
}

.login {
    width:400px;
    margin: 100px auto;
    font-size: 16px;
}


.login-header,
.login p {
    margin-top: 0;
    margin-bottom: 0;
}

.login-header {
    background: #22bb6d;
    padding: 20px;
    font-size: 1.4em;
    font-weight: normal;
    text-align: center;
    text-transform: uppercase;
    color: #fff;
    border-bottom: 5px solid #16a85d;
    border-radius: 10px 10px 0px 0px;
}

.login-container {
    background: #ebebeb;
    padding: 10px;
    border-radius: 0px 0px 10px 10px;
}

.login p {
    color: #383838;
    padding: 12px;
}
```

## 11. Folder “img->icon->laptop”




## B. Front-end (Hasil atau Tampilan)

### 1. Halaman Admin

- ❖ Form Login Admin

Digunakan oleh admin untuk dapat login ke dalam system.



- ❖ Halaman Barang

Merupakan halaman yang memuat seluruh barang yang akan di jual atau di pasarkan.

A screenshot of a web browser showing the 'Barang Jualan' page. The page features a navigation bar with links for 'Beranda', 'Barang', 'Transaksi', 'User', and 'Profil'. It also shows a user greeting 'Hey, admin seven' and a 'keluar' button. The main content area is titled 'Barang / Manajemen Barang Jualan' and contains a table titled 'Barang Jualan'. The table has columns for 'Id Barang', 'Gambar', 'Deskripsi', 'Harga', 'Stok', 'Created', and 'Aksi'. There are three rows of data in the table, each representing a different laptop product with its details and edit/delete buttons. The table has a light blue header and white body rows.

## ❖ Halaman Transaksi

Pada Halaman Transaksi nantinya akan memuat detail transaksi yang telah dilakukan oleh customer. Form ini masih dalam tahap pengembangan karena itu masih terdapat pesan error.

The screenshot shows a web browser window for 'SEVEN SKY STORE'. The header includes a green bar with the store's name and a navigation menu with links for Beranda, Barang, Transaksi, User, and Profil. A user session is shown as 'Hey, admin seven' with a 'keluar' button. Below the menu is a table titled 'Keranjang Belanja' (Shopping Cart) with one row showing '0' items. The table has columns for No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi. At the bottom of the page is a green footer bar with the text 'copyright by SEVEN SKY STORE'.

## ❖ Halaman User

Halaman User memuat semua data dari user yang telah mendaftar pada website ini. Form ini masih dalam tahap pengembangan karena itu masih terdapat pesan error.

The screenshot shows a web browser window for 'SEVEN SKY STORE'. The header includes a green bar with the store's name and a navigation menu with links for Beranda, Barang, Transaksi, User, and Profil. A user session is shown as 'Hey, admin seven' with a 'keluar' button. Below the menu is a table titled 'Keranjang Belanja' (Shopping Cart) with one row showing '0' items. The table has columns for No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi. At the bottom of the page is a green footer bar with the text 'copyright by SEVEN SKY STORE'.



❖ Halaman Profil

Merupakan halaman yang memuat profile singkat dari Toko. Form ini masih dalam tahap pengembangan karena itu masih terdapat pesan error.


The screenshot shows a web browser window with multiple tabs open at the top. The active tab is 'localhost/TA-20DX-Seven-Sky/Index.php?page=profilad'. The main content area has a green header bar with the text 'SEVEN SKY STORE' in white. Below this is a navigation bar with links: Beranda, Barang, Transaksi, User, Profil (which is highlighted in blue), Hey, admin seven, and keluar. A warning message is displayed: 'Warning: include(page/admin/profil/profil.php): failed to open stream: No such file or directory in D:\xampp\htdocs\TA-20DX-Seven-Sky\content.php on line 34'. Another warning message follows: 'Warning: include(): Failed opening 'page/admin/profil/profil.php' for inclusion (include\_path='D:\xampp\php\PEAR') in D:\xampp\htdocs\TA-20DX-Seven-Sky\content.php on line 34'. Below these messages is a table with a single row. The table has columns: No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi. The first column contains 'TOTAL PEMBAYARAN'. The last column contains 'Rp. 0'. Above the table, there is a small orange box containing the text 'Keranjang Belanja : 0'. At the bottom of the page is a green footer bar with the text 'copyright by SEVEN SKY STORE'.



## 2. Halaman User


### ❖ Form Pendaftaran User Baru

Halaman daftar akun merupakan halaman yang memuat form biodata yang harus dilengkapi oleh calon customer untuk dapat login ke website ini.



### ❖ Form Login User

Digunakan oleh user untuk dapat login ke dalam system.



## ❖ Halaman Beranda

Merupakan halaman yang memuat seluruh produk yang ada pada websie kami.

The screenshot shows a web browser window with a green header bar containing the text "SEVEN SKY STORE". Below the header is a navigation bar with links for "Beranda", "Pesanan", "Profil", and "Tentang". To the right of the navigation bar are two buttons: "Hey, user yoga" and "keluar". The main content area is titled "Beranda / Produk Jualan" and displays a grid of four laptop products. Each product card includes an image, the product name, price, stock status, and a "Beli" (Buy) button. Below the grid is a Windows taskbar with various pinned icons and system status indicators.

## ❖ Halaman Pesanan

Halaman Pesanan merupakan halaman yang akan memuat daftar pesanan yang telah di lakukan oleh user.

The screenshot shows a web browser window with a green header bar containing the text "SEVEN SKY STORE". Below the header is a navigation bar with links for "Beranda", "Pesanan", "Profil", and "Tentang". To the right of the navigation bar are two buttons: "Hey, user yoga" and "keluar". The main content area is titled "Pesanan / Daftar Pesanan" and contains a heading "Pesanan". Below the heading is a table with columns: No, Id Pesanan, Barang, Harga, Bonus, Qty, Kurir, Tanggal Masuk, Total, and Status. A message "Belum ada pesanan barang --" is displayed above the table. At the bottom of the page, there is a summary table with columns: No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi. The total value is listed as "Rp. 0". The page footer contains the text "copyright by SEVEN SKY STORE". Below the page is a Windows taskbar with various pinned icons and system status indicators.

## ❖ Halaman Profil

Halaman Profile merupakan halaman yang memuat profile singkat dari user. Form ini masih dalam tahap pengembangan karena itu masih terdapat pesan error.

The screenshot shows a browser window with the URL `localhost/TA-20DX-Seven-Sky/index.php?page=profil`. The page has a green header bar with the text "SEVEN SKY STORE". Below the header is a navigation bar with links: Beranda, Pesanan, Profil, Tentang, Hey, user yoga, and keluar. A shopping cart summary is displayed, showing "Keranjang Belanja : 0". Below the cart is a table with columns: No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi. A single row in the table is labeled "TOTAL PEMBAYARAN" with "Rp. 0" in the Total column. At the bottom of the page is a green footer bar with the text "copyright by SEVEN SKY STORE". Two warning messages are visible in the browser's developer console:

```
Warning: include(page/user/profil/profil.php): failed to open stream: No such file or directory in D:\xampp\htdocs\TA-20DX-Seven-Sky\content.php on line 16
Warning: include(): Failed opening 'page/user/profil/profil.php' for inclusion (include_path='D:\xampp\php\PEAR') in D:\xampp\htdocs\TA-20DX-Seven-Sky\content.php on line 16
```

## ❖ Halaman Tentang

Halaman Tentang memuat tentang detail singkat toko. Form ini masih dalam tahap pengembangan karena itu masih terdapat pesan error.

The screenshot shows a browser window with the URL `localhost/TA-20DX-Seven-Sky/index.php?page=tentang`. The page has a green header bar with the text "SEVEN SKY STORE". Below the header is a navigation bar with links: Beranda, Pesanan, Profil, Tentang, Hey, user yoga, and keluar. A shopping cart summary is displayed, showing "Keranjang Belanja : 0". Below the cart is a table with columns: No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi. A single row in the table is labeled "TOTAL PEMBAYARAN" with "Rp. 0" in the Total column. At the bottom of the page is a green footer bar with the text "copyright by SEVEN SKY STORE". Two warning messages are visible in the browser's developer console:

```
Warning: include(page/tentang.php): failed to open stream: No such file or directory in D:\xampp\htdocs\TA-20DX-Seven-Sky\content.php on line 8
Warning: include(): Failed opening 'page/tentang.php' for inclusion (include_path='D:\xampp\php\PEAR') in D:\xampp\htdocs\TA-20DX-Seven-Sky\content.php on line 8
```

