

APPENDIX G: UNIVARIATE DATA SUMMARIES

The table in this section summarizes hospital coding practices for the factors that were included in the risk-adjustment models.

The row titled “Weighted Average” refers to data for all hospitals combined.

The shading of a cell in the body of the table corresponds to the risk factor’s value relative to all other California hospitals included in the analysis. No shading indicates that the risk factor’s value is at or below the lower tercile (33rd percentile), a light gray shading indicates that the risk factor’s value is between the lower tercile and the upper tercile (67th percentile), and the dark gray shading indicates that the risk factor’s value exceeds the upper tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | Status | Gender | Race | Age | Hypertension | Dialysis | Diabetes | PVD |
|--|--------|--------|-----------|-------|--------------|----------|----------|-------|
| | Dead | Female | Non-White | >=70 | Yes | Yes | Yes | Yes |
| Weighted Average | 2.8% | 27.0% | 24.9% | 42.2% | 69.4% | 2.0% | 34.3% | 13.5% |
| Alta Bates Medical Center | 4.2% | 21.9% | 29.2% | 43.8% | 64.6% | 6.3% | 34.4% | 17.7% |
| Alvarado Hospital Medical Center | 4.1% | 29.1% | 25.0% | 49.3% | 72.3% | 1.4% | 30.4% | 11.5% |
| California Pacific Medical Center - Pacific Campus | 2.3% | 28.5% | 41.3% | 51.2% | 67.4% | 0.6% | 29.7% | 17.4% |
| Cedars-Sinai Medical Center | 2.6% | 26.1% | 16.2% | 50.9% | 62.5% | 0.9% | 31.8% | 19.3% |
| Community Memorial Hospital of San Buenaventura | 2.1% | 27.1% | 17.6% | 47.3% | 65.4% | 5.3% | 34.6% | 2.7% |
| Dameron Hospital | 5.5% | 36.7% | 47.7% | 38.5% | 66.1% | 5.5% | 45.0% | 19.3% |
| Daniel Freeman Memorial Hospital | 3.8% | 36.5% | 44.2% | 50.0% | 80.8% | 2.6% | 34.6% | 14.7% |
| Desert Regional Medical Center | 6.8% | 25.6% | 15.0% | 47.4% | 69.9% | 1.5% | 27.8% | 14.3% |
| Doctor's Medical Center - Modesto | 2.4% | 29.1% | 18.1% | 38.6% | 68.1% | 1.0% | 32.1% | 7.1% |
| Doctor's Medical Center - San Pablo | 0.0% | 33.3% | 44.4% | 39.5% | 66.7% | 0.0% | 32.1% | 18.5% |
| Dominican Hospital | 2.5% | 30.0% | 9.4% | 43.8% | 61.9% | 0.0% | 26.3% | 15.0% |
| El Camino Hospital | 2.8% | 23.1% | 25.0% | 41.7% | 76.9% | 1.9% | 32.4% | 19.4% |
| Encino Tarzana Regional Medical Center | 4.1% | 30.2% | 7.0% | 51.7% | 62.8% | 2.3% | 29.7% | 11.6% |
| Glendale Adventist Medical Center - Wilson Terrace | 4.1% | 34.5% | 24.3% | 49.4% | 74.2% | 4.1% | 34.1% | 6.7% |
| Glendale Memorial Hospital and Health Center | 3.9% | 29.8% | 27.0% | 46.6% | 76.4% | 1.7% | 36.5% | 19.1% |
| Granada Hills Community Hospital | 2.8% | 29.2% | 50.0% | 33.3% | 68.1% | 2.8% | 30.6% | 11.1% |
| Green Hospital of Scripps Clinic | 1.7% | 21.8% | 11.8% | 51.1% | 73.8% | 0.4% | 19.2% | 13.5% |
| Heart Hospital of the Desert | 0.0% | 19.5% | 4.6% | 56.3% | 82.8% | 4.6% | 27.6% | 24.1% |
| Hoag Memorial Hospital Presbyterian | 3.5% | 21.6% | 9.8% | 45.1% | 64.3% | 2.4% | 25.5% | 24.7% |
| John Muir Medical Center | 4.8% | 27.0% | 7.9% | 52.4% | 74.6% | 0.0% | 26.2% | 22.2% |
| Kaiser Foundation Hospital - Los Angeles | 1.4% | 22.8% | 35.0% | 31.7% | 74.0% | 1.8% | 39.3% | 9.3% |
| Kaiser Foundation Hospital - San Francisco | 1.8% | 22.2% | 28.2% | 34.0% | 67.6% | 1.7% | 37.1% | 12.7% |
| Kaweah Delta Hospital | 2.5% | 33.8% | 28.6% | 41.3% | 74.1% | 2.5% | 44.5% | 14.2% |
| Loma Linda University Medical Center | 1.5% | 23.4% | 17.4% | 42.3% | 69.9% | 1.7% | 35.8% | 23.9% |
| Long Beach Memorial Medical Center | 3.6% | 24.5% | 24.2% | 43.3% | 76.0% | 1.1% | 33.3% | 17.6% |
| Marin General Hospital | 6.0% | 19.4% | 9.0% | 40.3% | 53.7% | 0.0% | 25.4% | 14.9% |
| Memorial Medical Center of Modesto | 3.3% | 29.4% | 10.7% | 34.8% | 67.9% | 2.3% | 34.4% | 10.4% |

upper tercile.
 middle tercile.
 lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | Status | Gender | Race | Age | Hypertension | Dialysis | Diabetes | PVD |
|--|--------|--------|-----------|-------|--------------|----------|----------|-------|
| | Dead | Female | Non-White | >=70 | Yes | Yes | Yes | Yes |
| Weighted Average | 2.8% | 27.0% | 24.9% | 42.2% | 69.4% | 2.0% | 34.3% | 13.5% |
| Mercy Medical Center - Redding | 3.7% | 29.6% | 2.3% | 42.6% | 68.1% | 0.9% | 32.9% | 16.2% |
| Methodist Hospital of Southern California | 1.4% | 25.5% | 27.3% | 48.6% | 69.9% | 0.7% | 34.0% | 13.1% |
| Mission Hospital and Regional Medical Center | 2.5% | 19.0% | 10.5% | 39.7% | 63.7% | 0.4% | 28.7% | 4.2% |
| Palomar Medical Center | 4.3% | 26.1% | 10.4% | 54.8% | 72.2% | 0.0% | 27.8% | 13.9% |
| Presbyterian Intercommunity Hospital | 1.4% | 26.0% | 28.8% | 54.8% | 71.2% | 2.7% | 28.8% | 2.7% |
| Providence Holy Cross Medical Center | 1.9% | 23.6% | 38.7% | 35.8% | 84.0% | 3.8% | 35.8% | 8.5% |
| Providence St. Joseph Medical Center | 2.1% | 26.0% | 16.1% | 41.7% | 58.3% | 2.6% | 25.5% | 12.5% |
| Redding Medical Center | 1.2% | 25.1% | 2.9% | 43.6% | 63.9% | 0.4% | 22.2% | 11.2% |
| Saddleback Memorial Medical Center | 6.1% | 27.3% | 6.8% | 62.1% | 81.1% | 0.0% | 85.6% | 17.4% |
| Salinas Valley Memorial Hospital | 2.5% | 39.3% | 31.9% | 45.5% | 67.8% | 2.5% | 42.7% | 11.5% |
| San Antonio Community Hospital | 2.5% | 27.5% | 29.2% | 35.8% | 83.3% | 0.8% | 32.5% | 15.8% |
| San Jose Medical Center | 3.0% | 27.3% | 54.5% | 30.3% | 68.2% | 4.5% | 37.9% | 3.0% |
| Santa Barbara Cottage Hospital | 2.2% | 25.4% | 16.5% | 49.6% | 62.9% | 0.4% | 29.0% | 9.6% |
| Santa Monica - UCLA Hospital Medical Center | 3.4% | 31.0% | 22.4% | 67.2% | 56.9% | 1.7% | 24.1% | 20.7% |
| Santa Rosa Memorial Hospital | 4.8% | 21.9% | 5.9% | 47.1% | 71.7% | 2.1% | 20.9% | 11.2% |
| Scripps Memorial Hospital - La Jolla | 2.6% | 23.6% | 16.7% | 44.3% | 71.0% | 2.4% | 34.2% | 19.6% |
| Scripps Mercy | 6.3% | 34.0% | 32.8% | 46.9% | 78.9% | 3.5% | 35.9% | 12.9% |
| Sequoia Hospital | 3.0% | 26.1% | 15.0% | 44.0% | 76.5% | 1.7% | 30.3% | 20.9% |
| Seton Medical Center - Heart Institute | 2.5% | 29.7% | 42.0% | 43.5% | 75.3% | 1.2% | 37.6% | 8.7% |
| Sharp Chula Vista Medical Center | 2.1% | 35.9% | 63.8% | 41.4% | 79.3% | 5.5% | 46.9% | 14.1% |
| Sharp Grossmont Hospital | 2.0% | 39.2% | 16.9% | 50.7% | 83.1% | 1.4% | 32.4% | 12.2% |
| Sharp Memorial Hospital | 4.8% | 23.5% | 28.3% | 43.0% | 72.9% | 2.4% | 35.1% | 17.1% |
| St. Bernardine Medical Center | 2.5% | 30.7% | 12.2% | 48.3% | 63.7% | 0.7% | 32.3% | 9.9% |
| St rancis Medical Center | 1.0% | 41.7% | 86.5% | 36.5% | 80.2% | 6.3% | 50.0% | 15.6% |
| St. Helena Hospital | 3.8% | 41.0% | 13.0% | 50.2% | 73.6% | 2.7% | 31.0% | 22.2% |
| St. John's Hospital and Health Center - Santa Monica | 4.1% | 23.6% | 12.8% | 48.0% | 58.1% | 1.4% | 29.1% | 22.3% |
| St. Joseph Hospital - Orange | 1.3% | 22.7% | 11.8% | 39.6% | 68.1% | 0.3% | 28.8% | 13.7% |

 upper tercile.
  middle tercile.
  lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | Status | Gender | Race | Age | Hypertension | Dialysis | Diabetes | PVD |
|--|--------|--------|-----------|-------|--------------|----------|----------|-------|
| | Dead | Female | Non-White | >=70 | Yes | Yes | Yes | Yes |
| Weighted Average | 2.8% | 27.0% | 24.9% | 42.2% | 69.4% | 2.0% | 34.3% | 13.5% |
| St. Joseph's Medical Center of Stockton | 2.6% | 28.3% | 27.9% | 42.0% | 76.2% | 2.6% | 38.7% | 16.0% |
| St. Jude Medical Center | 3.4% | 22.2% | 16.0% | 37.5% | 63.8% | 1.0% | 30.7% | 7.8% |
| St. Mary's Hospital and Medical Center - San Francisco | 1.8% | 28.6% | 37.1% | 39.6% | 64.0% | 4.0% | 34.5% | 9.0% |
| St. Vincent Medical Center | 3.2% | 25.5% | 58.2% | 50.4% | 74.1% | 7.1% | 41.5% | 8.5% |
| Stanford University Hospital | 3.2% | 20.8% | 28.1% | 47.1% | 64.3% | 1.4% | 31.7% | 13.1% |
| Summit Medical Center | 3.6% | 32.0% | 39.6% | 44.7% | 71.1% | 1.5% | 39.1% | 19.3% |
| Sutter Memorial Hospital | 1.9% | 27.9% | 10.1% | 42.9% | 69.7% | 1.9% | 27.9% | 16.2% |
| The Hospital of the Good Samaritan - LA | 3.9% | 28.4% | 48.4% | 42.1% | 66.6% | 4.5% | 43.0% | 16.3% |
| Torrance Memorial Medical Center | 3.5% | 27.7% | 34.2% | 37.6% | 73.3% | 1.0% | 37.6% | 9.4% |
| Tri-City Medical Center | 2.0% | 20.9% | 11.7% | 56.1% | 51.0% | 1.5% | 23.0% | 15.3% |
| UCD Medical Center | 2.4% | 24.9% | 27.2% | 30.8% | 88.2% | 0.6% | 32.0% | 16.6% |
| UC Irvine Medical Center | 4.3% | 24.3% | 48.6% | 28.6% | 85.7% | 1.4% | 45.7% | 21.4% |
| UCLA Medical Center | 4.5% | 19.2% | 24.3% | 46.3% | 56.5% | 1.1% | 29.4% | 8.5% |
| UCSF Medical Center | 3.7% | 27.6% | 56.7% | 28.4% | 79.9% | 3.0% | 43.3% | 14.2% |
| USC University Hospital | 5.7% | 29.5% | 46.7% | 38.1% | 61.9% | 2.9% | 34.3% | 17.1% |
| Washington Hospital - Fremont | 7.7% | 31.5% | 50.6% | 42.3% | 77.4% | 1.8% | 47.0% | 23.2% |

 upper tercile.
  middle tercile.
  lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | CVD Yes | Ventr Arrth Yes | COPD Yes | PTCA Yes | # Prior Ops op | MI 0-7 Days | Angina None | CHF Yes |
|--|------------|-----------------------|-------------|-------------|----------------------|----------------|----------------|------------|
| Weighted Average | 12.2% | 4.2% | 13.0% | 10.0% | 0.8% | 21.4% | 11.7% | 18.2% |
| Alta Bates Medical Center | 13.5% | 6.3% | 10.4% | 24.0% | 0.0% | 8.3% | 6.3% | 21.9% |
| Alvarado Hospital Medical Center | 5.4% | 6.1% | 11.5% | 7.4% | 2.0% | 10.1% | 39.2% | 60.8% |
| California Pacific Medical Center - Pacific Campus | 12.2% | 4.1% | 15.7% | 22.1% | 0.0% | 22.1% | 8.7% | 29.1% |
| Cedars-Sinai Medical Center | 12.2% | 2.8% | 11.4% | 4.0% | 1.1% | 6.0% | 14.8% | 19.3% |
| Community Memorial Hospital of San Buenaventura | 10.6% | 5.3% | 4.3% | 22.3% | 1.1% | 16.5% | 24.5% | 11.2% |
| Dameron Hospital | 13.8% | 0.0% | 29.4% | 3.7% | 2.8% | 12.8% | 0.9% | 13.8% |
| Daniel Freeman Memorial Hospital | 7.7% | 6.4% | 10.3% | 7.1% | 0.6% | 20.5% | 10.3% | 19.2% |
| Desert Regional Medical Center | 13.5% | 3.0% | 10.5% | 4.5% | 0.8% | 27.1% | 22.6% | 14.3% |
| Doctor's Medical Center - Modesto | 3.3% | 4.5% | 15.9% | 4.1% | 0.8% | 19.5% | 11.4% | 10.2% |
| Doctor's Medical Center - San Pablo | 16.0% | 3.7% | 6.2% | 18.5% | 0.0% | 25.9% | 6.2% | 14.8% |
| Dominican Hospital | 8.8% | 1.3% | 12.5% | 10.0% | 0.0% | 21.9% | 12.5% | 20.6% |
| El Camino Hospital | 11.1% | 7.4% | 13.0% | 3.7% | 0.0% | 12.0% | 8.3% | 23.1% |
| Encino Tarzana Regional Medical Center | 9.3% | 2.9% | 14.5% | 24.4% | 0.6% | 22.7% | 11.0% | 20.3% |
| Glendale Adventist Medical Center - Wilson Terrace | 6.0% | 2.6% | 12.4% | 7.5% | 0.0% | 9.7% | 30.0% | 19.5% |
| Glendale Memorial Hospital and Health Center | 7.3% | 7.3% | 16.3% | 6.7% | 0.0% | 26.4% | 14.0% | 28.7% |
| Granada Hills Community Hospital | 6.9% | 1.4% | 4.2% | 1.4% | 0.0% | 13.9% | 16.7% | 18.1% |
| Green Hospital of Scripps Clinic | 9.6% | 1.3% | 5.7% | 10.0% | 0.4% | 7.0% | 14.4% | 5.7% |
| Heart Hospital of the Desert | 23.0% | 6.9% | 26.4% | 4.6% | 0.0% | 8.0% | 2.3% | 24.1% |
| Hoag Memorial Hospital Presbyterian | 25.9% | 14.1% | 11.8% | 12.9% | 0.0% | 22.4% | 14.1% | 25.1% |
| John Muir Medical Center | 20.6% | 5.6% | 11.9% | 11.1% | 1.6% | 26.2% | 17.5% | 20.6% |
| Kaiser Foundation Hospital - Los Angeles | 14.0% | 2.6% | 9.9% | 10.9% | 0.3% | 27.4% | 5.0% | 18.8% |
| Kaiser Foundation Hospital - San Francisco | 9.2% | 4.1% | 7.3% | 2.3% | 0.5% | 17.6% | 14.0% | 14.0% |
| Kaweah Delta Hospital | 18.2% | 2.7% | 24.6% | 5.2% | 0.7% | 23.1% | 3.0% | 22.6% |
| Loma Linda University Medical Center | 21.9% | 3.0% | 22.9% | 2.5% | 1.7% | 24.4% | 6.2% | 18.7% |
| Long Beach Memorial Medical Center | 12.9% | 5.0% | 14.9% | 22.0% | 1.1% | 24.2% | 9.4% | 23.7% |
| Marin General Hospital | 11.9% | 1.5% | 11.9% | 0.0% | 1.5% | 10.4% | 22.4% | 14.9% |
| Memorial Medical Center of Modesto | 11.0% | 5.7% | 11.7% | 8.7% | 0.7% | 20.1% | 8.4% | 20.7% |

 upper tercile.
  middle tercile.
  lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | CVD | Ventr Arrth | COPD | PTCA | # Prior Ops | MI | Angina | CHF |
|--|-------|-------------|-------|-------|-------------|----------|--------|-------|
| | Yes | Yes | Yes | Yes | op | 0-7 Days | None | Yes |
| Weighted Average | 12.2% | 4.2% | 13.0% | 10.0% | 0.8% | 21.4% | 11.7% | 18.2% |
| Mercy Medical Center – Redding | 13.4% | 2.3% | 25.5% | 4.2% | 0.9% | 27.3% | 10.6% | 13.4% |
| Methodist Hospital of Southern California | 9.2% | 1.1% | 7.4% | 20.9% | 0.0% | 17.0% | 40.1% | 8.5% |
| Mission Hospital and Regional Medical Center | 8.9% | 0.8% | 14.8% | 5.1% | 0.8% | 21.5% | 3.4% | 24.5% |
| Palomar Medical Center | 12.2% | 10.4% | 5.2% | 19.1% | 0.0% | 25.2% | 5.2% | 17.4% |
| Presbyterian Intercommunity Hospital | 2.7% | 1.4% | 17.8% | 5.5% | 0.0% | 26.0% | 0.0% | 19.2% |
| Providence Holy Cross Medical Center | 4.7% | 5.7% | 11.3% | 4.7% | 0.0% | 31.1% | 0.0% | 30.2% |
| Providence St. Joseph Medical Center | 10.9% | 4.2% | 6.3% | 5.2% | 0.5% | 22.4% | 12.0% | 14.1% |
| Redding Medical Center | 13.3% | 1.0% | 20.8% | 6.2% | 0.8% | 13.9% | 16.2% | 7.5% |
| Saddleback Memorial Medical Center | 11.4% | 7.6% | 36.4% | 11.4% | 0.0% | 31.1% | 6.8% | 24.2% |
| Salinas Valley Memorial Hospital | 11.8% | 2.2% | 7.4% | 2.8% | 0.6% | 18.9% | 20.1% | 16.4% |
| San Antonio Community Hospital | 10.0% | 15.0% | 53.3% | 7.5% | 1.7% | 32.5% | 0.8% | 28.3% |
| San Jose Medical Center | 9.1% | 10.6% | 6.1% | 33.3% | 0.0% | 10.6% | 18.2% | 19.7% |
| Santa Barbara Cottage Hospital | 8.5% | 5.9% | 9.2% | 26.8% | 0.0% | 18.8% | 16.5% | 21.7% |
| Santa Monica - UCLA Hospital Medical Center | 17.2% | 8.6% | 10.3% | 89.7% | 1.7% | 22.4% | 29.3% | 13.8% |
| Santa Rosa Memorial Hospital | 11.8% | 8.0% | 17.1% | 6.4% | 0.5% | 34.8% | 6.4% | 17.6% |
| Scripps Memorial Hospital - La Jolla | 16.3% | 7.3% | 18.2% | 22.6% | 0.2% | 26.7% | 4.7% | 23.6% |
| Scripps Mercy | 3.5% | 4.3% | 15.6% | 2.3% | 1.2% | 33.2% | 3.1% | 21.9% |
| Sequoia Hospital | 21.8% | 10.3% | 13.7% | 35.0% | 4.3% | 9.0% | 4.3% | 22.6% |
| Seton Medical Center - Heart Institute | 16.2% | 12.1% | 9.1% | 17.0% | 0.4% | 16.0% | 22.9% | 11.2% |
| Sharp Chula Vista Medical Center | 10.3% | 3.8% | 17.6% | 1.0% | 1.0% | 27.9% | 2.4% | 27.9% |
| Sharp Grossmont Hospital | 14.2% | 2.0% | 10.8% | 2.7% | 0.7% | 31.1% | 17.6% | 25.7% |
| Sharp Memorial Hospital | 17.5% | 1.6% | 10.8% | 1.2% | 1.2% | 18.3% | 21.1% | 19.9% |
| St. Bernardine Medical Center | 9.9% | 5.0% | 18.1% | 2.0% | 0.4% | 30.0% | 10.1% | 18.7% |
| St. Francis Medical Center | 14.6% | 1.0% | 18.8% | 3.1% | 0.0% | 19.8% | 4.2% | 21.9% |
| St. Helena Hospital | 19.2% | 3.1% | 21.8% | 2.3% | 0.4% | 17.2% | 24.5% | 16.9% |
| St. John's Hospital and Health Center - Santa Monica | 13.5% | 14.9% | 8.8% | 9.5% | 0.7% | 20.9% | 25.7% | 4.7% |
| St. Joseph Hospital - Orange | 3.8% | 4.2% | 18.2% | 5.8% | 0.6% | 16.3% | 4.8% | 16.0% |

upper tercile.

middle tercile.

lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | CVD | Ventr Arrth | COPD | PTCA | # Prior Ops | MI | Angina | CHF |
|--|-------|-------------|-------|-------|-------------|----------|--------|-------|
| | Yes | Yes | Yes | Yes | op | 0-7 Days | None | Yes |
| Weighted Average | 12.2% | 4.2% | 13.0% | 10.0% | 0.8% | 21.4% | 11.7% | 18.2% |
| St. Joseph's Medical Center of Stockton | 13.4% | 1.5% | 21.2% | 29.0% | 1.1% | 22.3% | 3.0% | 21.9% |
| St. Jude Medical Center | 6.5% | 7.8% | 9.9% | 6.8% | 0.3% | 20.5% | 9.2% | 12.6% |
| St. Mary's Hospital and Medical Center - San Francisco | 8.1% | 4.3% | 6.1% | 0.7% | 0.9% | 25.9% | 4.9% | 17.7% |
| St. Vincent Medical Center | 15.2% | 1.8% | 5.7% | 3.2% | 1.8% | 13.8% | 6.4% | 20.2% |
| Stanford University Hospital | 29.0% | 3.2% | 7.2% | 4.1% | | 12.2% | 19.0% | 65.2% |
| Summit Medical Center | 14.2% | 3.6% | 16.8% | 25.4% | 0.5% | 21.8% | 10.2% | 22.8% |
| Sutter Memorial Hospital | 18.3% | 4.7% | 11.1% | 20.1% | 1.3% | 28.6% | 6.4% | 18.6% |
| The Hospital of the Good Samaritan - LA | 8.9% | 2.8% | 8.3% | 2.2% | 0.6% | 9.4% | 10.0% | 19.9% |
| Torrance Memorial Medical Center | 11.9% | 4.5% | 5.0% | 4.5% | 3.0% | 19.8% | 8.4% | 13.4% |
| Tri-City Medical Center | 8.2% | 4.6% | 15.3% | 5.6% | 0.5% | 17.9% | 23.0% | 13.3% |
| UCD Medical Center | 10.7% | 3.6% | 23.7% | 3.6% | 1.2% | 14.2% | 0.6% | 14.8% |
| UC Irvine Medical Center | 15.7% | 4.3% | 24.3% | 2.9% | 1.4% | 14.3% | 5.7% | 10.0% |
| UCLA Medical Center | 11.3% | 1.1% | 2.3% | 2.8% | 2.8% | 20.3% | 14.7% | 11.3% |
| UCSF Medical Center | 9.7% | 1.5% | 6.0% | 6.0% | 0.0% | 25.4% | 3.0% | 23.1% |
| USC University Hospital | 31.4% | 0.0% | 7.6% | 8.6% | 4.8% | 10.5% | 51.4% | 16.2% |
| Washington Hospital - Fremont | 23.2% | 10.7% | 16.1% | 34.5% | 1.2% | 26.2% | 10.1% | 33.9% |

 upper tercile.
  middle tercile.
  lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| | Acuity | LM Stenosis | CAD | Mitral Insufficiency | Creatinine | EF |
|---|----------|----------------|---------|-------------------------|------------|------|
| Hospital Name | Emergent | >70 | Triple+ | Moderate or Severe | >=2 | <30 |
| Weighted Average | 6.2% | 10.2% | 73.6% | 1.7% | 4.8% | 6.6% |
| Alta Bates Medical Center | 8.3% | 15.6% | | 0.0% | 12.5% | 3.1% |
| Alvarado Hospital Medical Center | 6.8% | 11.5% | 81.8% | 0.7% | 2.0% | 9.5% |
| California Pacific Medical Center - Pacific Campus | 4.1% | 11.6% | 84.3% | 1.2% | 4.1% | 7.6% |
| Cedars-Sinai Medical Center | 4.5% | 11.4% | 52.0% | 3.7% | 4.0% | 8.2% |
| Community Memorial Hospital of San Buenaventura | 1.6% | 6.9% | 78.7% | 2.1% | 4.3% | 5.9% |
| Dameron Hospital | 8.3% | 14.7% | 61.5% | 2.8% | 10.1% | 6.4% |
| Daniel Freeman Memorial Hospital | 5.1% | 4.5% | 0.0% | 0.0% | 7.7% | 6.4% |
| Desert Regional Medical Center | 6.8% | 9.8% | 69.9% | 0.8% | 3.8% | 3.0% |
| Doctor's Medical Center - Modesto | 4.1% | 7.5% | 75.4% | 0.2% | 1.2% | 4.7% |
| Doctor's Medical Center - San Pablo | 6.2% | 13.6% | | 1.2% | 3.7% | 8.6% |
| Dominican Hospital | 7.5% | 15.0% | 57.5% | 1.9% | 1.9% | 1.9% |
| El Camino Hospital | 7.4% | 9.3% | | 6.5% | 1.9% | 2.8% |
| Encino Tarzana Regional Medical Center | 18.0% | 4.7% | 79.7% | 1.2% | 4.1% | 7.0% |
| Glendale Adventist Medical Center - Wilson Terrace | 3.4% | 0.7% | 82.0% | 0.4% | 7.5% | 8.6% |
| Glendale Memorial Hospital and Health Center | 9.0% | 12.9% | 84.3% | 0.6% | 8.4% | 6.2% |
| Granada Hills Community Hospital | 2.8% | 11.1% | 59.7% | 1.4% | 4.2% | 2.8% |
| Green Hospital of Scripps Clinic | 1.7% | 0.0% | 64.6% | 0.9% | 3.9% | 4.4% |
| Heart Hospital of the Desert | 3.4% | 10.3% | 54.0% | 4.6% | 4.6% | 2.3% |
| Hoag Memorial Hospital Presbyterian | 21.6% | 11.4% | 88.6% | 2.4% | 2.4% | 3.5% |
| John Muir Medical Center | 18.3% | 15.1% | 68.3% | 11.1% | 2.4% | 6.3% |
| Kaiser Foundation Hospital - Los Angeles | 2.0% | 5.9% | 77.3% | 0.6% | 3.9% | 2.8% |
| Kaiser Foundation Hospital - San Francisco | 2.1% | 14.0% | 85.0% | 0.5% | 4.9% | 4.7% |
| Kaweah Delta Hospital | 2.5% | 11.4% | 89.6% | 1.5% | 5.0% | 7.7% |
| Loma Linda University Medical Center | 5.0% | 8.2% | 71.4% | 0.7% | 3.7% | 6.7% |
| Long Beach Memorial Medical Center | 6.9% | 9.6% | 73.6% | 1.1% | 5.2% | 6.3% |
| Marin General Hospital | 3.0% | 10.4% | 52.2% | 0.0% | 3.0% | 7.5% |
| Memorial Medical Center of Modesto | 2.0% | 7.4% | 63.9% | 3.0% | 2.7% | 6.0% |

 upper tercile.
  middle tercile.
  lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | Acuity | LM Stenosis | CAD | Mitral Insufficiency | Creatinine | EF |
|---|----------|----------------|---------|-------------------------|------------|------|
| | Emergent | >70 | Triple+ | Moderate or Severe | >=2 | <30 |
| Weighted Average | 6.2% | 10.2% | 73.6% | 1.7% | 4.8% | 6.6% |
| Mercy Medical Center - Redding | 13.4% | 7.9% | 75.5% | 6.0% | 4.6% | 5.1% |
| Methodist Hospital of Southern California | 5.7% | 16.0% | 88.7% | 0.4% | 5.0% | 4.6% |
| Mission Hospital and Regional Medical Center | 1.7% | 13.1% | 84.0% | 0.0% | 1.7% | 1.7% |
| Palomar Medical Center | 4.3% | 22.6% | 80.0% | 3.5% | 1.7% | 4.3% |
| Presbyterian Intercommunity Hospital | 2.7% | 11.0% | 79.5% | 1.4% | 4.1% | 5.5% |
| Providence Holy Cross Medical Center | 8.5% | 8.5% | 88.7% | 0.0% | 5.7% | 5.7% |
| Providence St. Joseph Medical Center | 18.2% | 12.5% | 58.9% | 1.6% | 5.2% | 7.8% |
| Redding Medical Center | 4.2% | 1.7% | 64.5% | 1.4% | 0.8% | 1.4% |
| Saddleback Memorial Medical Center | 6.1% | 17.4% | 78.8% | 0.8% | 3.8% | 5.3% |
| Salinas Valley Memorial Hospital | 7.4% | 14.9% | 77.7% | 2.8% | 7.1% | 5.9% |
| San Antonio Community Hospital | 13.3% | 5.8% | 66.7% | 0.0% | 3.3% | 5.0% |
| San Jose Medical Center | 1.5% | 33.3% | 78.8% | 1.5% | 10.6% | 6.1% |
| Santa Barbara Cottage Hospital | 18.0% | 16.9% | 80.5% | 0.4% | 1.8% | 7.0% |
| Santa Monica-UCLA Hospital Medical Center | 13.8% | 19.0% | 41.4% | 5.2% | 6.9% | 0.0% |
| Santa Rosa Memorial Hospital | 15.0% | 20.9% | | 0.0% | 7.0% | 5.3% |
| Scripps Memorial Hospital - La Jolla | 5.2% | 20.3% | 66.3% | 3.8% | 4.2% | 4.5% |
| Scripps Mercy | 5.5% | 0.0% | 87.9% | 3.5% | 9.8% | 5.1% |
| Sequoia Hospital | 3.0% | 12.8% | 74.4% | 3.8% | 5.6% | |
| Seton Medical Center - Heart Institute | 0.8% | 8.3% | 65.7% | 0.0% | 5.4% | |
| Sharp Chula Vista Medical Center | 5.5% | 9.0% | 67.6% | 0.3% | 7.9% | 2.8% |
| Sharp Grossmont Hospital | 2.0% | 12.2% | 59.5% | 5.4% | 4.7% | 2.7% |
| Sharp Memorial Hospital | 4.0% | 12.7% | 64.1% | 0.0% | 6.0% | |
| St. Bernardine Medical Center | 9.0% | 3.1% | 79.7% | 2.0% | 3.8% | 6.6% |
| St. Francis Medical Center | 13.5% | 12.5% | 77.1% | 2.1% | 7.3% | 9.4% |
| St. Helena Hospital | 9.2% | | 80.5% | 0.8% | 5.7% | 1.1% |
| St. John's Hospital and Health Center - Santa Monica | 12.8% | 9.5% | 68.2% | 0.0% | 4.1% | 4.7% |
| St. Joseph Hospital - Orange | 6.7% | 5.4% | 88.2% | 0.3% | 4.8% | 4.2% |

 upper tercile.
  middle tercile.
  lower tercile.

Table G-1: Hospital Coding Practices of Data Elements in Risk-Adjustment Model

| Hospital Name | Acuity | LM Stenosis | CAD | Mitral Insufficiency | Creatinine | EF |
|--|----------|-------------|---------|----------------------|------------|-------|
| | Emergent | >70 | Triple+ | Moderate or Severe | >=2 | <30 |
| Weighted Average | 6.2% | 10.2% | 73.6% | 1.7% | 4.8% | 6.6% |
| St. Joseph's Medical Center of Stockton | 4.1% | 16.4% | 65.1% | 0.0% | 8.6% | 6.7% |
| St. Jude Medical Center | 3.8% | 15.4% | 91.1% | 1.7% | 2.4% | 3.8% |
| St. Mary's Hospital and Medical Center - San Francisco | 5.1% | 11.8% | 70.7% | 6.3% | 4.5% | 8.9% |
| St. Vincent Medical Center | 4.6% | 7.4% | 65.6% | 3.9% | 7.4% | 8.9% |
| Stanford University Hospital | 4.1% | 10.0% | 67.4% | 1.4% | 5.4% | 8.6% |
| Summit Medical Center | 5.1% | 16.8% | 81.2% | 3.0% | 5.1% | 7.6% |
| Sutter Memorial Hospital | 6.9% | 12.0% | 75.3% | 1.6% | 5.6% | 4.5% |
| The Hospital of the Good Samaritan - LA | 14.3% | 8.0% | 76.7% | 1.7% | 8.9% | 56.4% |
| Torrance Memorial Medical Center | 11.4% | 10.9% | 74.3% | 1.0% | 4.0% | 4.0% |
| Tri-City Medical Center | 5.1% | 10.2% | 48.5% | 1.0% | 3.6% | 3.1% |
| UCD Medical Center | 8.9% | 13.6% | 69.2% | 2.4% | 4.7% | 8.3% |
| UC Irvine Medical Center | 2.9% | 5.7% | 88.6% | | 12.9% | 14.3% |
| UCLA Medical Center | 11.3% | 10.2% | 74.6% | 2.8% | 4.0% | 6.2% |
| UCSF Medical Center | 5.2% | 16.4% | 83.6% | 2.2% | 3.0% | 4.5% |
| USC University Hospital | 1.0% | 10.5% | 75.2% | 7.6% | 5.7% | 11.4% |
| Washington Hospital – Fremont | 12.5% | 2.4% | 79.8% | 11.9% | 7.7% | 7.7% |

 upper tercile.
 middle tercile.
 lower tercile.