

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (%), RAMR and 95% CI | | Performance Rating* |
|----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|---|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Abolhoda, Amir M. | Surgeon Overall | 60 | 49 | 2 | 4.08 | 2.35 | 5.38 | (0.65, 19.36) | |
| | Sharp Memorial Hospital | 9 | 8 | 0 | 0.00 | 1.73 | 0.00 | (0.00, 82.02) | |
| | UC Irvine Medical Center | 51 | 41 | 2 | 4.88 | 2.47 | 6.12 | (0.74, 22.01) | |
| Abraham, Reginald G. | Surgeon Overall | 29 | 28 | 0 | 0.00 | 2.74 | 0.00 | (0.00, 14.83) | |
| | Bakersfield Memorial Hospital | 3 | 3 | 0 | 0.00 | 5.42 | 0.00 | (0.00, 69.87) | |
| | Fountain Valley Regional Hospital | 16 | 16 | 0 | 0.00 | 2.67 | 0.00 | (0.00, 26.55) | |
| | San Joaquin Community Hospital | 10 | 9 | 0 | 0.00 | 1.95 | 0.00 | (0.00, 64.77) | |
| Adams, Carl W. | Surgeon Overall | 20 | 17 | 0 | 0.00 | 1.92 | 0.00 | (0.00, 34.83) | |
| | Mercy Medical Center - Redding | 9 | 7 | 0 | 0.00 | 2.71 | 0.00 | (0.00, 59.87) | |
| | St. Joseph Hospital - Eureka | 11 | 10 | 0 | 0.00 | 1.36 | 0.00 | (0.00, 83.27) | |
| Adamson, Robert M. | Surgeon Overall | 140 | 90 | 0 | 0.00 | 2.29 | 0.00 | (0.00, 5.51) | |
| | Sharp Memorial Hospital | 140 | 90 | 0 | 0.00 | 2.29 | 0.00 | (0.00, 5.51) | |
| Afifi, Alaa Y. | Surgeon Overall | 22 | 20 | 1 | 5.00 | 2.71 | 5.70 | (0.14, 31.63) | |
| | St. Jude Medical Center | 6 | 6 | 1 | 16.67 | 4.34 | 11.86 | (0.30, 65.85) | |
| | Western Medical Center - Santa Ana | 3 | 3 | 0 | 0.00 | 3.56 | 0.00 | (0.00, 100.00) | |
| | Western Medical Center Hospital - Anaheim | 13 | 11 | 0 | 0.00 | 1.59 | 0.00 | (0.00, 64.84) | |
| Aharon, Alon S. | Surgeon Overall | 12 | 11 | 2 | 18.18 | 1.71 | 32.96 | (3.98, 100.00) | Worse |
| | Riverside Community Hospital | 3 | 2 | 0 | 0.00 | 2.21 | 0.00 | (0.00, 100.00) | |
| | St. Bernardine Medical Center | 9 | 9 | 2 | 22.22 | 1.59 | 43.10 | (5.20, 100.00) | Worse |
| Allard, Jean R. | Surgeon Overall | 1 | 0 | . | . | . | . | | Not Applicable |
| | Centinela Hospital Medical Center | 1 | 0 | . | . | . | . | | Not Applicable |
| Alyono, David | Surgeon Overall | 348 | 298 | 5 | 1.68 | 2.80 | 1.86 | (0.60, 4.31) | |
| | Alta Bates Summit Medical Center - Summit Campus | 348 | 298 | 5 | 1.68 | 2.80 | 1.86 | (0.60, 4.31) | |
| Amirhamzeh, Mehrdad | Surgeon Overall | 196 | 166 | 4 | 2.41 | 2.60 | 2.86 | (0.78, 7.30) | |
| | Doctors Medical Center - Modesto Campus | 18 | 11 | 0 | 0.00 | 1.22 | 0.00 | (0.00, 84.53) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|--------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Amirhamzeh, Mehrdad | Memorial Medical Center of Modesto | 178 | 155 | 4 | 2.58 | 2.70 | 2.95 | (0.80, 7.53) | |
| Anastassiou, Peter T. | Surgeon Overall | 52 | 44 | 1 | 2.27 | 2.30 | 3.06 | (0.08, 16.98) | |
| | California Pacific Medical Center - Pacific Campus | 4 | 4 | 0 | 0.00 | 5.07 | 0.00 | (0.00, 56.08) | |
| | Mills-Peninsula Health Center | 1 | 1 | 0 | 0.00 | 1.24 | 0.00 | (0.00, 100.00) | |
| | Seton Medical Center | 10 | 8 | 0 | 0.00 | 1.56 | 0.00 | (0.00, 90.96) | |
| | Sutter Medical Center of Santa Rosa | 37 | 31 | 1 | 3.23 | 2.16 | 4.61 | (0.12, 25.58) | |
| Arcidi, Joseph M. | Surgeon Overall | 43 | 27 | 1 | 3.70 | 5.64 | 2.02 | (0.05, 11.30) | |
| | Good Samaritan Hospital - Los Angeles | 43 | 27 | 1 | 3.70 | 5.64 | 2.02 | (0.05, 11.30) | |
| Ardehali, Abbas | Surgeon Overall | 95 | 62 | 1 | 1.61 | 2.99 | 1.67 | (0.04, 9.26) | |
| | Santa Monica - UCLA Medical Center | 50 | 36 | 1 | 2.78 | 3.39 | 2.53 | (0.06, 14.06) | |
| | UCLA Medical Center | 45 | 26 | 0 | 0.00 | 2.43 | 0.00 | (0.00, 17.97) | |
| Askariyah-Yazdy, Hossein | Surgeon Overall | 2 | 2 | 0 | 0.00 | 1.26 | 0.00 | (0.00, 100.00) | |
| | San Jose Medical Center | 2 | 2 | 0 | 0.00 | 1.26 | 0.00 | (0.00, 100.00) | |
| Atiya, Azmi W. | Surgeon Overall | 164 | 147 | 6 | 4.08 | 4.25 | 2.97 | (1.09, 6.44) | |
| | Encino Tarzana Regional Medical Center | 3 | 3 | 0 | 0.00 | 1.54 | 0.00 | (0.00, 100.00) | |
| | Northridge Hospital Medical Center | 89 | 81 | 4 | 4.94 | 4.27 | 3.57 | (0.97, 9.12) | |
| | Providence Holy Cross Medical Center | 63 | 54 | 2 | 3.70 | 4.50 | 2.55 | (0.31, 9.17) | |
| | West Hills Regional Medical Center | 9 | 9 | 0 | 0.00 | 3.51 | 0.00 | (0.00, 36.01) | |
| Bachir, Ghassan S. | Surgeon Overall | 27 | 20 | 0 | 0.00 | 1.33 | 0.00 | (0.00, 42.71) | |
| | Community Medical Center - Fresno | 14 | 11 | 0 | 0.00 | 1.30 | 0.00 | (0.00, 79.47) | |
| | St. Agnes Medical Center | 13 | 9 | 0 | 0.00 | 1.37 | 0.00 | (0.00, 92.34) | |
| Bailey, Leonard L. | Surgeon Overall | 1 | 1 | 0 | 0.00 | 0.21 | 0.00 | (0.00, 100.00) | |
| | Loma Linda University Medical Center | 1 | 1 | 0 | 0.00 | 0.21 | 0.00 | (0.00, 100.00) | |
| Bakhshay, Shahroukh A. | Surgeon Overall | 5 | 5 | 1 | 20.00 | 2.24 | 27.56 | (0.70, 100.00) | |
| | Memorial Medical Center of Modesto | 5 | 5 | 1 | 20.00 | 2.24 | 27.56 | (0.70, 100.00) | |
| Baladi, Naoum | Surgeon Overall | 168 | 135 | 4 | 2.96 | 4.29 | 2.14 | (0.58, 5.45) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|------------------------|---|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Baladi, Naoum | Seton Medical Center | 111 | 97 | 1 | 1.03 | 3.72 | 0.86 | (0.02, 4.76) | |
| | St. Mary's Medical Center, San Francisco | 57 | 38 | 3 | 7.89 | 5.73 | 4.26 | (0.87, 12.39) | |
| Baradaran, Sam | Surgeon Overall | 59 | 47 | 0 | 0.00 | 2.67 | 0.00 | (0.00, 9.05) | |
| | Sharp Memorial Hospital | 59 | 47 | 0 | 0.00 | 2.67 | 0.00 | (0.00, 9.05) | |
| Baumgartner, Fritz J. | Surgeon Overall | 2 | 2 | 0 | 0.00 | 3.00 | 0.00 | (0.00, 100.00) | |
| | Mercy Medical Center - Redding | 1 | 1 | 0 | 0.00 | 0.38 | 0.00 | (0.00, 100.00) | |
| | St. Vincent Medical Center | 1 | 1 | 0 | 0.00 | 5.62 | 0.00 | (0.00, 100.00) | |
| Becker, Ronald M. | Surgeon Overall | 153 | 131 | 5 | 3.82 | 2.91 | 4.05 | (1.31, 9.42) | |
| | Enloe Medical Center | 153 | 131 | 5 | 3.82 | 2.91 | 4.05 | (1.31, 9.42) | |
| Bethencourt, Daniel M. | Surgeon Overall | 374 | 286 | 11 | 3.85 | 2.19 | 5.43 | (2.70, 9.69) | |
| | Lakewood Regional Medical Center | 76 | 55 | 5 | 9.09 | 2.74 | 10.24 | (3.31, 23.82) | Worse |
| | Long Beach Memorial Medical Center | 298 | 231 | 6 | 2.60 | 2.06 | 3.91 | (1.43, 8.47) | |
| Beygui, Ramin E. | Surgeon Overall | 26 | 16 | 0 | 0.00 | 3.22 | 0.00 | (0.00, 22.07) | |
| | Santa Monica - UCLA Medical Center | 3 | 3 | 0 | 0.00 | 1.21 | 0.00 | (0.00, 100.00) | |
| | UCLA Medical Center | 23 | 13 | 0 | 0.00 | 3.68 | 0.00 | (0.00, 23.75) | |
| Birnbaum, Peter L. | Surgeon Overall | 298 | 239 | 6 | 2.51 | 3.28 | 2.37 | (0.87, 5.13) | |
| | Community Medical Center - Fresno | 133 | 113 | 5 | 4.42 | 4.37 | 3.13 | (1.01, 7.28) | |
| | Fresno Heart Hospital | 115 | 84 | 0 | 0.00 | 2.20 | 0.00 | (0.00, 6.15) | |
| | St. Agnes Medical Center | 50 | 42 | 1 | 2.38 | 2.52 | 2.92 | (0.07, 16.22) | |
| Blanche, Carlos E. | Surgeon Overall | 118 | 83 | 2 | 2.41 | 3.31 | 2.25 | (0.27, 8.09) | |
| | Cedars Sinai Medical Center | 118 | 83 | 2 | 2.41 | 3.31 | 2.25 | (0.27, 8.09) | |
| Bleiweis, Mark S. | Surgeon Overall | 144 | 105 | 2 | 1.90 | 2.66 | 2.22 | (0.27, 7.98) | |
| | Irvine Regional Hospital and Medical Center | 16 | 14 | 0 | 0.00 | 1.29 | 0.00 | (0.00, 62.88) | |
| | St. Joseph Hospital - Orange | 128 | 91 | 2 | 2.20 | 2.87 | 2.37 | (0.29, 8.53) | |
| Bogerty, Sharon | Surgeon Overall | 12 | 11 | 2 | 18.18 | 2.81 | 20.00 | (2.41, 71.99) | |
| | O'Connor Hospital | 11 | 10 | 2 | 20.00 | 2.59 | 23.85 | (2.88, 85.84) | |
| | San Jose Medical Center | 1 | 1 | 0 | 0.00 | 4.98 | 0.00 | (0.00, 100.00) | |
| Brewster, Scot A. | Surgeon Overall | 209 | 147 | 4 | 2.72 | 3.73 | 2.26 | (0.61, 5.76) | |
| | Scripps Memorial Hospital - La Jolla | 209 | 147 | 4 | 2.72 | 3.73 | 2.26 | (0.61, 5.76) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|---------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Bronstein, Merrill H. | Surgeon Overall | 142 | 124 | 5 | 4.03 | 3.42 | 3.64 | (1.18, 8.47) | |
| | Dominican Hospital | 142 | 124 | 5 | 4.03 | 3.42 | 3.64 | (1.18, 8.47) | |
| Brusett, Kent A. | Surgeon Overall | 38 | 28 | 2 | 7.14 | 3.11 | 7.11 | (0.86, 25.59) | |
| | Redding Medical Center | 38 | 28 | 2 | 7.14 | 3.11 | 7.11 | (0.86, 25.59) | |
| Buehler, Donald L. | Surgeon Overall | 243 | 160 | 4 | 2.50 | 3.56 | 2.17 | (0.59, 5.54) | |
| | Scripps Memorial Hospital - La Jolla | 243 | 160 | 4 | 2.50 | 3.56 | 2.17 | (0.59, 5.54) | |
| Burdon, Thomas A. | Surgeon Overall | 16 | 12 | 0 | 0.00 | 2.19 | 0.00 | (0.00, 43.16) | |
| | El Camino Hospital | 16 | 12 | 0 | 0.00 | 2.19 | 0.00 | (0.00, 43.16) | |
| Burgess, Nora L. | Surgeon Overall | 207 | 174 | 6 | 3.45 | 2.77 | 3.85 | (1.41, 8.35) | |
| | Kaiser Foundation Hospital (Geary San Francisco) | 207 | 174 | 6 | 3.45 | 2.77 | 3.85 | (1.41, 8.35) | |
| Bushnell, Lamar J. | Surgeon Overall | 161 | 144 | 2 | 1.39 | 2.38 | 1.81 | (0.22, 6.50) | |
| | Community Memorial Hospital of San Buenaventura | 161 | 144 | 2 | 1.39 | 2.38 | 1.81 | (0.22, 6.50) | |
| Cahill, Anne T. | Surgeon Overall | 141 | 127 | 10 | 7.87 | 4.14 | 5.88 | (2.81, 10.78) | |
| | Lakewood Regional Medical Center | 31 | 29 | 1 | 3.45 | 4.00 | 2.66 | (0.07, 14.78) | |
| | Long Beach Memorial Medical Center | 110 | 98 | 9 | 9.18 | 4.18 | 6.79 | (3.09, 12.85) | Worse |
| Cain, Brian S. | Surgeon Overall | 339 | 311 | 12 | 3.86 | 3.05 | 3.91 | (2.01, 6.81) | |
| | Alta Bates Summit Medical Center - Summit Campus | 339 | 311 | 12 | 3.86 | 3.05 | 3.91 | (2.01, 6.81) | |
| Calhoun, Royce F. | Surgeon Overall | 62 | 45 | 1 | 2.22 | 2.05 | 3.34 | (0.08, 18.56) | |
| | UC Davis Medical Center | 62 | 45 | 1 | 2.22 | 2.05 | 3.34 | (0.08, 18.56) | |
| Caminha, Sergio D. | Surgeon Overall | 273 | 235 | 7 | 2.98 | 4.29 | 2.15 | (0.86, 4.41) | |
| | Kaweah Delta Hospital | 273 | 235 | 7 | 2.98 | 4.29 | 2.15 | (0.86, 4.41) | |
| Canvasser, David A. | Surgeon Overall | 225 | 185 | 6 | 3.24 | 4.10 | 2.44 | (0.89, 5.30) | |
| | French Hospital Medical Center | 60 | 49 | 1 | 2.04 | 3.19 | 1.98 | (0.05, 10.97) | |
| | Marian Medical Center | 91 | 74 | 3 | 4.05 | 4.29 | 2.92 | (0.60, 8.50) | |
| | Sierra Vista Regional Medical Center | 74 | 62 | 2 | 3.23 | 4.59 | 2.17 | (0.26, 7.82) | |
| Capouya, Eli R. | Surgeon Overall | 242 | 202 | 7 | 3.47 | 3.09 | 3.47 | (1.39, 7.12) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 109 | 97 | 6 | 6.19 | 4.25 | 4.50 | (1.65, 9.76) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|---|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Capouya, Eli R. | Huntington Memorial Hospital | 46 | 36 | 0 | 0.00 | 1.75 | 0.00 | (0.00, 17.99) | |
| | Methodist Hospital of Southern California | 11 | 10 | 0 | 0.00 | 1.47 | 0.00 | (0.00, 77.38) | |
| | Providence St. Joseph Medical Center | 53 | 37 | 1 | 2.70 | 1.67 | 5.00 | (0.13, 27.78) | |
| | St. Vincent Medical Center | 23 | 22 | 0 | 0.00 | 3.29 | 0.00 | (0.00, 15.72) | |
| Castro, Luis J. | Surgeon Overall | 239 | 155 | 3 | 1.94 | 3.94 | 1.52 | (0.31, 4.42) | |
| | Sequoia Hospital | 239 | 155 | 3 | 1.94 | 3.94 | 1.52 | (0.31, 4.42) | |
| Cernilia, James J. | Surgeon Overall | 17 | 17 | 1 | 5.88 | 2.21 | 8.23 | (0.21, 45.68) | |
| | Downey Regional Medical Center | 17 | 17 | 1 | 5.88 | 2.21 | 8.23 | (0.21, 45.68) | |
| Chammas, Joseph H. | Surgeon Overall | 37 | 24 | 3 | 12.50 | 3.59 | 10.75 | (2.21, 31.31) | |
| | Sharp Memorial Hospital | 37 | 24 | 3 | 12.50 | 3.59 | 10.75 | (2.21, 31.31) | |
| Chaux, Aurelio | Surgeon Overall | 25 | 17 | 0 | 0.00 | 2.33 | 0.00 | (0.00, 28.69) | |
| | St. John's Hospital and Health Center | 25 | 17 | 0 | 0.00 | 2.33 | 0.00 | (0.00, 28.69) | |
| Chen, Raymond H. | Surgeon Overall | 60 | 60 | 1 | 1.67 | 1.87 | 2.75 | (0.07, 15.27) | |
| | Kaiser Foundation Hospital (Sunset Los Angeles) | 60 | 60 | 1 | 1.67 | 1.87 | 2.75 | (0.07, 15.27) | |
| Cheng, Wen | Surgeon Overall | 34 | 28 | 1 | 3.57 | 6.04 | 1.83 | (0.05, 10.15) | |
| | Cedars Sinai Medical Center | 34 | 28 | 1 | 3.57 | 6.04 | 1.83 | (0.05, 10.15) | |
| Cohen, Robbin G. | Surgeon Overall | 319 | 249 | 5 | 2.01 | 2.48 | 2.50 | (0.81, 5.82) | |
| | Citrus Valley Medical Center - IC Campus | 2 | 1 | 0 | 0.00 | 1.44 | 0.00 | (0.00, 100.00) | |
| | Huntington Memorial Hospital | 192 | 151 | 1 | 0.66 | 2.32 | 0.88 | (0.02, 4.90) | |
| | Los Angeles Co USC Medical Center | 8 | 6 | 0 | 0.00 | 1.23 | 0.00 | (0.00, 100.00) | |
| | Methodist Hospital of Southern California | 33 | 28 | 0 | 0.00 | 2.25 | 0.00 | (0.00, 18.03) | |
| | USC University Hospital | 84 | 63 | 4 | 6.35 | 3.21 | 6.09 | (1.66, 15.60) | |
| Cohen, Sheldon E. | Surgeon Overall | 44 | 43 | 1 | 2.33 | 3.37 | 2.13 | (0.05, 11.84) | |
| | Community Medical Center - Fresno | 41 | 40 | 1 | 2.50 | 3.55 | 2.18 | (0.05, 12.09) | |
| | St. Agnes Medical Center | 3 | 3 | 0 | 0.00 | 1.00 | 0.00 | (0.00, 100.00) | |
| Concepcion, Noel L. | Surgeon Overall | 262 | 210 | 4 | 1.90 | 1.95 | 3.02 | (0.82, 7.72) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | Performance Rating* |
|---------------------|---|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | |
| Concepcion, Noel L. | Doctors Medical Center - Modesto Campus | 250 | 198 | 4 | 2.02 | 1.92 | 3.26 (0.88, 8.31) | |
| | Memorial Medical Center of Modesto | 12 | 12 | 0 | 0.00 | 2.42 | 0.00 (0.00, 39.12) | |
| Connor, Ann R. | Surgeon Overall | 76 | 70 | 1 | 1.43 | 3.51 | 1.26 (0.03, 6.99) | |
| | Downey Regional Medical Center | 1 | 1 | 0 | 0.00 | 5.87 | 0.00 (0.00, 100.00) | |
| | Good Samaritan Hospital - Los Angeles | 12 | 12 | 0 | 0.00 | 1.91 | 0.00 (0.00, 49.68) | |
| | Long Beach Memorial Medical Center | 2 | 2 | 0 | 0.00 | 5.19 | 0.00 (0.00, 100.00) | |
| | White Memorial Medical Center | 61 | 55 | 1 | 1.82 | 3.75 | 1.50 (0.04, 8.31) | |
| Cukingnan, Ramon A. | Surgeon Overall | 216 | 146 | 4 | 2.74 | 4.05 | 2.09 (0.57, 5.33) | |
| | Little Company of Mary Hospital | 67 | 46 | 1 | 2.17 | 4.91 | 1.37 (0.03, 7.60) | |
| | St. Mary Medical Center | 3 | 2 | 0 | 0.00 | 1.42 | 0.00 (0.00, 100.00) | |
| | Torrance Memorial Medical Center | 146 | 98 | 3 | 3.06 | 3.70 | 2.56 (0.53, 7.44) | |
| Cunningham, Mark J. | Surgeon Overall | 174 | 136 | 9 | 6.62 | 3.98 | 5.13 (2.34, 9.72) | |
| | Citrus Valley Medical Center - IC Campus | 4 | 4 | 0 | 0.00 | 2.40 | 0.00 (0.00, 100.00) | |
| | Huntington Memorial Hospital | 27 | 24 | 0 | 0.00 | 1.61 | 0.00 (0.00, 29.49) | |
| | Los Angeles Co USC Medical Center | 33 | 27 | 0 | 0.00 | 2.10 | 0.00 (0.00, 20.02) | |
| | Methodist Hospital of Southern California | 3 | 3 | 1 | 33.33 | 15.04 | 6.85 (0.17, 38.03) | |
| | USC University Hospital | 83 | 56 | 7 | 12.50 | 5.26 | 7.32 (2.94, 15.08) | |
| | White Memorial Medical Center | 24 | 22 | 1 | 4.55 | 4.45 | 3.16 (0.08, 17.54) | |
| D'Amato, Thomas A. | Surgeon Overall | 75 | 63 | 1 | 1.59 | 1.91 | 2.57 (0.06, 14.29) | |
| | Tri - City Medical Center | 75 | 63 | 1 | 1.59 | 1.91 | 2.57 (0.06, 14.29) | |
| Daggett, Casey W. | Surgeon Overall | 31 | 25 | 0 | 0.00 | 2.84 | 0.00 (0.00, 15.99) | |
| | Los Angeles Co USC Medical Center | 3 | 3 | 0 | 0.00 | 1.74 | 0.00 (0.00, 100.00) | |
| | UC Davis Medical Center | 28 | 22 | 0 | 0.00 | 2.99 | 0.00 (0.00, 17.26) | |
| Daily, Pat O. | Surgeon Overall | 1 | 1 | 0 | 0.00 | 0.92 | 0.00 (0.00, 100.00) | |
| | Sharp Memorial Hospital | 1 | 1 | 0 | 0.00 | 0.92 | 0.00 (0.00, 100.00) | |
| Dajee, Himmet | Surgeon Overall | 152 | 140 | 1 | 0.71 | 3.36 | 0.66 (0.02, 3.65) | |
| | Fountain Valley Regional Hospital | 138 | 127 | 0 | 0.00 | 3.48 | 0.00 (0.00, 2.57) | Better |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|------------------------|---|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Dajee, Himmet | Saddleback Memorial Medical Center | 12 | 12 | 1 | 8.33 | 2.31 | 11.15 | (0.28, 61.90) | |
| | Western Medical Center - Santa Ana | 2 | 1 | 0 | 0.00 | 0.49 | 0.00 | (0.00, 100.00) | |
| Dandekar, Nandkumar V. | Surgeon Overall | 93 | 84 | 6 | 7.14 | 2.82 | 7.83 | (2.86, 16.98) | |
| | Citrus Valley Medical Center - IC Campus | 56 | 49 | 3 | 6.12 | 3.00 | 6.30 | (1.29, 18.35) | |
| | Garfield Medical Center | 29 | 27 | 2 | 7.41 | 2.21 | 10.38 | (1.25, 37.35) | |
| | Methodist Hospital of Southern California | 8 | 8 | 1 | 12.50 | 3.77 | 10.25 | (0.26, 56.91) | |
| | Surgeon Overall | 390 | 349 | 15 | 4.30 | 3.13 | 4.25 | (2.37, 6.98) | |
| Davtyan, Hakob G. | Riverside Community Hospital | 69 | 62 | 3 | 4.84 | 3.90 | 3.84 | (0.79, 11.18) | |
| | St. Bernardine Medical Center | 179 | 160 | 7 | 4.38 | 2.71 | 4.99 | (2.00, 10.25) | |
| | St. Mary Regional Medical Center | 142 | 127 | 5 | 3.94 | 3.28 | 3.71 | (1.20, 8.63) | |
| | Surgeon Overall | 218 | 184 | 2 | 1.09 | 4.27 | 0.79 | (0.09, 2.83) | Better |
| Declusin, Richard J. | St. John's Regional Medical Center | 218 | 184 | 2 | 1.09 | 4.27 | 0.79 | (0.09, 2.83) | Better |
| | Surgeon Overall | 213 | 187 | 2 | 1.07 | 3.84 | 0.86 | (0.10, 3.10) | |
| Deeik, Ramzi K. | Queen of the Valley Hospital | 213 | 187 | 2 | 1.07 | 3.84 | 0.86 | (0.10, 3.10) | |
| | Surgeon Overall | 510 | 368 | 5 | 1.36 | 1.80 | 2.33 | (0.75, 5.42) | |
| Dein, John R. | Mercy General Hospital | 459 | 327 | 4 | 1.22 | 1.71 | 2.21 | (0.60, 5.64) | |
| | Mercy San Juan Hospital | 51 | 41 | 1 | 2.44 | 2.51 | 3.00 | (0.08, 16.65) | |
| | Surgeon Overall | 221 | 200 | 4 | 2.00 | 1.67 | 3.70 | (1.01, 9.44) | |
| DelCampo, Carlos | Anaheim Memorial Medical Center | 1 | 1 | 0 | 0.00 | 3.36 | 0.00 | (0.00, 100.00) | |
| | St. Jude Medical Center | 130 | 115 | 2 | 1.74 | 1.73 | 3.10 | (0.37, 11.17) | |
| | Western Medical Center Hospital - Anaheim | 90 | 84 | 2 | 2.38 | 1.56 | 4.71 | (0.57, 16.94) | |
| | Surgeon Overall | 80 | 62 | 2 | 3.23 | 2.12 | 4.70 | (0.57, 16.93) | |
| Delaria, Giacomo A. | Scripps Green Hospital | 80 | 62 | 2 | 3.23 | 2.12 | 4.70 | (0.57, 16.93) | |
| | Surgeon Overall | 225 | 208 | 6 | 2.88 | 3.72 | 2.40 | (0.88, 5.20) | |
| Delrio, Michael J. | Riverside Community Hospital | 123 | 114 | 5 | 4.39 | 3.12 | 4.35 | (1.41, 10.12) | |
| | St. Bernardine Medical Center | 102 | 94 | 1 | 1.06 | 4.45 | 0.74 | (0.02, 4.10) | |
| | Surgeon Overall | 174 | 76 | 1 | 1.32 | 2.34 | 1.74 | (0.04, 9.63) | |
| Dembitsky, Walter P. | Sharp Memorial Hospital | 174 | 76 | 1 | 1.32 | 2.34 | 1.74 | (0.04, 9.63) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Derenoncourt, Frantz J. | Surgeon Overall | 83 | 77 | 1 | 1.30 | 2.70 | 1.49 | (0.04, 8.25) | |
| | Alvarado Hospital Medical Center | 35 | 35 | 0 | 0.00 | 1.90 | 0.00 | (0.00, 17.12) | |
| | Scripps Mercy Hospital | 4 | 4 | 0 | 0.00 | 1.35 | 0.00 | (0.00, 100.00) | |
| | Sharp Chula Vista Medical Center | 44 | 38 | 1 | 2.63 | 3.58 | 2.27 | (0.06, 12.60) | |
| Derrick, Marvin J. | Surgeon Overall | 548 | 451 | 18 | 3.99 | 3.02 | 4.08 | (2.41, 6.43) | |
| | Bakersfield Heart Hospital | 152 | 119 | 2 | 1.68 | 3.59 | 1.45 | (0.17, 5.21) | |
| | Bakersfield Memorial Hospital | 336 | 281 | 14 | 4.98 | 2.67 | 5.76 | (3.14, 9.64) | Worse |
| | San Joaquin Community Hospital | 60 | 51 | 2 | 3.92 | 3.62 | 3.35 | (0.40, 12.07) | |
| Dhar, Naveen | Surgeon Overall | 166 | 162 | 6 | 3.70 | 3.30 | 3.47 | (1.27, 7.52) | |
| | Anaheim Memorial Medical Center | 7 | 7 | 0 | 0.00 | 2.27 | 0.00 | (0.00, 71.36) | |
| | Fountain Valley Regional Hospital | 47 | 44 | 2 | 4.55 | 4.63 | 3.04 | (0.37, 10.93) | |
| | West Anaheim Medical Center | 7 | 7 | 0 | 0.00 | 4.22 | 0.00 | (0.00, 38.49) | |
| | Western Medical Center - Santa Ana | 2 | 2 | 0 | 0.00 | 0.70 | 0.00 | (0.00, 100.00) | |
| | Western Medical Center Hospital - Anaheim | 103 | 102 | 4 | 3.92 | 2.78 | 4.35 | (1.18, 11.10) | |
| Dharan, Murali | Surgeon Overall | 227 | 195 | 3 | 1.54 | 2.42 | 1.96 | (0.40, 5.71) | |
| | John Muir Medical Center | 69 | 56 | 1 | 1.79 | 2.03 | 2.72 | (0.07, 15.11) | |
| | Mt. Diablo Medical Center | 48 | 41 | 0 | 0.00 | 2.40 | 0.00 | (0.00, 11.57) | |
| | San Ramon Regional Medical Center | 110 | 98 | 2 | 2.04 | 2.66 | 2.37 | (0.29, 8.52) | |
| Dhillon, Jatinder S. | Surgeon Overall | 200 | 166 | 5 | 3.01 | 3.11 | 2.99 | (0.97, 6.96) | |
| | John Muir Medical Center | 33 | 26 | 0 | 0.00 | 2.36 | 0.00 | (0.00, 18.49) | |
| | Mt. Diablo Medical Center | 162 | 135 | 5 | 3.70 | 3.30 | 3.47 | (1.12, 8.08) | |
| | San Ramon Regional Medical Center | 5 | 5 | 0 | 0.00 | 1.93 | 0.00 | (0.00, 100.00) | |
| Dox, Hector A. | Surgeon Overall | 205 | 186 | 2 | 1.08 | 2.67 | 1.24 | (0.15, 4.48) | |
| | Salinas Valley Memorial Hospital | 205 | 186 | 2 | 1.08 | 2.67 | 1.24 | (0.15, 4.48) | |
| Durzinsky, Dennis S. | Surgeon Overall | 232 | 194 | 3 | 1.55 | 2.43 | 1.96 | (0.40, 5.72) | |
| | Alta Bates Summit Medical Center - Summit Campus | 232 | 194 | 3 | 1.55 | 2.43 | 1.96 | (0.40, 5.72) | |
| Edwards, Phyllis A. | Surgeon Overall | 72 | 65 | 11 | 16.92 | 4.34 | 12.06 | (6.00, 21.50) | Worse |
| | Kaweah Delta Hospital | 72 | 65 | 11 | 16.92 | 4.34 | 12.06 | (6.00, 21.50) | Worse |
| Ehrman, Walter J. | Surgeon Overall | 2 | 2 | 0 | 0.00 | 0.54 | 0.00 | (0.00, 100.00) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Ehrman, Walter J. | Desert Regional Medical Center | 2 | 2 | 0 | 0.00 | 0.54 | 0.00 | (0.00, 100.00) | |
| Ellertson, David G. | Surgeon Overall | 36 | 34 | 1 | 2.94 | 2.12 | 4.30 | (0.11, 23.85) | |
| | Doctors Medical Center - Modesto Campus | 5 | 5 | 0 | 0.00 | 3.05 | 0.00 | (0.00, 74.46) | |
| | Memorial Medical Center of Modesto | 31 | 29 | 1 | 3.45 | 1.96 | 5.45 | (0.14, 30.27) | |
| Ellis, Robert J. | Surgeon Overall | 114 | 90 | 4 | 4.44 | 3.68 | 3.73 | (1.01, 9.52) | |
| | California Pacific Medical Center - Pacific Campus | 4 | 4 | 0 | 0.00 | 2.44 | 0.00 | (0.00, 100.00) | |
| | Marin General Hospital | 48 | 40 | 2 | 5.00 | 3.32 | 4.66 | (0.56, 16.78) | |
| | St. Mary's Medical Center, San Francisco | 62 | 46 | 2 | 4.35 | 4.11 | 3.27 | (0.39, 11.77) | |
| Ennix, Coyness L. | Surgeon Overall | 164 | 136 | 6 | 4.41 | 2.85 | 4.78 | (1.75, 10.36) | |
| | Alta Bates Summit Medical Center - Summit Campus | 163 | 135 | 6 | 4.44 | 2.87 | 4.79 | (1.75, 10.38) | |
| | Doctors Medical Center - San Pablo Campus | 1 | 1 | 0 | 0.00 | 0.69 | 0.00 | (0.00, 100.00) | |
| Esmailian, Fardad | Surgeon Overall | 173 | 129 | 5 | 3.88 | 2.59 | 4.62 | (1.50, 10.75) | |
| | Santa Monica - UCLA Medical Center | 32 | 30 | 1 | 3.33 | 2.74 | 3.76 | (0.09, 20.85) | |
| | UCLA Medical Center | 141 | 99 | 4 | 4.04 | 2.54 | 4.91 | (1.33, 12.52) | |
| Estioko, Manuel R. | Surgeon Overall | 230 | 199 | 7 | 3.52 | 4.28 | 2.54 | (1.02, 5.22) | |
| | Good Samaritan Hospital - Los Angeles | 225 | 194 | 7 | 3.61 | 4.34 | 2.57 | (1.03, 5.28) | |
| | St. John's Hospital and Health Center | 2 | 2 | 0 | 0.00 | 1.48 | 0.00 | (0.00, 100.00) | |
| | St. Vincent Medical Center | 3 | 3 | 0 | 0.00 | 2.45 | 0.00 | (0.00, 100.00) | |
| Eugene, John | Surgeon Overall | 85 | 81 | 1 | 1.23 | 2.71 | 1.41 | (0.04, 7.83) | |
| | Anaheim Memorial Medical Center | 8 | 8 | 0 | 0.00 | 2.50 | 0.00 | (0.00, 56.76) | |
| | Little Company of Mary Hospital | 9 | 7 | 0 | 0.00 | 6.91 | 0.00 | (0.00, 23.48) | |
| | Torrance Memorial Medical Center | 1 | 1 | 0 | 0.00 | 0.87 | 0.00 | (0.00, 100.00) | |
| | West Anaheim Medical Center | 2 | 2 | 0 | 0.00 | 0.76 | 0.00 | (0.00, 100.00) | |
| | Western Medical Center - Santa Ana | 1 | 1 | 0 | 0.00 | 4.99 | 0.00 | (0.00, 100.00) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | Performance Rating* |
|----------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | |
| Eugene, John | Western Medical Center Hospital - Anaheim | 64 | 62 | 1 | 1.61 | 2.31 | 2.16 (0.05, 11.97) | |
| Faber, Luke A. | Surgeon Overall | 172 | 133 | 2 | 1.50 | 3.36 | 1.38 (0.17, 4.98) | |
| | French Hospital Medical Center | 58 | 42 | 1 | 2.38 | 3.00 | 2.45 (0.06, 13.62) | |
| | Marian Medical Center | 38 | 28 | 0 | 0.00 | 2.82 | 0.00 (0.00, 14.38) | |
| | Sierra Vista Regional Medical Center | 76 | 63 | 1 | 1.59 | 3.84 | 1.28 (0.03, 7.09) | |
| Fann, James I. | Surgeon Overall | 11 | 10 | 0 | 0.00 | 1.79 | 0.00 (0.00, 63.59) | |
| | El Camino Hospital | 11 | 10 | 0 | 0.00 | 1.79 | 0.00 (0.00, 63.59) | |
| Fee, Henry J. | Surgeon Overall | 189 | 164 | 8 | 4.88 | 2.62 | 5.75 (2.47, 11.29) | |
| | Good Samaritan Hospital - San Jose | 125 | 109 | 5 | 4.59 | 2.49 | 5.70 (1.84, 13.25) | |
| | O'Connor Hospital | 55 | 48 | 3 | 6.25 | 2.67 | 7.23 (1.49, 21.06) | |
| | San Jose Medical Center | 9 | 7 | 0 | 0.00 | 4.37 | 0.00 (0.00, 37.12) | |
| Felahy, Isam | Surgeon Overall | 142 | 128 | 7 | 5.47 | 2.90 | 5.82 (2.33, 11.96) | |
| | Dameron Hospital | 14 | 14 | 2 | 14.29 | 4.49 | 9.84 (1.19, 35.42) | |
| | St. Joseph's Medical Center of Stockton | 128 | 114 | 5 | 4.39 | 2.71 | 5.01 (1.62, 11.64) | |
| Fishman, Noel H. | Surgeon Overall | 70 | 65 | 0 | 0.00 | 3.43 | 0.00 (0.00, 5.09) | |
| | Dominican Hospital | 70 | 65 | 0 | 0.00 | 3.43 | 0.00 (0.00, 5.09) | |
| Flachsbart, Keith D. | Surgeon Overall | 110 | 76 | 3 | 3.95 | 2.08 | 5.88 (1.21, 17.12) | |
| | Kaiser Foundation Hospital (Geary San Francisco) | 110 | 76 | 3 | 3.95 | 2.08 | 5.88 (1.21, 17.12) | |
| Folkerth, Theodore L. | Surgeon Overall | 186 | 150 | 5 | 3.33 | 2.31 | 4.46 (1.44, 10.37) | |
| | Tri - City Medical Center | 186 | 150 | 5 | 3.33 | 2.31 | 4.46 (1.44, 10.37) | |
| Follette, David M. | Surgeon Overall | 75 | 63 | 1 | 1.59 | 2.20 | 2.23 (0.06, 12.40) | |
| | UC Davis Medical Center | 75 | 63 | 1 | 1.59 | 2.20 | 2.23 (0.06, 12.40) | |
| Fontana, Gregory P. | Surgeon Overall | 78 | 55 | 2 | 3.64 | 2.49 | 4.52 (0.54, 16.25) | |
| | Brotman Medical Center | 1 | 1 | 0 | 0.00 | 3.20 | 0.00 (0.00, 100.00) | |
| | Cedars Sinai Medical Center | 77 | 54 | 2 | 3.70 | 2.48 | 4.62 (0.56, 16.64) | |
| Freyaldenhoven, Stephen J. | Surgeon Overall | 143 | 122 | 3 | 2.46 | 2.50 | 3.04 (0.62, 8.86) | |
| | French Hospital Medical Center | 26 | 16 | 0 | 0.00 | 2.32 | 0.00 (0.00, 30.62) | |
| | Marian Medical Center | 79 | 74 | 3 | 4.05 | 2.25 | 5.57 (1.14, 16.21) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|----------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Freyaldenhoven, Stephen J. | Sierra Vista Regional Medical Center | 38 | 32 | 0 | 0.00 | 3.16 | 0.00 | (0.00, 11.22) | |
| Fung, Lit K. | Surgeon Overall | 379 | 276 | 16 | 5.80 | 3.36 | 5.34 | (3.04, 8.64) | |
| | Doctors Medical Center - Modesto Campus | 40 | 32 | 2 | 6.25 | 3.25 | 5.94 | (0.72, 21.37) | |
| | Memorial Medical Center of Modesto | 339 | 244 | 14 | 5.74 | 3.37 | 5.26 | (2.87, 8.79) | |
| Garcia, Carlos E. | Surgeon Overall | 2 | 2 | 0 | 0.00 | 1.58 | 0.00 | (0.00, 100.00) | |
| | St. Joseph's Medical Center of Stockton | 2 | 2 | 0 | 0.00 | 1.58 | 0.00 | (0.00, 100.00) | |
| Gates, Richard N. | Surgeon Overall | 129 | 93 | 1 | 1.08 | 2.78 | 1.20 | (0.03, 6.64) | |
| | Mission Hospital Regional Medical Center | 10 | 1 | 0 | 0.00 | 2.57 | 0.00 | (0.00, 100.00) | |
| | Saddleback Memorial Medical Center | 5 | 0 | . | . | . | . | . | Not Applicable |
| | St. Joseph Hospital - Orange | 114 | 92 | 1 | 1.09 | 2.78 | 1.21 | (0.03, 6.70) | |
| Gaudiani, Vincent A. | Surgeon Overall | 184 | 71 | 2 | 2.82 | 3.09 | 2.81 | (0.34, 10.13) | |
| | Sequoia Hospital | 184 | 71 | 2 | 2.82 | 3.09 | 2.81 | (0.34, 10.13) | |
| Gharavi, Mohammad A. | Surgeon Overall | 436 | 351 | 15 | 4.27 | 3.46 | 3.82 | (2.13, 6.28) | |
| | Encino Tarzana Regional Medical Center | 198 | 159 | 5 | 3.14 | 3.35 | 2.90 | (0.94, 6.75) | |
| | Los Robles Regional Medical Center | 181 | 142 | 9 | 6.34 | 4.11 | 4.77 | (2.17, 9.03) | |
| | West Hills Regional Medical Center | 57 | 50 | 1 | 2.00 | 1.96 | 3.15 | (0.08, 17.51) | |
| Gheissari, Ali | Surgeon Overall | 218 | 163 | 6 | 3.68 | 2.63 | 4.33 | (1.58, 9.40) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 38 | 28 | 1 | 3.57 | 2.67 | 4.13 | (0.10, 22.92) | |
| | Huntington Memorial Hospital | 31 | 19 | 1 | 5.26 | 3.74 | 4.35 | (0.11, 24.13) | |
| | Methodist Hospital of Southern California | 20 | 17 | 1 | 5.88 | 2.58 | 7.04 | (0.18, 39.09) | |
| | Providence St. Joseph Medical Center | 65 | 46 | 2 | 4.35 | 1.26 | 10.63 | (1.28, 38.25) | |
| | St. Vincent Medical Center | 64 | 53 | 1 | 1.89 | 3.40 | 1.72 | (0.04, 9.53) | |
| Gibson, Christopher F. | Surgeon Overall | 489 | 433 | 12 | 2.77 | 3.96 | 2.16 | (1.11, 3.76) | |
| | Riverside Community Hospital | 106 | 90 | 3 | 3.33 | 4.26 | 2.42 | (0.50, 7.04) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Gibson, Christopher F. | St. Bernardine Medical Center | 245 | 219 | 5 | 2.28 | 3.68 | 1.92 | (0.62, 4.45) | |
| | St. Mary Regional Medical Center | 138 | 124 | 4 | 3.23 | 4.24 | 2.35 | (0.64, 6.00) | |
| Giritsky, Alexander S. | Surgeon Overall | 153 | 126 | 0 | 0.00 | 3.47 | 0.00 | (0.00, 2.60) | Better |
| | Scripps Memorial Hospital - La Jolla | 153 | 126 | 0 | 0.00 | 3.47 | 0.00 | (0.00, 2.60) | Better |
| Gottner, Robert J. | Surgeon Overall | 148 | 134 | 1 | 0.75 | 2.51 | 0.92 | (0.02, 5.09) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 14 | 14 | 0 | 0.00 | 2.23 | 0.00 | (0.00, 36.44) | |
| | Huntington Memorial Hospital | 12 | 10 | 0 | 0.00 | 5.18 | 0.00 | (0.00, 21.93) | |
| | Methodist Hospital of Southern California | 90 | 83 | 1 | 1.20 | 2.24 | 1.66 | (0.04, 9.21) | |
| | Providence St. Joseph Medical Center | 22 | 18 | 0 | 0.00 | 1.80 | 0.00 | (0.00, 35.13) | |
| | St. Vincent Medical Center | 10 | 9 | 0 | 0.00 | 3.93 | 0.00 | (0.00, 32.11) | |
| Gregory, Richard D. | Surgeon Overall | 441 | 386 | 10 | 2.59 | 2.74 | 2.93 | (1.40, 5.36) | |
| | Community Medical Center - Fresno | 220 | 195 | 7 | 3.59 | 2.73 | 4.07 | (1.63, 8.35) | |
| | Dominican Hospital | 1 | 1 | 0 | 0.00 | 0.61 | 0.00 | (0.00, 100.00) | |
| | Fresno Heart Hospital | 174 | 147 | 3 | 2.04 | 2.47 | 2.55 | (0.52, 7.43) | |
| | St. Agnes Medical Center | 46 | 43 | 0 | 0.00 | 3.71 | 0.00 | (0.00, 7.13) | |
| Griffith, Patrick K. | Surgeon Overall | 175 | 154 | 2 | 1.30 | 2.86 | 1.40 | (0.17, 5.05) | |
| | Rideout Memorial Hospital | 175 | 154 | 2 | 1.30 | 2.86 | 1.40 | (0.17, 5.05) | |
| Gundry, Steven R. | Surgeon Overall | 54 | 38 | 2 | 5.26 | 4.22 | 3.86 | (0.47, 13.88) | |
| | Desert Regional Medical Center | 54 | 38 | 2 | 5.26 | 4.22 | 3.86 | (0.47, 13.88) | |
| Gunupati, Venkata C. | Surgeon Overall | 1 | 1 | 0 | 0.00 | 0.71 | 0.00 | (0.00, 100.00) | |
| | Citrus Valley Medical Center - IC Campus | 1 | 1 | 0 | 0.00 | 0.71 | 0.00 | (0.00, 100.00) | |
| Habibipour, Saied | Surgeon Overall | 66 | 58 | 2 | 3.45 | 2.25 | 4.74 | (0.57, 17.06) | |
| | Desert Regional Medical Center | 66 | 58 | 2 | 3.45 | 2.25 | 4.74 | (0.57, 17.06) | |
| Hall, James D. | Surgeon Overall | 205 | 167 | 3 | 1.80 | 3.47 | 1.60 | (0.33, 4.66) | |
| | Little Company of Mary Hospital | 91 | 74 | 2 | 2.70 | 3.45 | 2.42 | (0.29, 8.72) | |
| | St. Mary Medical Center | 5 | 4 | 0 | 0.00 | 2.59 | 0.00 | (0.00, 100.00) | |
| | Torrance Memorial Medical Center | 109 | 89 | 1 | 1.12 | 3.52 | 0.99 | (0.02, 5.48) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Hanna, Elias S. | Surgeon Overall | 31 | 18 | 1 | 5.56 | 3.47 | 4.95 | (0.12, 27.45) | |
| | California Pacific Medical Center - Pacific Campus | 7 | 3 | 1 | 33.33 | 10.42 | 9.89 | (0.25, 54.92) | |
| | Marin General Hospital | 10 | 8 | 0 | 0.00 | 2.52 | 0.00 | (0.00, 56.29) | |
| | Salinas Valley Memorial Hospital | 5 | 3 | 0 | 0.00 | 1.04 | 0.00 | (0.00, 100.00) | |
| | St. Mary's Medical Center, San Francisco | 9 | 4 | 0 | 0.00 | 1.99 | 0.00 | (0.00, 100.00) | |
| Harmon, Adam L. | Surgeon Overall | 230 | 200 | 3 | 1.50 | 3.13 | 1.48 | (0.30, 4.32) | |
| | Washington Hospital - Fremont | 230 | 200 | 3 | 1.50 | 3.13 | 1.48 | (0.30, 4.32) | |
| Hasaniya, Nahidh W. | Surgeon Overall | 23 | 22 | 0 | 0.00 | 2.02 | 0.00 | (0.00, 25.52) | |
| | Loma Linda University Medical Center | 21 | 20 | 0 | 0.00 | 2.07 | 0.00 | (0.00, 27.43) | |
| | Riverside Community Hospital | 2 | 2 | 0 | 0.00 | 1.55 | 0.00 | (0.00, 100.00) | |
| Hemp, James R. | Surgeon Overall | 77 | 55 | 3 | 5.45 | 3.23 | 5.23 | (1.07, 15.22) | |
| | Mercy Medical Center - Redding | 1 | 1 | 0 | 0.00 | 0.90 | 0.00 | (0.00, 100.00) | |
| | Scripps Green Hospital | 16 | 14 | 0 | 0.00 | 2.74 | 0.00 | (0.00, 29.61) | |
| | Scripps Mercy Hospital | 60 | 40 | 3 | 7.50 | 3.45 | 6.71 | (1.38, 19.55) | |
| Hernandez, Jose G. | Surgeon Overall | 154 | 144 | 5 | 3.47 | 4.17 | 2.58 | (0.83, 5.99) | |
| | Sharp Chula Vista Medical Center | 154 | 144 | 5 | 3.47 | 4.17 | 2.58 | (0.83, 5.99) | |
| Hill, Arthur C. | Surgeon Overall | 89 | 80 | 0 | 0.00 | 2.92 | 0.00 | (0.00, 4.87) | |
| | California Pacific Medical Center - Pacific Campus | 3 | 2 | 0 | 0.00 | 3.43 | 0.00 | (0.00, 100.00) | |
| | UCSF Medical Center | 86 | 78 | 0 | 0.00 | 2.90 | 0.00 | (0.00, 5.02) | |
| Hood, James S. | Surgeon Overall | 293 | 229 | 7 | 3.06 | 2.59 | 3.65 | (1.46, 7.50) | |
| | Kaiser Foundation Hospital (Geary San Francisco) | 293 | 229 | 7 | 3.06 | 2.59 | 3.65 | (1.46, 7.50) | |
| Hoopes, Charles W. | Surgeon Overall | 59 | 53 | 9 | 16.98 | 6.12 | 8.58 | (3.91, 16.23) | Worse |
| | UCSF Medical Center | 59 | 53 | 9 | 16.98 | 6.12 | 8.58 | (3.91, 16.23) | Worse |
| Housman, Leland B. | Surgeon Overall | 169 | 140 | 9 | 6.43 | 2.46 | 8.05 | (3.68, 15.28) | Worse |
| | Scripps Green Hospital | 127 | 106 | 6 | 5.66 | 2.28 | 7.66 | (2.81, 16.67) | |
| | Scripps Mercy Hospital | 42 | 34 | 3 | 8.82 | 2.99 | 9.12 | (1.87, 26.55) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Howden, Frederick M. | Surgeon Overall | 142 | 119 | 6 | 5.04 | 2.58 | 6.04 | (2.21, 13.11) | |
| | Alvarado Hospital Medical Center | 133 | 112 | 6 | 5.36 | 2.66 | 6.23 | (2.28, 13.52) | |
| | Palomar Medical Center | 1 | 1 | 0 | 0.00 | 1.72 | 0.00 | (0.00, 100.00) | |
| | Sharp Grossmont Hospital | 8 | 6 | 0 | 0.00 | 1.27 | 0.00 | (0.00, 100.00) | |
| Huang, Mark W. | Surgeon Overall | 22 | 19 | 0 | 0.00 | 6.96 | 0.00 | (0.00, 8.60) | |
| | Sharp Chula Vista Medical Center | 21 | 18 | 0 | 0.00 | 6.87 | 0.00 | (0.00, 9.19) | |
| | Sharp Grossmont Hospital | 1 | 1 | 0 | 0.00 | 8.55 | 0.00 | (0.00, 100.00) | |
| Huang, Ming-Lu | Surgeon Overall | 417 | 361 | 9 | 2.49 | 3.31 | 2.33 | (1.06, 4.41) | |
| | Citrus Valley Medical Center - IC Campus | 176 | 157 | 5 | 3.18 | 3.01 | 3.28 | (1.06, 7.62) | |
| | Garfield Medical Center | 188 | 155 | 2 | 1.29 | 3.85 | 1.04 | (0.12, 3.73) | |
| | Methodist Hospital of Southern California | 45 | 43 | 2 | 4.65 | 2.63 | 5.47 | (0.66, 19.67) | |
| | USC University Hospital | 8 | 6 | 0 | 0.00 | 1.84 | 0.00 | (0.00, 100.00) | |
| Hurwitz, Andrew S. | Surgeon Overall | 166 | 141 | 9 | 6.38 | 4.11 | 4.80 | (2.19, 9.08) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 2 | 2 | 0 | 0.00 | 2.74 | 0.00 | (0.00, 100.00) | |
| | Glendale Memorial Hospital and Health Center | 164 | 139 | 9 | 6.47 | 4.13 | 4.84 | (2.21, 9.16) | |
| Husain, Syed A. | Surgeon Overall | 171 | 151 | 4 | 2.65 | 2.55 | 3.21 | (0.87, 8.18) | |
| | Irvine Regional Hospital and Medical Center | 5 | 4 | 0 | 0.00 | 1.64 | 0.00 | (0.00, 100.00) | |
| | Mission Hospital Regional Medical Center | 113 | 99 | 2 | 2.02 | 2.57 | 2.43 | (0.29, 8.75) | |
| | Saddleback Memorial Medical Center | 47 | 42 | 2 | 4.76 | 2.75 | 5.35 | (0.65, 19.24) | |
| | St. Joseph Hospital - Orange | 6 | 6 | 0 | 0.00 | 1.55 | 0.00 | (0.00, 100.00) | |
| Huse, Wilfred M. | Surgeon Overall | 31 | 28 | 0 | 0.00 | 2.46 | 0.00 | (0.00, 16.48) | |
| | St. Helena Hospital | 31 | 28 | 0 | 0.00 | 2.46 | 0.00 | (0.00, 16.48) | |
| Ihnken, Kai A. | Surgeon Overall | 5 | 5 | 0 | 0.00 | 2.21 | 0.00 | (0.00, 100.00) | |
| | UCSD Medical Center - La Jolla | 2 | 2 | 0 | 0.00 | 2.53 | 0.00 | (0.00, 100.00) | |
| | UCSD Medical Center | 3 | 3 | 0 | 0.00 | 1.99 | 0.00 | (0.00, 100.00) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Ingram, Michael T. | Surgeon Overall | 422 | 304 | 8 | 2.63 | 2.73 | 2.98 | (1.28, 5.85) | |
| | Sutter Memorial Hospital | 422 | 304 | 8 | 2.63 | 2.73 | 2.98 | (1.28, 5.85) | |
| Iverson, Leigh I. | Surgeon Overall | 134 | 118 | 6 | 5.08 | 2.77 | 5.67 | (2.07, 12.30) | |
| | Alta Bates Summit Medical Center - Summit Campus | 101 | 89 | 5 | 5.62 | 2.69 | 6.45 | (2.09, 15.00) | |
| | Doctors Medical Center - San Pablo Campus | 33 | 29 | 1 | 3.45 | 3.01 | 3.54 | (0.09, 19.65) | |
| Iyengar, Sridhara K. | Surgeon Overall | 100 | 85 | 2 | 2.35 | 5.66 | 1.29 | (0.16, 4.63) | |
| | Fountain Valley Regional Hospital | 83 | 70 | 1 | 1.43 | 5.68 | 0.78 | (0.02, 4.31) | |
| | Saddleback Memorial Medical Center | 5 | 4 | 0 | 0.00 | 4.30 | 0.00 | (0.00, 66.07) | |
| | Western Medical Center - Santa Ana | 1 | 1 | 0 | 0.00 | 7.94 | 0.00 | (0.00, 100.00) | |
| | Western Medical Center Hospital - Anaheim | 11 | 10 | 1 | 10.00 | 5.77 | 5.35 | (0.14, 29.72) | |
| Jacobson, John G. | Surgeon Overall | 207 | 183 | 9 | 4.92 | 3.62 | 4.20 | (1.91, 7.94) | |
| | St. Helena Hospital | 207 | 183 | 9 | 4.92 | 3.62 | 4.20 | (1.91, 7.94) | |
| Jain, Sarika | Surgeon Overall | 157 | 145 | 2 | 1.38 | 3.73 | 1.14 | (0.14, 4.12) | |
| | Pomona Valley Hospital Medical Center | 157 | 145 | 2 | 1.38 | 3.73 | 1.14 | (0.14, 4.12) | |
| Jamieson, Stuart W. | Surgeon Overall | 26 | 9 | 0 | 0.00 | 1.24 | 0.00 | (0.00, 100.00) | |
| | UCSD Medical Center - La Jolla | 26 | 9 | 0 | 0.00 | 1.24 | 0.00 | (0.00, 100.00) | |
| Joyo, Colin I. | Surgeon Overall | 202 | 170 | 3 | 1.76 | 4.12 | 1.32 | (0.27, 3.86) | |
| | Hoag Memorial Hospital Presbyterian | 202 | 170 | 3 | 1.76 | 4.12 | 1.32 | (0.27, 3.86) | |
| Kallin, Kristopher | Surgeon Overall | 34 | 25 | 0 | 0.00 | 1.82 | 0.00 | (0.00, 24.94) | |
| | Mission Hospital Regional Medical Center | 2 | 0 | . | . | . | . | | Not Applicable |
| | Saddleback Memorial Medical Center | 17 | 10 | 0 | 0.00 | 2.18 | 0.00 | (0.00, 52.22) | |
| | St. Joseph Hospital - Orange | 15 | 15 | 0 | 0.00 | 1.59 | 0.00 | (0.00, 47.75) | |
| Kapelanski, David P. | Surgeon Overall | 11 | 5 | 0 | 0.00 | 1.51 | 0.00 | (0.00, 100.00) | |
| | UCSD Medical Center - La Jolla | 6 | 1 | 0 | 0.00 | 2.13 | 0.00 | (0.00, 100.00) | |
| | UCSD Medical Center | 5 | 4 | 0 | 0.00 | 1.35 | 0.00 | (0.00, 100.00) | |
| Kaplon, Richard J. | Surgeon Overall | 529 | 437 | 9 | 2.06 | 1.89 | 3.36 | (1.53, 6.36) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Kaplon, Richard J. | Mercy General Hospital | 478 | 390 | 6 | 1.54 | 1.95 | 2.44 | (0.89, 5.28) | |
| | Mercy San Juan Hospital | 51 | 47 | 3 | 6.38 | 1.42 | 13.93 | (2.86, 40.57) | |
| Kass, Robert M. | Surgeon Overall | 127 | 84 | 3 | 3.57 | 2.15 | 5.12 | (1.05, 14.92) | |
| | Brotman Medical Center | 6 | 3 | 0 | 0.00 | 1.70 | 0.00 | (0.00, 100.00) | |
| | Cedars Sinai Medical Center | 121 | 81 | 3 | 3.70 | 2.17 | 5.27 | (1.08, 15.35) | |
| Kato, Norman S. | Surgeon Overall | 3 | 3 | 0 | 0.00 | 0.72 | 0.00 | (0.00, 100.00) | |
| | West Hills Regional Medical Center | 3 | 3 | 0 | 0.00 | 0.72 | 0.00 | (0.00, 100.00) | |
| Kay, Gregory L. | Surgeon Overall | 247 | 153 | 4 | 2.61 | 4.31 | 1.87 | (0.51, 4.78) | |
| | Good Samaritan Hospital - Los Angeles | 247 | 153 | 4 | 2.61 | 4.31 | 1.87 | (0.51, 4.78) | |
| Khan, Aziz A. | Surgeon Overall | 65 | 63 | 7 | 11.11 | 4.62 | 7.43 | (2.98, 15.25) | |
| | Beverly Hospital | 57 | 55 | 7 | 12.73 | 5.07 | 7.76 | (3.11, 15.92) | Worse |
| | Presbyterian Intercommunity Hospital | 8 | 8 | 0 | 0.00 | 1.53 | 0.00 | (0.00, 92.83) | |
| Khan, Junaid H. | Surgeon Overall | 200 | 175 | 6 | 3.43 | 3.62 | 2.93 | (1.07, 6.35) | |
| | Alta Bates Summit Medical Center - Summit Campus | 148 | 129 | 4 | 3.10 | 3.82 | 2.51 | (0.68, 6.40) | |
| | Doctors Medical Center - San Pablo Campus | 52 | 46 | 2 | 4.35 | 3.04 | 4.42 | (0.53, 15.92) | |
| Khonsari, Siavosh | Surgeon Overall | 25 | 7 | 1 | 14.29 | 10.62 | 4.16 | (0.10, 23.09) | |
| | Kaiser Foundation Hospital (Sunset Los Angeles) | 25 | 7 | 1 | 14.29 | 10.62 | 4.16 | (0.10, 23.09) | |
| Kincade, Robert C. | Surgeon Overall | 193 | 165 | 10 | 6.06 | 2.79 | 6.70 | (3.21, 12.30) | Worse |
| | Sutter Memorial Hospital | 193 | 165 | 10 | 6.06 | 2.79 | 6.70 | (3.21, 12.30) | Worse |
| Klingman, Robert R. | Surgeon Overall | 167 | 152 | 5 | 3.29 | 4.04 | 2.51 | (0.81, 5.85) | |
| | Queen of the Valley Hospital | 167 | 152 | 5 | 3.29 | 4.04 | 2.51 | (0.81, 5.85) | |
| Kochamba, Gary S. | Surgeon Overall | 745 | 689 | 23 | 3.34 | 2.91 | 3.54 | (2.24, 5.29) | |
| | Kaiser Foundation Hospital (Sunset Los Angeles) | 745 | 689 | 23 | 3.34 | 2.91 | 3.54 | (2.24, 5.29) | |
| Korver, Keith F. | Surgeon Overall | 287 | 214 | 0 | 0.00 | 1.62 | 0.00 | (0.00, 3.29) | |
| | California Pacific Medical Center - Pacific Campus | 4 | 4 | 0 | 0.00 | 0.91 | 0.00 | (0.00, 100.00) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|--|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Korver, Keith F. | Sequoia Hospital | 1 | 0 | . | . | . | . | | Not Applicable |
| | Sutter Medical Center of Santa Rosa | 282 | 210 | 0 | 0.00 | 1.63 | 0.00 (0.00, 3.32) | | |
| Koumjian, Michael P. | Surgeon Overall | 306 | 269 | 8 | 2.97 | 3.11 | 2.95 (1.27, 5.80) | | |
| | Alvarado Hospital Medical Center | 4 | 2 | 0 | 0.00 | 7.96 | 0.00 (0.00, 71.39) | | |
| | Scripps Mercy Hospital | 2 | 2 | 0 | 0.00 | 0.58 | 0.00 (0.00, 100.00) | | |
| | Sharp Chula Vista Medical Center | 35 | 29 | 1 | 3.45 | 2.00 | 5.33 (0.13, 29.57) | | |
| | Sharp Grossmont Hospital | 265 | 236 | 7 | 2.97 | 3.23 | 2.84 (1.14, 5.83) | | |
| Kriett, Jolene M. | Surgeon Overall | 16 | 8 | 0 | 0.00 | 1.17 | 0.00 (0.00, 100.00) | | |
| | UCSD Medical Center - La Jolla | 7 | 4 | 0 | 0.00 | 1.67 | 0.00 (0.00, 100.00) | | |
| | UCSD Medical Center | 9 | 4 | 0 | 0.00 | 0.68 | 0.00 (0.00, 100.00) | | |
| Labourene, Jay I. | Surgeon Overall | 168 | 116 | 2 | 1.72 | 2.37 | 2.25 (0.27, 8.10) | | |
| | Kaiser Foundation Hospital (Geary San Francisco) | 168 | 116 | 2 | 1.72 | 2.37 | 2.25 (0.27, 8.10) | | |
| Laks, Hillel | Surgeon Overall | 136 | 63 | 1 | 1.59 | 2.07 | 2.37 (0.06, 13.15) | | |
| | UCLA Medical Center | 136 | 63 | 1 | 1.59 | 2.07 | 2.37 (0.06, 13.15) | | |
| Lapunzina, Paul M. | Surgeon Overall | 272 | 201 | 6 | 2.99 | 1.97 | 4.67 (1.71, 10.14) | | |
| | Kaiser Foundation Hospital (Geary San Francisco) | 272 | 201 | 6 | 2.99 | 1.97 | 4.67 (1.71, 10.14) | | |
| Laughlin, Lawrence L. | Surgeon Overall | 89 | 80 | 0 | 0.00 | 3.20 | 0.00 (0.00, 4.43) | | |
| | Citrus Valley Medical Center - IC Campus | 67 | 58 | 0 | 0.00 | 2.53 | 0.00 (0.00, 7.76) | | |
| | Garfield Medical Center | 10 | 10 | 0 | 0.00 | 3.63 | 0.00 (0.00, 31.27) | | |
| | Methodist Hospital of Southern California | 12 | 12 | 0 | 0.00 | 6.13 | 0.00 (0.00, 15.45) | | |
| Lawrence, John M. | Surgeon Overall | 71 | 65 | 3 | 4.62 | 2.60 | 5.50 (1.13, 16.00) | | |
| | Lakewood Regional Medical Center | 59 | 55 | 2 | 3.64 | 2.04 | 5.51 (0.66, 19.83) | | |
| | Long Beach Memorial Medical Center | 12 | 10 | 1 | 10.00 | 5.65 | 5.47 (0.14, 30.37) | | |
| Lee, Anthony W. | Surgeon Overall | 250 | 238 | 8 | 3.36 | 2.55 | 4.08 (1.76, 8.01) | | |
| | Downey Regional Medical Center | 64 | 64 | 2 | 3.13 | 2.81 | 3.44 (0.42, 12.38) | | |
| | St. Francis Medical Center | 186 | 174 | 6 | 3.45 | 2.45 | 4.35 (1.59, 9.44) | | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Lee, Hon S. | Surgeon Overall | 314 | 263 | 6 | 2.28 | 3.11 | 2.27 | (0.83, 4.92) | |
| | Alta Bates Summit Medical Center - Summit Campus | 314 | 263 | 6 | 2.28 | 3.11 | 2.27 | (0.83, 4.92) | |
| Lee, Sang H. | Surgeon Overall | 33 | 27 | 1 | 3.70 | 4.14 | 2.77 | (0.07, 15.37) | |
| | Washington Hospital - Fremont | 33 | 27 | 1 | 3.70 | 4.14 | 2.77 | (0.07, 15.37) | |
| Lemire, Guy G. | Surgeon Overall | 91 | 79 | 2 | 2.53 | 2.66 | 2.94 | (0.36, 10.60) | |
| | Anaheim Memorial Medical Center | 61 | 50 | 2 | 4.00 | 2.53 | 4.89 | (0.59, 17.61) | |
| | Long Beach Memorial Medical Center | 13 | 12 | 0 | 0.00 | 4.03 | 0.00 | (0.00, 23.51) | |
| | St. Mary Medical Center | 1 | 1 | 0 | 0.00 | 0.80 | 0.00 | (0.00, 100.00) | |
| | West Anaheim Medical Center | 16 | 16 | 0 | 0.00 | 2.16 | 0.00 | (0.00, 32.92) | |
| Lin, Yuan H. | Surgeon Overall | 254 | 226 | 5 | 2.21 | 4.15 | 1.65 | (0.53, 3.83) | |
| | Alvarado Hospital Medical Center | 34 | 31 | 2 | 6.45 | 2.22 | 9.00 | (1.09, 32.38) | |
| | Sharp Chula Vista Medical Center | 181 | 160 | 3 | 1.88 | 4.79 | 1.21 | (0.25, 3.52) | |
| | Sharp Grossmont Hospital | 39 | 35 | 0 | 0.00 | 2.94 | 0.00 | (0.00, 11.03) | |
| Lindsey, David E. | Surgeon Overall | 145 | 129 | 5 | 3.88 | 3.06 | 3.91 | (1.27, 9.10) | |
| | John Muir Medical Center | 52 | 46 | 1 | 2.17 | 2.72 | 2.47 | (0.06, 13.70) | |
| | Mt. Diablo Medical Center | 88 | 78 | 4 | 5.13 | 3.39 | 4.68 | (1.27, 11.95) | |
| | San Ramon Regional Medical Center | 5 | 5 | 0 | 0.00 | 1.15 | 0.00 | (0.00, 100.00) | |
| Litchford, Julian B. | Surgeon Overall | 115 | 100 | 0 | 0.00 | 1.60 | 0.00 | (0.00, 7.12) | |
| | Sharp Memorial Hospital | 115 | 100 | 0 | 0.00 | 1.60 | 0.00 | (0.00, 7.12) | |
| Longoria, James | Surgeon Overall | 430 | 316 | 16 | 5.06 | 2.91 | 5.39 | (3.07, 8.72) | |
| | Sutter Memorial Hospital | 430 | 316 | 16 | 5.06 | 2.91 | 5.39 | (3.07, 8.72) | |
| Louie, Henry W. | Surgeon Overall | 288 | 254 | 11 | 4.33 | 3.19 | 4.20 | (2.09, 7.49) | |
| | Desert Regional Medical Center | 250 | 221 | 11 | 4.98 | 3.38 | 4.55 | (2.26, 8.11) | |
| | Eisenhower Memorial Hospital | 38 | 33 | 0 | 0.00 | 1.88 | 0.00 | (0.00, 18.27) | |
| MacMillan, James C. | Surgeon Overall | 199 | 159 | 8 | 5.03 | 2.59 | 6.01 | (2.59, 11.80) | |
| | Doctors Medical Center - Modesto Campus | 193 | 154 | 7 | 4.55 | 2.58 | 5.45 | (2.19, 11.20) | |
| | Memorial Medical Center of Modesto | 6 | 5 | 1 | 20.00 | 2.93 | 21.07 | (0.53, 100.00) | |
| Madani, Michael M. | Surgeon Overall | 68 | 46 | 0 | 0.00 | 5.91 | 0.00 | (0.00, 4.18) | |
| | UCSD Medical Center - La Jolla | 54 | 36 | 0 | 0.00 | 6.55 | 0.00 | (0.00, 4.82) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|--------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Madani, Michael M. | UCSD Medical Center | 14 | 10 | 0 | 0.00 | 3.59 | 0.00 | (0.00, 31.61) | |
| Magliato, Kathy E. | Surgeon Overall | 23 | 17 | 1 | 5.88 | 3.38 | 5.38 | (0.14, 29.85) | |
| | Brotman Medical Center | 12 | 9 | 0 | 0.00 | 1.73 | 0.00 | (0.00, 73.02) | |
| | Cedars Sinai Medical Center | 11 | 8 | 1 | 12.50 | 5.24 | 7.37 | (0.19, 40.93) | |
| Mahendra, Tom | Surgeon Overall | 66 | 58 | 2 | 3.45 | 3.51 | 3.04 | (0.37, 10.94) | |
| | Antelope Valley Hospital Medical Center | 48 | 41 | 2 | 4.88 | 3.66 | 4.12 | (0.50, 14.82) | |
| | Lancaster Community Hospital | 18 | 17 | 0 | 0.00 | 3.13 | 0.00 | (0.00, 21.35) | |
| Malekmehr, Farshad | Surgeon Overall | 63 | 59 | 3 | 5.08 | 4.10 | 3.84 | (0.79, 11.17) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 3 | 3 | 1 | 33.33 | 1.61 | 64.11 | (1.62, 100.00) | |
| | Valley Presbyterian Hospital | 5 | 5 | 1 | 20.00 | 3.43 | 18.02 | (0.45, 100.00) | |
| | White Memorial Medical Center | 55 | 51 | 1 | 1.96 | 4.31 | 1.41 | (0.04, 7.81) | |
| Malki, Alan E. | Surgeon Overall | 521 | 473 | 12 | 2.54 | 3.30 | 2.38 | (1.22, 4.14) | |
| | Riverside Community Hospital | 114 | 104 | 4 | 3.85 | 3.91 | 3.04 | (0.83, 7.76) | |
| | St. Bernardine Medical Center | 374 | 338 | 8 | 2.37 | 3.19 | 2.29 | (0.99, 4.50) | |
| | St. Mary Regional Medical Center | 33 | 31 | 0 | 0.00 | 2.45 | 0.00 | (0.00, 14.98) | |
| Marchbanks, Marshall V. | Surgeon Overall | 122 | 91 | 9 | 9.89 | 4.46 | 6.85 | (3.12, 12.95) | Worse |
| | Santa Rosa Memorial Hospital | 122 | 91 | 9 | 9.89 | 4.46 | 6.85 | (3.12, 12.95) | Worse |
| Marmureanu, Alexandru R. | Surgeon Overall | 11 | 8 | 1 | 12.50 | 2.97 | 13.01 | (0.33, 72.21) | |
| | Brotman Medical Center | 7 | 4 | 1 | 25.00 | 4.18 | 18.50 | (0.47, 100.00) | |
| | Centinela Hospital Medical Center | 1 | 1 | 0 | 0.00 | 1.85 | 0.00 | (0.00, 100.00) | |
| | Santa Monica - UCLA Medical Center | 1 | 1 | 0 | 0.00 | 0.73 | 0.00 | (0.00, 100.00) | |
| | St. John's Hospital and Health Center | 1 | 1 | 0 | 0.00 | 2.06 | 0.00 | (0.00, 100.00) | |
| | UCLA Medical Center | 1 | 1 | 0 | 0.00 | 2.43 | 0.00 | (0.00, 100.00) | |
| Mayer, Frederick W. | Surgeon Overall | 383 | 330 | 12 | 3.64 | 4.29 | 2.62 | (1.35, 4.56) | |
| | Kaweah Delta Hospital | 383 | 330 | 12 | 3.64 | 4.29 | 2.62 | (1.35, 4.56) | |
| McAfee, Molly K. | Surgeon Overall | 129 | 112 | 5 | 4.46 | 2.31 | 5.97 | (1.93, 13.87) | |
| | Loma Linda University Medical Center | 124 | 107 | 5 | 4.67 | 2.18 | 6.62 | (2.14, 15.40) | |
| | Riverside Community Hospital | 5 | 5 | 0 | 0.00 | 5.13 | 0.00 | (0.00, 44.32) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| McConnell, Douglas H. | Surgeon Overall | 133 | 129 | 2 | 1.55 | 2.36 | 2.03 | (0.25, 7.32) | |
| | Lakewood Regional Medical Center | 58 | 56 | 0 | 0.00 | 2.35 | 0.00 | (0.00, 8.62) | |
| | Long Beach Memorial Medical Center | 75 | 73 | 2 | 2.74 | 2.36 | 3.59 | (0.43, 12.92) | |
| McPherson, James G. | Surgeon Overall | 140 | 121 | 6 | 4.96 | 3.33 | 4.60 | (1.68, 9.98) | |
| | Brotman Medical Center | 4 | 2 | 0 | 0.00 | 2.45 | 0.00 | (0.00, 100.00) | |
| | Centinela Hospital Medical Center | 95 | 87 | 4 | 4.60 | 3.36 | 4.23 | (1.15, 10.78) | |
| | Citrus Valley Medical Center - IC Campus | 2 | 1 | 0 | 0.00 | 0.21 | 0.00 | (0.00, 100.00) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 12 | 10 | 1 | 10.00 | 3.75 | 8.25 | (0.21, 45.80) | |
| | Providence St. Joseph Medical Center | 3 | 3 | 0 | 0.00 | 1.72 | 0.00 | (0.00, 100.00) | |
| | St. Vincent Medical Center | 24 | 18 | 1 | 5.56 | 3.48 | 4.94 | (0.12, 27.40) | |
| | Surgeon Overall | 307 | 243 | 3 | 1.23 | 1.97 | 1.94 | (0.40, 5.65) | |
| Melikian, Vicken | Kaiser Foundation Hospital (Geary San Francisco) | 307 | 243 | 3 | 1.23 | 1.97 | 1.94 | (0.40, 5.65) | |
| | Surgeon Overall | 111 | 85 | 5 | 5.88 | 2.41 | 7.55 | (2.44, 17.56) | |
| Merrick, Scot H. | UCSF Medical Center | 111 | 85 | 5 | 5.88 | 2.41 | 7.55 | (2.44, 17.56) | |
| | Surgeon Overall | 20 | 1 | 0 | 0.00 | 1.36 | 0.00 | (0.00, 100.00) | |
| Miller, David C. | Stanford University Hospital | 20 | 1 | 0 | 0.00 | 1.36 | 0.00 | (0.00, 100.00) | |
| | Surgeon Overall | 140 | 107 | 4 | 3.74 | 2.86 | 4.04 | (1.10, 10.31) | |
| Milliken, Jeffrey C. | UC Irvine Medical Center | 121 | 97 | 3 | 3.09 | 2.59 | 3.69 | (0.76, 10.76) | |
| | Western Medical Center Hospital - Anaheim | 19 | 10 | 1 | 10.00 | 5.50 | 5.62 | (0.14, 31.21) | |
| | Surgeon Overall | 1 | 1 | 0 | 0.00 | 1.31 | 0.00 | (0.00, 100.00) | |
| Millman, Jeffrey L. | Valley Presbyterian Hospital | 1 | 1 | 0 | 0.00 | 1.31 | 0.00 | (0.00, 100.00) | |
| | Surgeon Overall | 152 | 135 | 1 | 0.74 | 3.88 | 0.59 | (0.01, 3.28) | |
| Misbach, Gregory A. | Riverside Community Hospital | 40 | 37 | 1 | 2.70 | 3.45 | 2.42 | (0.06, 13.46) | |
| | St. Bernardine Medical Center | 58 | 46 | 0 | 0.00 | 4.16 | 0.00 | (0.00, 5.93) | |
| | St. Mary Regional Medical Center | 54 | 52 | 0 | 0.00 | 3.93 | 0.00 | (0.00, 5.56) | |
| | Surgeon Overall | 95 | 87 | 1 | 1.15 | 3.42 | 1.04 | (0.03, 5.77) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Mitchell, Robert L. | El Camino Hospital | 95 | 87 | 1 | 1.15 | 3.42 | 1.04 | (0.03, 5.77) | |
| Mitchell, Robert S. | Surgeon Overall | 126 | 81 | 4 | 4.94 | 1.90 | 8.01 | (2.19, 20.54) | |
| | Stanford University Hospital | 126 | 81 | 4 | 4.94 | 1.90 | 8.01 | (2.19, 20.54) | |
| Mitruka, Surindra N. | Surgeon Overall | 240 | 168 | 10 | 5.95 | 3.14 | 5.87 | (2.80, 10.75) | |
| | Desert Regional Medical Center | 1 | 1 | 0 | 0.00 | 2.37 | 0.00 | (0.00, 100.00) | |
| | Eisenhower Memorial Hospital | 239 | 167 | 10 | 5.99 | 3.14 | 5.89 | (2.82, 10.80) | |
| Mittal, Arun K. | Surgeon Overall | 19 | 18 | 1 | 5.56 | 5.88 | 2.92 | (0.07, 16.21) | |
| | Centinela Hospital Medical Center | 3 | 3 | 0 | 0.00 | 2.84 | 0.00 | (0.00, 100.00) | |
| | Little Company of Mary Hospital | 11 | 10 | 1 | 10.00 | 8.39 | 3.69 | (0.09, 20.46) | |
| | Torrance Memorial Medical Center | 5 | 5 | 0 | 0.00 | 2.69 | 0.00 | (0.00, 84.41) | |
| Mohammadzadeh, Gholam R. | Surgeon Overall | 286 | 242 | 8 | 3.31 | 3.65 | 2.80 | (1.21, 5.50) | |
| | Encino Tarzana Regional Medical Center | 123 | 101 | 4 | 3.96 | 4.38 | 2.79 | (0.76, 7.13) | |
| | Los Robles Regional Medical Center | 151 | 129 | 4 | 3.10 | 3.24 | 2.95 | (0.80, 7.54) | |
| | West Hills Regional Medical Center | 12 | 12 | 0 | 0.00 | 1.79 | 0.00 | (0.00, 53.02) | |
| Morales, Rodolfo A. | Surgeon Overall | 192 | 160 | 3 | 1.88 | 2.91 | 1.99 | (0.41, 5.80) | |
| | Good Samaritan Hospital - San Jose | 175 | 146 | 3 | 2.05 | 3.06 | 2.08 | (0.43, 6.05) | |
| | O'Connor Hospital | 15 | 12 | 0 | 0.00 | 1.30 | 0.00 | (0.00, 73.01) | |
| | San Jose Medical Center | 2 | 2 | 0 | 0.00 | 1.88 | 0.00 | (0.00, 100.00) | |
| Moreno-Cabral, Ricardo J. | Surgeon Overall | 190 | 139 | 2 | 1.44 | 3.32 | 1.34 | (0.16, 4.82) | |
| | Alvarado Hospital Medical Center | 6 | 5 | 0 | 0.00 | 4.24 | 0.00 | (0.00, 53.59) | |
| | Scripps Mercy Hospital | 53 | 41 | 1 | 2.44 | 3.56 | 2.12 | (0.05, 11.77) | |
| | Sharp Chula Vista Medical Center | 77 | 56 | 1 | 1.79 | 3.24 | 1.70 | (0.04, 9.46) | |
| | Sharp Grossmont Hospital | 54 | 37 | 0 | 0.00 | 3.07 | 0.00 | (0.00, 10.01) | |
| Morris, Allen S. | Surgeon Overall | 519 | 294 | 2 | 0.68 | 1.92 | 1.10 | (0.13, 3.94) | |
| | Mercy General Hospital | 450 | 248 | 2 | 0.81 | 1.88 | 1.33 | (0.16, 4.77) | |
| | Mercy San Juan Hospital | 69 | 46 | 0 | 0.00 | 2.12 | 0.00 | (0.00, 11.65) | |
| Morris, Drewry H. | Surgeon Overall | 18 | 16 | 0 | 0.00 | 1.62 | 0.00 | (0.00, 43.92) | |
| | Mission Hospital Regional Medical Center | 18 | 16 | 0 | 0.00 | 1.62 | 0.00 | (0.00, 43.92) | |
| Morrissey, James D. | Surgeon Overall | 314 | 250 | 5 | 2.00 | 2.91 | 2.12 | (0.69, 4.94) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|-----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Morrissey, James D. | Dameron Hospital | 10 | 9 | 0 | 0.00 | 1.72 | 0.00 | (0.00, 73.40) | |
| | St. Joseph's Medical Center of Stockton | 304 | 241 | 5 | 2.07 | 2.95 | 2.17 | (0.70, 5.05) | |
| Mudge, Devin R. | Surgeon Overall | 369 | 331 | 4 | 1.21 | 2.82 | 1.32 | (0.36, 3.38) | |
| | Riverside Community Hospital | 85 | 73 | 1 | 1.37 | 2.45 | 1.73 | (0.04, 9.60) | |
| | St. Bernardine Medical Center | 181 | 169 | 2 | 1.18 | 2.76 | 1.32 | (0.16, 4.77) | |
| | St. Mary Regional Medical Center | 103 | 89 | 1 | 1.12 | 3.25 | 1.07 | (0.03, 5.94) | |
| Nathanson, Michael | Surgeon Overall | 57 | 49 | 2 | 4.08 | 1.41 | 8.96 | (1.08, 32.26) | |
| | Santa Clara Valley Medical Center | 57 | 49 | 2 | 4.08 | 1.41 | 8.96 | (1.08, 32.26) | |
| Neal, Joe F. | Surgeon Overall | 213 | 154 | 3 | 1.95 | 1.87 | 3.22 | (0.66, 9.37) | |
| | Doctors Medical Center - Modesto Campus | 206 | 147 | 3 | 2.04 | 1.85 | 3.40 | (0.70, 9.91) | |
| | Memorial Medical Center of Modesto | 7 | 7 | 0 | 0.00 | 2.21 | 0.00 | (0.00, 73.29) | |
| Nigro, John J. | Surgeon Overall | 29 | 25 | 1 | 4.00 | 2.52 | 4.91 | (0.12, 27.25) | |
| | Los Angeles Co USC Medical Center | 29 | 25 | 1 | 4.00 | 2.52 | 4.91 | (0.12, 27.25) | |
| Nucho, Ramsay C. | Surgeon Overall | 154 | 142 | 3 | 2.11 | 3.87 | 1.69 | (0.35, 4.91) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 77 | 71 | 1 | 1.41 | 2.93 | 1.49 | (0.04, 8.25) | |
| | White Memorial Medical Center | 77 | 71 | 2 | 2.82 | 4.82 | 1.81 | (0.22, 6.50) | |
| Nuno, Ismael N. | Surgeon Overall | 227 | 184 | 10 | 5.43 | 2.50 | 6.70 | (3.21, 12.31) | Worse |
| | Citrus Valley Medical Center - IC Campus | 2 | 2 | 0 | 0.00 | 1.79 | 0.00 | (0.00, 100.00) | |
| | Huntington Memorial Hospital | 2 | 2 | 0 | 0.00 | 0.57 | 0.00 | (0.00, 100.00) | |
| | Los Angeles Co USC Medical Center | 173 | 139 | 5 | 3.60 | 2.18 | 5.11 | (1.65, 11.88) | |
| | Methodist Hospital of Southern California | 4 | 3 | 2 | 66.67 | 2.30 | 89.78 | (10.83, 100.00) | Worse |
| | USC University Hospital | 7 | 2 | 0 | 0.00 | 22.03 | 0.00 | (0.00, 25.79) | |
| | White Memorial Medical Center | 39 | 36 | 3 | 8.33 | 2.77 | 9.31 | (1.91, 27.12) | |
| | Surgeon Overall | 292 | 273 | 12 | 4.40 | 3.44 | 3.95 | (2.03, 6.87) | |
| Omari, Bassam O. | Los Angeles Co Harbor - UCLA Medical Center | 269 | 250 | 10 | 4.00 | 3.44 | 3.59 | (1.72, 6.58) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Omari, Bassam O. | St. Mary Medical Center | 1 | 1 | 0 | 0.00 | 0.45 | 0.00 | (0.00, 100.00) | |
| | St. Mary Regional Medical Center | 22 | 22 | 2 | 9.09 | 3.55 | 7.92 | (0.96, 28.52) | |
| Ostermiller, William E. | Surgeon Overall | 62 | 50 | 0 | 0.00 | 1.89 | 0.00 | (0.00, 12.05) | |
| | Irvine Regional Hospital and Medical Center | 2 | 2 | 0 | 0.00 | 0.53 | 0.00 | (0.00, 100.00) | |
| | St. Joseph Hospital - Orange | 60 | 48 | 0 | 0.00 | 1.94 | 0.00 | (0.00, 12.18) | |
| | Surgeon Overall | 673 | 608 | 19 | 3.13 | 2.99 | 3.23 | (1.94, 5.02) | |
| Ott, Richard A. | Anaheim Memorial Medical Center | 405 | 362 | 14 | 3.87 | 3.34 | 3.58 | (1.95, 5.98) | |
| | Irvine Regional Hospital and Medical Center | 56 | 52 | 2 | 3.85 | 2.21 | 5.38 | (0.65, 19.36) | |
| | St. Joseph Hospital - Orange | 1 | 1 | 0 | 0.00 | 2.34 | 0.00 | (0.00, 100.00) | |
| | Western Medical Center - Santa Ana | 202 | 185 | 3 | 1.62 | 2.51 | 1.99 | (0.41, 5.81) | |
| | Western Medical Center Hospital - Anaheim | 9 | 8 | 0 | 0.00 | 3.50 | 0.00 | (0.00, 40.63) | |
| Overton, John B. | Surgeon Overall | 15 | 15 | 1 | 6.67 | 2.26 | 9.13 | (0.23, 50.68) | |
| | Dameron Hospital | 15 | 15 | 1 | 6.67 | 2.26 | 9.13 | (0.23, 50.68) | |
| Oyer, Philip E. | Surgeon Overall | 100 | 73 | 0 | 0.00 | 1.59 | 0.00 | (0.00, 9.78) | |
| | Stanford University Hospital | 100 | 73 | 0 | 0.00 | 1.59 | 0.00 | (0.00, 9.78) | |
| Palafox, Brian A. | Surgeon Overall | 109 | 79 | 1 | 1.27 | 2.56 | 1.53 | (0.04, 8.49) | |
| | St. Joseph Hospital - Orange | 98 | 69 | 0 | 0.00 | 2.54 | 0.00 | (0.00, 6.48) | |
| | Western Medical Center - Santa Ana | 11 | 10 | 1 | 10.00 | 2.68 | 11.51 | (0.29, 63.92) | |
| Panagiotides, George P. | Surgeon Overall | 241 | 222 | 12 | 5.41 | 3.77 | 4.44 | (2.28, 7.72) | |
| | Lakewood Regional Medical Center | 73 | 66 | 6 | 9.09 | 3.64 | 7.71 | (2.82, 16.72) | |
| | Long Beach Memorial Medical Center | 168 | 156 | 6 | 3.85 | 3.82 | 3.11 | (1.14, 6.75) | |
| Park, Soon J. | Surgeon Overall | 130 | 93 | 5 | 5.38 | 5.18 | 3.21 | (1.04, 7.46) | |
| | California Pacific Medical Center - Pacific Campus | 74 | 52 | 3 | 5.77 | 6.77 | 2.64 | (0.54, 7.67) | |
| | Marin General Hospital | 56 | 41 | 2 | 4.88 | 3.16 | 4.77 | (0.58, 17.16) | |
| Paw, Patrick T. | Surgeon Overall | 313 | 282 | 10 | 3.55 | 2.79 | 3.93 | (1.88, 7.20) | |
| | Bakersfield Heart Hospital | 90 | 81 | 3 | 3.70 | 3.93 | 2.92 | (0.60, 8.49) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|---|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Paw, Patrick T. | Bakersfield Memorial Hospital | 138 | 124 | 5 | 4.03 | 2.74 | 4.54 | (1.47, 10.56) | |
| | San Joaquin Community Hospital | 85 | 77 | 2 | 2.60 | 1.67 | 4.81 | (0.58, 17.32) | |
| Pelletier, Marc P. | Surgeon Overall | 90 | 74 | 1 | 1.35 | 3.21 | 1.30 | (0.03, 7.22) | |
| | El Camino Hospital | 85 | 71 | 1 | 1.41 | 3.06 | 1.42 | (0.04, 7.91) | |
| | Stanford University Hospital | 5 | 3 | 0 | 0.00 | 6.86 | 0.00 | (0.00, 55.20) | |
| Peng, Rick Y. | Surgeon Overall | 1 | 1 | 0 | 0.00 | 1.32 | 0.00 | (0.00, 100.00) | |
| | Rideout Memorial Hospital | 1 | 1 | 0 | 0.00 | 1.32 | 0.00 | (0.00, 100.00) | |
| Perkowski, David J. | Surgeon Overall | 194 | 172 | 5 | 2.91 | 2.68 | 3.36 | (1.09, 7.81) | |
| | Desert Regional Medical Center | 4 | 3 | 0 | 0.00 | 1.20 | 0.00 | (0.00, 100.00) | |
| | Irvine Regional Hospital and Medical Center | 3 | 3 | 0 | 0.00 | 2.54 | 0.00 | (0.00, 100.00) | |
| | Mission Hospital Regional Medical Center | 6 | 6 | 1 | 16.67 | 1.22 | 42.33 | (1.07, 100.00) | |
| | Saddleback Memorial Medical Center | 176 | 155 | 4 | 2.58 | 2.77 | 2.88 | (0.78, 7.36) | |
| | St. Joseph Hospital - Orange | 5 | 5 | 0 | 0.00 | 2.57 | 0.00 | (0.00, 88.43) | |
| Perricone, Anthony | Surgeon Overall | 79 | 73 | 3 | 4.11 | 2.53 | 5.02 | (1.03, 14.61) | |
| | UCSD Medical Center - La Jolla | 51 | 49 | 3 | 6.12 | 2.22 | 8.53 | (1.75, 24.84) | |
| | UCSD Medical Center | 28 | 24 | 0 | 0.00 | 3.17 | 0.00 | (0.00, 14.93) | |
| Petrik, Pavel V. | Surgeon Overall | 71 | 67 | 3 | 4.48 | 2.93 | 4.72 | (0.97, 13.75) | |
| | Antelope Valley Hospital Medical Center | 52 | 48 | 2 | 4.17 | 2.22 | 5.81 | (0.70, 20.91) | |
| | Lancaster Community Hospital | 19 | 19 | 1 | 5.26 | 4.73 | 3.44 | (0.09, 19.08) | |
| Pfeffer, Thomas A. | Surgeon Overall | 668 | 540 | 27 | 5.00 | 3.51 | 4.40 | (2.89, 6.38) | |
| | Kaiser Foundation Hospital (Sunset Los Angeles) | 668 | 540 | 27 | 5.00 | 3.51 | 4.40 | (2.89, 6.38) | |
| Pipkin, Robert D. | Surgeon Overall | 83 | 76 | 1 | 1.32 | 3.99 | 1.02 | (0.03, 5.66) | |
| | Washington Hospital - Fremont | 83 | 76 | 1 | 1.32 | 3.99 | 1.02 | (0.03, 5.66) | |
| Plunkett, Mark D. | Surgeon Overall | 9 | 3 | 2 | 66.67 | 15.07 | 13.67 | (1.65, 49.21) | |
| | UCLA Medical Center | 9 | 3 | 2 | 66.67 | 15.07 | 13.67 | (1.65, 49.21) | |
| Poa, Li | Surgeon Overall | 249 | 192 | 3 | 1.56 | 3.36 | 1.44 | (0.30, 4.19) | |
| | Enloe Medical Center | 249 | 192 | 3 | 1.56 | 3.36 | 1.44 | (0.30, 4.19) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Poirier, Robert A. | Surgeon Overall | 371 | 303 | 6 | 1.98 | 1.95 | 3.14 | (1.15, 6.80) | |
| | Fresno Heart Hospital | 10 | 7 | 0 | 0.00 | 1.26 | 0.00 | (0.00, 100.00) | |
| | St. Agnes Medical Center | 361 | 296 | 6 | 2.03 | 1.97 | 3.18 | (1.16, 6.90) | |
| Pompili, Mario F. | Surgeon Overall | 274 | 215 | 5 | 2.33 | 1.74 | 4.13 | (1.34, 9.61) | |
| | Kaiser Foundation Hospital (Geary San Francisco) | 274 | 215 | 5 | 2.33 | 1.74 | 4.13 | (1.34, 9.61) | |
| Postel, Joachim M. | Surgeon Overall | 165 | 138 | 2 | 1.45 | 4.33 | 1.03 | (0.12, 3.72) | |
| | St. Joseph Hospital - Eureka | 165 | 138 | 2 | 1.45 | 4.33 | 1.03 | (0.12, 3.72) | |
| Pottmeyer, Edward W. | Surgeon Overall | 577 | 477 | 10 | 2.10 | 3.80 | 1.71 | (0.82, 3.13) | |
| | Mercy Medical Center - Redding | 577 | 477 | 10 | 2.10 | 3.80 | 1.71 | (0.82, 3.13) | |
| Prejean, Curtis A. | Surgeon Overall | 153 | 137 | 5 | 3.65 | 3.19 | 3.53 | (1.14, 8.22) | |
| | Centinela Hospital Medical Center | 94 | 88 | 4 | 4.55 | 3.39 | 4.14 | (1.12, 10.57) | |
| | Citrus Valley Medical Center - IC Campus | 16 | 15 | 0 | 0.00 | 3.62 | 0.00 | (0.00, 20.91) | |
| | Garfield Medical Center | 2 | 2 | 0 | 0.00 | 1.18 | 0.00 | (0.00, 100.00) | |
| | Huntington Memorial Hospital | 1 | 0 | . | . | . | . | . | Not Applicable |
| | Los Angeles Co USC Medical Center | 23 | 18 | 0 | 0.00 | 2.16 | 0.00 | (0.00, 29.20) | |
| | Methodist Hospital of Southern California | 4 | 4 | 0 | 0.00 | 3.51 | 0.00 | (0.00, 80.91) | |
| | USC University Hospital | 13 | 10 | 1 | 10.00 | 3.16 | 9.76 | (0.25, 54.31) | |
| Purewal, Sarabjit S. | Surgeon Overall | 367 | 305 | 13 | 4.26 | 2.59 | 5.09 | (2.70, 8.68) | |
| | Bakersfield Heart Hospital | 205 | 165 | 7 | 4.24 | 2.21 | 5.93 | (2.38, 12.18) | |
| | Bakersfield Memorial Hospital | 121 | 106 | 4 | 3.77 | 2.92 | 3.99 | (1.08, 10.19) | |
| | San Joaquin Community Hospital | 41 | 34 | 2 | 5.88 | 3.38 | 5.38 | (0.65, 19.37) | |
| Raikar, Goya V. | Surgeon Overall | 5 | 4 | 0 | 0.00 | 9.97 | 0.00 | (0.00, 28.48) | |
| | Redding Medical Center | 5 | 4 | 0 | 0.00 | 9.97 | 0.00 | (0.00, 28.48) | |
| Raissi, Sharo S. | Surgeon Overall | 122 | 94 | 1 | 1.06 | 3.61 | 0.91 | (0.02, 5.05) | |
| | Brotman Medical Center | 46 | 35 | 1 | 2.86 | 3.22 | 2.75 | (0.07, 15.25) | |
| | Cedars Sinai Medical Center | 76 | 59 | 0 | 0.00 | 3.85 | 0.00 | (0.00, 5.00) | |
| Raney, Aidan A. | Surgeon Overall | 195 | 120 | 3 | 2.50 | 3.33 | 2.32 | (0.48, 6.76) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Raney, Aidan A. | Hoag Memorial Hospital Presbyterian | 195 | 120 | 3 | 2.50 | 3.33 | 2.32 | (0.48, 6.76) | |
| Rasi, Alfredo L. | Surgeon Overall | 209 | 176 | 8 | 4.55 | 2.81 | 5.00 | (2.15, 9.81) | |
| | Loma Linda University Medical Center | 205 | 172 | 8 | 4.65 | 2.77 | 5.19 | (2.23, 10.19) | |
| | Riverside Community Hospital | 4 | 4 | 0 | 0.00 | 4.64 | 0.00 | (0.00, 61.25) | |
| Razzouk, Anees J. | Surgeon Overall | 149 | 122 | 1 | 0.82 | 3.65 | 0.69 | (0.02, 3.85) | |
| | Loma Linda University Medical Center | 149 | 122 | 1 | 0.82 | 3.65 | 0.69 | (0.02, 3.85) | |
| Realyvasquez, Fidel | Surgeon Overall | 14 | 10 | 1 | 10.00 | 9.17 | 3.37 | (0.08, 18.70) | |
| | Redding Medical Center | 14 | 10 | 1 | 10.00 | 9.17 | 3.37 | (0.08, 18.70) | |
| Reddy, Kuruganti R. | Surgeon Overall | 7 | 7 | 2 | 28.57 | 3.56 | 24.80 | (2.99, 89.25) | |
| | Citrus Valley Medical Center - IC Campus | 7 | 7 | 2 | 28.57 | 3.56 | 24.80 | (2.99, 89.25) | |
| Reichman, Robert T. | Surgeon Overall | 273 | 246 | 8 | 3.25 | 2.22 | 4.53 | (1.95, 8.89) | |
| | Palomar Medical Center | 273 | 246 | 8 | 3.25 | 2.22 | 4.53 | (1.95, 8.89) | |
| Reitz, Bruce A. | Surgeon Overall | 77 | 54 | 2 | 3.70 | 3.33 | 3.43 | (0.41, 12.36) | |
| | El Camino Hospital | 1 | 1 | 0 | 0.00 | 1.49 | 0.00 | (0.00, 100.00) | |
| | Stanford University Hospital | 76 | 53 | 2 | 3.77 | 3.37 | 3.46 | (0.42, 12.46) | |
| Rich, Andrew A. | Surgeon Overall | 52 | 43 | 1 | 2.33 | 2.27 | 3.16 | (0.08, 17.54) | |
| | Enloe Medical Center | 52 | 43 | 1 | 2.33 | 2.27 | 3.16 | (0.08, 17.54) | |
| Richter, Richard C. | Surgeon Overall | 225 | 178 | 5 | 2.81 | 2.22 | 3.91 | (1.26, 9.09) | |
| | Kaiser Foundation Hospital (Geary San Francisco) | 225 | 178 | 5 | 2.81 | 2.22 | 3.91 | (1.26, 9.09) | |
| Riebman, Jerome B. | Surgeon Overall | 52 | 49 | 1 | 2.04 | 1.07 | 5.90 | (0.15, 32.75) | |
| | Santa Clara Valley Medical Center | 52 | 49 | 1 | 2.04 | 1.07 | 5.90 | (0.15, 32.75) | |
| Robbins, Robert C. | Surgeon Overall | 75 | 49 | 1 | 2.04 | 2.54 | 2.49 | (0.06, 13.82) | |
| | Stanford University Hospital | 75 | 49 | 1 | 2.04 | 2.54 | 2.49 | (0.06, 13.82) | |
| Roberts, Peter F. | Surgeon Overall | 29 | 20 | 0 | 0.00 | 2.69 | 0.00 | (0.00, 21.15) | |
| | UC Davis Medical Center | 29 | 20 | 0 | 0.00 | 2.69 | 0.00 | (0.00, 21.15) | |
| Roberts, Randall F. | Surgeon Overall | 13 | 12 | 0 | 0.00 | 1.58 | 0.00 | (0.00, 59.94) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 2 | 2 | 0 | 0.00 | 0.39 | 0.00 | (0.00, 100.00) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Roberts, Randall F. | Glendale Memorial Hospital and Health Center | 10 | 9 | 0 | 0.00 | 1.91 | 0.00 | (0.00, 66.22) | |
| | Los Angeles Co USC Medical Center | 1 | 1 | 0 | 0.00 | 1.01 | 0.00 | (0.00, 100.00) | |
| Robertson, John M. | Surgeon Overall | 143 | 111 | 1 | 0.90 | 2.48 | 1.12 | (0.03, 6.24) | |
| | St. John's Hospital and Health Center | 143 | 111 | 1 | 0.90 | 2.48 | 1.12 | (0.03, 6.24) | |
| Romine, K.G. | Surgeon Overall | 92 | 84 | 1 | 1.19 | 3.44 | 1.07 | (0.03, 5.94) | |
| | O'Connor Hospital | 55 | 52 | 0 | 0.00 | 2.86 | 0.00 | (0.00, 7.64) | |
| | San Jose Medical Center | 37 | 32 | 1 | 3.13 | 4.38 | 2.21 | (0.06, 12.25) | |
| Rooney, John P. | Surgeon Overall | 107 | 96 | 4 | 4.17 | 2.03 | 6.34 | (1.72, 16.18) | |
| | Dameron Hospital | 2 | 2 | 1 | 50.00 | 3.84 | 40.27 | (1.02, 100.00) | |
| | St. Joseph's Medical Center of Stockton | 105 | 94 | 3 | 3.19 | 1.99 | 4.95 | (1.02, 14.41) | |
| Rosenburg, Jeffrey M. | Surgeon Overall | 14 | 12 | 3 | 25.00 | 2.72 | 28.43 | (5.84, 82.80) | Worse |
| | Palomar Medical Center | 14 | 12 | 3 | 25.00 | 2.72 | 28.43 | (5.84, 82.80) | Worse |
| Rossiter, Stephen J. | Surgeon Overall | 618 | 515 | 5 | 0.97 | 1.76 | 1.70 | (0.55, 3.96) | |
| | Mercy General Hospital | 574 | 479 | 5 | 1.04 | 1.78 | 1.82 | (0.59, 4.23) | |
| | Mercy San Juan Hospital | 44 | 36 | 0 | 0.00 | 1.58 | 0.00 | (0.00, 19.95) | |
| Sakopoulos, Andreas G. | Surgeon Overall | 149 | 141 | 7 | 4.96 | 5.03 | 3.05 | (1.22, 6.26) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 2 | 2 | 0 | 0.00 | 2.94 | 0.00 | (0.00, 100.00) | |
| | Glendale Memorial Hospital and Health Center | 28 | 28 | 1 | 3.57 | 5.08 | 2.17 | (0.05, 12.06) | |
| | St. Helena Hospital | 119 | 111 | 6 | 5.41 | 5.06 | 3.30 | (1.21, 7.17) | |
| Salem, Fakhri M. | Surgeon Overall | 139 | 116 | 6 | 5.17 | 3.61 | 4.43 | (1.62, 9.61) | |
| | Scripps Mercy Hospital | 138 | 115 | 6 | 5.22 | 3.61 | 4.47 | (1.63, 9.68) | |
| | Sharp Chula Vista Medical Center | 1 | 1 | 0 | 0.00 | 3.29 | 0.00 | (0.00, 100.00) | |
| Saxena, Naresh C. | Surgeon Overall | 87 | 87 | 3 | 3.45 | 3.73 | 2.86 | (0.59, 8.33) | |
| | Granada Hills Community Hospital | 25 | 25 | 0 | 0.00 | 5.22 | 0.00 | (0.00, 8.71) | |
| | Valley Presbyterian Hospital | 62 | 62 | 3 | 4.84 | 3.13 | 4.78 | (0.98, 13.92) | |
| Schuch, Douglas R. | Surgeon Overall | 355 | 305 | 5 | 1.64 | 2.92 | 1.73 | (0.56, 4.03) | |
| | Sutter Memorial Hospital | 355 | 305 | 5 | 1.64 | 2.92 | 1.73 | (0.56, 4.03) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|---|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Schwartz, Daniel S. | Surgeon Overall | 76 | 63 | 4 | 6.35 | 2.94 | 6.67 | (1.81, 17.01) | |
| | Centinela Hospital Medical Center | 19 | 15 | 2 | 13.33 | 2.95 | 13.96 | (1.68, 50.24) | |
| | Citrus Valley Medical Center - IC Campus | 31 | 28 | 2 | 7.14 | 3.94 | 5.60 | (0.68, 20.15) | |
| | Huntington Memorial Hospital | 6 | 4 | 0 | 0.00 | 0.62 | 0.00 | (0.00, 100.00) | |
| | Los Angeles Co USC Medical Center | 14 | 12 | 0 | 0.00 | 1.99 | 0.00 | (0.00, 47.61) | |
| | Methodist Hospital of Southern California | 1 | 1 | 0 | 0.00 | 1.15 | 0.00 | (0.00, 100.00) | |
| | USC University Hospital | 5 | 3 | 0 | 0.00 | 1.09 | 0.00 | (0.00, 100.00) | |
| Schwartz, Steven M. | Surgeon Overall | 159 | 135 | 11 | 8.15 | 3.11 | 8.09 | (4.02, 14.42) | Worse |
| | Good Samaritan Hospital - San Jose | 113 | 96 | 8 | 8.33 | 2.97 | 8.69 | (3.74, 17.05) | Worse |
| | O'Connor Hospital | 33 | 27 | 2 | 7.41 | 2.58 | 8.88 | (1.07, 31.97) | |
| | San Jose Medical Center | 13 | 12 | 1 | 8.33 | 5.50 | 4.69 | (0.12, 26.01) | |
| Sellami, Mohammed | Surgeon Overall | 139 | 138 | 7 | 5.07 | 3.14 | 4.99 | (2.00, 10.24) | |
| | Good Samaritan Hospital - Los Angeles | 139 | 138 | 7 | 5.07 | 3.14 | 4.99 | (2.00, 10.24) | |
| Shankar, Kuppe G. | Surgeon Overall | 231 | 187 | 4 | 2.14 | 2.52 | 2.63 | (0.71, 6.70) | |
| | Rideout Memorial Hospital | 205 | 163 | 4 | 2.45 | 2.37 | 3.21 | (0.87, 8.18) | |
| | Sutter Memorial Hospital | 26 | 24 | 0 | 0.00 | 3.54 | 0.00 | (0.00, 13.38) | |
| Sharma, Sanjeev K. | Surgeon Overall | 157 | 121 | 6 | 4.96 | 4.26 | 3.60 | (1.32, 7.81) | |
| | Dameron Hospital | 111 | 85 | 6 | 7.06 | 4.83 | 4.51 | (1.65, 9.79) | |
| | St. Joseph's Medical Center of Stockton | 46 | 36 | 0 | 0.00 | 2.90 | 0.00 | (0.00, 10.90) | |
| Sheppard, Barry B. | Surgeon Overall | 48 | 38 | 0 | 0.00 | 6.27 | 0.00 | (0.00, 4.77) | |
| | Mills-Peninsula Health Center | 48 | 38 | 0 | 0.00 | 6.27 | 0.00 | (0.00, 4.77) | |
| Shuman, Robert L. | Surgeon Overall | 63 | 56 | 4 | 7.14 | 3.76 | 5.87 | (1.59, 14.98) | |
| | Long Beach Memorial Medical Center | 63 | 56 | 4 | 7.14 | 3.76 | 5.87 | (1.59, 14.98) | |
| Silva, Raymond | Surgeon Overall | 98 | 88 | 4 | 4.55 | 3.50 | 4.01 | (1.09, 10.23) | |
| | Good Samaritan Hospital - San Jose | 79 | 69 | 3 | 4.35 | 3.46 | 3.88 | (0.80, 11.30) | |
| | O'Connor Hospital | 16 | 16 | 0 | 0.00 | 2.34 | 0.00 | (0.00, 30.30) | |
| | San Jose Medical Center | 3 | 3 | 1 | 33.33 | 10.60 | 9.72 | (0.25, 53.94) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-----------------------|---|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Sintek, Colleen F. | Surgeon Overall | 62 | 37 | 1 | 2.70 | 2.54 | 3.29 | (0.08, 18.28) | |
| | Kaiser Foundation Hospital (Sunset Los Angeles) | 62 | 37 | 1 | 2.70 | 2.54 | 3.29 | (0.08, 18.28) | |
| Skow, James R. | Surgeon Overall | 106 | 93 | 2 | 2.15 | 2.74 | 2.43 | (0.29, 8.73) | |
| | French Hospital Medical Center | 26 | 20 | 0 | 0.00 | 2.45 | 0.00 | (0.00, 23.15) | |
| | Marian Medical Center | 47 | 43 | 1 | 2.33 | 2.74 | 2.62 | (0.07, 14.55) | |
| | Sierra Vista Regional Medical Center | 33 | 30 | 1 | 3.33 | 2.93 | 3.52 | (0.09, 19.53) | |
| Slachman, Frank N. | Surgeon Overall | 433 | 261 | 3 | 1.15 | 2.40 | 1.48 | (0.30, 4.30) | |
| | Mercy General Hospital | 333 | 193 | 3 | 1.55 | 2.56 | 1.87 | (0.39, 5.46) | |
| | Mercy San Juan Hospital | 100 | 68 | 0 | 0.00 | 1.95 | 0.00 | (0.00, 8.56) | |
| Smith, Larry H. | Surgeon Overall | 149 | 115 | 8 | 6.96 | 4.26 | 5.04 | (2.17, 9.90) | |
| | Santa Rosa Memorial Hospital | 149 | 115 | 8 | 6.96 | 4.26 | 5.04 | (2.17, 9.90) | |
| Soltero, Michael J. | Surgeon Overall | 185 | 143 | 8 | 5.59 | 3.89 | 4.44 | (1.91, 8.72) | |
| | Encino Tarzana Regional Medical Center | 8 | 5 | 0 | 0.00 | 2.54 | 0.00 | (0.00, 89.61) | |
| | Northridge Hospital Medical Center | 83 | 65 | 4 | 6.15 | 3.73 | 5.10 | (1.38, 13.01) | |
| | Providence Holy Cross Medical Center | 73 | 58 | 2 | 3.45 | 3.69 | 2.89 | (0.35, 10.40) | |
| | West Hills Regional Medical Center | 21 | 15 | 2 | 13.33 | 5.85 | 7.05 | (0.85, 25.36) | |
| Sommerhaug, Rolf G. | Surgeon Overall | 231 | 163 | 5 | 3.07 | 2.73 | 3.48 | (1.13, 8.09) | |
| | John Muir Medical Center | 70 | 47 | 3 | 6.38 | 2.22 | 8.88 | (1.82, 25.86) | |
| | Mt. Diablo Medical Center | 160 | 116 | 2 | 1.72 | 2.93 | 1.82 | (0.22, 6.55) | |
| | San Ramon Regional Medical Center | 1 | 0 | . | . | . | . | . | Not Applicable |
| Soto-Velasco, Jose M. | Surgeon Overall | 43 | 37 | 3 | 8.11 | 2.95 | 8.50 | (1.75, 24.75) | |
| | Bakersfield Memorial Hospital | 2 | 2 | 1 | 50.00 | 4.70 | 32.86 | (0.83, 100.00) | |
| | San Joaquin Community Hospital | 41 | 35 | 2 | 5.71 | 2.85 | 6.20 | (0.75, 22.32) | |
| Spowart, Gregory S. | Surgeon Overall | 264 | 226 | 7 | 3.10 | 2.72 | 3.51 | (1.41, 7.22) | |
| | Salinas Valley Memorial Hospital | 264 | 226 | 7 | 3.10 | 2.72 | 3.51 | (1.41, 7.22) | |
| Stahl, Richard D. | Surgeon Overall | 197 | 149 | 6 | 4.03 | 3.96 | 3.15 | (1.15, 6.82) | |
| | Scripps Memorial Hospital - La Jolla | 197 | 149 | 6 | 4.03 | 3.96 | 3.15 | (1.15, 6.82) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (%; RAMR) and 95% CI | | Performance Rating* |
|-------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|---|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Stanten, Russell D. | Surgeon Overall | 131 | 109 | 4 | 3.67 | 3.08 | 3.69 | (1.00, 9.40) | |
| | Alta Bates Summit Medical Center - Summit Campus | 101 | 83 | 2 | 2.41 | 2.57 | 2.89 | (0.35, 10.41) | |
| | Doctors Medical Center - San Pablo Campus | 30 | 26 | 2 | 7.69 | 4.68 | 5.08 | (0.61, 18.27) | |
| Starnes, Vaughn A. | Surgeon Overall | 232 | 133 | 7 | 5.26 | 2.58 | 6.29 | (2.53, 12.95) | |
| | Huntington Memorial Hospital | 69 | 42 | 4 | 9.52 | 2.24 | 13.14 | (3.57, 33.52) | Worse |
| | Methodist Hospital of Southern California | 3 | 3 | 0 | 0.00 | 3.11 | 0.00 | (0.00, 100.00) | |
| | USC University Hospital | 156 | 84 | 2 | 2.38 | 2.50 | 2.93 | (0.36, 10.60) | |
| | White Memorial Medical Center | 4 | 4 | 1 | 25.00 | 7.04 | 10.97 | (0.28, 60.90) | |
| Stefanacci, Paul R. | Surgeon Overall | 191 | 178 | 7 | 3.93 | 3.20 | 3.80 | (1.52, 7.80) | |
| | Community Medical Center - Fresno | 3 | 3 | 0 | 0.00 | 15.58 | 0.00 | (0.00, 24.31) | |
| | Fresno Heart Hospital | 7 | 7 | 0 | 0.00 | 1.28 | 0.00 | (0.00, 100.00) | |
| | St. Agnes Medical Center | 181 | 168 | 7 | 4.17 | 3.06 | 4.21 | (1.69, 8.65) | |
| Stein, Alexander G. | Surgeon Overall | 179 | 152 | 7 | 4.61 | 4.90 | 2.90 | (1.16, 5.96) | |
| | Lakewood Regional Medical Center | 2 | 1 | 0 | 0.00 | 1.99 | 0.00 | (0.00, 100.00) | |
| | Long Beach Memorial Medical Center | 11 | 10 | 0 | 0.00 | 1.18 | 0.00 | (0.00, 96.58) | |
| | Los Angeles Co Harbor - UCLA Medical Center | 15 | 13 | 0 | 0.00 | 3.15 | 0.00 | (0.00, 27.76) | |
| | St. Mary Medical Center | 151 | 128 | 7 | 5.47 | 5.39 | 3.13 | (1.26, 6.43) | |
| Sterling-Scott, Rosa P. | Surgeon Overall | 3 | 3 | 0 | 0.00 | 3.18 | 0.00 | (0.00, 100.00) | |
| | Brotman Medical Center | 3 | 3 | 0 | 0.00 | 3.18 | 0.00 | (0.00, 100.00) | |
| Stewart, Robert D. | Surgeon Overall | 345 | 296 | 9 | 3.04 | 4.24 | 2.22 | (1.01, 4.19) | |
| | Community Medical Center - Fresno | 101 | 84 | 3 | 3.57 | 5.93 | 1.86 | (0.38, 5.42) | |
| | Fresno Heart Hospital | 16 | 14 | 0 | 0.00 | 3.42 | 0.00 | (0.00, 23.73) | |
| | San Antonio Community Hospital | 10 | 10 | 0 | 0.00 | 2.69 | 0.00 | (0.00, 42.31) | |
| | St. Agnes Medical Center | 218 | 188 | 6 | 3.19 | 3.63 | 2.72 | (0.99, 5.89) | |
| Stoneburner, John M. | Surgeon Overall | 174 | 124 | 2 | 1.61 | 3.36 | 1.49 | (0.18, 5.35) | |
| | Little Company of Mary Hospital | 50 | 32 | 1 | 3.13 | 3.37 | 2.86 | (0.07, 15.90) | |
| | St. Mary Medical Center | 1 | 1 | 0 | 0.00 | 6.00 | 0.00 | (0.00, 100.00) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Stoneburner, John M. | Torrance Memorial Medical Center | 123 | 91 | 1 | 1.10 | 3.32 | 1.02 | (0.03, 5.68) | |
| Suda, Richard W. | Surgeon Overall | 148 | 125 | 4 | 3.20 | 2.08 | 4.77 | (1.29, 12.16) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 2 | 2 | 0 | 0.00 | 5.53 | 0.00 | (0.00, 100.00) | |
| | Glendale Memorial Hospital and Health Center | 146 | 123 | 4 | 3.25 | 2.02 | 4.98 | (1.35, 12.70) | |
| Swanson, Michael J. | Surgeon Overall | 64 | 53 | 2 | 3.77 | 3.59 | 3.25 | (0.39, 11.70) | |
| | Kaweah Delta Hospital | 64 | 53 | 2 | 3.77 | 3.59 | 3.25 | (0.39, 11.70) | |
| Sweezer, William P. | Surgeon Overall | 91 | 75 | 7 | 9.33 | 3.27 | 8.82 | (3.53, 18.10) | Worse |
| | John Muir Medical Center | 3 | 2 | 1 | 50.00 | 13.26 | 11.66 | (0.29, 64.70) | |
| | Mt. Diablo Medical Center | 85 | 70 | 6 | 8.57 | 3.10 | 8.53 | (3.12, 18.51) | Worse |
| | San Ramon Regional Medical Center | 3 | 3 | 0 | 0.00 | 0.53 | 0.00 | (0.00, 100.00) | |
| Sywak, Alexander | Surgeon Overall | 85 | 80 | 3 | 3.75 | 4.37 | 2.65 | (0.54, 7.72) | |
| | O'Connor Hospital | 53 | 49 | 2 | 4.08 | 4.36 | 2.89 | (0.35, 10.41) | |
| | San Jose Medical Center | 30 | 29 | 1 | 3.45 | 4.17 | 2.55 | (0.06, 14.18) | |
| | Washington Hospital - Fremont | 2 | 2 | 0 | 0.00 | 7.58 | 0.00 | (0.00, 74.96) | |
| Talieh, Yahya J. | Surgeon Overall | 153 | 149 | 3 | 2.01 | 2.69 | 2.31 | (0.47, 6.72) | |
| | Doctors Medical Center - Modesto Campus | 18 | 18 | 2 | 11.11 | 4.57 | 7.52 | (0.91, 27.05) | |
| | Memorial Medical Center of Modesto | 135 | 131 | 1 | 0.76 | 2.44 | 0.97 | (0.02, 5.37) | |
| Tang, Eddie | Surgeon Overall | 89 | 75 | 6 | 8.00 | 6.39 | 3.87 | (1.41, 8.39) | |
| | California Pacific Medical Center - Pacific Campus | 46 | 41 | 3 | 7.32 | 6.78 | 3.34 | (0.69, 9.71) | |
| | Marin General Hospital | 11 | 10 | 1 | 10.00 | 5.98 | 5.17 | (0.13, 28.68) | |
| | St. Mary's Medical Center, San Francisco | 32 | 24 | 2 | 8.33 | 5.90 | 4.37 | (0.53, 15.73) | |
| Tedesco, Dominic J. | Surgeon Overall | 213 | 190 | 4 | 2.11 | 2.13 | 3.05 | (0.83, 7.78) | |
| | Community Memorial Hospital of San Buenaventura | 213 | 190 | 4 | 2.11 | 2.13 | 3.05 | (0.83, 7.78) | |
| Thibault, William N. | Surgeon Overall | 321 | 283 | 3 | 1.06 | 2.11 | 1.56 | (0.32, 4.53) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-----------------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Thibault, William N. | Mission Hospital Regional Medical Center | 308 | 272 | 3 | 1.10 | 2.10 | 1.63 | (0.33, 4.74) | |
| | Saddleback Memorial Medical Center | 4 | 4 | 0 | 0.00 | 2.90 | 0.00 | (0.00, 97.88) | |
| | Western Medical Center - Santa Ana | 9 | 7 | 0 | 0.00 | 2.08 | 0.00 | (0.00, 78.14) | |
| Thistlethwaite, Patricia A. | Surgeon Overall | 35 | 30 | 3 | 10.00 | 8.45 | 3.66 | (0.75, 10.65) | |
| | UCSD Medical Center - La Jolla | 11 | 8 | 2 | 25.00 | 12.55 | 6.16 | (0.74, 22.17) | |
| | UCSD Medical Center | 24 | 22 | 1 | 4.55 | 6.97 | 2.02 | (0.05, 11.20) | |
| Tobin, Hugh M. | Surgeon Overall | 188 | 165 | 9 | 5.45 | 2.54 | 6.64 | (3.02, 12.55) | |
| | Doctors Medical Center - Modesto Campus | 185 | 162 | 9 | 5.56 | 2.54 | 6.77 | (3.08, 12.80) | Worse |
| | Memorial Medical Center of Modesto | 3 | 3 | 0 | 0.00 | 2.76 | 0.00 | (0.00, 100.00) | |
| Toporoff, Bruce M. | Surgeon Overall | 168 | 147 | 2 | 1.36 | 3.54 | 1.19 | (0.14, 4.28) | |
| | St. John's Regional Medical Center | 168 | 147 | 2 | 1.36 | 3.54 | 1.19 | (0.14, 4.28) | |
| Tovar, Eduardo A. | Surgeon Overall | 260 | 224 | 4 | 1.79 | 2.49 | 2.21 | (0.60, 5.65) | |
| | Presbyterian Intercommunity Hospital | 70 | 61 | 1 | 1.64 | 2.49 | 2.04 | (0.05, 11.31) | |
| | St. Jude Medical Center | 190 | 163 | 3 | 1.84 | 2.50 | 2.28 | (0.47, 6.64) | |
| Trento, Alfredo | Surgeon Overall | 212 | 110 | 1 | 0.91 | 1.91 | 1.47 | (0.04, 8.18) | |
| | Cedars Sinai Medical Center | 212 | 110 | 1 | 0.91 | 1.91 | 1.47 | (0.04, 8.18) | |
| Trivedi, Rohitkumar R. | Surgeon Overall | 226 | 177 | 6 | 3.39 | 5.50 | 1.90 | (0.70, 4.13) | |
| | Pomona Valley Hospital Medical Center | 226 | 177 | 6 | 3.39 | 5.50 | 1.90 | (0.70, 4.13) | |
| Tseng, Elaine E. | Surgeon Overall | 59 | 54 | 2 | 3.70 | 2.72 | 4.21 | (0.51, 15.17) | |
| | UCSF Medical Center | 59 | 54 | 2 | 3.70 | 2.72 | 4.21 | (0.51, 15.17) | |
| Tyner, John J. | Surgeon Overall | 133 | 90 | 2 | 2.22 | 2.30 | 2.99 | (0.36, 10.76) | |
| | Scripps Green Hospital | 88 | 56 | 1 | 1.79 | 2.10 | 2.63 | (0.07, 14.58) | |
| | Scripps Mercy Hospital | 45 | 34 | 1 | 2.94 | 2.62 | 3.47 | (0.09, 19.25) | |
| Tzeng, Thomas S. | Surgeon Overall | 308 | 286 | 20 | 6.99 | 3.79 | 5.69 | (3.48, 8.81) | Worse |
| | Anaheim Memorial Medical Center | 13 | 11 | 0 | 0.00 | 2.63 | 0.00 | (0.00, 39.42) | |
| | Downey Regional Medical Center | 65 | 63 | 4 | 6.35 | 3.89 | 5.03 | (1.37, 12.90) | |
| | Presbyterian Intercommunity Hospital | 97 | 89 | 4 | 4.49 | 4.46 | 3.11 | (0.85, 7.97) | |
| | St. Jude Medical Center | 97 | 87 | 8 | 9.20 | 3.24 | 8.75 | (3.78, 17.27) | Worse |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|-----------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Tzeng, Thomas S. | UC Irvine Medical Center | 15 | 15 | 2 | 13.33 | 2.21 | 18.63 | (2.26, 67.45) | |
| | West Anaheim Medical Center | 15 | 15 | 2 | 13.33 | 3.56 | 11.55 | (1.40, 41.80) | |
| | Western Medical Center - Santa Ana | 2 | 2 | 0 | 0.00 | 1.87 | 0.00 | (0.00, 100.00) | |
| | Western Medical Center Hospital - Anaheim | 4 | 4 | 0 | 0.00 | 9.98 | 0.00 | (0.00, 28.56) | |
| Uppal, Kanti M. | Surgeon Overall | 24 | 19 | 0 | 0.00 | 2.79 | 0.00 | (0.00, 21.44) | |
| | Sequoia Hospital | 24 | 19 | 0 | 0.00 | 2.79 | 0.00 | (0.00, 21.44) | |
| Vazquez, Demetrio J. | Surgeon Overall | 221 | 190 | 11 | 5.79 | 3.59 | 4.99 | (2.48, 8.90) | |
| | Scripps Memorial Hospital - La Jolla | 221 | 190 | 11 | 5.79 | 3.59 | 4.99 | (2.48, 8.90) | |
| Versteeg, Frank A. | Surgeon Overall | 21 | 18 | 1 | 5.56 | 2.12 | 8.09 | (0.20, 44.92) | |
| | Glendale Adventist Medical Center - Wilson Terrace | 20 | 17 | 1 | 5.88 | 2.03 | 8.95 | (0.23, 49.71) | |
| | Methodist Hospital of Southern California | 1 | 1 | 0 | 0.00 | 3.68 | 0.00 | (0.00, 100.00) | |
| Vunnamadala, Syam P. | Surgeon Overall | 117 | 106 | 8 | 7.55 | 2.74 | 8.51 | (3.66, 16.70) | Worse |
| | Anaheim Memorial Medical Center | 47 | 41 | 3 | 7.32 | 2.71 | 8.33 | (1.71, 24.26) | |
| | Fountain Valley Regional Hospital | 11 | 11 | 1 | 9.09 | 2.73 | 10.30 | (0.26, 57.20) | |
| | West Anaheim Medical Center | 12 | 12 | 2 | 16.67 | 3.99 | 12.90 | (1.56, 46.44) | |
| | Western Medical Center Hospital - Anaheim | 47 | 42 | 2 | 4.76 | 2.42 | 6.10 | (0.74, 21.94) | |
| Wang, Nan | Surgeon Overall | 330 | 210 | 0 | 0.00 | 2.71 | 0.00 | (0.00, 2.00) | Better |
| | Loma Linda University Medical Center | 325 | 206 | 0 | 0.00 | 2.70 | 0.00 | (0.00, 2.05) | Better |
| | Riverside Community Hospital | 5 | 4 | 0 | 0.00 | 3.37 | 0.00 | (0.00, 84.39) | |
| Waterford, Robert R. | Surgeon Overall | 25 | 23 | 0 | 0.00 | 2.07 | 0.00 | (0.00, 23.90) | |
| | St. Agnes Medical Center | 25 | 23 | 0 | 0.00 | 2.07 | 0.00 | (0.00, 23.90) | |
| West, Phillip N. | Surgeon Overall | 255 | 209 | 4 | 1.91 | 3.03 | 1.96 | (0.53, 4.99) | |
| | Santa Barbara Cottage Hospital | 255 | 209 | 4 | 1.91 | 3.03 | 1.96 | (0.53, 4.99) | |
| Westerman, G. Richard | Surgeon Overall | 238 | 176 | 4 | 2.27 | 3.32 | 2.11 | (0.57, 5.39) | |
| | Santa Barbara Cottage Hospital | 238 | 176 | 4 | 2.27 | 3.32 | 2.11 | (0.57, 5.39) | |
| Wilson, Joseph W. | Surgeon Overall | 257 | 209 | 3 | 1.44 | 3.67 | 1.21 | (0.25, 3.52) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|---------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|--|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Wilson, Joseph W. | Desert Regional Medical Center | 1 | 0 | . | . | . | . | | Not Applicable |
| | Eisenhower Memorial Hospital | 256 | 209 | 3 | 1.44 | 3.67 | 1.21 (0.25, 3.52) | | |
| Wood, Michael K. | Surgeon Overall | 78 | 55 | 2 | 3.64 | 2.57 | 4.38 (0.53, 15.75) | | |
| | Mills-Peninsula Health Center | 78 | 55 | 2 | 3.64 | 2.57 | 4.38 (0.53, 15.75) | | |
| Wood, Michael N. | Surgeon Overall | 137 | 126 | 3 | 2.38 | 5.54 | 1.33 (0.27, 3.87) | | |
| | San Antonio Community Hospital | 137 | 126 | 3 | 2.38 | 5.54 | 1.33 (0.27, 3.87) | | |
| Yacoubian, Vahe S. | Surgeon Overall | 25 | 24 | 1 | 4.17 | 2.55 | 5.06 (0.13, 28.07) | | |
| | Glendale Adventist Medical Center - Wilson Terrace | 20 | 20 | 1 | 5.00 | 2.44 | 6.34 (0.16, 35.19) | | |
| | Good Samaritan Hospital - Los Angeles | 5 | 4 | 0 | 0.00 | 3.09 | 0.00 (0.00, 91.92) | | |
| Yap, Alexander G. | Surgeon Overall | 297 | 276 | 4 | 1.45 | 3.79 | 1.18 (0.32, 3.01) | | Better |
| | California Pacific Medical Center - Pacific Campus | 1 | 1 | 0 | 0.00 | 1.18 | 0.00 (0.00, 100.00) | | |
| | Seton Medical Center | 272 | 252 | 4 | 1.59 | 3.40 | 1.44 (0.39, 3.68) | | |
| | St. Mary's Medical Center, San Francisco | 24 | 23 | 0 | 0.00 | 8.21 | 0.00 (0.00, 6.01) | | |
| Yasuda, Roderick K. | Surgeon Overall | 177 | 152 | 8 | 5.26 | 3.92 | 4.15 (1.78, 8.14) | | |
| | Northridge Hospital Medical Center | 47 | 39 | 0 | 0.00 | 3.47 | 0.00 (0.00, 8.39) | | |
| | Providence Holy Cross Medical Center | 115 | 102 | 8 | 7.84 | 4.04 | 6.01 (2.58, 11.79) | | |
| | West Hills Regional Medical Center | 15 | 11 | 0 | 0.00 | 4.48 | 0.00 (0.00, 23.05) | | |
| Yee, Edward S. | Surgeon Overall | 9 | 8 | 0 | 0.00 | 4.29 | 0.00 (0.00, 33.09) | | |
| | California Pacific Medical Center - Pacific Campus | 2 | 2 | 0 | 0.00 | 4.35 | 0.00 (0.00, 100.00) | | |
| | Marin General Hospital | 6 | 6 | 0 | 0.00 | 4.27 | 0.00 (0.00, 44.34) | | |
| | St. Mary's Medical Center, San Francisco | 1 | 0 | . | . | . | . | | Not Applicable |
| Yokoyama, Taro | Surgeon Overall | 399 | 339 | 12 | 3.54 | 3.56 | 3.07 (1.58, 5.34) | | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.

Table 5: Surgeon Risk-Adjusted Operative Mortality Results, 2003-2004

| Surgeon | Hospital | All CABG Cases | Isolated CABG Cases | Isolated CABG Deaths | Observed Mortality Rate (%) | Expected Mortality Rate (%) | Risk-Adjusted Mortality Rate (% RAMR) and 95% CI | | Performance Rating* |
|--------------------|--|----------------|---------------------|----------------------|-----------------------------|-----------------------------|--|----------------|---------------------|
| State | | 49,435 | 40,377 | 1,244 | 3.08 | | | | |
| Yokoyama, Taro | Providence St. Joseph Medical Center | 81 | 58 | 4 | 6.90 | 2.34 | 9.12 | (2.48, 23.27) | |
| | St. Vincent Medical Center | 318 | 281 | 8 | 2.85 | 3.82 | 2.30 | (0.99, 4.53) | |
| Young, John A. | Surgeon Overall | 60 | 47 | 0 | 0.00 | 3.67 | 0.00 | (0.00, 6.58) | |
| | Palomar Medical Center | 1 | 0 | . | . | . | . | . | Not Applicable |
| | Tri - City Medical Center | 59 | 47 | 0 | 0.00 | 3.67 | 0.00 | (0.00, 6.58) | |
| Young, Joseph N. | Surgeon Overall | 193 | 122 | 2 | 1.64 | 2.43 | 2.09 | (0.25, 7.52) | |
| | UC Davis Medical Center | 193 | 122 | 2 | 1.64 | 2.43 | 2.09 | (0.25, 7.52) | |
| Yun, Kwok L. | Surgeon Overall | 733 | 634 | 9 | 1.42 | 1.93 | 2.27 | (1.04, 4.30) | |
| | Kaiser Foundation Hospital (Sunset Los Angeles) | 733 | 634 | 9 | 1.42 | 1.93 | 2.27 | (1.04, 4.30) | |
| Zalez, James P. | Surgeon Overall | 21 | 19 | 0 | 0.00 | 2.21 | 0.00 | (0.00, 27.09) | |
| | St. John's Hospital and Health Center | 21 | 19 | 0 | 0.00 | 2.21 | 0.00 | (0.00, 27.09) | |
| Zapolanski, Alex | Surgeon Overall | 336 | 247 | 4 | 1.62 | 2.40 | 2.09 | (0.57, 5.32) | |
| | California Pacific Medical Center - Pacific Campus | 174 | 122 | 2 | 1.64 | 2.44 | 2.08 | (0.25, 7.48) | |
| | Dominican Hospital | 2 | 1 | 0 | 0.00 | 0.76 | 0.00 | (0.00, 100.00) | |
| | Mills-Peninsula Health Center | 50 | 38 | 0 | 0.00 | 2.35 | 0.00 | (0.00, 12.74) | |
| | Seton Medical Center | 105 | 81 | 2 | 2.47 | 2.47 | 3.09 | (0.37, 11.13) | |
| | St. Mary's Medical Center, San Francisco | 5 | 5 | 0 | 0.00 | 1.00 | 0.00 | (0.00, 100.00) | |
| Zubiate, Pablo | Surgeon Overall | 5 | 4 | 0 | 0.00 | 2.12 | 0.00 | (0.00, 100.00) | |
| | Brotman Medical Center | 2 | 2 | 0 | 0.00 | 1.15 | 0.00 | (0.00, 100.00) | |
| | Centinela Hospital Medical Center | 3 | 2 | 0 | 0.00 | 3.08 | 0.00 | (0.00, 100.00) | |
| Zusman, Douglas R. | Surgeon Overall | 218 | 163 | 7 | 4.29 | 4.53 | 2.93 | (1.17, 6.02) | |
| | Hoag Memorial Hospital Presbyterian | 218 | 163 | 7 | 4.29 | 4.53 | 2.93 | (1.17, 6.02) | |

* A surgeon is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A surgeon is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A surgeon's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the CI of the RAMR.