

## Space Details

Key:	COMMUNITY
Name:	Community Documentation
Description:	
Creator (Creation Date):	hpdI (Dec 20, 2007)

















Payment Gateway. Merchants using this method have the option to let the gateway handle all the steps in transaction processing-payment dat351]TJETq0.99(all)-351(the)-350(steps)-350(in)]TJETq0.9951(Gatew)q0.0.9951q







## Simple Integration Method (SIM)

---

This page last changed on Jan 10, 2008 by [hpdl](#).

# Simple Integration Method (SIM)

The Simple Integration Method uses scripting techniques to authenticate transactions with a unique transaction fingerprint. SIM provides a customizable, secure hosted payment form to make integration



For additional languages, copy one of the existing language definition files to the appropriate language









## Configuration Settings

### Enable ChronoPay

Setting this parameter to *True* makes the payment method available to customers during the checkout procedure.

### ChronoPay Product ID

Unique code of product or service. ChronoPay uses it to determine which Merchant site the Customer belongs to.

### MD5 Hash

The MD5 hash value securely verifies the results of a transaction.

### Payment Zone

If set, this payment method will only be available to orders made within the defined zone.

### Set Preparing Order

order has been verified.

Sort

ipayment

---

This page last changed on Jan 15, 2008 by [hpdI](#).

ipayment

## ipayment Credit Card

---

This page last changed on Jan 15, 2008 by [hpdI](#)

—

PayPal











### Sort Order

The position to show the payment method on the checkout payment page against other available payment methods.

### cURL Program Location





The location and filename of the cURL "curl" program file.







If set, this payment method will only be available to orders made within the defined zone.

#### Set Order Status

The orders status will be updated to this value when the transaction has been performed.

#### Sort Order

The position to show the payment method on the checkout payment page against other available payment methods.

#### cURL Program Location

The location and filename of the cURL "curl" program file.

## Manual Installation (as an Add-On)



PayPal Website Payments Pro (US) Direct Payments



extracted from the add-on package.

The file listing is as follows:

- includes/languages/english/modules/payment/paypal\_direct.php
- includes/languages/espanol/modules/payment/paypal\_direct.php
- includes/languages/german/modules/payment/paypal\_direct.php
- includes/modules/payment/paypal\_direct.php

The standard languages definitions in English, Spanish, and German are provided in the add-on package. For additional languages, copy one of the existing language definition files to the appropriate language directory and edit the file with a text editor to edit the language definitions. The location of the language definition file must be in:

- includes/languages/<language>/modules/payment/paypal\_direct.php

## PayPal Website Payments Standard

---

This page last changed on Jan 11, 2008 by [jfitchett](#).

The order status is updated again when the customer finalizes the payment transaction at PayPal and





WorldPay



This page last changed on Jan 13, 2008 by [hpdl](#).

# WorldPay Select Junior

WorldPay Select Junior is included in osCommerce Online Merchant v2.2 and is available as a separate add-on for existing store owners who are running osCommerce Online Merchant v2.2 Milestone 2 and v2.2 Release Candidate 1.

The WorldPay Select Junior payment module supports the following WorldPay features:

—

Transaction Method

