





## Find All (Command + Shift + F)

```
Account ) 🕤 iPhone Xs Max
Client ) Client ) To Application ) Leanplumintegration.swift ) M start()
                                                                                                                                                                                  < A>>
W 🖹 Client
                                                      LPAttributeKey.fxaAccountVerified: profile?.hasSyncableAccount() ?? false
   Cartfile.resolved
                                                 -self.setupCustomTemplates()
 ► Account
 ▶ AccountTests
                                                 Leanplum.start(withUserId: mil, userAttributes: attributes, responseHandler: ( _ in-
                                                     self.track(event: .openedApp)
 ▶ ClientTests
 ▶ content-blocker-lib-ios
 ▶ Extensions
                                                     if self.prefs?.intForKey(PrefsKeys.IntroSeen) == mil {
 Frameworks
                                     175
                                                         -self.prefs?.setString(AppInfo.appVersion, -forKey: LatestAppVersionProfileKey)
 ▶ ■ Products
                                                          self.track(event: .firstRun)
 ▶ Providers
                                                     } else if self.prefs?.boolForKey("SecondRun") == nil {
                                                         self.prefs?.setBool(true, forKey: "SecondRun")
                                                          self.track(event: .secondRun)
 ▶ PushTests
 ⇒ Shared
 ▶ Shared Tests
                                                     -self.checkIfAppWasInstalled(key: PrefsKeys.HasFocusInstalled, isAppInstalled: self.focusInstalled(), lpEvent: .downloadedFocus)
                                                     self.checkIfAppWasInstalled(key: PrefsKeys.HasPocketInstalled, isAppInstalled: self.pocketInstalled(), lpEvent: .downloadedPocket)
                                                      self.recordSyncedClients(with: self.profile)
 ► Storage
 ▶ StoragePerfTests
 ▶ StorageTests
 ▶ Sync
 ▶ SyncTests
                                              func track(event: LPEvent, withParameters parameters: [String: String]? = nil) {
 ▶ SyncTelemetry
                                                 guard isLPEnabled() else (
 ▶ SyncTelemetryTests
 ► Third-Party Source
                                                                                                                                                                                                   No Selection
                                                 -ensureMainThread {
 ► UlTests
                                                     guard !self.isPrivateMode() else {
 ➤ XCUITests
                                                     if let params = parameters {-
                                                         Leanplum.track(event.rawValue, withParameters: params)
                                                         ·Leanplum.track(event.rawValue)
                                              -func-set(attributes: [AnyHashable: Any]) - {-
                                                 -guard-isLPEnabled() else-{-
                                                     return
                                                 ensureMainThread {
                                                     if !self.isPrivateMode() {-
                                                         Leanplum.setUserAttributes(attributes)
                                             -func set(enabled: Bool) {-
                                                  //- Setting-up-Test-Mode-stops-sending-things-to-server.
                                                 if enabled ( start() }
                                                 -self.enabled = enabled
                                                 Leanplum.setTestModeEnabled(!enabled)
```

## Project Navigator Filter

