

Site	FAIRBANKS - B
Treat.	NP - B
Plot	07
Date	07/04/2022

Crew	JW, AL
Veg	AC2
FWD/CWD	AC2
Recorder	JW, JF, A

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1m	2m	4m	10m	3

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	1-hr	10-hr	100-hr	Meter mark: 10		Meter mark: 5		
					Duff/litter	% Litter	Duff/litter	% Litter	
1	0°	3%	32	13	8	15cm	70%	7cm	90%
2		4	21	9	2	8	100	7	70
3	44	5	3	1	2	50	4	80	

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 10m						Meter mark: 5m					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	40%	0.5%	1.4m	0.5%	0%	0.0m	10%	3%	1.5m	0%	0%	0m
2	20	0.5	1.3	3	0.5	0.4	10	3	1.4	0.5	3	0.4
3	0.5	0	0.9	0	0	—	10	0.5	1.0	5	3	0.2

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	24.8	3	3	1	8.6	3				
1	2	19.9	3								
1	3	14.0	2								
1	4	17.1	1								
2	—	—	—								

Notes 1 hr 10hr 100hr VEG 2: SWAP 5 3, 10m DATA

☒☒☒	☒	□
-----	---	---

☒☒☒	☒	..
-----	---	----

..	..	
----	----	--

Site	FAIRBANKS
Treat.	NP-B
Plot	3
Date	7/4/22

Crew	
Veg	AC2
FWD/CWD	AC2
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	3

Fine woody debris (duff/litter depth: cm, slope: percent)

Vegetation (percent cover, avg height: m)

	Meter mark: 10						Meter mark: 5					
Trans. #	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	20	10	1.4	0	0	—	0,5	10	1,6	0	0	—
2	30	3	1,7	0	0	—	0	5	1,8	0,5	0	0,2
3	5	10	1,1	0	3	0,1	0	10	1,4	0,5	0	0,2

Coarse woody debris (decay class: 1-5, diameter: cm)

Notes

Site	FAIRBANKS
Treat.	NP-B
Plot	X5
Date	7/4

Crew	
Veg	AC2
FWD/CWD	AC2
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	3

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	1-hr	10-hr	100-hr	Meter mark:	10	Meter mark:	5
					Duff/litter	% Litter	Duff/litter	% Litter
1	44	14	9	4	6	70	1	100
2	19	15	11	3	10	40	6	30
3	59	26	3	1	5	10	6	100

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 10						Meter mark: 5					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	5	0	0.8	3	0.5	0.5	10	0	0.8	30	10	0.2
2	10	5	1.5	0	0	—	5	5	1.3	40	10	0.3
3	3	0.5	0.5	0.5	0.5	0.4	5	0	1.1	5	0.5	0.6

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	12.4	3								
2	—	—	—								
3	1	8.4	5								
3	2	44.0	5								

Notes

1	1hr	10hr	100
1	☒::	☒	::
2	☒::	☒	::
3	☒☒:	☒	:

Site	CRIBWAL
Treat.	LS-B
Plot	1
Date	7/5/22

Crew	
Veg	ACZ
FWD/CWD	ACZ
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	3

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)				Meter mark:	5	Meter mark:	10
		1-hr	10-hr	100-hr	Duff/litter	% Litter	Duff/litter	% Litter
1	3°	7	16	1	3	1	100	4
2		23	48	18	3	7	40	8
3		36	17	4	4	14	60	5

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 15 5						Meter mark: 10					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	0.5	0	0.9	10	0	0.1	33	0	0.8	0	0	—
2	0.5	0.5	1.1	0.5	0.5	0.4	0.5	3	0.5	0.5	0	—
3	0.5	3	1.5	0	0	—	20	0.5	1.4	3	0.5	0.3
3	5	0	1.3	0.5	0	0.1						

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	10.6	4								
X 1	2	58.9	X 3								
1	3	11.7	X 2								
2											
3	1	12.2	3								

Notes

1 | 10 | 100
 . .
 . .
 . .
 2 X X X X X | X X |
 VEG @ 10M IS CORRECT, IGNORE STRIKE OUT
 3 | :: | :: |
 . .
 ✓ X
 S

Site	CRIBWALL
Treat.	LS-B-
Plot	8
Date	7/5/22

Crew	
Veg	AC2
FWD/CWD	AC2
Recorder	UF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	3

Fine woody debris

Trans. #	Slope	Meter mark: 5			Meter mark: 10		
		1-hr	10-hr	100-hr	Duff + Litter	% Litter	Duff + Litter
1	3	5	6	10	7	20	4
2	43	25	26	45	4	100	2
3	32	15	12	6	3	70	4

Vegetation

Trans. #	Meter mark: 5						Meter mark: 10					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	0.5	0	0.3	0	0	—	0.5	0	1.3	0.5	0	0.1
2	0.5	0	1.4	0.5	0.5	0.2	5	0	0.6	3	0	0.2
3	0	0.5	1.9	0.5	0	0.1	5	0.5	1.1	0.5	0	0.2

Coarse woody debris

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	18.1	2								
1	2	19	3								
2	1	11.5	3								
2	2	13.6	4								
3	—	—	—								

Notes

1 10 100
 2
 3

Site	CRIBWALL
Treat.	LS-B
Plot	11
Date	7/5/22

Crew	
Veg	AC2
FWD/CWD	AC2
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	3

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	Meter mark: 5			Meter mark: 10		
		1-hr	10-hr	100-hr	Duff/litter	% Litter	Duff/litter
1	5	9	4	3	13	50	14
2	105°	22	10	6	3	4	50
3	49	4	11		9	60	12

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 5						Meter mark: 10					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	20	3	1.1	3	5	0.3	10	0.5	0.9	5	0	0.1
2	10	0.5	1.0	10	3	0.4	3	0	1.1	0.5	5	0.5
3	0.5	0	1.1	10	5	0.2	3	0.5	1.6	0.5	0	0.1

Coarse woody debris (decay class: 1-5, diameter: cm)


Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	17.4	5								
2	1	18.5	3								
2	2	13.4	2								
3	1	68	5								

Notes

1 10 100
 1 :: ::
 2 :: ::

DEAD HERB : SWORD FERN

3 -



Site	CRIBWALL
Treat.	LS-B
Plot	14
Date	7/6/22

Crew	
Veg	
FWD/CWD	
Recorder	

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	3

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	Meter mark: 5			Meter mark: 10			
		1-hr	10-hr	100-hr	Duff/litter	% Litter	Duff/litter	
1	343	12	14	3	5	100	1	100
2		29	13	24	0	5	2	60
3		39			6	70	1	100

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 5						Meter mark:					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	0	0	—	10	5	0.5	0	0	—	40	0	0.4
2	30	0.5	0.4	5	0	0.2	0.5	0.5	1.0	3	0.5	0.3
3	0.5	0	0.3	3	0.5	0.3	20	0	1.2	0.5	0.5	0.5

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	11.4	4								
2	—	—	—								
3	1	9.4	2								
3	2	23	3								

Notes

1 10 100
 1 :::: ::::
 2 :::: ::::
 3 :::: ::::

1@5, EDGE OF SKID, @10 IN SKID
 2@5 IN SKID

Site	CRIBWALL
Treat.	LS-B
Plot	X 21
Date	7/16/22

Crew	
Veg	AC2
FWD/CWD	AC2
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	1-hr	10-hr	100-hr	Meter mark:	5	Meter mark:	B 10
					Duff/litter	% Litter	Duff/litter	% Litter
1	6	7	4	7	3	90	7	70
2	7	17	11	13	4	50	11	60
3	33	4	1	1	2	90	1	100

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 5						Meter mark: 10					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	0.5	0	0.2	50	0	0.1	40	20	1.4	10	0	0.2
2	20	3	0.5	0.5	0	0.1	5	0.5	0.7	0	0	—
3	3	0	0.7	50	0	0.1	3	0	0.9	40	0	0.2

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	13.6	3	2	2	25	3				
1	2	22.8	4	2	3	16.2	3				
1	3	12.2	3	3	1	36.6	3				
1	4	32.2	4	3	2	10.6	3				
2	1	12.9	1								

Notes

1 5M IN SKID, 10 M IN TREES, PLOT CENTER, SKID EDGE

1 10 100
:: :: ::

☒ C ☒ ☒ ::

3 WHOLE TRANSECT IN SKID

::

Site	CRIBWALL
Treat.	LS-B-23
Plot	23
Date	7/6/22

Crew	
Veg	AC2
FWD/CWD	AC2
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	Meter mark: 5			Meter mark: 10		
		1-hr	10-hr	100-hr	Duff/litter	% Litter	Duff/litter
1	4	20	3	3	0	—	3
2	41	40	6	4	11	80	15
3	29	11	1	1	4	50	1

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 5						Meter mark: 10					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	3	0	0.9	5	0.5	0.1	5	3	1.0	0.5	0.5	0.2
2	0	0	—	0	0	—	5	0.5	0.8	3	0	0.1
3	0	0	—	40	3	0.5	5	0	0.4	0.5	0	0.1

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	21.8	3								
2	1	72.3	3								
3	—	—	—								

Notes

1
 IN SKID 10 100
 2 :: ::
 NOT IN SKID
 3

ALL TREES IN NEAR THIS TRANSECT & IN THESE CONDITIONS

Site	CRIBWALL
Treat.	M-B
Plot	2
Date	8/7/6122

Crew	
Veg	JW
FWD/CWD	JW
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	1-hr	10-hr	100-hr	Meter mark: 10		Meter mark: 5	
					Duff/litter	% Litter	Duff/litter	% Litter
1	36	33	2	0	2.5	70	1	50
2	8	25	5	1	3.5	50	1.5	40
3		41	2	1	2.5	20	1	90

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 10						Meter mark: 5					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	0.5	0.5	0.8	10	5	0.7	0	3	1.0	5	3	0.3
2	0	3	1.2	0.5	0	0.3	0	3	0.8	3	0.5	0.2
3	0	3	0.3	0.5	0.5	0.4	10	0.5	1.0	0.5	0.5	0.1

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	—	—	—								
2	1	10.3	3								
3	1	33.0	5								

Notes

1	10	100
1	..	—
2	..	•
3	..	•

Site	CRIBWALL
Treat.	M-B
Plot	8
Date	7/7/22

Crew	
Veg	JW
FWD/CWD	JW
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
1	2	4	10	3	

Fine woody debris (duff/litter depth: cm, slope: percent)

Vegetation (percent cover, avg height: m)

	Meter mark: 10						Meter mark: 5					
Trans. #	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	0.5	5	1.1	0.5	0	0.1	5	0.5	1.2	10	5	0.8
2	0.5	0.5	1.0	3	0.5	0.3	10	0.5	0.5	10	3	0.4
3	0	3	0.8	0.5	0	0.2	40	3	0.9	3	0.5	0.3

Coarse woody debris (decay class: 1-5, diameter: cm)

Notes

		10	100	
1	◻::	◻:	◻	
2	◻◻◻◻◻◻◻◻	◻◻::	◻◻	1
3	◻·	◻	::	

Site	CRIBWALL
Treat.	M-B
Plot	12
Date	7/7/22

Crew	
Veg	JW
FWD/CWD	JW
Recorder	JF

Lengths (m)	1-hr	10-hr	100-hr	1000-hr	# of trans.
	1	2	4	10	

Fine woody debris (duff/litter depth: cm, slope: percent)

Trans. #	Slope (%)	Meter mark: 10			Meter mark: 5		
		1-hr	10-hr	100-hr	Duff/litter	% Litter	Duff/litter
1	20	17	10	6	8	10	9
2	21	102	8	4	3	10	3
3	17	36	11	3	7	30	1.5
							40

Vegetation (percent cover, avg height: m)

Trans. #	Meter mark: 10						Meter mark: 5					
	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height	Live woody	Dead woody	Avg. height	Live herb	Dead herb	Avg. height
1	40	0.5	1	0	0	—	100	10	2	0.5	3	1.4
2	100	3	10	3	2	1.7	0.5	0	3	0	18	1.0
3	5	0.5	1.4	0.5	0	0.1	30	0.5	1.4	3	0	0.1

Coarse woody debris (decay class: 1-5, diameter: cm)

Trans.	Log	Dia.	Decay	Trans. #	Log #	Dia.	Decay	Trans. #	Log #	Dia.	Decay
1	1	10.2	3	1	6	23.4	3				
1	2	12.0	3	1	7	10.0	3				
1	3	9.4	4	2	1	40.1	3				
1	4	48.0	3	3	1	20.0	3				
1	5	8.9	4								

Notes

1	☒	10	100
2	☒☒☒☒☒☒	☒	5.
3	☒☒☒