

AGROLINK

From Farm Supply to Reliable Business Inventory

Business Concept + Operating Model + Platform Specification + Brand System

Primary
#0B3D2E

Action
#1F7A4D

Fresh
#52B788

Accent
#D6A84F

Surface
#F7F6F1

Prepared as a product and business blueprint for an AgroLink website built with HTML, CSS and Bootstrap 5.0.2.

1. Executive Summary

AgroLink is a Nigerian B2B agricultural supply, aggregation, warehousing and distribution business. The company partners with farmers, collects selected agricultural products from participating farms, verifies and stores the products in company-controlled inventory, markets that stock through a digital platform, and sells to registered wholesalers, merchants and approved buyers.

The key idea is simple: farmers should have a reliable channel for moving harvest to market, while traders should be able to find verified stock without wasting time visiting multiple farms or relying on uncertain availability. AgroLink becomes the operational middle layer that connects supply to dependable demand.

Core promise: turn fragmented farm supply into verified, accessible and professionally managed wholesale inventory.

Stakeholder	Problem	AgroLink value
Farmer	Finds it difficult to reach dependable buyers and move volume efficiently.	Pickup, aggregation, storage, marketing and settlement.
Wholesaler / Merchant	Spends time searching for stock and dealing with inconsistent availability.	One platform for verified inventory, ordering and fulfillment.
AgroLink	Needs a sustainable way to monetize coordination and physical operations.	Margin / service fee from transactions plus logistics and storage economics.

2. The Problem AgroLink Solves

- **Fragmented supply:** Agricultural products are spread across many farms and communities. A trader may need to contact or physically visit several suppliers to find the required volume.
- **Uncertain availability:** A product may be advertised or expected but not actually ready, available, or in the required condition.
- **Time-consuming sourcing:** Merchants lose productive time moving between suppliers, negotiating quantities and coordinating pickup.
- **Weak market access for farmers:** A farmer may produce useful volume without having a dependable route to repeat buyers.
- **Poor visibility:** Without a trusted inventory layer, buyers do not have one place to see what has actually been collected, inspected and is currently available.

3. AgroLink Solution

AgroLink solves the problem by operating as a controlled middle layer between farms and business buyers. The platform is not merely a listing directory; it is connected to a physical warehouse and an operational process.

Stage	Function	What happens
01	Farmer partnership	Farmer creates a verified supplier profile and agrees to AgroLink terms.

02	Product declaration	Farmer declares product, expected quantity, location, quality information and harvest timing.
03	Pickup and intake	AgroLink schedules collection and records the quantity physically received.
04	Quality verification	Received stock is inspected, graded and accepted or rejected according to defined standards.
05	Warehouse inventory	Accepted stock receives an inventory record, storage location and status.
06	Digital merchandising	Verified stock appears on the platform with quantity, unit, origin, grade and wholesale price.
07	Order and payment	Registered merchants place an order and pay through the approved payment process.
08	Fulfillment and settlement	AgroLink dispatches the goods, records the sale and settles the farmer according to the agreed commercial model.

4. Operating Model

The preferred initial commercial structure is a consignment-style or agency arrangement, where ownership and settlement terms are explicitly defined in the farmer agreement. AgroLink should not use vague language such as “interest”; the contract should clearly state whether AgroLink earns a commission, service fee, trading margin, or a combination.

Recommended transaction logic

1. Farmer agrees on a baseline/settlement price or pricing rule.
2. AgroLink collects and stores the goods.
3. AgroLink lists a verified selling price for approved buyers.
4. The difference between the farmer settlement and approved selling economics covers AgroLink margin and operating costs.
5. Sale, fees, inventory movement and farmer settlement are recorded in the system.

Critical inventory rule

The platform must distinguish between “farmer-reported stock” and “warehouse-verified stock.” Only verified physical inventory should be shown as immediately available for purchase. This protects buyer trust and prevents the software from becoming a catalogue of imaginary inventory.

5. Target Customers

Customer	Primary need	AgroLink experience
Farmer	Move harvest efficiently and reach	Supplier dashboard, pickup

	repeat buyers.	request, inventory visibility, sales and settlement history.
Wholesaler / Merchant	Buy dependable quantities quickly.	Verified stock catalogue, filters, bulk pricing, order and delivery tracking.
Business buyer	Source agricultural inputs for ongoing operations.	Repeat purchasing, saved suppliers/products, invoices and order history.

6. Product Strategy

AgroLink should begin with products that are comparatively easier to aggregate, grade, store and transport. The first launch should not attempt to handle every crop type. Shelf-stable commodities are operationally simpler than highly perishable products.

Phase	Focus
MVP	Selected grains and shelf-stable commodities in one defined sourcing region.
Expansion	More commodities, more farmers, more merchant accounts and more delivery zones.
Advanced	Cold-chain/perishables, demand forecasting, financing partnerships, recurring procurement and regional warehouse network.

7. AgroLink Website / Platform Architecture

For the first website, the goal is not to build a giant marketplace. Build the smallest credible interface that proves the operating model and clearly communicates trust, verified inventory and easy ordering.

Page / Module	Purpose
Home	Explain AgroLink, show trust signals, featured products and the farmer-to-business model.
Marketplace	Display verified products with availability, grade, origin, price and minimum order.
Product details	Show quantity, unit, warehouse status, origin, quality information and purchase action.
For Farmers	Explain partnership, pickup, warehousing, marketing and settlement.
For Businesses	Explain wholesale purchasing, verified stock, ordering and fulfillment.
About	Mission, operating principles and company story.
Contact / Support	Business inquiries, farmer onboarding, merchant support and warehouse contact.
Sign in / Register	Separate account flows for farmers, merchants and internal staff.
Dashboards	Farmer portal, merchant portal and admin/warehouse operations portal.

8. User Roles and Permissions

Farmer - Create profile, submit products, request pickup, view received quantities, sales and settlement status.

Merchant / Wholesaler - Browse verified inventory, place orders, pay, see order history and delivery status.

Warehouse Officer - Receive stock, record quantity, grade product, assign storage location, move stock and update inventory status.

Sales / Operations Admin - Manage products, prices, customers, orders, farmer relationships and exceptions.

Super Admin - Manage users, permissions, settings, reports, audit logs and operational controls.

9. Core Inventory Lifecycle

A clean state model will make the software easier to code and maintain:

REPORTED -> PICKUP SCHEDULED -> COLLECTED -> INSPECTED -> APPROVED -> IN WAREHOUSE -> RESERVED -> SOLD -> DISPATCHED -> DELIVERED -> SETTLED

10. Core Data the Software Will Track

Entity	Important fields
Farmer	Name, phone, farm location, verification status, products, bank/settlement details, agreement status.
Product	Name, category, unit, grade, description, images, pricing rule, active status.
Inventory batch	Batch ID, farmer, product, received quantity, available quantity, unit, warehouse, location, grade, received date, status.
Warehouse	Warehouse name, address, capacity, storage zones, operating status.
Order	Order ID, buyer, items, quantity, price, total, payment status, fulfillment status, timestamps.
Pickup	Request ID, farmer, location, scheduled date, vehicle/driver, collected quantity, status.
Settlement	Farmer, order/batch, gross amount, fees, net amount, payment status, paid date.
User	Role, profile, authentication status, permissions, activity log.

11. Technology Direction - HTML, CSS and Bootstrap

5.0.2

For the front-end prototype, use semantic HTML5, custom CSS variables, Bootstrap 5.0.2 for layout/components/responsiveness, and Bootstrap Icons or Font Awesome for interface icons. JavaScript can be added later for interactivity such as filtering, forms, validation, cart/order behavior and dashboard actions.

Layer	Recommendation
Structure	Semantic HTML5: header, nav, main, section, article, footer.
Layout	Bootstrap container, row/col grid, flex utilities and responsive breakpoints.
Components	Navbar, cards, badges, buttons, forms, tables, modals, alerts, offcanvas and pagination.
Custom styling	CSS variables for colors, typography, shadows, borders and reusable component states.
Responsiveness	Mobile-first layouts with careful testing across small, medium and large screens.
Future backend	REST API or similar service with authentication, database, payments, inventory and order management.

12. AgroLink Brand System

The visual identity should communicate agriculture, reliability, logistics and professionalism. Avoid a loud “farm cartoon” aesthetic. AgroLink should look like a serious supply-chain company that happens to operate in agriculture.

12.1 Color Palette

Token	Hex	Use
--agro-dark	#0B3D2E	Primary brand, navbar, footer, hero backgrounds, major headings.
--agro-green	#1F7A4D	Primary action color, buttons, links, active states.
--agro-fresh	#52B788	Highlights, success, secondary accents, product availability.
--agro-sage	#DDEFE5	Light panels, badges, subtle backgrounds and cards.
--agro-gold	#D6A84F	Premium accent, trust highlights, key numbers, subtle decorative detail.
--agro-cream	#F7F6F1	Main warm surface/background for the website.
--agro-ink	#17211B	Primary text and high-contrast content.

--agro-muted	#5E6A63	Secondary text and metadata.
--agro-white		Cards, forms, navbar text and clean surfaces.
--agro-danger	#C94A4A	Errors, rejected stock, failed payments or destructive actions.
--agro-info	#3F8EFC	Information notices and non-destructive system states.

Recommended CSS root variables

```
:root {
  --agro-dark: #0B3D2E;
  --agro-green: #1F7A4D;
  --agro-fresh: #52B788;
  --agro-sage: #DDEFEE;
  --agro-gold: #D6A84F;
  --agro-cream: #F7F6F1;
  --agro-ink: #17211B;
  --agro-muted: #5E6A63;
  --agro-white: #FFFFFF;
  --agro-danger: #C94A4A;
  --agro-info: #3F8EFC;
  --agro-radius: 16px;
  --agro-shadow: 0 12px 32px rgba(11, 61, 46, .10);
}
```

12.2 Typography

Role	Font	Weight	Recommended usage
Display / H1-H2	Poppins	600-700	Hero titles, section headings, major page titles.
Body	Inter	400-500	Paragraphs, navigation, forms and descriptions.
UI labels	Inter	600	Buttons, badges, table labels and metadata emphasis.
Numbers / prices	Poppins	600-700	Wholesale prices, stock quantities and dashboard KPIs.

Web implementation: import Poppins and Inter through the approved font-loading method you choose, or use local fallbacks such as system-ui, -apple-system, Segoe UI, sans-serif. Do not depend on one external font provider for the site to remain readable.

12.3 Visual Rules

- Use the dark green (#0B3D2E) for primary navigation and major brand areas.
- Use the cream surface (#F7F6F1) for spacious page backgrounds instead of making the whole site white.
- Use white cards over the cream background with a soft shadow rather than heavy borders.
- Use gold sparingly. It is an accent, not the main CTA color.
- Use green for actions and verified/available states; do not use green for every piece of text.
- Keep border radii consistent around 12-16px for cards, forms and buttons.

- Use generous whitespace and a strong visual hierarchy; AgroLink should feel like logistics software, not a farmers-market poster.

13. Recommended Homepage Structure

Section	Purpose
Top utility bar	Optional contact/support message, delivery region or business-hours information.
Navbar	AgroLink logo, Marketplace, For Farmers, For Businesses, About, Contact, Login and one primary CTA.
Hero	Clear message about reliable agricultural supply; supporting copy; primary “Browse Available Stock” CTA and secondary “Become a Farmer Partner” CTA.
Trust strip	Verified farmers, warehouse-verified stock, transparent pricing, reliable delivery - only use claims the business can genuinely support.
How it works	Three or four steps showing Farm -> AgroLink -> Business Buyer.
Featured inventory	Real or mock product cards showing stock quantity, unit, grade, origin and price.
For farmers	Benefits of partnership and a concise onboarding path.
For merchants	Fast sourcing, bulk purchasing, verified stock and delivery.
Warehouse / operations story	Visual explanation of pickup, inspection, storage and dispatch.
CTA	Strong conversion section to register as merchant or farmer partner.
Footer	Company navigation, support, legal links, social/contact information.

14. UI Component Standards

Component	Style direction
Navbar	Dark green background; white logo/text; active links use fresh green or a light active indicator; keep the CTA distinct.
Primary button	Green fill (#1F7A4D), white text, moderate radius, visible hover lift.
Secondary button	White or transparent background with green border/text.
Product card	White surface, 14-16px radius, subtle shadow, product image, availability badge, price and action.
Availability badge	Sage background + dark green text for available stock; stronger green for verified.
Price	Large Poppins weight 700; keep currency and unit explicit.
Form	Cream/white surface, clear labels, strong focus ring and readable validation states.

Tables	Clean headers, subtle borders, status badges and enough row height for scanability.
Dashboard KPI	Large number, short label, small trend/status indicator; avoid decorative clutter.

15. Revenue Model and Unit Economics

The business should be built around transaction economics. Every product sold needs a clear record of acquisition/settlement cost, logistics cost, warehouse cost allocation, selling price, gross margin and farmer settlement.

Revenue stream	Description	Priority
Trading / service margin	AgroLink earns the agreed commercial margin between farmer settlement economics and buyer selling price.	Primary
Fulfillment / delivery fee	Buyer pays a defined delivery or fulfillment fee when applicable.	Secondary
Storage / handling	Optional fee for specific services or longer storage periods.	Later
Business account services	Potential premium features for frequent merchants.	Later

Illustrative transaction example (for system design, not a promised price):

Item	Amount
Farmer settlement basis	₦800,000
AgroLink operating / service costs allocated	₦70,000
Total internal cost basis	₦870,000
Merchant selling price	₦920,000
Indicative gross contribution	₦50,000

The illustration is intentionally simple. Real unit economics must account for transport, loading/unloading, storage, spoilage, grading losses, payment fees, staff, security, taxes, refunds, damaged stock and unsold inventory.

16. Main Business Risks and Controls

Risk	Why it matters	Control
Spoilage / deterioration	Inventory loses value while stored.	Start with suitable commodities; define shelf-life and stock rotation; monitor batches.
Inventory mismatch	System may show stock that is not physically available.	Warehouse-first verification; barcode/batch IDs; daily stock reconciliation.
Quality disputes	Buyer rejects stock or farmer disputes grade.	Standard grading criteria; intake photos; inspection record; accepted/rejected status.
Price volatility	Commodity prices can move faster than listings.	Time-stamped pricing, short quote validity and clear repricing rules.
Cash-flow pressure	The company may incur costs before receiving sales revenue.	Pilot with controlled inventory and strict working-capital limits.

Farmer trust	Slow settlement or unclear deductions damage supply relationships.	Transparent statements and written settlement rules.
Buyer trust	Late delivery or poor quality kills repeat demand.	Service-level targets, verified inventory and clear support process.

17. MVP - What to Build First

Do not build every feature at once. The first version should prove three things: farmers will supply through AgroLink, buyers will purchase through AgroLink, and AgroLink can accurately control the inventory between the two sides.

Priority	Feature	Why
P0	Landing page + brand system	Explains the model and establishes trust.
P0	Merchant registration/login	Creates a controlled buyer base.
P0	Farmer registration/login	Creates verified supplier profiles.
P0	Product/inventory catalogue	Shows only verified available stock.
P0	Product detail + order request	Core purchase journey.
P0	Admin inventory management	Critical operational control.
P0	Farmer settlement records	Makes the business transparent.
P1	Pickup scheduling	Formalizes collection operations.
P1	Delivery tracking	Improves merchant experience.
P1	Notifications	Updates users on stock/order events.
P2	Analytics dashboard	Helps optimize sales and operations after usage data exists.

18. Roadmap

Phase 1 - Prototype: Branding, responsive pages, mock inventory, farmer and buyer journeys, admin screens.

Phase 2 - Pilot: One sourcing region, selected commodities, controlled farmer onboarding, limited merchant group, real warehouse process.

Phase 3 - Operational platform: Database, authentication, inventory batches, orders, payments, delivery workflow and settlement automation.

Phase 4 - Scale: More warehouses/regions, stronger logistics, merchant accounts, recurring procurement and reporting.

Phase 5 - Network effects: Demand planning, financing/insurance partnerships, API integrations and deeper supply analytics.

19. Key Performance Indicators

The platform dashboard should eventually measure:

- Verified active farmers
- Warehouse-verified stock accuracy
- Stock turnover rate
- Average order value
- Repeat merchant purchase rate
- Average time from order to dispatch
- Farmer settlement time
- Gross contribution per order
- Warehouse utilization
- Rejected / damaged stock rate

20. Operational and Legal Readiness

Before handling real inventory and money, AgroLink should have formal commercial agreements and operating procedures covering farmer participation, ownership/consignment, pricing, quality acceptance, storage liability, loss/damage, settlement timing, buyer terms, returns/disputes, data protection, payment handling and delivery responsibilities. The website should reflect these rules rather than invent them.

This document is a product/business blueprint, not legal advice. Final agreements and compliance decisions should be reviewed for the specific Nigerian business structure, products and operating locations.

21. Starter Front-End Direction

Recommended body/background pairing: cream page background, white cards, dark green navigation, green actions, gold accents. A simple Bootstrap setup can then reuse the CSS variables throughout the site.

```
body {
  font-family: "Inter", system-ui, sans-serif;
  color: var(--agro-ink);
  background: var(--agro-cream);
}

.navbar-agro {
  background: var(--agro-dark);
}

.btn-agro {
  background: var(--agro-green);
  color: #fff;
  border: 0;
  border-radius: 12px;
}

.card-agro {
  background: #fff;
  border: 1px solid rgba(11, 61, 46, .08);
  border-radius: 16px;
  box-shadow: var(--agro-shadow);
}
```

22. One-Sentence Positioning

AgroLink connects Nigerian farmers to dependable business buyers by collecting, verifying, storing, marketing and delivering agricultural products through one trusted supply platform.

Build the operation first in your thinking, then make the website reflect it. The website is the interface; verified inventory, reliable fulfillment and farmer/buyer trust are the business.